



Formosa Plastics®

Formosa Plastics Corporation, Texas
201 Formosa Drive • P.O. Box 700
Point Comfort, TX 77978
Telephone: (361) 987-7000

April 30, 2026

Electronic Delivery: TCEQR14AIR@tceq.texas.gov

Air Section Manager, Region 14
Texas Commission on Environmental Quality
500 N. Shoreline Blvd., Suite 500
Corpus Christi, Texas 78401

RE: Formosa Plastics Corporation, Texas
Regulated Entity Number: RN100218973
Customer Reference Number: CN600130017
TCEQ Air Quality Account Number: CB-0038-Q
First Quarter 2026 FTIR Report

Dear Air Section Manager:

By letter dated January 10, 1996, Formosa Plastics Corporation, Texas (FPC-TX) is required to submit written reports summarizing the FTIR data as specified by Item 5, Section (c). The enclosed quarter report includes FTIR data from the first quarter of 2026.

By letter dated November 25, 1997, FPC-TX was asked to submit chemical-specific polar plots of 30-minute average concentrations versus wind direction for days when a trigger level was exceeded. Enclosed are chemical-specific polar plots for those days in which an exceedance occurred. Additionally, FPC-TX was asked to submit an electronic copy of the FTIR Quarterly report. This electronic submittal contains the first quarter 2026 validated data for the Point Comfort and North sites.

During the first quarter of 2026, there was one instance of the Formosa Point Comfort Ambient Air Monitoring Station FTIR detecting compounds at levels exceeding their respective 30-minute alarm thresholds. An exceedance is determined by Spectrum Environmental Solutions (SES) through validation of the FTIR data.

In addition, the North FTIR quarterly report is attached. The North FTIR and associated equipment were installed as a Supplemental Environmental Project (SEP) as required by TCEQ Docket No. 2000-1144-AIR-E. This report includes FTIR data from January 1, 2026 through March 31, 2026.

During the first quarter of 2026, there was no instance of the North Ambient Air Monitoring Station FTIR detecting compounds at levels exceeding their respective 30-minute alarm thresholds.

Special Condition No. 49 of the Formosa Plastics Corporation, Texas, EDC Cracking, VCM & PVC Processing Facility permit (7699 and PSDTX226M7) and special condition No. 46 of the Formosa Plastics Corporation, Texas, EDC Plant permit (19199 and PSDTX1238) require submittal of quarterly reports summarizing the FTIR data. Additionally, the North FTIR SEP is referenced in special condition No. 36 of the Formosa Plastics Corporation, Texas, Specialty PVC Plant permit (76305 and PSDTX1058).

Should you have any questions please contact Clint Hurley by e-mail at ClintonH@ftpc.fpcusa.com.

Sincerely,

Mike Rivet

Digitally signed by
Mike Rivet
Date: 2026.04.29
14:40:23 -05'00'

Mike Rivet
Assistant Vice President/General Manager
Formosa Plastics Corporation, Texas

FTIR Ambient Air Monitoring System Quarterly Report – Q1 2026

Formosa Plastics Corporation (FPC-TX)

Date Prepared:

04/28/2026

Prepared by:

Spectrum Environmental Solutions
2340 W Braker Ln Suite A
Austin, TX 78758



TABLE OF CONTENTS

1	Executive Summary	1-1
2	Ambient Air Monitoring System Description	2-1
3	Tier 2 Concentration Exceedance Information.....	3-1
4	Quality Assurance/Quality Control (QA/QC) Results.....	4-4
4.1	Data Completeness	4-4
4.2	Gas Challenges	4-5
4.3	Method Detection Limits (MDLs).....	4-7
5	Summary of FTIR Downtime	5-1

TABLES

Table 2-1.	Summary of the Formosa Point Comfort Community Ambient Air Monitoring Network.....	2-1
Table 2-2.	Formosa AAMS Concentration Thresholds	2-3
Table 3-1.	Tier 2 concentration exceedance information – Q1 2026	3-2
Table 3-2.	Event canister data from PC for the 02/11 Tier 2 Ethylene dichloride exceedance at PC FTIR	3-3
Table 4-1.	Data Completeness – Q1 2026.....	4-4
Table 4-2.	FTIR Gas Challenge Expected Spike Concentrations – Q1 2026	4-5
Table 4-3.	PC FTIR Gas Challenge Recoveries – Q1 2026	4-6
Table 4-4.	North FTIR Gas Challenge Recoveries – Q1 2026.....	4-6
Table 4-5.	Method Detection Limits – Q1 2026.....	4-7
Table 5-1.	Summary of Missing or Invalid Data – Q1 2026.....	5-1

FIGURES

Figure 2-1.	Aerial Image of the Formosa Point Comfort Community Ambient Air Monitoring Network..	2-2
Figure 3-1.	Wind rose for Tier 2 Ethylene dichloride exceedance event at PC FTIR (February 11 th 9:10 PM – 9:20 PM)	3-3
Figure 3-2.	Polar plot for Tier 2 Ethylene dichloride exceedance event at PC FTIR (February 11 th 9:10 PM – 9:20 PM)	3-3

APPENDICES

Appendix A – Monitoring Data – Q1 2026
Appendix B – Wind Roses – Q1 2026

1 Executive Summary

This quarterly report presents validated data from the Formosa Plastics FTIR Ambient Air Monitoring System in Point Comfort, Texas that were collected from January 1, 2026 through March 31, 2026 (Q1 2026). This program was implemented to satisfy the ambient air monitoring requirements of TCEQ Permit Numbers 7699/PSDTX226M7 and TCEQ Permit Numbers 19199/PSDTX1238.

Over 300,000 rolling 30-minute average validated concentration results were generated between the two FTIR monitoring sites during Q1 2026. Quarterly data completeness for PC FTIR was 99.4% and data completeness for North FTIR was 86.5%, both meeting the permitted data completeness criterion of at least 75%. In Q1, there was one exceedance event for the TCEQ Tier 2 rolling 30-minute average threshold levels, which occurred at the PC FTIR site. An event canister was collected and analyzed in response to the exceedance event.

The remainder of this report is divided into the sections and appendices listed in the table below, and this table describes the content provided in each section or appendix.

Report Section/Appendix	Reporting Contents
Section 2 – Ambient Air Monitoring System Description	• Target compounds and monitoring frequency • Air monitoring locations • Air monitoring methodology • Concentration notification/action levels
Section 3 – Tier 2 Concentration Exceedance Information	• Summary of data for any compounds that exceeded their Tier 2 rolling 30-minute average trigger levels • Data for any event canisters triggered due to an exceedance of the Tier 2 FTIR trigger level • Wind roses and chemical-specific polar plots for any periods when FTIR Tier 2 trigger levels were exceeded
Section 4 - Quality Assurance/Quality Control (QA/QC) Results	• Data completeness results • Gas challenge matrix spike results • Method detection limit results
Section 5 - Summary of FTIR Downtime	• Information on periods of FTIR downtime including causes and actions taken
Appendix A – Monitoring Data	• 30-minute block average concentrations with 30-minute block average wind direction data • 24-hour daily average concentrations with 24-hour average wind directions for each calendar day
Appendix B – Wind Roses	• Quarterly wind roses for each site • Daily wind roses for each site

2 Ambient Air Monitoring System Description

As a part of Formosa's air permits with the TCEQ, Formosa is required to operate and maintain a community ambient air monitoring network. This air monitoring network employs two different air monitoring techniques: open-path Fourier Transform Infrared (FTIR) monitoring and canister sampling.

A summary description of the air monitoring network is provided in Table 2-1 and lists the name and location of each monitoring site, the types of monitoring instrumentation utilized, and the frequency of monitoring. The first two sites listed in this table (i.e., PC FTIR and North FTIR) make up the FTIR Ambient Air Monitoring System. The report presents validated FTIR and meteorological data collected at these two FTIR sites. Routine air monitoring data collected from the canister monitoring sites (Sites 3-7) are presented in a separate report.

Table 2-1. Summary of the Formosa Point Comfort Community Ambient Air Monitoring Network

Site Number	Site Name	Type of Monitor(s)	Location	Monitoring Frequency
1	PC FTIR	FTIR Meteorological	Formosa Guesthouse in Point Comfort near the intersection of Pease St. and Clark St.	5-minute and 30-minute average data
2	North FTIR	FTIR Meteorological	FM1593 approximately 3 miles North of FM1593/SH35 intersection	5-minute and 30-minute average data
3	PC Plant	Canister	Formosa Parking Lot South of Formosa Plant Gate 1 on FM1593	Every Other Day
4	City Hall	Canister	City Hall at 102 Jones Street	Every Sixth Day
5	City Park	Canister	On the Northeast side of the City Park on Lamar Street	Every Sixth Day
6	Formosa Training/Development Center (FTDC)	Canister	FTDC on Lamar Street	Every Sixth Day
7	North	Canister	FM1593 approximately 3 miles North of FM1593/SH35 intersection	Once Every Month

The open-path FTIR monitors operate by projecting a beam of infrared light through open air to retroreflectors that reflect the light back to the monitor where spectral absorption characteristics are measured. The unique spectral absorption characteristics of each gas are used to calculate and record the concentrations of each gas present in the beam. The measurement represents an average concentration over the length of the beam path. An aerial image of the Formosa Point Comfort Community Ambient Air Monitoring Network is provided in Figure 2-1 and includes the locations of the canister samplers, the FTIR systems, and the retroreflectors.



Figure 2-1. Aerial Image of the Formosa Point Comfort Community Ambient Air Monitoring Network

Each FTIR system allows for the continuous and simultaneous measurement of the seven target compounds listed in Table 2-2. Concentrations are measured as 5-minute averages, and rolling 30-minute averages are calculated from these 5-minute average concentrations. An automated notification is sent to Formosa whenever a measured 5-minute average concentration of a given compound exceeds the Tier 1 concentration threshold levels listed in Table 2-2. If a rolling 30-minute average concentration of a compound exceeds its associated Tier 2 concentration threshold level then an automated notification is also sent to Formosa, and a one-hour event Summa canister sample is automatically activated.

Table 2-2. Formosa AAMS Concentration Thresholds

Compound	Tier 1: Preliminary Notification 5-Minute Concentration Threshold (ppb)	Tier 2: Canister Activation Rolling 30-Minute Concentration Threshold (ppb)
1,3-Butadiene	40	25
Benzene	120	60
Ethylene	500	500
Ethylene oxide	70	NA
Vinyl chloride	25	25
Ethylene Dichloride	100	50
Hydrogen chloride	14	NA

NA Not applicable. No concentration threshold is provided for the given compound in the permits

A comprehensive description of the system design and measurement approach for the FTIR air monitoring system is provided in this measurement program's Quality Assurance Project Plan (QAPP). All 5-minute concentration(s) contributing to a 30-minute rolling average exceedance are spectrally reviewed and validated

3 Tier 2 Concentration Exceedance Information

There was one Tier 2 concentration threshold exceedance event during Q1 2026. Concentrations of ethylene dichloride exceeded its respective threshold concentration on February 11th, 2026 at the PC monitoring site.

Table 3-1 lists all 30-minute average concentration exceedances of the Tier 2 concentration threshold levels. It provides information on where the exceedance was measured (i.e., Site Name), the date and time of the exceedance, the compound, the measured 30-minute concentration, the corresponding Tier 2 threshold concentration, and the concurrent 30-minute average wind speed and wind direction during the measurement exceedance period. An event canister was triggered at the PC site in response to the event.

For this exceedance event, the following information is provided: the concentration results from the triggered canister, a wind rose for the period corresponding with the measured exceedances, and a chemical-specific polar plot showing the average 30-minute concentration of the target compound measured during the exceedance period as a function of wind direction.

See Figure 2-1 for a depiction of the PC canister site relative to the PC FTIR path where the exceedance was measured.

Table 3-1. Tier 2 concentration exceedance information – Q1 2026

Site Name	Date Time ^a	Compound	Measured 30-Minute Concentration (ppb)	<u>Tier 2: Canister Activation</u> Rolling 30-Minute Concentration Threshold (ppb)	30- Minute Wind Speed (mph)	30- Minute Wind Direction (degrees)
PC FTIR	02/11/26 09:10 PM	Ethylene dichloride	57.3	50	2.2	100
PC FTIR	02/11/26 09:15 PM	Ethylene dichloride	57.3	50	2.4	99.6
PC FTIR	02/11/26 09:20 PM	Ethylene dichloride	57.3	50	2.6	95.9

a the listed time corresponds to the end of the 30-minute averaging period (e.g., 8:35 PM means the 30-minute sample was collected from 8:05 – 8:35 PM)

Table 3-2. Event canister data from PC for the 02/11 Tier 2 Ethylene dichloride exceedance at PC FTIR

Compound	Measured 60-Minute Concentration (ppb)
1,3-Butadiene	<0.07
Benzene	0.15
Ethylene	0.70
Vinyl chloride	<0.07
Ethylene dichloride	2.03




Figure 3-1. Wind rose for Tier 2 Ethylene dichloride exceedance event at PC FTIR (February 11th 9:10 PM – 9:20 PM)




Figure 3-2. Polar plot for Tier 2 Ethylene dichloride exceedance event at PC FTIR (February 11th 9:10 PM – 9:20 PM)

4 Quality Assurance/Quality Control (QA/QC) Results

The quality of the data should be evaluated and controlled to help ensure they meet measurement performance criteria established in the QAPP. Data quality is primarily assessed through the:

- Calculation of data completeness rates,
- Evaluation of results from gas challenges, and
- Determination of method detection limits (MDLs).

4.1 Data Completeness

Data completeness is a measure of the amount of valid data obtained from a measurement system. Due to the nature of open-path FTIR devices, adverse atmospheric conditions such as fog, high humidity, rain, particulate matter, haze, and other conditions can affect a monitor's ability to provide reliable data. Since these conditions are uncontrollable, it is not possible to mitigate their effects. Data invalidated due to adverse atmospheric conditions or periods of maintenance are excluded from data completeness calculations. Significant periods of missing or invalid data are listed in Section 5.

Per permit requirements, the FTIR monitoring system must operate with at least 75% data completeness. The quarterly data completeness rate was 99.4% and 86.5% for the PC FTIR and North FTIR sites, respectively, meeting this program's stated data completeness requirement. North FTIR data completeness was lower in January primarily due to alignment-related low signal strength between January 16th and January 27th. Corrective actions included an internal alignment followed by a path realignment to the retroreflector, which restored stable signal performance. North FTIR data completeness for Q1 2026 was 86.5%, exceeding the 75% quarterly completeness criterion.

Data completeness rates for each site for each month during the quarterly reporting period are provided in Table 4-1.

Table 4-1. Data Completeness – Q1 2026

Site Name	Data Completeness (%)			
	January	February	March	Q1
PC FTIR	99.2	99.4	99.5	99.4
North FTIR	63.7	97.6	99.4	86.5

4.2 Gas Challenges

Gas challenges are performed against the open-path FTIR instrument with gases containing the target compounds to help confirm accurate and precise measurements are being collected. A gas challenge test is conducted by measuring a known concentration in an enclosed cell placed into the normal measurement path, over a fixed path length, and at a known temperature and pressure. The expected spike concentrations are calculated by multiplying the certified cylinder concentrations by the ratio of the calibration cell path length to the open path length. This would be the molecular density (concentration by volume) if the molecules in the cell were instead evenly distributed across the entire beam path. Gas challenges serve as a quality assurance check in the presence of all the spectral interferences present in the normal measurement path. The collected measurements are compared to reference spectra, and if concentration values are within acceptable criteria, the measurement method can be verified.

All target compounds are listed in Table 4-2 along with their expected spike concentrations for each set of gas cylinders that were installed at the time of the challenges. A blend of all target volatile organic compounds (VOCs) at known concentrations are contained within a single gas cylinder located at each site, but due to its corrosive nature, hydrogen chloride (HCl) gas was included in a separate cylinder and tested independently of the other gases. The expected concentrations for each site are summarized in Table 4-2.

Table 4-2. FTIR Gas Challenge Expected Spike Concentrations – Q1 2026

Compound	Expected Spike Concentration (ppb)	
	PC FTIR	North FTIR
1,3-Butadiene	34	39
Benzene	106	123
Ethylene	39	46
Ethylene oxide	68	77
Vinyl chloride	24	28
Ethylene dichloride	96	111
Hydrogen chloride	13	16

Analyte spike recovery is expressed as a percentage and calculated by taking the ratio of the actual spike concentration, which is the average of equilibrium points during the run, to the expected spike concentration. Per the QAPP, this project's stated accuracy objective for gas challenge recoveries is $\pm 30\%$ (i.e., 70% - 130%). All of the gas challenges performed for the quarter resulted in acceptable recoveries. The Q1 2026 gas challenge recovery statistics for PC FTIR and North FTIR are presented in Tables 4-3 and Table 4-4, respectively.

Table 4-3. PC FTIR Gas Challenge Recoveries – Q1 2026

Date	Target Compound Recovery (%)						
	Ethylene dichloride	1,3-Butadiene	Benzene	Ethylene	Ethylene oxide	Vinyl chloride	Hydrogen chloride
01/02/2026	106.0	106.8	90.2	104.1	107.0	100.2	NA
01/05/2026	NA	NA	NA	NA	NA	NA	84.1
01/29/2026	111.6	100.2	106.1	102.6	91.3	103.0	84.4
02/15/2026	96.9	98.0	98.2	100.8	86.2	96.1	89.1
02/22/2026	90.3	105.1	90.2	95.6	98.3	89.5	88.3
03/02/2026	90.3	109.5	98.4	107.4	107.6	92.6	105.5
03/09/2026	102.9	98.8	84.5	102.0	93.7	98.0	88.8
03/27/2026	105.9	107.2	94.8	100.7	104.2	89.7	85.1
Q1 2026 Average	100.6	103.7	94.6	101.9	98.3	95.6	89.3

NA Gas challenge for associated compound(s) not performed due to gas solenoid error

Table 4-4. North FTIR Gas Challenge Recoveries – Q1 2026

Date	Target Compound Recovery (%)						
	Ethylene dichloride	1,3-Butadiene	Benzene	Ethylene	Ethylene oxide	Vinyl chloride	Hydrogen chloride
01/02/2026	128.8	109.8	95.3	115.3	101.9	124.6	97.4
01/29/2026	98.8	100.0	120.2	112.2	94.9	118.2	93.9
02/13/2026	118.3	109.2	100.0	105.3	95.1	107.8	98.6
02/22/2026	105.4	104.4	83.2	108.0	80.5	103.1	108.5
03/02/2026	117.4	116.1	94.2	110.4	110.7	93.6	110.2
03/09/2026	86.1	99.8	83.7	113.0	106.0	128.2	99.4
Q1 2026 Average	109.1	106.6	96.1	110.7	98.2	112.6	101.3

4.3 Method Detection Limits (MDLs)

This program's QAPP provides target method detection limit (MDL) values for each compound of interest. Table 4-5 includes these target values as well as the median MDLs achieved during Q1 2026 for each site.

Table 4-5. Method Detection Limits – Q1 2026

Compound	QAPP target 5-Min MDL (ppb)	PC FTIR	North FTIR
		5-Min MDL (ppb)	5-Min MDL (ppb)
1,3-Butadiene	10	4.1	6.9
Benzene	35	20.8	39.7
Ethylene	4	2.1	4.7
Ethylene oxide	20	14.4	22.3
Vinyl chloride	8	4.8	8.8
Ethylene dichloride	30	20.1	41.2
Hydrogen chloride	4	2.9	3.9

5 Summary of FTIR Downtime

Table 5-1 provides a list of periods during this quarter that resulted in instrument downtime or invalid data lasting for more than six hours. For each of these periods, this table presents the impacted site, the event time period, the cause of the missing or invalid data, and how the issue was resolved.

Table 5-1. Summary of Missing or Invalid Data – Q1 2026

Site	Event Time Period	Downtime Cause/Event Description	Resolution
FNorth	01/05 16:50 - 01/06 14:45	Low signal strength due to atmospheric interference and misalignment	Realigned, weather self-clearing
FNorth	01/06 14:55 - 01/07 13:20	Analyzer misalignment	Alignment performed
FNorth	01/16 10:30 - 01/23 17:25	Internal misalignment	Internal alignment performed
FNorth	01/24 19:45 - 01/27 11:45	Analyzer misalignment	Alignment performed
FNorth	01/28 01:50 - 01/28 09:10	Low signal strength due to atmospheric interference	Self-clearing
FNorth	02/07 23:35 - 02/08 09:45	Low signal strength due to atmospheric interference	Self-clearing
FNorth	02/14 22:25 - 02/15 05:25	Low signal strength due to atmospheric interference	Self-clearing
FNorth	02/27 02:50 - 02/27 10:10	Low signal strength due to atmospheric interference	Self-clearing
FNorth	02/27 20:55 - 02/28 03:15	Low signal strength due to atmospheric interference	Self-clearing
FPC	01/09 03:25 - 01/09 10:15	Low signal strength due to atmospheric interference	Self-clearing
FPC	01/22 00:25 - 01/22 09:40	Low signal strength due to atmospheric interference	Self-clearing
FPC	01/22 21:00 - 01/23 10:00	Low signal strength due to atmospheric interference	Self-clearing
FPC	01/25 02:15 - 01/25 16:20	Low signal strength due to atmospheric interference	Self-clearing
FPC	02/08 01:00 - 02/08 09:40	Low signal strength due to atmospheric interference	Self-clearing
FPC	02/12 21:45 - 02/13 08:35	Low signal strength due to atmospheric interference	Self-clearing
FPC	02/19 21:30 - 02/20 05:45	Low signal strength due to atmospheric interference	Self-clearing
FPC	02/20 21:30 - 02/21 04:25	Low signal strength due to atmospheric interference	Self-clearing
FPC	02/27 03:20 - 02/27 10:05	Low signal strength due to atmospheric interference	Self-clearing
FPC	02/27 19:10 - 02/28 03:50	Low signal strength due to atmospheric interference	Self-clearing

Appendix A
Monitoring Data – Q1 2026

Open Path FTIR Daily (24-hour) Averages

Site: Formosa Point Comfort AAMS

Date	Capture%	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)	Met Capture%
01/01/26	100	13700	386	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	194	100
01/02/26	97.9	18000	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	214	100
01/03/26	100	13600	394	2.38	BDL	BDL	1.62	BDL	BDL	BDL	BDL	2.43	349	100
01/04/26	100	12600	387	2.38	BDL	BDL	2.46	BDL	BDL	BDL	BDL	4.05	90.6	100
01/05/26	97.9	18000	385	2.28	BDL	BDL	0.146	BDL	BDL	BDL	BDL	5.13	134	100
01/06/26	100	21100	376	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	193	100
01/07/26	100	21600	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	167	100
01/08/26	100	21800	381	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.02	176	100
01/09/26	96.3	23900	368	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.35	150	100
01/10/26	100	8800	378	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	356	100
01/11/26	100	4860	377	2.37	BDL	BDL	0.0244	BDL	BDL	BDL	BDL	3.31	345	100
01/12/26	100	6540	383	2.4	BDL	BDL	1.66	BDL	BDL	BDL	BDL	2.31	7.1	100
01/13/26	100	9210	381	2.37	BDL	BDL	0.0443	BDL	BDL	BDL	BDL	1.21	47.9	100
01/14/26	97.9	8240	384	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	308	100
01/15/26	100	6490	379	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.45	355	100
01/16/26	100	11700	383	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.5	215	100
01/17/26	100	3380	378	2.28	BDL	BDL	0.167	BDL	BDL	BDL	BDL	9.24	18.2	100
01/18/26	100	3930	372	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.55	271	100
01/19/26	100	8230	378	2.39	BDL	BDL	2.18	BDL	BDL	BDL	BDL	2.85	117	100
01/20/26	100	13200	378	2.32	BDL	BDL	0.294	BDL	BDL	BDL	BDL	6.93	82	100
01/21/26	100	18100	373	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	168	100
01/22/26	100	17900	378	2.31	BDL	BDL	0.38	BDL	BDL	BDL	BDL	2.89	103	100
01/23/26	100	19000	368	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.3	89.1	100
01/24/26	100	10400	363	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	22.3	100
01/25/26	95	3850	343	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	347	100
01/26/26	100	3610	367	2.4	BDL	BDL	0.194	BDL	BDL	BDL	BDL	5.1	0.149	100
01/27/26	95.8	4820	373	2.37	BDL	BDL	4.44	BDL	BDL	BDL	BDL	0.817	85	100
01/28/26	100	6280	377	2.4	BDL	BDL	4.28	0.824	BDL	BDL	BDL	0.94	357	100
01/29/26	95.7	10700	380	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.54	150	100
01/30/26	100	5630	376	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	359	100
01/31/26	100	3600	371	2.33	BDL	BDL	2.43	BDL	BDL	BDL	BDL	6.62	18.9	100

Daily Processed Summary (Average, Maximum Value)

Average	99.2	11400	377	2.31	BDL	BDL	0.655	0.0266	BDL	BDL	BDL	1.1	58.2	100
Maximum Value	100	23900	394	2.52	BDL	BDL	4.44	0.824	BDL	BDL	BDL	-	-	100

BDL = Below Detection Limit

Blank = Not Available

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/01/26 00:30	10300	380	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.70	168.
01/01/26 01:00	10500	380	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.75	182.
01/01/26 01:30	10900	377	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.7	197.
01/01/26 02:00	11100	376	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.31	186.
01/01/26 02:30	11100	377	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.31	164.
01/01/26 03:00	11200	376	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.958	111.
01/01/26 03:30	11200	375	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.741	94.4
01/01/26 04:00	11300	375	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.913	136.
01/01/26 04:30	11400	376	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.756	224.
01/01/26 05:00	11500	379	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.799	249.
01/01/26 05:30	11500	379	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.636	281.
01/01/26 06:00	11300	379	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.495	7.23
01/01/26 06:30	11200	378	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.596	82.3
01/01/26 07:00	11300	379	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.6	86.5
01/01/26 07:30	11400	380	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.594	91.4
01/01/26 08:00	11400	382	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.534	16.8
01/01/26 08:30	11600	392	3.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.74	358.
01/01/26 09:00	11800	395	2.88	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.755	303.
01/01/26 09:30	10800	394	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.72	279.
01/01/26 10:00	10900	396	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.38	288.
01/01/26 10:30	11100	398	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.68	283.
01/01/26 11:00	12100	398	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	281.
01/01/26 11:30	12900	395	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.73	252.
01/01/26 12:00	13300	392	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	212.
01/01/26 12:30	13500	392	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.82	214.
01/01/26 13:00	14100	392	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.28	213.
01/01/26 13:30	14000	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	206.
01/01/26 14:00	13900	394	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	209.
01/01/26 14:30	14100	392	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	215.
01/01/26 15:00	14800	392	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.32	209.
01/01/26 15:30	15300	394	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	204.
01/01/26 16:00	15700	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	198.
01/01/26 16:30	15800	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	189.
01/01/26 17:00	15900	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.81	168.
01/01/26 17:30	15400	388	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.2	157.
01/01/26 18:00	15000	388	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.53	144.
01/01/26 18:30	15200	386	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	140.
01/01/26 19:00	15500	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	140.
01/01/26 19:30	15800	384	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	138.
01/01/26 20:00	16300	384	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.5	138.
01/01/26 20:30	16900	385	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	161.
01/01/26 21:00	17200	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.	169.
01/01/26 21:30	17600	386	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	190.
01/01/26 22:00	17900	386	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	196.
01/01/26 22:30	18200	386	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	200.
01/01/26 23:00	18600	386	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	199.
01/01/26 23:30	18800	386	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.8	202.
01/02/26 00:00	18900	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.16	210.

Daily Processed Summary (Average, Maximum Value)

Average	13700	386	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	194
Maximum Value	18900	398	3.21	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/02/26 00:30	18900	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	206.
01/02/26 01:00	19000	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	213.
01/02/26 01:30	19000	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	223.
01/02/26 02:00	19000	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	225.
01/02/26 02:30	18900	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	226.
01/02/26 03:00	18800	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	224.
01/02/26 03:30	18800	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	224.
01/02/26 04:00	18600	380	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	224.
01/02/26 04:30	18300	380	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	223.
01/02/26 05:00	18000	380	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	226.
01/02/26 05:30	17900	382	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	223.
01/02/26 06:00	17600	381	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	224.
01/02/26 06:30	17400	380	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.11	224.
01/02/26 07:00	17300	382	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.25	230.
01/02/26 07:30	17100	383	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	229.
01/02/26 08:00	17000	386	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	229.
01/02/26 08:30	17100	388	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.90	231.
01/02/26 09:00	17400	391	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	225.
01/02/26 09:30	17700	391	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	224.
01/02/26 10:00	17700	393	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.35	224.
01/02/26 10:30	17300	395	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	238.
01/02/26 11:00	16800	397	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	240.
01/02/26 11:30	16800	398	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	224.
01/02/26 12:00	16500	398	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	228.
01/02/26 12:30	16300	399	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	234.
01/02/26 13:00	16200	401	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	232.
01/02/26 13:30	16500	401	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	214.
01/02/26 14:00	16400	402	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	214.
01/02/26 14:30	16100	402	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	205.
01/02/26 15:00	16400	401	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	206.
01/02/26 15:30	16500	400	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.97	209.
01/02/26 16:00	16800	400	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.51	205.
01/02/26 16:30	17400	399	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.43	198.
01/02/26 17:00	M	M	M	M	M	M	M	M	M	M	7.06	204.
01/02/26 17:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	7.02	206.
01/02/26 18:00	17600	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	205.
01/02/26 18:30	17900	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.1	201.
01/02/26 19:00	18600	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	203.
01/02/26 19:30	18900	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	205.
01/02/26 20:00	19100	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.49	203.
01/02/26 20:30	19700	386	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.80	199.
01/02/26 21:00	19900	386	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	200.
01/02/26 21:30	20100	386	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.44	202.
01/02/26 22:00	20200	386	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.31	203.
01/02/26 22:30	20000	386	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.85	203.
01/02/26 23:00	19900	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.70	204.
01/02/26 23:30	19700	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.8	204.
01/03/26 00:00	19700	384	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.95	207.

Daily Processed Summary (Average, Maximum Value)

Average	18000	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	214
Maximum Value	20200	402	2.3	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/03/26 00:30	20000	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.44	210.
01/03/26 01:00	20200	383	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	219.
01/03/26 01:30	20000	382	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	226.
01/03/26 02:00	19700	380	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	232.
01/03/26 02:30	19400	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	210.
01/03/26 03:00	19100	379	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	210.
01/03/26 03:30	18500	384	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	212.
01/03/26 04:00	17900	384	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	230.
01/03/26 04:30	17400	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	239.
01/03/26 05:00	17000	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	225.
01/03/26 05:30	16400	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	237.
01/03/26 06:00	16100	386	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.65	228.
01/03/26 06:30	15300	386	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.31	249.
01/03/26 07:00	15100	388	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.90	267.
01/03/26 07:30	14800	388	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.53	265.
01/03/26 08:00	14400	389	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.43	256.
01/03/26 08:30	14100	393	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.35	268.
01/03/26 09:00	14000	398	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.89	285.
01/03/26 09:30	14000	401	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	290.
01/03/26 10:00	13400	401	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.84	310.
01/03/26 10:30	11400	399	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	339.
01/03/26 11:00	10600	399	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	352.
01/03/26 11:30	10200	400	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	347.
01/03/26 12:00	9770	401	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.72	347.
01/03/26 12:30	9710	402	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	348.
01/03/26 13:00	9840	402	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.10	0.299
01/03/26 13:30	10100	403	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	352.
01/03/26 14:00	9860	404	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	354.
01/03/26 14:30	9480	403	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	1.47
01/03/26 15:00	9410	402	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	2.16
01/03/26 15:30	10200	401	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	358.
01/03/26 16:00	10200	400	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	7.20
01/03/26 16:30	10600	399	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	10.8
01/03/26 17:00	10900	398	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.18	15.7
01/03/26 17:30	11600	398	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.30	15.0
01/03/26 18:00	11800	398	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.85	17.7
01/03/26 18:30	11700	397	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.87	20.7
01/03/26 19:00	12200	398	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	23.2
01/03/26 19:30	12800	402	2.42	BDL	BDL	6.18	BDL	BDL	BDL	BDL	6.91	29.2
01/03/26 20:00	13000	396	2.4	BDL	BDL	20.8	BDL	BDL	BDL	BDL	6.91	31.6
01/03/26 20:30	13100	396	2.39	BDL	BDL	17.9	BDL	BDL	BDL	BDL	7.27	29.7
01/03/26 21:00	13100	396	2.39	BDL	BDL	15.4	BDL	BDL	BDL	BDL	7.04	29.8
01/03/26 21:30	13100	394	2.38	BDL	BDL	10.0	BDL	BDL	BDL	BDL	6.17	30.5
01/03/26 22:00	12800	395	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.15	19.2
01/03/26 22:30	12500	392	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.36	21.6
01/03/26 23:00	12600	394	2.4	BDL	BDL	1.66	BDL	BDL	BDL	BDL	5.99	21.1
01/03/26 23:30	12700	393	2.4	BDL	BDL	5.83	BDL	BDL	BDL	BDL	6.58	22.7
01/04/26 00:00	12600	392	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	16.0

Daily Processed Summary (Average, Maximum Value)

Average	13600	394	2.38	BDL	BDL	1.62	BDL	BDL	BDL	BDL	2.43	349
Maximum Value	20200	404	2.66	-	-	20.8	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/04/26 00:30	12400	390	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	14.4
01/04/26 01:00	12300	389	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	18.7
01/04/26 01:30	12800	398	2.46	BDL	BDL	29.6	BDL	BDL	BDL	BDL	3.91	29.1
01/04/26 02:00	12700	394	2.45	BDL	BDL	16.	BDL	BDL	BDL	BDL	5.62	46.4
01/04/26 02:30	12500	389	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	56.4
01/04/26 03:00	12700	390	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	54.7
01/04/26 03:30	12900	392	2.55	BDL	BDL	6.99	BDL	BDL	BDL	BDL	7.14	53.9
01/04/26 04:00	12800	396	2.54	BDL	BDL	11.9	BDL	BDL	BDL	BDL	7.09	52.7
01/04/26 04:30	12300	391	2.52	BDL	BDL	3.25	BDL	BDL	BDL	BDL	7.49	54.6
01/04/26 05:00	11900	390	2.5	BDL	BDL	5.42	BDL	BDL	BDL	BDL	7.26	56.1
01/04/26 05:30	11900	387	2.58	BDL	BDL	4.98	BDL	BDL	BDL	BDL	6.16	56.2
01/04/26 06:00	11600	386	2.56	BDL	BDL	1.74	BDL	BDL	BDL	BDL	7.06	58.3
01/04/26 06:30	11600	390	2.53	BDL	BDL	4.18	BDL	BDL	BDL	BDL	7.57	55.4
01/04/26 07:00	11600	393	2.53	BDL	BDL	14.4	BDL	BDL	BDL	BDL	4.2	39.3
01/04/26 07:30	11400	389	2.55	BDL	BDL	11.1	BDL	BDL	BDL	BDL	4.97	44.5
01/04/26 08:00	11300	383	2.61	BDL	BDL	4.87	BDL	BDL	BDL	BDL	7.16	57.3
01/04/26 08:30	11300	385	2.58	BDL	BDL	3.54	BDL	BDL	BDL	BDL	6.86	56.7
01/04/26 09:00	11600	389	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	60.9
01/04/26 09:30	11800	390	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.97	83.
01/04/26 10:00	12200	389	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	86.3
01/04/26 10:30	12500	388	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.93	94.5
01/04/26 11:00	12700	388	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	108.
01/04/26 11:30	12900	390	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	111.
01/04/26 12:00	12800	391	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	114.
01/04/26 12:30	12300	392	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	112.
01/04/26 13:00	12400	392	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	121.
01/04/26 13:30	12700	391	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	141.
01/04/26 14:00	12800	389	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	154.
01/04/26 14:30	12700	388	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.21	162.
01/04/26 15:00	12600	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.24	162.
01/04/26 15:30	12400	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	135.
01/04/26 16:00	12200	388	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.27	124.
01/04/26 16:30	12500	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	138.
01/04/26 17:00	12800	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.88	136.
01/04/26 17:30	13000	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.75	127.
01/04/26 18:00	13000	383	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	110.
01/04/26 18:30	12800	382	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	110.
01/04/26 19:00	12900	381	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	117.
01/04/26 19:30	13200	380	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	121.
01/04/26 20:00	13300	380	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	115.
01/04/26 20:30	13400	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.25	113.
01/04/26 21:00	13500	379	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	120.
01/04/26 21:30	13400	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.56	104.
01/04/26 22:00	13400	379	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.27	113.
01/04/26 22:30	13600	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	121.
01/04/26 23:00	13800	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.27	124.
01/04/26 23:30	14000	376	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.99	119.
01/05/26 00:00	14200	377	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	149.

Daily Processed Summary (Average, Maximum Value)

Average	12600	387	2.38	BDL	BDL	2.46	BDL	BDL	BDL	BDL	4.05	90.6
Maximum Value	14200	398	2.61	-	-	29.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/05/26 00:30	14700	377	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	147.
01/05/26 01:00	15200	377	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	144.
01/05/26 01:30	15200	376	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.78	122.
01/05/26 02:00	14900	377	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.15	97.3
01/05/26 02:30	15000	375	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	93.1
01/05/26 03:00	15000	374	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.45	87.8
01/05/26 03:30	15300	378	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.35	82.7
01/05/26 04:00	15400	393	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	79.7
01/05/26 04:30	15300	386	2.63	BDL	BDL	3.19	BDL	BDL	BDL	BDL	4.22	63.5
01/05/26 05:00	14900	382	2.46	BDL	BDL	3.51	BDL	BDL	BDL	BDL	5.26	61.4
01/05/26 05:30	14600	394	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	76.2
01/05/26 06:00	14400	388	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	81.7
01/05/26 06:30	14300	384	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	82.
01/05/26 07:00	14200	382	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.24	83.2
01/05/26 07:30	14200	381	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	88.9
01/05/26 08:00	14400	381	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	86.7
01/05/26 08:30	15000	386	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	87.6
01/05/26 09:00	16000	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	91.4
01/05/26 09:30	16900	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	103.
01/05/26 10:00	17400	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	116.
01/05/26 10:30	18000	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	116.
01/05/26 11:00	18400	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	118.
01/05/26 11:30	18800	394	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.66	136.
01/05/26 12:00	19200	394	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.57	143.
01/05/26 12:30	19300	394	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.30	132.
01/05/26 13:00	19300	393	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.48	134.
01/05/26 13:30	19300	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	140.
01/05/26 14:00	19600	394	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.3	137.
01/05/26 14:30	M	M	M	M	M	M	M	M	M	M	9.43	149.
01/05/26 15:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	8.83	147.
01/05/26 15:30	19800	392	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.13	145.
01/05/26 16:00	19800	392	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.62	148.
01/05/26 16:30	19900	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.35	145.
01/05/26 17:00	20100	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.45	146.
01/05/26 17:30	20200	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	143.
01/05/26 18:00	20300	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	154.
01/05/26 18:30	20300	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	159.
01/05/26 19:00	20400	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	168.
01/05/26 19:30	20600	384	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	166.
01/05/26 20:00	20800	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	166.
01/05/26 20:30	21000	381	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	164.
01/05/26 21:00	21200	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	171.
01/05/26 21:30	21300	376	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	165.
01/05/26 22:00	21500	373	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	172.
01/05/26 22:30	21600	376	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	175.
01/05/26 23:00	21500	374	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	177.
01/05/26 23:30	21400	378	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.13	179.
01/06/26 00:00	21400	380	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.5	183.

Daily Processed Summary (Average, Maximum Value)

Average	18000	385	2.28	BDL	BDL	0.146	BDL	BDL	BDL	BDL	5.13	134
Maximum Value	21600	394	2.69	-	-	3.51	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/06/26 00:30	21300	379	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.6	188.
01/06/26 01:00	21400	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	192.
01/06/26 01:30	21500	379	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	203.
01/06/26 02:00	21200	374	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	204.
01/06/26 02:30	21300	373	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	204.
01/06/26 03:00	21100	368	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	207.
01/06/26 03:30	20900	358	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.90	203.
01/06/26 04:00	21500	358	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	186.
01/06/26 04:30	21700	370	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.89	176.
01/06/26 05:00	21300	368	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	161.
01/06/26 05:30	21000	362	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	169.
01/06/26 06:00	20700	355	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	164.
01/06/26 06:30	20700	353	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	172.
01/06/26 07:00	21200	364	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	188.
01/06/26 07:30	21100	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	199.
01/06/26 08:00	20700	379	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.93	202.
01/06/26 08:30	21000	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.99	207.
01/06/26 09:00	21400	385	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.2	215.
01/06/26 09:30	21600	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	218.
01/06/26 10:00	22200	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	232.
01/06/26 10:30	22400	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.07	255.
01/06/26 11:00	22200	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.94	262.
01/06/26 11:30	21900	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	226.
01/06/26 12:00	21400	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	212.
01/06/26 12:30	20800	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	229.
01/06/26 13:00	20800	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	221.
01/06/26 13:30	20700	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	233.
01/06/26 14:00	20500	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.15	215.
01/06/26 14:30	20200	395	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	193.
01/06/26 15:00	19900	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.45	208.
01/06/26 15:30	20400	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	169.
01/06/26 16:00	21100	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	161.
01/06/26 16:30	21000	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	166.
01/06/26 17:00	21100	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.63	168.
01/06/26 17:30	21200	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.34	174.
01/06/26 18:00	21000	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	175.
01/06/26 18:30	20900	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	176.
01/06/26 19:00	20900	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.00	180.
01/06/26 19:30	21000	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	186.
01/06/26 20:00	21100	381	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	190.
01/06/26 20:30	21100	375	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	189.
01/06/26 21:00	20900	369	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	180.
01/06/26 21:30	20600	353	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	173.
01/06/26 22:00	20700	343	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	182.
01/06/26 22:30	20700	338	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.10	187.
01/06/26 23:00	20700	338	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	196.
01/06/26 23:30	20700	352	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	200.
01/07/26 00:00	20400	355	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	205.

Daily Processed Summary (Average, Maximum Value)

Average	21100	376	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	193
Maximum Value	22400	396	2.29	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/07/26 00:30	20000	345	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.45	204.
01/07/26 01:00	19800	331	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.93	207.
01/07/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.54	214.
01/07/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.66	199.
01/07/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.5	206.
01/07/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.48	203.
01/07/26 03:30	20000	332	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	192.
01/07/26 04:00	20300	346	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	199.
01/07/26 04:30	20400	349	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.44	204.
01/07/26 05:00	19700	323	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	197.
01/07/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.39	160.
01/07/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.53	154.
01/07/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.76	157.
01/07/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.57	155.
01/07/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.07	140.
01/07/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.98	127.
01/07/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.18	114.
01/07/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.41	106.
01/07/26 09:30	21900	381	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.32	136.
01/07/26 10:00	22800	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.90	130.
01/07/26 10:30	23300	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	160.
01/07/26 11:00	23100	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	183.
01/07/26 11:30	22600	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	173.
01/07/26 12:00	21700	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	200.
01/07/26 12:30	21200	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.99	205.
01/07/26 13:00	21400	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.41	206.
01/07/26 13:30	21500	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.28	198.
01/07/26 14:00	21800	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	192.
01/07/26 14:30	21600	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	175.
01/07/26 15:00	21600	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	167.
01/07/26 15:30	21700	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	QAQC	QAQC
01/07/26 16:00	21600	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	QAQC	QAQC
01/07/26 16:30	21500	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	QAQC	QAQC
01/07/26 17:00	21600	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	QAQC	QAQC
01/07/26 17:30	21800	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.46	145.
01/07/26 18:00	21800	383	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	145.
01/07/26 18:30	21700	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	148.
01/07/26 19:00	21800	383	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	148.
01/07/26 19:30	21800	380	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	146.
01/07/26 20:00	21700	381	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.51	148.
01/07/26 20:30	21700	380	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	144.
01/07/26 21:00	21700	379	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.93	146.
01/07/26 21:30	21900	380	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	153.
01/07/26 22:00	22000	381	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.37	154.
01/07/26 22:30	22000	380	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	155.
01/07/26 23:00	21900	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.83	164.
01/07/26 23:30	22000	378	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	163.
01/08/26 00:00	22100	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.01	163.

Daily Processed Summary (Average, Maximum Value)

Average	21600	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	167
Maximum Value	23300	390	2.23	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/08/26 00:30	22100	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.64	163.
01/08/26 01:00	22100	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	163.
01/08/26 01:30	22100	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	164.
01/08/26 02:00	22000	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.72	164.
01/08/26 02:30	22000	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	167.
01/08/26 03:00	21900	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	166.
01/08/26 03:30	21900	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.54	167.
01/08/26 04:00	22100	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.90	166.
01/08/26 04:30	22300	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.02	165.
01/08/26 05:00	22400	376	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	170.
01/08/26 05:30	22600	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.3	168.
01/08/26 06:00	22500	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	162.
01/08/26 06:30	22400	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.37	163.
01/08/26 07:00	22600	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.6	163.
01/08/26 07:30	22900	379	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	164.
01/08/26 08:00	22700	380	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	162.
01/08/26 08:30	22500	380	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	168.
01/08/26 09:00	22600	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	178.
01/08/26 09:30	22600	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.81	186.
01/08/26 10:00	22300	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	186.
01/08/26 10:30	21600	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	189.
01/08/26 11:00	21100	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	199.
01/08/26 11:30	20300	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	197.
01/08/26 12:00	20000	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	196.
01/08/26 12:30	20000	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	196.
01/08/26 13:00	20400	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	196.
01/08/26 13:30	20400	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	198.
01/08/26 14:00	20800	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	201.
01/08/26 14:30	20600	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	202.
01/08/26 15:00	20600	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	201.
01/08/26 15:30	20700	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.52	196.
01/08/26 16:00	20900	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	184.
01/08/26 16:30	20900	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.55	182.
01/08/26 17:00	21000	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.90	182.
01/08/26 17:30	21500	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	177.
01/08/26 18:00	21800	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	167.
01/08/26 18:30	21900	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	152.
01/08/26 19:00	22000	379	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	131.
01/08/26 19:30	22000	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	132.
01/08/26 20:00	22100	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	142.
01/08/26 20:30	22000	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	141.
01/08/26 21:00	22000	378	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.5	139.
01/08/26 21:30	22100	373	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	138.
01/08/26 22:00	22400	375	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.	150.
01/08/26 22:30	22500	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	163.
01/08/26 23:00	22500	374	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	164.
01/08/26 23:30	22700	371	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	168.
01/09/26 00:00	22900	369	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	164.

Daily Processed Summary (Average, Maximum Value)

Average	21800	381	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.02	176
Maximum Value	22900	390	2.19	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/09/26 00:30	23100	363	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	166.
01/09/26 01:00	23200	354	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.35	166.
01/09/26 01:30	23000	340	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	163.
01/09/26 02:00	23000	330	2.09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	169.
01/09/26 02:30	23000	332	2.09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	148.
01/09/26 03:00	23100	334	2.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	130.
01/09/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.21	111.
01/09/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.43	120.
01/09/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.46	124.
01/09/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.37	133.
01/09/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.16	124.
01/09/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.44	134.
01/09/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.41	136.
01/09/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.33	130.
01/09/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.91	120.
01/09/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.73	127.
01/09/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.46	133.
01/09/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.19	131.
01/09/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.53	129.
01/09/26 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.4	125.
01/09/26 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.84	136.
01/09/26 11:00	24400	379	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.08	147.
01/09/26 11:30	24600	376	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	141.
01/09/26 12:00	24800	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.30	142.
01/09/26 12:30	24900	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.11	141.
01/09/26 13:00	24800	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	152.
01/09/26 13:30	24500	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.15	165.
01/09/26 14:00	24200	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.54	163.
01/09/26 14:30	24100	383	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	163.
01/09/26 15:00	24000	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.01	168.
01/09/26 15:30	24200	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	157.
01/09/26 16:00	24600	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.83	161.
01/09/26 16:30	24300	382	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.12	164.
01/09/26 17:00	24300	382	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.9	165.
01/09/26 17:30	24400	379	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	151.
01/09/26 18:00	24000	375	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	151.
01/09/26 18:30	23800	373	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	142.
01/09/26 19:00	23700	369	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	135.
01/09/26 19:30	23600	356	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	139.
01/09/26 20:00	23400	353	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	128.
01/09/26 20:30	22900	335	2.09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.46	140.
01/09/26 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.93	176.
01/09/26 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.61	190.
01/09/26 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.89	201.
01/09/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.02	225.
01/09/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.21	230.
01/09/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.23	260.
01/10/26 00:00	L	L	L	L	L	L	L	L	L	L	5.13	345.

Daily Processed Summary (Average, Maximum Value)

Average	23900	368	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.35	150
Maximum Value	24900	386	2.18	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/10/26 00:30	16600	377	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.70	15.7
01/10/26 01:00	16200	382	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.51	10.7
01/10/26 01:30	15700	382	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.31	14.2
01/10/26 02:00	15800	382	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	358.
01/10/26 02:30	15200	382	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.7	349.
01/10/26 03:00	14800	383	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	9.91
01/10/26 03:30	15100	382	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.25	8.45
01/10/26 04:00	15100	383	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	352.
01/10/26 04:30	14500	382	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.80	343.
01/10/26 05:00	14100	381	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	338.
01/10/26 05:30	13200	380	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.48	345.
01/10/26 06:00	12000	380	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	346.
01/10/26 06:30	11200	380	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	344.
01/10/26 07:00	10600	380	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	346.
01/10/26 07:30	10100	380	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	357.
01/10/26 08:00	9530	378	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	1.65
01/10/26 08:30	9150	377	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	354.
01/10/26 09:00	8500	377	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.83	358.
01/10/26 09:30	8250	379	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	0.789
01/10/26 10:00	7870	378	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	345.
01/10/26 10:30	7240	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.03	352.
01/10/26 11:00	7060	380	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	349.
01/10/26 11:30	6860	380	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	352.
01/10/26 12:00	6690	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.9	1.13
01/10/26 12:30	6810	378	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.	347.
01/10/26 13:00	6680	378	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	351.
01/10/26 13:30	6670	378	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	356.
01/10/26 14:00	6630	377	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	348.
01/10/26 14:30	6600	378	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	347.
01/10/26 15:00	6670	378	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	340.
01/10/26 15:30	6620	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.21	341.
01/10/26 16:00	6440	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	350.
01/10/26 16:30	6170	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	355.
01/10/26 17:00	5980	379	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.3	0.742
01/10/26 17:30	6160	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	352.
01/10/26 18:00	6000	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	2.74
01/10/26 18:30	5730	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	6.43
01/10/26 19:00	5600	377	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.02	4.39
01/10/26 19:30	5430	376	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.39	4.05
01/10/26 20:00	5470	376	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.80	4.05
01/10/26 20:30	5210	376	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	6.67
01/10/26 21:00	5320	376	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	5.86
01/10/26 21:30	5450	375	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.51	3.35
01/10/26 22:00	5360	375	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	3.35
01/10/26 22:30	4890	374	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	7.86
01/10/26 23:00	4640	376	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.70	9.36
01/10/26 23:30	4650	375	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	6.58
01/11/26 00:00	5650	374	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	347.

Daily Processed Summary (Average, Maximum Value)

Average	8800	378	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	356
Maximum Value	16600	383	2.37	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/11/26 00:30	5470	373	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.1	344.
01/11/26 01:00	5600	373	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.75	341.
01/11/26 01:30	5560	373	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.69	344.
01/11/26 02:00	5430	372	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	342.
01/11/26 02:30	5370	373	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	347.
01/11/26 03:00	5220	373	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	341.
01/11/26 03:30	5110	372	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	339.
01/11/26 04:00	4900	371	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.	345.
01/11/26 04:30	4870	371	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	338.
01/11/26 05:00	4890	370	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.76	344.
01/11/26 05:30	4770	369	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.1	340.
01/11/26 06:00	4850	369	3.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	342.
01/11/26 06:30	4730	369	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.68	354.
01/11/26 07:00	4750	370	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	345.
01/11/26 07:30	4580	372	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	350.
01/11/26 08:00	4530	370	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.11	345.
01/11/26 08:30	4390	370	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	343.
01/11/26 09:00	4580	372	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.54	349.
01/11/26 09:30	4570	374	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.80	337.
01/11/26 10:00	4410	376	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	336.
01/11/26 10:30	4420	378	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	324.
01/11/26 11:00	4240	380	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	327.
01/11/26 11:30	4220	382	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	327.
01/11/26 12:00	3890	383	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	348.
01/11/26 12:30	3610	384	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	8.9
01/11/26 13:00	3400	386	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	19.3
01/11/26 13:30	3370	386	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	18.6
01/11/26 14:00	3230	386	2.29	BDL	BDL	1.17	BDL	BDL	BDL	BDL	6.38	17.2
01/11/26 14:30	3440	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.30	8.71
01/11/26 15:00	3780	386	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.15	353.
01/11/26 15:30	4020	386	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	341.
01/11/26 16:00	3990	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	340.
01/11/26 16:30	3980	384	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	352.
01/11/26 17:00	3970	384	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.56	352.
01/11/26 17:30	4560	382	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.53	351.
01/11/26 18:00	5530	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.58	337.
01/11/26 18:30	5660	377	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.64	347.
01/11/26 19:00	4240	376	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.78	352.
01/11/26 19:30	5020	376	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.52	327.
01/11/26 20:00	6600	376	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.29	306.
01/11/26 20:30	6270	377	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.99	314.
01/11/26 21:00	6450	378	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.31	326.
01/11/26 21:30	5700	377	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.94	320.
01/11/26 22:00	5890	379	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.94	312.
01/11/26 22:30	6590	379	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.23	311.
01/11/26 23:00	6700	378	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	299.
01/11/26 23:30	6300	378	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.485	299.
01/12/26 00:00	5870	377	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.37	342.

Daily Processed Summary (Average, Maximum Value)

Average	4860	377	2.37	BDL	BDL	0.0244	BDL	BDL	BDL	BDL	3.31	345
Maximum Value	6700	387	3.31	-	-	1.17	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/12/26 00:30	6080	378	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.66	336.
01/12/26 01:00	5770	377	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.32	353.
01/12/26 01:30	5460	376	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.38	354.
01/12/26 02:00	5600	377	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.67	13.8
01/12/26 02:30	5380	379	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.73	7.11
01/12/26 03:00	5410	378	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.24	12.
01/12/26 03:30	5390	378	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.11	14.4
01/12/26 04:00	5370	377	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.26	2.63
01/12/26 04:30	5420	377	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.95	357.
01/12/26 05:00	5620	377	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.29	337.
01/12/26 05:30	5520	377	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.39	6.
01/12/26 06:00	5640	379	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.82	9.14
01/12/26 06:30	5820	378	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.75	348.
01/12/26 07:00	5810	377	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	0.898
01/12/26 07:30	5850	376	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.32	6.39
01/12/26 08:00	6000	379	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.97	355.
01/12/26 08:30	6370	382	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.69	14.7
01/12/26 09:00	6650	386	2.51	BDL	BDL	11.2	BDL	BDL	BDL	BDL	3.29	27.5
01/12/26 09:30	7190	387	2.55	BDL	BDL	31.5	BDL	BDL	BDL	BDL	3.72	26.9
01/12/26 10:00	7150	385	2.51	BDL	BDL	13.8	BDL	BDL	BDL	BDL	2.52	15.9
01/12/26 10:30	7210	388	2.5	BDL	BDL	8.62	BDL	BDL	BDL	BDL	2.71	350.
01/12/26 11:00	7170	390	2.48	BDL	BDL	5.25	BDL	BDL	BDL	BDL	1.22	308.
01/12/26 11:30	7230	388	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.19	192.
01/12/26 12:00	6760	390	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.45	335.
01/12/26 12:30	6270	390	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	325.
01/12/26 13:00	5970	392	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.37	344.
01/12/26 13:30	6410	392	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	322.
01/12/26 14:00	6070	388	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	335.
01/12/26 14:30	6260	388	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.50	332.
01/12/26 15:00	6080	389	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	337.
01/12/26 15:30	5530	390	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	338.
01/12/26 16:00	5200	387	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	7.37
01/12/26 16:30	5080	387	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	9.99
01/12/26 17:00	5030	387	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	9.84
01/12/26 17:30	5380	385	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.19	356.
01/12/26 18:00	6020	384	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.93	351.
01/12/26 18:30	7420	384	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.50	340.
01/12/26 19:00	8140	384	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.06	340.
01/12/26 19:30	7840	385	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.66	345.
01/12/26 20:00	6700	385	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.76	97.2
01/12/26 20:30	6310	384	2.43	BDL	BDL	9.29	BDL	BDL	BDL	BDL	1.52	51.2
01/12/26 21:00	6040	384	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.68	57.5
01/12/26 21:30	7520	383	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	95.2
01/12/26 22:00	9460	382	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.10	85.2
01/12/26 22:30	10100	381	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	88.5
01/12/26 23:00	10100	381	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	91.2
01/12/26 23:30	9740	380	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.5	87.
01/13/26 00:00	9170	381	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.13	86.2

Daily Processed Summary (Average, Maximum Value)

Average	6540	383	2.4	BDL	BDL	1.66	BDL	BDL	BDL	BDL	2.31	7.1
Maximum Value	10100	392	2.57	-	-	31.5	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/13/26 00:30	8730	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	89.7
01/13/26 01:00	8560	380	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	91.2
01/13/26 01:30	8610	381	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.93	91.5
01/13/26 02:00	8650	380	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	87.9
01/13/26 02:30	8370	381	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	88.1
01/13/26 03:00	8000	381	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	93.8
01/13/26 03:30	7900	382	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	84.7
01/13/26 04:00	7710	380	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.45	81.6
01/13/26 04:30	7800	380	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	84.7
01/13/26 05:00	7870	383	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	87.5
01/13/26 05:30	7960	382	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.10	92.3
01/13/26 06:00	7980	381	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	85.6
01/13/26 06:30	8410	381	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	96.0
01/13/26 07:00	8120	381	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.13	121.
01/13/26 07:30	8220	381	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	104.
01/13/26 08:00	8450	381	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.98	62.2
01/13/26 08:30	8980	381	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.22	65.3
01/13/26 09:00	9190	379	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.53	93.5
01/13/26 09:30	9390	380	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.76	76.3
01/13/26 10:00	10500	383	2.46	BDL	BDL	2.08	BDL	BDL	BDL	BDL	1.45	354.
01/13/26 10:30	10400	383	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.96	352.
01/13/26 11:00	10300	384	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.00	339.
01/13/26 11:30	9980	383	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	333.
01/13/26 12:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.07	336.
01/13/26 12:30	9610	376	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	337.
01/13/26 13:00	9820	375	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	343.
01/13/26 13:30	9710	382	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	343.
01/13/26 14:00	9640	383	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	360.
01/13/26 14:30	9480	383	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	17.9
01/13/26 15:00	9110	384	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	339.
01/13/26 15:30	9430	383	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.5	348.
01/13/26 16:00	9370	383	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.51	340.
01/13/26 16:30	9380	381	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.32	13.6
01/13/26 17:00	9860	380	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.69	350.
01/13/26 17:30	9840	381	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.59	2.26
01/13/26 18:00	9520	382	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.800	37.8
01/13/26 18:30	9410	382	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.69	17.4
01/13/26 19:00	9400	382	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.522	117.
01/13/26 19:30	9420	381	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.306	20.
01/13/26 20:00	9510	380	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.649	129.
01/13/26 20:30	9580	381	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.551	169.
01/13/26 21:00	9630	380	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.85	162.
01/13/26 21:30	9870	380	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.16	164.
01/13/26 22:00	10000	379	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.41	183.
01/13/26 22:30	10200	380	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.72	215.
01/13/26 23:00	10300	380	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.72	226.
01/13/26 23:30	10200	378	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.74	223.
01/14/26 00:00	10300	379	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	236.

Daily Processed Summary (Average, Maximum Value)

Average	9210	381	2.37	BDL	BDL	0.0443	BDL	BDL	BDL	BDL	1.21	47.9
Maximum Value	10500	384	2.57	-	-	2.08	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/14/26 00:30	10300	380	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	238.
01/14/26 01:00	10300	380	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.19	243.
01/14/26 01:30	10100	380	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	250.
01/14/26 02:00	10100	377	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	254.
01/14/26 02:30	10200	379	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	254.
01/14/26 03:00	9660	378	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	240.
01/14/26 03:30	9220	379	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.31	240.
01/14/26 04:00	9220	379	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	235.
01/14/26 04:30	9160	380	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	234.
01/14/26 05:00	9120	380	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.82	236.
01/14/26 05:30	9220	380	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	250.
01/14/26 06:00	9400	380	2.73	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.41	262.
01/14/26 06:30	9240	379	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	261.
01/14/26 07:00	9170	380	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	258.
01/14/26 07:30	9150	379	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.81	265.
01/14/26 08:00	9260	380	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	272.
01/14/26 08:30	9210	383	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	274.
01/14/26 09:00	9320	383	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	278.
01/14/26 09:30	9600	386	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	280.
01/14/26 10:00	10200	387	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.19	280.
01/14/26 10:30	10500	389	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.46	284.
01/14/26 11:00	10600	390	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	287.
01/14/26 11:30	9530	391	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	302.
01/14/26 12:00	9290	392	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.03	311.
01/14/26 12:30	8890	394	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	326.
01/14/26 13:00	8550	394	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.54	347.
01/14/26 13:30	8410	393	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	352.
01/14/26 14:00	8270	393	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	356.
01/14/26 14:30	8000	394	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.7	348.
01/14/26 15:00	7400	394	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	346.
01/14/26 15:30	6550	393	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.37	348.
01/14/26 16:00	6330	393	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	356.
01/14/26 16:30	6090	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	2.46
01/14/26 17:00	6200	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	353.
01/14/26 17:30	M	M	M	M	M	M	M	M	M	M	4.45	351.
01/14/26 18:00	6340	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	3.05
01/14/26 18:30	6490	384	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	0.589
01/14/26 19:00	6550	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	344.
01/14/26 19:30	6650	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.28	340.
01/14/26 20:00	7720	380	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	333.
01/14/26 20:30	7570	379	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.93	328.
01/14/26 21:00	6440	380	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	343.
01/14/26 21:30	5980	381	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	330.
01/14/26 22:00	5670	381	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	357.
01/14/26 22:30	5350	381	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.54	6.35
01/14/26 23:00	5390	381	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	9.49
01/14/26 23:30	5440	380	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.60	5.32
01/15/26 00:00	5810	380	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	7.04

Daily Processed Summary (Average, Maximum Value)

Average	8240	384	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	308
Maximum Value	10600	394	2.73	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/15/26 00:30	5510	379	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	9.99
01/15/26 01:00	5430	378	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	11.6
01/15/26 01:30	5750	378	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.27	9.13
01/15/26 02:00	5590	377	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.02	7.8
01/15/26 02:30	5940	375	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.83	4.59
01/15/26 03:00	5830	374	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.31	350.
01/15/26 03:30	6070	373	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.96	350.
01/15/26 04:00	6070	374	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.99	355.
01/15/26 04:30	6100	376	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	332.
01/15/26 05:00	5970	378	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	336.
01/15/26 05:30	5940	373	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.6	335.
01/15/26 06:00	5910	371	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	337.
01/15/26 06:30	6070	370	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	338.
01/15/26 07:00	5970	371	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	344.
01/15/26 07:30	5750	370	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	3.78
01/15/26 08:00	5580	372	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	5.47
01/15/26 08:30	5550	376	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.20	9.13
01/15/26 09:00	5460	376	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.93	16.6
01/15/26 09:30	5610	378	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	17.7
01/15/26 10:00	5510	380	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	19.2
01/15/26 10:30	5260	380	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	21.6
01/15/26 11:00	4940	380	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.83	25.7
01/15/26 11:30	4740	381	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.62	19.2
01/15/26 12:00	4870	383	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.68	21.7
01/15/26 12:30	5400	386	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	344.
01/15/26 13:00	5130	387	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	353.
01/15/26 13:30	5190	387	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	346.
01/15/26 14:00	5020	387	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.29	342.
01/15/26 14:30	5260	388	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	320.
01/15/26 15:00	5180	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.38	324.
01/15/26 15:30	5250	388	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.81	329.
01/15/26 16:00	5540	386	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.24	271.
01/15/26 16:30	5430	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.72	230.
01/15/26 17:00	6550	384	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	174.
01/15/26 17:30	7290	381	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.21	177.
01/15/26 18:00	7390	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	182.
01/15/26 18:30	7700	379	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	192.
01/15/26 19:00	8040	378	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	197.
01/15/26 19:30	8210	378	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	199.
01/15/26 20:00	8240	377	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	198.
01/15/26 20:30	8440	378	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	179.
01/15/26 21:00	8960	377	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	179.
01/15/26 21:30	9440	376	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	188.
01/15/26 22:00	9560	376	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	189.
01/15/26 22:30	9520	377	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	189.
01/15/26 23:00	9500	377	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	172.
01/15/26 23:30	9810	376	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	166.
01/16/26 00:00	10200	376	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.60	170.

Daily Processed Summary (Average, Maximum Value)

Average	6490	379	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.45	355
Maximum Value	10200	389	2.4	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/16/26 00:30	10100	377	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	175.
01/16/26 01:00	9980	377	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	182.
01/16/26 01:30	9920	378	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	189.
01/16/26 02:00	9800	377	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	192.
01/16/26 02:30	10000	378	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	199.
01/16/26 03:00	10800	377	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	206.
01/16/26 03:30	11000	376	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	207.
01/16/26 04:00	11400	376	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	208.
01/16/26 04:30	11500	375	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	206.
01/16/26 05:00	11300	375	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	181.
01/16/26 05:30	11300	376	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.2	188.
01/16/26 06:00	11300	375	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.632	194.
01/16/26 06:30	11200	373	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.34	234.
01/16/26 07:00	11200	373	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.12	301.
01/16/26 07:30	10900	373	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.65	350.
01/16/26 08:00	10500	374	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.29	8.47
01/16/26 08:30	10800	379	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.36	15.8
01/16/26 09:00	10900	380	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	18.4
01/16/26 09:30	11000	387	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.72	329.
01/16/26 10:00	11100	390	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.02	319.
01/16/26 10:30	11500	390	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	305.
01/16/26 11:00	12000	390	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	281.
01/16/26 11:30	12400	393	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	249.
01/16/26 12:00	12600	389	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	203.
01/16/26 12:30	13000	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	188.
01/16/26 13:00	13300	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	192.
01/16/26 13:30	13700	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.45	213.
01/16/26 14:00	13500	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.64	215.
01/16/26 14:30	13300	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	219.
01/16/26 15:00	13700	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.22	215.
01/16/26 15:30	14200	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	214.
01/16/26 16:00	14500	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	206.
01/16/26 16:30	14800	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.37	208.
01/16/26 17:00	15000	388	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	196.
01/16/26 17:30	15300	388	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	196.
01/16/26 18:00	15700	386	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.6	196.
01/16/26 18:30	15900	384	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.00	198.
01/16/26 19:00	16000	383	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.07	181.
01/16/26 19:30	15900	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.13	116.
01/16/26 20:00	16100	381	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.07	129.
01/16/26 20:30	16100	380	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.85	74.7
01/16/26 21:00	9380	386	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.66	11.4
01/16/26 21:30	7450	384	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.94	15.9
01/16/26 22:00	6960	385	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.76	17.4
01/16/26 22:30	6600	383	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	20.1
01/16/26 23:00	6200	382	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	16.8
01/16/26 23:30	6150	381	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	18.7
01/17/26 00:00	6020	381	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	20.3

Daily Processed Summary (Average, Maximum Value)

Average	11700	383	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.5	215
Maximum Value	16100	393	2.43	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/17/26 00:30	5840	381	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.96	18.5
01/17/26 01:00	5420	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	17.4
01/17/26 01:30	4860	379	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	18.1
01/17/26 02:00	4360	379	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	18.7
01/17/26 02:30	4040	379	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	19.7
01/17/26 03:00	3850	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	21.0
01/17/26 03:30	3720	380	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	20.6
01/17/26 04:00	3750	380	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	22.1
01/17/26 04:30	3740	380	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	14.8
01/17/26 05:00	3900	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	14.6
01/17/26 05:30	3880	378	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.5	14.4
01/17/26 06:00	3600	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	18.3
01/17/26 06:30	3440	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.35	16.7
01/17/26 07:00	3410	378	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.44	16.4
01/17/26 07:30	3280	376	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	19.
01/17/26 08:00	3250	376	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	15.2
01/17/26 08:30	3150	377	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.45	17.2
01/17/26 09:00	3010	377	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.01	18.3
01/17/26 09:30	2960	379	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	17.2
01/17/26 10:00	2990	379	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.44	20.1
01/17/26 10:30	2940	382	2.31	BDL	BDL	2.69	BDL	BDL	BDL	BDL	10.4	24.8
01/17/26 11:00	2780	383	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	23.4
01/17/26 11:30	2780	384	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	25.4
01/17/26 12:00	2810	384	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	26.5
01/17/26 12:30	2810	383	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	24.8
01/17/26 13:00	2620	385	2.28	BDL	BDL	2.33	BDL	BDL	BDL	BDL	11.0	27.1
01/17/26 13:30	2560	383	2.27	BDL	BDL	3.02	BDL	BDL	BDL	BDL	11.5	26.5
01/17/26 14:00	2640	384	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	21.5
01/17/26 14:30	2620	384	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	22.8
01/17/26 15:00	2660	383	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	24.4
01/17/26 15:30	2620	383	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	24.0
01/17/26 16:00	2590	381	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	20.9
01/17/26 16:30	2640	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	19.1
01/17/26 17:00	2820	378	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	12.2
01/17/26 17:30	2730	376	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	15.
01/17/26 18:00	2780	375	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	16.4
01/17/26 18:30	2990	375	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	19.3
01/17/26 19:00	3030	374	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	18.1
01/17/26 19:30	3100	373	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.91	14.3
01/17/26 20:00	3340	372	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.65	11.4
01/17/26 20:30	3430	372	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.36	10.9
01/17/26 21:00	3510	371	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	8.58
01/17/26 21:30	3810	368	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.63	1.90
01/17/26 22:00	3980	368	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.73	358.
01/17/26 22:30	4140	368	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	347.
01/17/26 23:00	3990	369	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	346.
01/17/26 23:30	3890	368	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	348.
01/18/26 00:00	3150	369	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	5.2

Daily Processed Summary (Average, Maximum Value)

Average	3380	378	2.28	BDL	BDL	0.167	BDL	BDL	BDL	BDL	9.24	18.2
Maximum Value	5840	385	2.31	-	-	3.02	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/18/26 00:30	3000	368	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.30	5.89
01/18/26 01:00	2850	368	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	7.73
01/18/26 01:30	2830	367	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.54	7.44
01/18/26 02:00	3020	367	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	9.54
01/18/26 02:30	3480	366	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	353.
01/18/26 03:00	3610	364	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.71	336.
01/18/26 03:30	3350	365	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	332.
01/18/26 04:00	3070	365	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	333.
01/18/26 04:30	3110	365	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	332.
01/18/26 05:00	3310	365	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	335.
01/18/26 05:30	3470	364	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	336.
01/18/26 06:00	3380	364	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	338.
01/18/26 06:30	3680	363	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.81	340.
01/18/26 07:00	3440	363	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.83	335.
01/18/26 07:30	3440	363	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.44	350.
01/18/26 08:00	3600	363	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.81	344.
01/18/26 08:30	3680	369	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.58	339.
01/18/26 09:00	3570	371	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	337.
01/18/26 09:30	3490	377	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	330.
01/18/26 10:00	3240	379	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	331.
01/18/26 10:30	3190	378	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	328.
01/18/26 11:00	2890	380	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	328.
01/18/26 11:30	2850	381	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	315.
01/18/26 12:00	3000	381	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	303.
01/18/26 12:30	3110	380	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.10	275.
01/18/26 13:00	2910	382	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.25	286.
01/18/26 13:30	2700	383	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	282.
01/18/26 14:00	2680	382	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	281.
01/18/26 14:30	2590	382	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	264.
01/18/26 15:00	2560	381	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	268.
01/18/26 15:30	2410	381	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	249.
01/18/26 16:00	2390	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	233.
01/18/26 16:30	3340	379	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.15	184.
01/18/26 17:00	4300	378	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.83	171.
01/18/26 17:30	4000	377	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	189.
01/18/26 18:00	4160	375	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	187.
01/18/26 18:30	4640	372	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.85	190.
01/18/26 19:00	4970	372	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	190.
01/18/26 19:30	5230	372	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	193.
01/18/26 20:00	5830	372	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	196.
01/18/26 20:30	5850	372	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.99	196.
01/18/26 21:00	6050	371	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	192.
01/18/26 21:30	6210	371	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	200.
01/18/26 22:00	6570	371	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	206.
01/18/26 22:30	7040	371	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	200.
01/18/26 23:00	6730	372	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.6	202.
01/18/26 23:30	6760	372	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	201.
01/19/26 00:00	6870	372	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	205.

Daily Processed Summary (Average, Maximum Value)

Average	3930	372	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.55	271
Maximum Value	7040	383	2.53	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/19/26 00:30	7050	372	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	205.
01/19/26 01:00	6980	371	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	203.
01/19/26 01:30	7010	371	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.67	196.
01/19/26 02:00	6880	370	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.64	179.
01/19/26 02:30	6850	369	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.81	183.
01/19/26 03:00	7320	368	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.88	192.
01/19/26 03:30	7390	368	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.73	190.
01/19/26 04:00	7530	368	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.850	217.
01/19/26 04:30	8240	369	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.81	333.
01/19/26 05:00	7510	370	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.51	350.
01/19/26 05:30	6870	368	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.97	4.14
01/19/26 06:00	6570	367	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.37	26.9
01/19/26 06:30	6720	368	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	13.
01/19/26 07:00	6420	369	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.3	22.0
01/19/26 07:30	6150	369	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.3	32.6
01/19/26 08:00	6220	370	2.48	BDL	BDL	4.96	BDL	BDL	BDL	BDL	0.977	69.8
01/19/26 08:30	6640	380	2.76	BDL	BDL	6.19	BDL	BDL	BDL	BDL	1.44	66.5
01/19/26 09:00	7330	383	3.19	BDL	BDL	6.56	BDL	BDL	BDL	BDL	1.7	59.4
01/19/26 09:30	7450	384	2.46	BDL	BDL	4.04	BDL	BDL	BDL	BDL	1.95	43.6
01/19/26 10:00	7230	384	2.38	BDL	BDL	7.33	BDL	BDL	BDL	BDL	2.49	302.
01/19/26 10:30	7160	387	2.38	BDL	BDL	9.21	BDL	BDL	BDL	BDL	2.9	292.
01/19/26 11:00	7180	389	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.40	279.
01/19/26 11:30	7480	388	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.35	264.
01/19/26 12:00	8710	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.07	142.
01/19/26 12:30	8800	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.34	147.
01/19/26 13:00	8730	382	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.38	148.
01/19/26 13:30	8660	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.80	126.
01/19/26 14:00	8330	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.96	131.
01/19/26 14:30	8150	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.14	144.
01/19/26 15:00	8030	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.24	143.
01/19/26 15:30	8060	381	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.48	130.
01/19/26 16:00	8030	381	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.62	133.
01/19/26 16:30	7980	380	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.55	131.
01/19/26 17:00	8420	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.84	132.
01/19/26 17:30	8960	379	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	123.
01/19/26 18:00	9710	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	112.
01/19/26 18:30	9900	375	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	107.
01/19/26 19:00	9800	376	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	91.7
01/19/26 19:30	10100	376	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	86.9
01/19/26 20:00	10500	375	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	88.8
01/19/26 20:30	10600	378	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.51	82.2
01/19/26 21:00	10400	383	2.48	BDL	BDL	6.90	BDL	BDL	BDL	BDL	5.2	80.2
01/19/26 21:30	9920	391	2.69	BDL	BDL	13.8	BDL	BDL	BDL	BDL	7.21	80.8
01/19/26 22:00	10100	388	2.61	BDL	BDL	10.4	BDL	BDL	BDL	BDL	6.94	79.1
01/19/26 22:30	10300	385	2.53	BDL	BDL	7.5	BDL	BDL	BDL	BDL	5.61	76.1
01/19/26 23:00	10100	387	2.69	BDL	BDL	9.25	BDL	BDL	BDL	BDL	6.00	79.0
01/19/26 23:30	10200	386	2.7	BDL	BDL	11.2	BDL	BDL	BDL	BDL	5.8	77.4
01/20/26 00:00	10500	384	2.66	BDL	BDL	7.34	BDL	BDL	BDL	BDL	4.7	67.7

Daily Processed Summary (Average, Maximum Value)

Average	8230	378	2.39	BDL	BDL	2.18	BDL	BDL	BDL	BDL	2.85	117
Maximum Value	10600	391	3.19	-	-	13.8	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/20/26 00:30	10800	379	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.6	64.2
01/20/26 01:00	11000	382	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	71.3
01/20/26 01:30	11100	380	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	59.7
01/20/26 02:00	11000	382	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	68.1
01/20/26 02:30	11200	380	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	64.5
01/20/26 03:00	11000	380	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.94	66.1
01/20/26 03:30	10900	384	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	71.5
01/20/26 04:00	10800	382	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	66.9
01/20/26 04:30	10900	377	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	58.9
01/20/26 05:00	11100	378	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.91	63.8
01/20/26 05:30	11300	383	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	67.8
01/20/26 06:00	11500	382	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.02	67.4
01/20/26 06:30	11500	383	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	67.5
01/20/26 07:00	11700	383	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	69.3
01/20/26 07:30	11700	384	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.43	70.4
01/20/26 08:00	11900	382	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	70.6
01/20/26 08:30	12100	384	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	70.7
01/20/26 09:00	12200	385	2.48	BDL	BDL	4.55	BDL	BDL	BDL	BDL	7.87	76.5
01/20/26 09:30	12700	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	86.8
01/20/26 10:00	13500	376	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.47	88.1
01/20/26 10:30	13800	376	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	90.3
01/20/26 11:00	14000	378	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.63	89.3
01/20/26 11:30	13800	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.65	88.2
01/20/26 12:00	13700	380	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	97.8
01/20/26 12:30	14400	375	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.15	115.
01/20/26 13:00	14500	338	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.77	96.
01/20/26 13:30	14700	369	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	89.7
01/20/26 14:00	14700	381	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.9	77.1
01/20/26 14:30	14600	383	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.11	76.3
01/20/26 15:00	14600	376	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.71	74.2
01/20/26 15:30	14900	380	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	79.2
01/20/26 16:00	14600	376	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.40	88.8
01/20/26 16:30	14200	378	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	83.8
01/20/26 17:00	14200	377	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.98	85.7
01/20/26 17:30	14100	372	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.3	89.5
01/20/26 18:00	14200	379	2.41	BDL	BDL	6.17	BDL	BDL	BDL	BDL	6.47	77.7
01/20/26 18:30	14000	381	2.36	BDL	BDL	3.38	BDL	BDL	BDL	BDL	6.95	81.3
01/20/26 19:00	13800	377	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	87.9
01/20/26 19:30	13800	377	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	87.5
01/20/26 20:00	13600	377	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.04	85.8
01/20/26 20:30	13600	376	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.22	86.4
01/20/26 21:00	13900	376	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.8	86.8
01/20/26 21:30	14200	374	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.5	90.6
01/20/26 22:00	14600	374	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	97.9
01/20/26 22:30	15000	373	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	103.
01/20/26 23:00	15500	373	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.30	103.
01/20/26 23:30	15800	373	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	113.
01/21/26 00:00	15700	372	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	110.

Daily Processed Summary (Average, Maximum Value)

Average	13200	378	2.32	BDL	BDL	0.294	BDL	BDL	BDL	BDL	6.93	82
Maximum Value	15800	385	2.55	-	-	6.17	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/21/26 00:30	15600	372	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	107.
01/21/26 01:00	15700	374	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	92.7
01/21/26 01:30	15500	374	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.09	106.
01/21/26 02:00	15600	375	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	115.
01/21/26 02:30	15800	376	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.45	113.
01/21/26 03:00	15900	376	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.2	112.
01/21/26 03:30	16000	375	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	124.
01/21/26 04:00	16400	375	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.31	135.
01/21/26 04:30	16600	375	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	133.
01/21/26 05:00	16800	375	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	138.
01/21/26 05:30	17200	374	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	136.
01/21/26 06:00	17500	370	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	136.
01/21/26 06:30	18000	340	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.56	150.
01/21/26 07:00	17800	347	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.51	141.
01/21/26 07:30	17600	329	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	135.
01/21/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.39	144.
01/21/26 08:30	18100	355	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.08	137.
01/21/26 09:00	18800	359	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	153.
01/21/26 09:30	18900	367	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	132.
01/21/26 10:00	19400	369	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	135.
01/21/26 10:30	20400	374	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	162.
01/21/26 11:00	20800	378	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	192.
01/21/26 11:30	20900	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	182.
01/21/26 12:00	20500	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.2	176.
01/21/26 12:30	19500	375	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	209.
01/21/26 13:00	19400	377	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.13	221.
01/21/26 13:30	19400	377	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	217.
01/21/26 14:00	19600	377	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	223.
01/21/26 14:30	19700	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	223.
01/21/26 15:00	19400	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.4	229.
01/21/26 15:30	18800	381	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.28	239.
01/21/26 16:00	18500	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	235.
01/21/26 16:30	18200	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	224.
01/21/26 17:00	18100	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	216.
01/21/26 17:30	18100	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	201.
01/21/26 18:00	18000	383	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.03	198.
01/21/26 18:30	17900	383	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.75	187.
01/21/26 19:00	18000	380	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	180.
01/21/26 19:30	18000	379	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.80	171.
01/21/26 20:00	18000	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.44	167.
01/21/26 20:30	17900	378	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.7	183.
01/21/26 21:00	18200	378	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.01	189.
01/21/26 21:30	18300	377	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.29	201.
01/21/26 22:00	18300	377	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.32	237.
01/21/26 22:30	18200	374	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.28	227.
01/21/26 23:00	18100	371	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.798	216.
01/21/26 23:30	17600	370	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.24	340.
01/22/26 00:00	17400	356	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.10	15.8

Daily Processed Summary (Average, Maximum Value)

Average	18100	373	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	168
Maximum Value	20900	383	2.31	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/22/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.56	133.
01/22/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.49	164.
01/22/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.65	163.
01/22/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.44	163.
01/22/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.756	142.
01/22/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.595	109.
01/22/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.37	96.8
01/22/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.577	112.
01/22/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.570	138.
01/22/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.92	316.
01/22/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.53	332.
01/22/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.22	15.9
01/22/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.61	78.5
01/22/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.75	21.2
01/22/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.62	26.8
01/22/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.08	20.5
01/22/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.49	30.8
01/22/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.93	38.3
01/22/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.09	64.8
01/22/26 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.48	55.2
01/22/26 10:30	17900	360	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	106.
01/22/26 11:00	18400	377	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.08	98.5
01/22/26 11:30	18600	379	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.4	73.4
01/22/26 12:00	19100	386	2.39	BDL	BDL	8.37	BDL	BDL	BDL	BDL	2.72	23.6
01/22/26 12:30	19100	387	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	305.
01/22/26 13:00	19000	387	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	272.
01/22/26 13:30	19000	385	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.94	164.
01/22/26 14:00	18900	387	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	154.
01/22/26 14:30	18800	389	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	168.
01/22/26 15:00	18400	388	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.	167.
01/22/26 15:30	18300	385	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	143.
01/22/26 16:00	17900	381	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	137.
01/22/26 16:30	18000	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	122.
01/22/26 17:00	17900	380	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	109.
01/22/26 17:30	17400	379	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	111.
01/22/26 18:00	17200	377	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.31	106.
01/22/26 18:30	16900	376	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.7	107.
01/22/26 19:00	16900	375	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	103.
01/22/26 19:30	16900	373	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	108.
01/22/26 20:00	16800	372	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	98.9
01/22/26 20:30	16500	369	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.93	101.
01/22/26 21:00	16400	352	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	100.
01/22/26 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.62	103.
01/22/26 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.63	103.
01/22/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.80	108.
01/22/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.17	100.
01/22/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.15	105.
01/23/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.5	106.

Daily Processed Summary (Average, Maximum Value)

Average	17900	378	2.31	BDL	BDL	0.38	BDL	BDL	BDL	BDL	2.89	103
Maximum Value	19100	389	2.39	-	-	8.37	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/23/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.64	103.
01/23/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.81	104.
01/23/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.59	105.
01/23/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.97	94.3
01/23/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.55	86.1
01/23/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.05	88.3
01/23/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.70	87.1
01/23/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.41	85.3
01/23/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.27	85.1
01/23/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.10	79.2
01/23/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.53	80.6
01/23/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.87	73.3
01/23/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.75	80.1
01/23/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.45	79.2
01/23/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.47	75.
01/23/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.02	73.7
01/23/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.44	81.5
01/23/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.35	86.1
01/23/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.1	90.5
01/23/26 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.72	88.1
01/23/26 10:30	19800	344	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.51	94.5
01/23/26 11:00	20100	362	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.94	94.1
01/23/26 11:30	20000	371	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	94.0
01/23/26 12:00	19900	372	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.29	86.5
01/23/26 12:30	19900	375	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	97.
01/23/26 13:00	19800	377	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	98.4
01/23/26 13:30	19400	378	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	101.
01/23/26 14:00	19100	380	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	103.
01/23/26 14:30	19100	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	99.3
01/23/26 15:00	18900	380	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	95.
01/23/26 15:30	19100	383	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.6	95.3
01/23/26 16:00	19000	383	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.85	97.8
01/23/26 16:30	18900	381	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.71	93.3
01/23/26 17:00	18900	377	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.15	88.5
01/23/26 17:30	18600	351	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.20	85.3
01/23/26 18:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.92	86.2
01/23/26 18:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.17	84.3
01/23/26 19:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.94	79.6
01/23/26 19:30	18600	342	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.00	84.7
01/23/26 20:00	18600	356	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.96	85.3
01/23/26 20:30	18500	352	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	86.1
01/23/26 21:00	18100	335	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	89.2
01/23/26 21:30	18300	356	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.09	87.1
01/23/26 22:00	18400	370	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.82	86.8
01/23/26 22:30	18400	374	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	85.3
01/23/26 23:00	18400	375	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.20	87.5
01/23/26 23:30	18300	376	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.31	89.2
01/24/26 00:00	18200	373	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.47	84.1

Daily Processed Summary (Average, Maximum Value)

Average	19000	368	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.3	89.1
Maximum Value	20100	383	2.31	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/24/26 00:30	18200	370	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.41	89.3
01/24/26 01:00	18200	369	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.83	90.7
01/24/26 01:30	18200	364	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	93.8
01/24/26 02:00	18300	357	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	88.8
01/24/26 02:30	18300	346	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	87.4
01/24/26 03:00	18400	345	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.95	88.2
01/24/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.56	98.7
01/24/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.89	104.
01/24/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.69	110.
01/24/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.01	138.
01/24/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.51	326.
01/24/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.95	349.
01/24/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.87	343.
01/24/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.30	9.81
01/24/26 07:30	9940	350	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.35	4.9
01/24/26 08:00	9600	358	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	7.98
01/24/26 08:30	9590	369	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	3.32
01/24/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.52	8.31
01/24/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.39	8.82
01/24/26 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.39	11.5
01/24/26 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.1	11.8
01/24/26 11:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.5	13.8
01/24/26 11:30	8450	363	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.	13.6
01/24/26 12:00	8300	367	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	15.2
01/24/26 12:30	7990	349	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.69	12.
01/24/26 13:00	7850	342	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	13.2
01/24/26 13:30	7980	363	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	17.9
01/24/26 14:00	7920	370	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.31	15.6
01/24/26 14:30	7910	370	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.49	15.7
01/24/26 15:00	7950	370	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.53	14.1
01/24/26 15:30	7750	372	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.72	14.6
01/24/26 16:00	7870	370	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.33	13.4
01/24/26 16:30	7810	370	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.84	16.0
01/24/26 17:00	7780	370	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.44	13.9
01/24/26 17:30	7770	373	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	17.6
01/24/26 18:00	7680	368	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.37	12.8
01/24/26 18:30	7550	365	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.57	17.
01/24/26 19:00	7560	368	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	18.8
01/24/26 19:30	7480	371	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	15.2
01/24/26 20:00	7340	342	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	12.6
01/24/26 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.59	10.5
01/24/26 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.57	12.4
01/24/26 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.11	349.
01/24/26 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.07	339.
01/24/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.1	336.
01/24/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.8	335.
01/24/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.4	342.
01/25/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.23	1.81

Daily Processed Summary (Average, Maximum Value)

Average	10400	363	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	22.3
Maximum Value	18400	373	2.36	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/25/26 00:30	5360	351	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	0.392
01/25/26 01:00	5360	356	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	343.
01/25/26 01:30	5200	355	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.20	340.
01/25/26 02:00	4930	319	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.6	343.
01/25/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.84	346.
01/25/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.08	360.
01/25/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.60	12.8
01/25/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.77	345.
01/25/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.77	344.
01/25/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.51	343.
01/25/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.02	335.
01/25/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.53	342.
01/25/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.93	342.
01/25/26 07:00	L	L	L	L	L	L	L	L	L	L	5.47	352.
01/25/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.95	2.19
01/25/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.55	355.
01/25/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.27	353.
01/25/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.10	348.
01/25/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.12	344.
01/25/26 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.9	341.
01/25/26 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.84	345.
01/25/26 11:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.97	348.
01/25/26 11:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.91	343.
01/25/26 12:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.27	350.
01/25/26 12:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.46	344.
01/25/26 13:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.47	341.
01/25/26 13:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.25	344.
01/25/26 14:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.39	342.
01/25/26 14:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.83	347.
01/25/26 15:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.56	345.
01/25/26 15:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.74	339.
01/25/26 16:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.26	345.
01/25/26 16:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.94	341.
01/25/26 17:00	3820	306	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.03	340.
01/25/26 17:30	3790	314	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	343.
01/25/26 18:00	3780	321	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	344.
01/25/26 18:30	3720	327	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	347.
01/25/26 19:00	3580	333	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.73	350.
01/25/26 19:30	3600	339	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	353.
01/25/26 20:00	3500	344	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.2	354.
01/25/26 20:30	3500	348	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	346.
01/25/26 21:00	3400	353	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	349.
01/25/26 21:30	3280	356	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	348.
01/25/26 22:00	3330	357	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	345.
01/25/26 22:30	3240	359	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	1.99
01/25/26 23:00	3180	360	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	350.
01/25/26 23:30	3290	362	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.60	349.
01/26/26 00:00	3320	363	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	7.48

Daily Processed Summary (Average, Maximum Value)

Average	3850	343	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	347
Maximum Value	5360	363	2.38	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/26/26 00:30	3170	362	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	8.62
01/26/26 01:00	3120	362	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	1.77
01/26/26 01:30	3020	364	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.36	4.19
01/26/26 02:00	2950	362	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	13.6
01/26/26 02:30	2990	363	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.63	352.
01/26/26 03:00	3040	362	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	341.
01/26/26 03:30	3030	362	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	337.
01/26/26 04:00	3020	362	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.90	340.
01/26/26 04:30	2990	360	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	344.
01/26/26 05:00	3070	361	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	344.
01/26/26 05:30	3100	361	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	347.
01/26/26 06:00	3120	362	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	344.
01/26/26 06:30	3150	362	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.48	343.
01/26/26 07:00	3180	362	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	355.
01/26/26 07:30	3210	362	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	355.
01/26/26 08:00	3250	362	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	344.
01/26/26 08:30	3280	362	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.2	354.
01/26/26 09:00	3300	364	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	356.
01/26/26 09:30	3310	364	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.75	352.
01/26/26 10:00	3330	364	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.27	354.
01/26/26 10:30	3350	365	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.87	353.
01/26/26 11:00	3340	366	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	355.
01/26/26 11:30	3370	368	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	351.
01/26/26 12:00	3430	372	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	359.
01/26/26 12:30	3550	373	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	351.
01/26/26 13:00	3540	372	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	353.
01/26/26 13:30	3610	373	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.4	0.00161
01/26/26 14:00	3650	374	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.77	3.48
01/26/26 14:30	3810	375	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.66	359.
01/26/26 15:00	3920	376	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	357.
01/26/26 15:30	3990	376	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	354.
01/26/26 16:00	4040	375	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	358.
01/26/26 16:30	4060	376	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.24	358.
01/26/26 17:00	4110	374	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.32	9.67
01/26/26 17:30	4220	373	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	7.69
01/26/26 18:00	4140	372	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.00	11.6
01/26/26 18:30	4210	370	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	10.8
01/26/26 19:00	4260	368	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	10.6
01/26/26 19:30	4170	367	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	19.8
01/26/26 20:00	4200	368	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.10	19.9
01/26/26 20:30	4180	365	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	19.3
01/26/26 21:00	4170	365	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.00	11.4
01/26/26 21:30	4230	365	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	10.8
01/26/26 22:00	4320	367	2.37	BDL	BDL	0.982	BDL	BDL	BDL	BDL	5.47	22.7
01/26/26 22:30	4320	371	2.38	BDL	BDL	1.93	BDL	BDL	BDL	BDL	5.9	23.1
01/26/26 23:00	4130	368	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	18.7
01/26/26 23:30	4200	369	2.36	BDL	BDL	4.25	BDL	BDL	BDL	BDL	5.22	22.7
01/27/26 00:00	4160	370	2.37	BDL	BDL	2.15	BDL	BDL	BDL	BDL	4.36	19.6

Daily Processed Summary (Average, Maximum Value)

Average	3610	367	2.4	BDL	BDL	0.194	BDL	BDL	BDL	BDL	5.1	0.149
Maximum Value	4320	376	2.46	-	-	4.25	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/27/26 00:30	4130	368	2.36	BDL	BDL	5.74	BDL	BDL	BDL	BDL	4.99	21.
01/27/26 01:00	4160	368	2.38	BDL	BDL	4.47	BDL	BDL	BDL	BDL	4.93	19.7
01/27/26 01:30	4160	367	2.38	BDL	BDL	4.84	BDL	BDL	BDL	BDL	4.35	20.5
01/27/26 02:00	4210	366	2.38	BDL	BDL	21.8	BDL	BDL	BDL	BDL	4.52	16.6
01/27/26 02:30	4250	365	2.4	BDL	BDL	9.97	BDL	BDL	BDL	BDL	3.60	17.1
01/27/26 03:00	4190	367	2.4	BDL	BDL	14.6	BDL	BDL	BDL	BDL	2.7	36.1
01/27/26 03:30	4180	368	2.4	BDL	BDL	14.9	BDL	BDL	BDL	BDL	2.90	36.
01/27/26 04:00	4120	371	2.4	BDL	BDL	25.9	BDL	BDL	BDL	BDL	4.20	29.1
01/27/26 04:30	3990	368	2.39	BDL	BDL	19.1	BDL	BDL	BDL	BDL	3.35	29.0
01/27/26 05:00	3980	366	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	60.7
01/27/26 05:30	4110	374	2.52	BDL	BDL	7.69	BDL	BDL	BDL	BDL	4.46	80.3
01/27/26 06:00	4080	374	2.64	BDL	BDL	10.3	BDL	BDL	BDL	BDL	4.83	82.9
01/27/26 06:30	4040	370	2.61	BDL	BDL	8.05	BDL	BDL	BDL	BDL	5.16	83.6
01/27/26 07:00	4050	368	2.65	BDL	BDL	9.17	BDL	BDL	BDL	BDL	5.02	82.4
01/27/26 07:30	4040	366	2.59	BDL	BDL	2.49	BDL	BDL	BDL	BDL	4.2	83.5
01/27/26 08:00	4090	365	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	91.5
01/27/26 08:30	4160	368	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	88.3
01/27/26 09:00	4130	372	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	88.2
01/27/26 09:30	4060	375	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	84.6
01/27/26 10:00	4680	383	2.46	BDL	BDL	26.2	BDL	BDL	BDL	BDL	3.10	301.
01/27/26 10:30	4140	383	2.41	BDL	BDL	4.12	BDL	BDL	BDL	BDL	0.516	281.
01/27/26 11:00	4210	382	2.4	BDL	BDL	2.05	BDL	BDL	BDL	BDL	0.708	256.
01/27/26 11:30	4790	385	2.43	BDL	BDL	4.82	BDL	BDL	BDL	BDL	4.82	276.
01/27/26 12:00	4760	385	2.41	BDL	BDL	4.61	BDL	BDL	BDL	BDL	5.39	265.
01/27/26 12:30	M	M	M	M	M	M	M	M	M	M	4.41	228.
01/27/26 13:00	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	3.6	241.
01/27/26 13:30	3390	379	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.55	238.
01/27/26 14:00	4380	379	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	195.
01/27/26 14:30	4990	379	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	137.
01/27/26 15:00	5160	379	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.19	134.
01/27/26 15:30	4720	381	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.95	293.
01/27/26 16:00	4450	381	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	268.
01/27/26 16:30	3840	379	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	276.
01/27/26 17:00	3660	379	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	278.
01/27/26 17:30	4740	378	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.33	211.
01/27/26 18:00	6010	376	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	148.
01/27/26 18:30	5870	375	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.84	144.
01/27/26 19:00	5850	373	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.80	125.
01/27/26 19:30	6150	371	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.38	141.
01/27/26 20:00	6130	370	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	151.
01/27/26 20:30	5710	371	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.38	141.
01/27/26 21:00	5700	370	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.50	151.
01/27/26 21:30	6420	370	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.69	154.
01/27/26 22:00	6580	368	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.41	147.
01/27/26 22:30	6850	367	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.14	128.
01/27/26 23:00	6800	369	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.35	119.
01/27/26 23:30	6750	367	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.719	14.3
01/28/26 00:00	6800	367	2.3	BDL	BDL	3.50	BDL	BDL	BDL	BDL	0.917	7.29

Daily Processed Summary (Average, Maximum Value)

Average	4820	373	2.37	BDL	BDL	4.44	BDL	BDL	BDL	BDL	0.817	85
Maximum Value	6850	385	2.65	-	-	26.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/28/26 00:30	6240	368	2.5	BDL	BDL	26.2	BDL	BDL	BDL	BDL	1.63	46.7
01/28/26 01:00	6040	369	2.66	BDL	BDL	29.3	12.3	BDL	BDL	BDL	1.85	93.7
01/28/26 01:30	6090	370	2.71	BDL	BDL	32.5	20.4	BDL	BDL	BDL	1.41	76.3
01/28/26 02:00	6080	370	2.41	BDL	BDL	32.	BDL	BDL	BDL	BDL	0.196	22.0
01/28/26 02:30	5920	370	2.38	BDL	BDL	40.7	BDL	BDL	BDL	BDL	1.11	351.
01/28/26 03:00	5900	369	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.76	356.
01/28/26 03:30	6080	369	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.942	1.79
01/28/26 04:00	6060	369	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.69	7.96
01/28/26 04:30	6100	368	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.51	9.07
01/28/26 05:00	5900	369	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	10.1
01/28/26 05:30	6090	370	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.66	11.5
01/28/26 06:00	6250	369	2.4	BDL	BDL	2.81	BDL	BDL	BDL	BDL	1.55	27.
01/28/26 06:30	6500	369	2.39	BDL	BDL	7.26	6.86	BDL	BDL	BDL	2.16	27.9
01/28/26 07:00	6480	368	2.4	BDL	BDL	1.82	BDL	BDL	BDL	BDL	2.85	21.2
01/28/26 07:30	6690	368	2.43	BDL	BDL	8.5	BDL	BDL	BDL	BDL	1.97	21.0
01/28/26 08:00	6720	370	2.43	BDL	BDL	6.64	BDL	BDL	BDL	BDL	1.02	17.3
01/28/26 08:30	6900	373	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.45	11.7
01/28/26 09:00	7380	377	2.38	BDL	BDL	1.57	BDL	BDL	BDL	BDL	2.79	26.7
01/28/26 09:30	7470	383	2.37	BDL	BDL	5.16	BDL	BDL	BDL	BDL	2.88	8.07
01/28/26 10:00	6590	383	2.35	BDL	BDL	2.59	BDL	BDL	BDL	BDL	2.55	347.
01/28/26 10:30	6270	384	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	306.
01/28/26 11:00	5920	386	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	313.
01/28/26 11:30	5240	386	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	331.
01/28/26 12:00	5870	387	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.84	302.
01/28/26 12:30	5690	387	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	279.
01/28/26 13:00	4910	385	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	275.
01/28/26 13:30	4950	387	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	296.
01/28/26 14:00	5100	388	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	279.
01/28/26 14:30	5250	388	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.59	307.
01/28/26 15:00	5420	388	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	323.
01/28/26 15:30	5400	387	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.8	312.
01/28/26 16:00	5290	385	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	274.
01/28/26 16:30	5350	385	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	314.
01/28/26 17:00	5370	386	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	311.
01/28/26 17:30	5240	385	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.48	10.5
01/28/26 18:00	5400	384	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.35	0.386
01/28/26 18:30	5030	379	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.18	24.4
01/28/26 19:00	5130	378	2.48	BDL	BDL	2.06	BDL	BDL	BDL	BDL	1.88	51.7
01/28/26 19:30	5630	380	2.49	BDL	BDL	6.28	BDL	BDL	BDL	BDL	3.1	73.4
01/28/26 20:00	6020	379	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.73	109.
01/28/26 20:30	7280	375	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.18	97.7
01/28/26 21:00	8020	374	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.28	122.
01/28/26 21:30	8220	373	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	123.
01/28/26 22:00	7980	374	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	129.
01/28/26 22:30	8110	373	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	130.
01/28/26 23:00	8310	373	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.32	150.
01/28/26 23:30	8590	373	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	157.
01/29/26 00:00	8960	373	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	149.

Daily Processed Summary (Average, Maximum Value)

Average	6280	377	2.4	BDL	BDL	4.28	0.824	BDL	BDL	BDL	0.94	357
Maximum Value	8960	388	2.71	-	-	40.7	20.4	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/29/26 00:30	9040	372	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	156.
01/29/26 01:00	8970	374	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.47	137.
01/29/26 01:30	8820	374	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.08	144.
01/29/26 02:00	8680	373	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.00	125.
01/29/26 02:30	8300	373	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	107.
01/29/26 03:00	8380	372	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.73	99.1
01/29/26 03:30	8580	372	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	94.3
01/29/26 04:00	8590	371	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	96.5
01/29/26 04:30	8670	371	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	95.8
01/29/26 05:00	8740	371	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	91.3
01/29/26 05:30	8830	371	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.27	91.8
01/29/26 06:00	8760	372	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.52	93.2
01/29/26 06:30	8740	372	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	92.9
01/29/26 07:00	8780	373	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	92.2
01/29/26 07:30	8860	373	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.74	93.9
01/29/26 08:00	8820	374	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	94.5
01/29/26 08:30	9320	376	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.11	111.
01/29/26 09:00	9840	379	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	86.1
01/29/26 09:30	10500	382	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	122.
01/29/26 10:00	11100	383	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	115.
01/29/26 10:30	11000	385	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.35	143.
01/29/26 11:00	10900	385	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	164.
01/29/26 11:30	11400	385	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	163.
01/29/26 12:00	11500	387	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	168.
01/29/26 12:30	11500	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	153.
01/29/26 13:00	11400	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.06	193.
01/29/26 13:30	11300	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.43	215.
01/29/26 14:00	11000	388	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.8	212.
01/29/26 14:30	10900	388	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	202.
01/29/26 15:00	11000	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	185.
01/29/26 15:30	11300	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.15	172.
01/29/26 16:00	11600	388	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	203.
01/29/26 16:30	12100	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	199.
01/29/26 17:00	12300	386	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.99	190.
01/29/26 17:30	12600	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	165.
01/29/26 18:00	M	M	M	M	M	M	M	M	M	M	4.7	166.
01/29/26 18:30	M	M	M	M	M	M	M	M	M	M	4.53	171.
01/29/26 19:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	4.01	174.
01/29/26 19:30	13400	382	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.47	179.
01/29/26 20:00	13400	381	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	172.
01/29/26 20:30	13200	380	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.75	173.
01/29/26 21:00	13100	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.725	10.4
01/29/26 21:30	13200	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.569	354.
01/29/26 22:00	13100	379	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.57	306.
01/29/26 22:30	13000	378	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.1	299.
01/29/26 23:00	12700	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.57	308.
01/29/26 23:30	12900	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.01	337.
01/30/26 00:00	11600	381	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	350.

Daily Processed Summary (Average, Maximum Value)

Average	10700	380	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.54	150
Maximum Value	13400	390	2.38	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/30/26 00:30	7720	380	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	11.
01/30/26 01:00	7310	380	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	9.93
01/30/26 01:30	6560	380	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.12	8.08
01/30/26 02:00	6240	379	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	4.82
01/30/26 02:30	6080	378	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	7.1
01/30/26 03:00	6010	376	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	2.3
01/30/26 03:30	5960	376	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	0.288
01/30/26 04:00	5800	376	2.71	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	6.53
01/30/26 04:30	5420	375	2.78	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	10.2
01/30/26 05:00	5660	374	2.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	9.82
01/30/26 05:30	5330	374	2.77	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	8.83
01/30/26 06:00	5480	374	2.77	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	8.63
01/30/26 06:30	5290	374	2.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	6.94
01/30/26 07:00	5510	374	2.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.80	1.02
01/30/26 07:30	5570	374	2.72	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	6.08
01/30/26 08:00	5510	372	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	0.525
01/30/26 08:30	5430	373	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	354.
01/30/26 09:00	5240	373	2.64	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	1.14
01/30/26 09:30	5150	374	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	3.50
01/30/26 10:00	5100	375	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.26	5.09
01/30/26 10:30	5250	378	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.35	1.82
01/30/26 11:00	5180	377	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.56	0.433
01/30/26 11:30	5230	377	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.77	359.
01/30/26 12:00	5190	379	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.	357.
01/30/26 12:30	5230	380	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.97	1.63
01/30/26 13:00	5310	381	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.9	2.30
01/30/26 13:30	5470	381	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	359.
01/30/26 14:00	5480	382	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	352.
01/30/26 14:30	5180	381	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	355.
01/30/26 15:00	5120	380	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.30	356.
01/30/26 15:30	5020	380	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	0.541
01/30/26 16:00	4920	380	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.52	4.7
01/30/26 16:30	5050	379	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.28	357.
01/30/26 17:00	5330	379	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	341.
01/30/26 17:30	5410	378	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.75	341.
01/30/26 18:00	5540	376	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	344.
01/30/26 18:30	5560	375	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	340.
01/30/26 19:00	5990	374	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	337.
01/30/26 19:30	6070	373	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.31	339.
01/30/26 20:00	6160	373	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.90	338.
01/30/26 20:30	5930	373	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.02	341.
01/30/26 21:00	6010	372	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.43	339.
01/30/26 21:30	6010	370	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.70	334.
01/30/26 22:00	5790	371	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.04	337.
01/30/26 22:30	5760	371	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.53	347.
01/30/26 23:00	5310	370	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.19	9.9
01/30/26 23:30	5270	370	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.74	355.
01/31/26 00:00	5920	371	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.37	346.

Daily Processed Summary (Average, Maximum Value)

Average	5630	376	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	359
Maximum Value	7720	382	2.78	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/31/26 00:30	5950	370	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.85	331.
01/31/26 01:00	5320	370	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.27	346.
01/31/26 01:30	4920	369	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.32	356.
01/31/26 02:00	4800	369	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.37	15.1
01/31/26 02:30	4730	369	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.33	5.98
01/31/26 03:00	5560	369	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.57	326.
01/31/26 03:30	6110	370	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.61	338.
01/31/26 04:00	5600	370	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.92	3.06
01/31/26 04:30	5080	369	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	12.3
01/31/26 05:00	5110	370	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.15	14.7
01/31/26 05:30	5080	369	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	12.8
01/31/26 06:00	4960	368	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	13.6
01/31/26 06:30	4900	368	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.62	13.0
01/31/26 07:00	4740	367	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.38	16.
01/31/26 07:30	4600	367	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.56	13.8
01/31/26 08:00	4390	366	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.07	12.7
01/31/26 08:30	4140	368	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	13.5
01/31/26 09:00	3970	370	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	16.0
01/31/26 09:30	3730	370	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	17.4
01/31/26 10:00	3330	369	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	21.8
01/31/26 10:30	3200	371	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	19.0
01/31/26 11:00	3030	372	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	21.7
01/31/26 11:30	3050	372	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	19.5
01/31/26 12:00	2920	373	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	19.2
01/31/26 12:30	2950	374	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.14	18.6
01/31/26 13:00	2760	374	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	23.8
01/31/26 13:30	2800	375	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.19	19.3
01/31/26 14:00	2710	375	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	17.9
01/31/26 14:30	2620	376	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.71	18.1
01/31/26 15:00	2570	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	21.1
01/31/26 15:30	2650	376	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	21.
01/31/26 16:00	2660	375	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.27	23.3
01/31/26 16:30	2650	375	2.28	BDL	BDL	1.97	BDL	BDL	BDL	BDL	8.08	23.0
01/31/26 17:00	2600	375	2.28	BDL	BDL	1.3	BDL	BDL	BDL	BDL	8.50	21.7
01/31/26 17:30	2480	375	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	16.7
01/31/26 18:00	2500	372	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	14.1
01/31/26 18:30	2540	370	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.10	9.09
01/31/26 19:00	2520	369	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	11.6
01/31/26 19:30	2540	368	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	15.6
01/31/26 20:00	2580	368	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	11.8
01/31/26 20:30	2640	368	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	15.2
01/31/26 21:00	2770	370	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.46	19.
01/31/26 21:30	2680	370	2.28	BDL	BDL	10.8	BDL	BDL	BDL	BDL	5.67	23.4
01/31/26 22:00	2610	374	2.35	BDL	BDL	21.2	BDL	BDL	BDL	BDL	4.78	34.0
01/31/26 22:30	2610	375	2.33	BDL	BDL	21.2	BDL	BDL	BDL	BDL	5.11	34.9
01/31/26 23:00	2680	370	2.31	BDL	BDL	29.7	BDL	BDL	BDL	BDL	5.56	31.3
01/31/26 23:30	2760	380	2.35	BDL	BDL	23.9	BDL	BDL	BDL	BDL	6.39	43.7
02/01/26 00:00	2640	373	2.37	BDL	BDL	6.61	BDL	BDL	BDL	BDL	7.43	55.1

Daily Processed Summary (Average, Maximum Value)

Average	3600	371	2.33	BDL	BDL	2.43	BDL	BDL	BDL	BDL	6.62	18.9
Maximum Value	6110	380	2.51	-	-	29.7	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR Daily (24-hour) Averages

Site: Formosa Point Comfort AAMS

Date	Capture%	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)	Met Capture%
02/01/26	100	6110	372	2.35	BDL	BDL	2.61	BDL	BDL	BDL	BDL	5.49	84.5	100
02/02/26	100	13000	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	143	100
02/03/26	100	16800	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	200	100
02/04/26	100	8480	381	2.29	BDL	BDL	0.0829	BDL	BDL	BDL	BDL	7.36	18.5	100
02/05/26	100	7350	376	2.33	BDL	BDL	0.212	BDL	BDL	BDL	BDL	1.8	240	100
02/06/26	100	8150	382	2.31	BDL	BDL	0.431	BDL	BDL	BDL	BDL	5.05	250	100
02/07/26	100	10900	382	2.32	BDL	BDL	0.0667	BDL	BDL	BDL	BDL	2.58	226	100
02/08/26	92.9	15500	384	2.24	BDL	BDL	0.504	BDL	BDL	BDL	BDL	2.65	171	100
02/09/26	100	16700	378	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	185	100
02/10/26	100	18900	379	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	137	100
02/11/26	97.9	18000	383	2.27	BDL	BDL	0.0289	0.0596	BDL	BDL	1.22	1.16	51.2	100
02/12/26	100	17000	396	2.44	BDL	BDL	2.02	BDL	BDL	BDL	BDL	2.81	138	100
02/13/26	100	21500	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	128	100
02/14/26	100	20300	383	2.17	BDL	BDL	0.0798	BDL	BDL	BDL	BDL	6.02	145	100
02/15/26	95.7	13600	395	2.29	BDL	BDL	1.7	BDL	BDL	BDL	BDL	3.7	333	100
02/16/26	100	14100	394	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.47	119	100
02/17/26	100	18000	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.88	170	100
02/18/26	100	20200	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	188	100
02/19/26	100	22200	391	2.19	BDL	BDL	BDL	BDL	BDL	0.0928	BDL	4.77	179	100
02/20/26	100	23600	386	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	132	100
02/21/26	100	13900	396	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	8.31	100
02/22/26	95.7	4490	384	2.29	BDL	BDL	0.166	BDL	BDL	BDL	BDL	8.4	16.9	100
02/23/26	100	4920	385	2.34	BDL	BDL	0.74	0.199	BDL	BDL	BDL	1.95	69.7	100
02/24/26	100	11200	386	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	182	100
02/25/26	100	17700	389	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	201	100
02/26/26	100	20700	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	194	100
02/27/26	100	20200	391	2.28	BDL	BDL	1.45	BDL	BDL	BDL	BDL	2.81	105	100
02/28/26	100	18300	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	139	100

Daily Processed Summary (Average, Maximum Value)

Average	99.4	15100	385	2.26	BDL	BDL	0.36	0.00924	BDL	0.00331	0.0436	2.41	157	100
Maximum Value	100	23600	396	2.44	BDL	BDL	2.61	0.199	BDL	0.0928	1.22	-	-	100

BDL = Below Detection Limit

Blank = Not Available

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/01/26 00:30	2720	370	2.38	BDL	BDL	4.14	BDL	BDL	BDL	BDL	8.18	55.5
02/01/26 01:00	2770	368	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	59.5
02/01/26 01:30	3140	367	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	57.2
02/01/26 02:00	3100	368	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	56.8
02/01/26 02:30	3130	368	2.52	BDL	BDL	1.94	BDL	BDL	BDL	BDL	6.83	55.0
02/01/26 03:00	3000	368	2.53	BDL	BDL	4.99	BDL	BDL	BDL	BDL	6.18	51.2
02/01/26 03:30	2890	371	2.49	BDL	BDL	6.26	BDL	BDL	BDL	BDL	6.27	49.4
02/01/26 04:00	3060	368	2.5	BDL	BDL	2.64	BDL	BDL	BDL	BDL	6.8	54.9
02/01/26 04:30	3220	368	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	58.7
02/01/26 05:00	3180	369	2.46	BDL	BDL	4.63	BDL	BDL	BDL	BDL	6.21	54.3
02/01/26 05:30	3310	372	2.51	BDL	BDL	12.2	BDL	BDL	BDL	BDL	5.33	50.9
02/01/26 06:00	3450	368	2.52	BDL	BDL	3.91	BDL	BDL	BDL	BDL	7.40	62.6
02/01/26 06:30	3800	378	2.6	BDL	BDL	24.8	BDL	BDL	BDL	BDL	5.52	48.
02/01/26 07:00	3850	379	2.56	BDL	BDL	21.0	BDL	BDL	BDL	BDL	6.63	51.9
02/01/26 07:30	3770	374	2.55	BDL	BDL	13.5	BDL	BDL	BDL	BDL	9.	55.8
02/01/26 08:00	3650	369	2.59	BDL	BDL	6.51	BDL	BDL	BDL	BDL	8.93	61.2
02/01/26 08:30	3840	369	2.62	BDL	BDL	3.51	BDL	BDL	BDL	BDL	9.49	58.3
02/01/26 09:00	4220	370	2.56	BDL	BDL	3.02	BDL	BDL	BDL	BDL	8.50	54.2
02/01/26 09:30	4680	374	2.46	BDL	BDL	2.81	BDL	BDL	BDL	BDL	6.92	59.2
02/01/26 10:00	4910	376	2.42	BDL	BDL	3.68	BDL	BDL	BDL	BDL	7.5	64.8
02/01/26 10:30	5210	376	2.39	BDL	BDL	3.36	BDL	BDL	BDL	BDL	7.47	74.4
02/01/26 11:00	5830	376	2.32	BDL	BDL	2.25	BDL	BDL	BDL	BDL	7.75	82.1
02/01/26 11:30	6310	376	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.59	89.0
02/01/26 12:00	6550	376	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	90.
02/01/26 12:30	6920	376	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	99.8
02/01/26 13:00	7100	377	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	104.
02/01/26 13:30	7250	377	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.26	107.
02/01/26 14:00	7360	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	105.
02/01/26 14:30	7500	377	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.43	119.
02/01/26 15:00	7580	377	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	127.
02/01/26 15:30	7700	376	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.61	137.
02/01/26 16:00	7770	376	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.01	130.
02/01/26 16:30	7800	375	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.72	133.
02/01/26 17:00	7940	376	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	133.
02/01/26 17:30	8030	374	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	133.
02/01/26 18:00	8150	373	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	136.
02/01/26 18:30	8290	372	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	126.
02/01/26 19:00	8420	371	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	117.
02/01/26 19:30	8520	370	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.09	111.
02/01/26 20:00	8620	369	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	110.
02/01/26 20:30	8840	370	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	111.
02/01/26 21:00	9000	370	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	106.
02/01/26 21:30	9210	370	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	109.
02/01/26 22:00	9260	370	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	95.2
02/01/26 22:30	9330	369	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.3	95.6
02/01/26 23:00	9470	370	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	101.
02/01/26 23:30	9650	370	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	115.
02/02/26 00:00	9790	371	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	123.

Daily Processed Summary (Average, Maximum Value)

Average	6110	372	2.35	BDL	BDL	2.61	BDL	BDL	BDL	BDL	5.49	84.5
Maximum Value	9790	379	2.62	-	-	24.8	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/02/26 00:30	9960	370	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	124.
02/02/26 01:00	10200	371	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	138.
02/02/26 01:30	10400	371	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.06	134.
02/02/26 02:00	10500	370	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.52	117.
02/02/26 02:30	10500	370	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.48	111.
02/02/26 03:00	10500	370	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.45	123.
02/02/26 03:30	10500	371	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.53	129.
02/02/26 04:00	10400	371	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.43	105.
02/02/26 04:30	10200	370	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.81	92.6
02/02/26 05:00	9970	370	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	91.6
02/02/26 05:30	10000	371	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.52	94.8
02/02/26 06:00	10100	372	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	91.4
02/02/26 06:30	10100	373	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.96	95.5
02/02/26 07:00	10200	373	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	97.9
02/02/26 07:30	10200	373	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.42	104.
02/02/26 08:00	10600	373	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.76	MAL
02/02/26 08:30	11000	377	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.85	95.8
02/02/26 09:00	11500	380	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.01	101.
02/02/26 09:30	12200	383	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.54	104.
02/02/26 10:00	12700	383	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	130.
02/02/26 10:30	13000	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	132.
02/02/26 11:00	13200	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.66	142.
02/02/26 11:30	13400	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.72	147.
02/02/26 12:00	13700	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.86	139.
02/02/26 12:30	13800	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.10	141.
02/02/26 13:00	13900	385	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.3	146.
02/02/26 13:30	14100	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.86	144.
02/02/26 14:00	14200	386	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.99	144.
02/02/26 14:30	14200	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	140.
02/02/26 15:00	14400	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.76	145.
02/02/26 15:30	14300	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.28	145.
02/02/26 16:00	14400	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	146.
02/02/26 16:30	14500	381	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	144.
02/02/26 17:00	14500	381	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.61	140.
02/02/26 17:30	14400	381	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	136.
02/02/26 18:00	14400	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	141.
02/02/26 18:30	14700	378	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.32	142.
02/02/26 19:00	14600	378	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.16	134.
02/02/26 19:30	14700	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	150.
02/02/26 20:00	14700	378	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.2	165.
02/02/26 20:30	15100	377	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.36	170.
02/02/26 21:00	15900	377	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.18	164.
02/02/26 21:30	15700	377	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.67	163.
02/02/26 22:00	15700	377	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.09	166.
02/02/26 22:30	15900	377	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.56	167.
02/02/26 23:00	15900	378	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.72	176.
02/02/26 23:30	16300	378	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.63	173.
02/03/26 00:00	16500	378	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	172.

Daily Processed Summary (Average, Maximum Value)

Average	13000	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	143
Maximum Value	16500	389	2.29	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/03/26 00:30	16500	379	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.	167.
02/03/26 01:00	16500	378	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.35	170.
02/03/26 01:30	16600	378	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	169.
02/03/26 02:00	16600	377	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	184.
02/03/26 02:30	16700	379	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	174.
02/03/26 03:00	16800	380	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	175.
02/03/26 03:30	16700	380	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	183.
02/03/26 04:00	16600	379	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.79	184.
02/03/26 04:30	16500	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	185.
02/03/26 05:00	16400	380	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.8	181.
02/03/26 05:30	16300	379	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	182.
02/03/26 06:00	16200	378	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.39	182.
02/03/26 06:30	16100	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	184.
02/03/26 07:00	16200	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	182.
02/03/26 07:30	16300	379	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	199.
02/03/26 08:00	16200	379	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	204.
02/03/26 08:30	16300	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	209.
02/03/26 09:00	16800	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	201.
02/03/26 09:30	17600	384	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.41	203.
02/03/26 10:00	17600	385	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	208.
02/03/26 10:30	17600	384	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.51	207.
02/03/26 11:00	17600	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	206.
02/03/26 11:30	17300	386	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.83	207.
02/03/26 12:00	16900	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	211.
02/03/26 12:30	16600	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	212.
02/03/26 13:00	16400	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	215.
02/03/26 13:30	16300	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	211.
02/03/26 14:00	16200	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	207.
02/03/26 14:30	16200	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	210.
02/03/26 15:00	16500	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.91	201.
02/03/26 15:30	16800	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	200.
02/03/26 16:00	16900	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	195.
02/03/26 16:30	16800	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	196.
02/03/26 17:00	16800	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	196.
02/03/26 17:30	17100	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	196.
02/03/26 18:00	17400	384	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	192.
02/03/26 18:30	17600	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	179.
02/03/26 19:00	17600	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	183.
02/03/26 19:30	17600	382	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.03	194.
02/03/26 20:00	17500	381	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.29	202.
02/03/26 20:30	17200	381	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.33	202.
02/03/26 21:00	17000	380	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	203.
02/03/26 21:30	16800	379	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.2	204.
02/03/26 22:00	16800	379	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	218.
02/03/26 22:30	16700	378	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.18	247.
02/03/26 23:00	16700	378	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	304.
02/03/26 23:30	16700	377	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.06	309.
02/04/26 00:00	16800	377	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	299.

Daily Processed Summary (Average, Maximum Value)

Average	16800	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	200
Maximum Value	17600	387	2.28	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/04/26 00:30	16800	378	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	300.
02/04/26 01:00	16700	380	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.82	344.
02/04/26 01:30	16700	381	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.87	358.
02/04/26 02:00	16700	381	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	21.4
02/04/26 02:30	15500	382	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.67	27.7
02/04/26 03:00	14800	387	2.32	BDL	BDL	2.81	BDL	BDL	BDL	BDL	10.1	28.6
02/04/26 03:30	14300	385	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.9	23.0
02/04/26 04:00	12800	382	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.46	19.7
02/04/26 04:30	9960	381	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	21.7
02/04/26 05:00	9210	382	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	21.6
02/04/26 05:30	9340	379	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	18.1
02/04/26 06:00	8840	379	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.42	19.9
02/04/26 06:30	8450	378	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.48	17.4
02/04/26 07:00	7890	378	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.15	18.2
02/04/26 07:30	7400	377	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.99	16.9
02/04/26 08:00	7230	376	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.83	19.6
02/04/26 08:30	7140	377	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.12	22.
02/04/26 09:00	7140	377	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	19.3
02/04/26 09:30	7100	380	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.86	19.8
02/04/26 10:00	7090	379	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.86	22.6
02/04/26 10:30	7190	383	2.35	BDL	BDL	1.17	BDL	BDL	BDL	BDL	10.4	24.9
02/04/26 11:00	7140	385	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.97	22.4
02/04/26 11:30	7110	385	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	23.3
02/04/26 12:00	6990	385	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	23.3
02/04/26 12:30	6730	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	22.4
02/04/26 13:00	6580	386	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	26.3
02/04/26 13:30	6440	384	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	24.9
02/04/26 14:00	6350	386	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	21.6
02/04/26 14:30	6120	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	16.6
02/04/26 15:00	5680	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	23.
02/04/26 15:30	6020	388	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	6.20
02/04/26 16:00	5620	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.17	15.7
02/04/26 16:30	5660	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.03	15.7
02/04/26 17:00	5990	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.8	17.0
02/04/26 17:30	6010	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.79	19.3
02/04/26 18:00	6360	384	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.43	18.3
02/04/26 18:30	6570	382	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	16.8
02/04/26 19:00	6460	380	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	9.62
02/04/26 19:30	6430	380	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	7.83
02/04/26 20:00	6860	379	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.19	2.92
02/04/26 20:30	6680	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	7.72
02/04/26 21:00	7030	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.15	2.88
02/04/26 21:30	7600	376	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.65	348.
02/04/26 22:00	7610	376	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	1.24
02/04/26 22:30	7340	375	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.43	357.
02/04/26 23:00	7300	375	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.4	356.
02/04/26 23:30	7030	374	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.16	358.
02/05/26 00:00	7050	373	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.58	1.76

Daily Processed Summary (Average, Maximum Value)

Average	8480	381	2.29	BDL	BDL	0.0829	BDL	BDL	BDL	BDL	7.36	18.5
Maximum Value	16800	388	2.41	-	-	2.81	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/05/26 00:30	6730	373	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.96	6.28
02/05/26 01:00	6630	374	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	10.5
02/05/26 01:30	6570	373	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	12.9
02/05/26 02:00	6550	371	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.80	14.6
02/05/26 02:30	6530	370	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	1.78
02/05/26 03:00	6670	369	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.30	353.
02/05/26 03:30	6500	368	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.96	2.56
02/05/26 04:00	7010	367	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.72	356.
02/05/26 04:30	7170	367	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.66	339.
02/05/26 05:00	7110	366	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.58	352.
02/05/26 05:30	7040	366	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.60	357.
02/05/26 06:00	6820	365	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.76	2.32
02/05/26 06:30	7020	364	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.21	355.
02/05/26 07:00	6930	365	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.67	354.
02/05/26 07:30	6780	364	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.36	357.
02/05/26 08:00	6740	367	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.920	3.11
02/05/26 08:30	7010	373	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.85	357.
02/05/26 09:00	7160	377	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.75	331.
02/05/26 09:30	7460	379	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.38	282.
02/05/26 10:00	7510	379	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	281.
02/05/26 10:30	7380	381	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	283.
02/05/26 11:00	7290	381	2.41	BDL	BDL	2.40	BDL	BDL	BDL	BDL	5.71	270.
02/05/26 11:30	6890	381	2.38	BDL	BDL	3.69	BDL	BDL	BDL	BDL	5.96	264.
02/05/26 12:00	6350	384	2.33	BDL	BDL	4.07	BDL	BDL	BDL	BDL	4.76	270.
02/05/26 12:30	6330	386	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	282.
02/05/26 13:00	6310	386	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	280.
02/05/26 13:30	5870	387	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.11	278.
02/05/26 14:00	5440	387	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.50	274.
02/05/26 14:30	5240	386	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	265.
02/05/26 15:00	5120	385	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.62	259.
02/05/26 15:30	5030	385	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	274.
02/05/26 16:00	6190	385	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	199.
02/05/26 16:30	7480	382	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	165.
02/05/26 17:00	7580	381	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.61	164.
02/05/26 17:30	7720	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.63	173.
02/05/26 18:00	7800	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	176.
02/05/26 18:30	8010	378	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	187.
02/05/26 19:00	8180	376	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	196.
02/05/26 19:30	8510	376	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	199.
02/05/26 20:00	8780	375	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.27	200.
02/05/26 20:30	8830	374	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	204.
02/05/26 21:00	9140	373	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.80	203.
02/05/26 21:30	9550	373	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	206.
02/05/26 22:00	9840	373	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	208.
02/05/26 22:30	9880	373	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.15	207.
02/05/26 23:00	10000	373	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	207.
02/05/26 23:30	10000	373	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	213.
02/06/26 00:00	10100	373	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	217.

Daily Processed Summary (Average, Maximum Value)

Average	7350	376	2.33	BDL	BDL	0.212	BDL	BDL	BDL	BDL	1.8	240
Maximum Value	10100	387	2.47	-	-	4.07	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/06/26 00:30	9880	373	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	224.
02/06/26 01:00	9620	374	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.7	230.
02/06/26 01:30	9530	376	2.32	BDL	BDL	10.4	BDL	BDL	BDL	BDL	6.25	240.
02/06/26 02:00	9330	377	2.31	BDL	BDL	10.3	BDL	BDL	BDL	BDL	7.38	243.
02/06/26 02:30	8830	377	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	239.
02/06/26 03:00	8520	375	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	241.
02/06/26 03:30	8750	375	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	254.
02/06/26 04:00	8570	375	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	256.
02/06/26 04:30	8200	375	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	253.
02/06/26 05:00	8070	374	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.21	259.
02/06/26 05:30	7870	373	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.7	259.
02/06/26 06:00	7660	372	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	257.
02/06/26 06:30	7890	371	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	257.
02/06/26 07:00	7760	371	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	261.
02/06/26 07:30	7640	370	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.43	268.
02/06/26 08:00	7370	372	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	266.
02/06/26 08:30	7630	375	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	266.
02/06/26 09:00	7920	377	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	266.
02/06/26 09:30	7850	379	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.8	273.
02/06/26 10:00	7560	382	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.79	272.
02/06/26 10:30	7640	385	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	276.
02/06/26 11:00	7470	386	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	273.
02/06/26 11:30	7510	388	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.5	273.
02/06/26 12:00	7520	391	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.68	271.
02/06/26 12:30	6860	391	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.91	276.
02/06/26 13:00	6750	394	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.29	279.
02/06/26 13:30	6520	396	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.26	279.
02/06/26 14:00	5920	397	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.39	275.
02/06/26 14:30	5510	398	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	280.
02/06/26 15:00	5330	397	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.31	272.
02/06/26 15:30	5140	395	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	266.
02/06/26 16:00	4880	396	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.03	281.
02/06/26 16:30	5240	396	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.22	265.
02/06/26 17:00	6670	394	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	167.
02/06/26 17:30	8010	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.40	176.
02/06/26 18:00	8620	390	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	199.
02/06/26 18:30	9110	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	201.
02/06/26 19:00	9280	383	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	199.
02/06/26 19:30	9730	382	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	200.
02/06/26 20:00	10300	380	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.75	207.
02/06/26 20:30	10600	379	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	213.
02/06/26 21:00	10200	379	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	216.
02/06/26 21:30	10200	379	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.66	217.
02/06/26 22:00	9780	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.02	226.
02/06/26 22:30	9190	378	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.40	227.
02/06/26 23:00	9720	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.9	228.
02/06/26 23:30	10700	377	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	231.
02/07/26 00:00	10500	377	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	255.

Daily Processed Summary (Average, Maximum Value)

Average	8150	382	2.31	BDL	BDL	0.431	BDL	BDL	BDL	BDL	5.05	250
Maximum Value	10700	398	2.46	-	-	10.4	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/07/26 00:30	10300	377	2.29	BDL	BDL	3.20	BDL	BDL	BDL	BDL	3.99	261.
02/07/26 01:00	10700	375	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	265.
02/07/26 01:30	11300	375	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	260.
02/07/26 02:00	11100	376	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	256.
02/07/26 02:30	10700	376	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.45	259.
02/07/26 03:00	10100	376	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.37	266.
02/07/26 03:30	9810	376	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.51	266.
02/07/26 04:00	9530	376	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	274.
02/07/26 04:30	9280	376	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	274.
02/07/26 05:00	9180	376	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	269.
02/07/26 05:30	8710	376	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	268.
02/07/26 06:00	8840	375	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	273.
02/07/26 06:30	9170	375	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	275.
02/07/26 07:00	9270	374	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	275.
02/07/26 07:30	9140	373	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.52	281.
02/07/26 08:00	9250	375	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.70	279.
02/07/26 08:30	9480	380	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	267.
02/07/26 09:00	9360	382	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	263.
02/07/26 09:30	9270	382	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	258.
02/07/26 10:00	10000	385	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	293.
02/07/26 10:30	10600	387	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	269.
02/07/26 11:00	11000	387	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	262.
02/07/26 11:30	10700	391	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.25	272.
02/07/26 12:00	9790	394	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	276.
02/07/26 12:30	8750	396	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	274.
02/07/26 13:00	7920	398	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	269.
02/07/26 13:30	6620	398	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	290.
02/07/26 14:00	5670	401	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	275.
02/07/26 14:30	6280	400	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	245.
02/07/26 15:00	7720	397	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	178.
02/07/26 15:30	10600	397	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	152.
02/07/26 16:00	12200	396	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	144.
02/07/26 16:30	13200	392	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.3	149.
02/07/26 17:00	12500	390	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.5	165.
02/07/26 17:30	12400	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.82	168.
02/07/26 18:00	11900	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	174.
02/07/26 18:30	12100	384	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	172.
02/07/26 19:00	12600	383	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	189.
02/07/26 19:30	13600	381	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	190.
02/07/26 20:00	14500	378	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	190.
02/07/26 20:30	14600	378	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.20	174.
02/07/26 21:00	14400	378	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	182.
02/07/26 21:30	14700	377	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.09	179.
02/07/26 22:00	15000	377	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.90	179.
02/07/26 22:30	15100	375	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	167.
02/07/26 23:00	15200	373	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	142.
02/07/26 23:30	14200	373	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	103.
02/08/26 00:00	13500	347	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	97.6

Daily Processed Summary (Average, Maximum Value)

Average	10900	382	2.32	BDL	BDL	0.0667	BDL	BDL	BDL	BDL	2.58	226
Maximum Value	15200	401	2.53	-	-	3.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/08/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.23	93.5
02/08/26 01:00	13400	341	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.25	95.0
02/08/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.32	93.6
02/08/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.49	94.7
02/08/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.35	96.
02/08/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.76	92.0
02/08/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.09	90.9
02/08/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.86	90.2
02/08/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.96	89.4
02/08/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.22	87.0
02/08/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.03	78.7
02/08/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.19	76.5
02/08/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.32	131.
02/08/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.911	75.7
02/08/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.67	102.
02/08/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.824	64.5
02/08/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.88	82.4
02/08/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.30	79.2
02/08/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.704	108.
02/08/26 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.05	284.
02/08/26 10:30	16000	394	2.6	BDL	BDL	8.82	BDL	BDL	BDL	BDL	3.24	281.
02/08/26 11:00	16300	394	2.52	BDL	BDL	4.29	BDL	BDL	BDL	BDL	2.93	278.
02/08/26 11:30	16800	393	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	282.
02/08/26 12:00	15400	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.77	184.
02/08/26 12:30	15200	389	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.15	207.
02/08/26 13:00	14400	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	193.
02/08/26 13:30	13500	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.10	204.
02/08/26 14:00	13800	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.83	201.
02/08/26 14:30	13800	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.27	209.
02/08/26 15:00	14100	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	205.
02/08/26 15:30	14300	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.17	205.
02/08/26 16:00	14500	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.93	203.
02/08/26 16:30	14900	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.15	211.
02/08/26 17:00	15100	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	206.
02/08/26 17:30	15200	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	198.
02/08/26 18:00	15300	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	187.
02/08/26 18:30	15800	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	179.
02/08/26 19:00	16600	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	169.
02/08/26 19:30	16800	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.19	145.
02/08/26 20:00	16900	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.95	130.
02/08/26 20:30	16800	377	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.19	117.
02/08/26 21:00	16900	376	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.7	129.
02/08/26 21:30	M	M	M	M	M	M	M	M	M	M	2.86	130.
02/08/26 22:00	M	M	M	M	M	M	M	M	M	M	1.95	119.
02/08/26 22:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	3.58	162.
02/08/26 23:00	17500	372	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	164.
02/08/26 23:30	17500	370	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	165.
02/09/26 00:00	17300	369	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	170.

Daily Processed Summary (Average, Maximum Value)

Average	15500	384	2.24	BDL	BDL	0.504	BDL	BDL	BDL	BDL	2.65	171
Maximum Value	17500	394	2.6	-	-	8.82	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/09/26 00:30	17100	370	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	178.
02/09/26 01:00	17100	375	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	196.
02/09/26 01:30	16800	376	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	201.
02/09/26 02:00	16600	376	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.1	201.
02/09/26 02:30	16600	376	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.43	203.
02/09/26 03:00	16400	373	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	206.
02/09/26 03:30	16200	368	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.31	215.
02/09/26 04:00	16300	362	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.72	222.
02/09/26 04:30	16300	363	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.44	226.
02/09/26 05:00	16200	363	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.839	189.
02/09/26 05:30	15900	344	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.48	250.
02/09/26 06:00	15800	369	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.21	222.
02/09/26 06:30	15700	366	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.08	195.
02/09/26 07:00	15500	361	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.33	154.
02/09/26 07:30	15600	369	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	160.
02/09/26 08:00	16000	376	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.19	148.
02/09/26 08:30	16600	381	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.37	175.
02/09/26 09:00	16900	382	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	192.
02/09/26 09:30	16900	382	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	212.
02/09/26 10:00	16900	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.64	215.
02/09/26 10:30	16800	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	212.
02/09/26 11:00	16100	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.85	212.
02/09/26 11:30	16100	386	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	214.
02/09/26 12:00	15900	388	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	214.
02/09/26 12:30	15800	388	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.54	221.
02/09/26 13:00	15900	388	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.61	218.
02/09/26 13:30	15900	387	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.66	214.
02/09/26 14:00	15500	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.61	203.
02/09/26 14:30	15300	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.92	205.
02/09/26 15:00	15200	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.13	199.
02/09/26 15:30	15300	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.19	188.
02/09/26 16:00	15600	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.52	184.
02/09/26 16:30	15800	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.61	187.
02/09/26 17:00	16100	388	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	181.
02/09/26 17:30	17100	387	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	160.
02/09/26 18:00	17600	384	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	144.
02/09/26 18:30	17700	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	134.
02/09/26 19:00	17700	379	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	123.
02/09/26 19:30	17700	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	120.
02/09/26 20:00	18000	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.50	116.
02/09/26 20:30	18300	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	114.
02/09/26 21:00	18400	374	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	112.
02/09/26 21:30	18300	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	132.
02/09/26 22:00	18400	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	148.
02/09/26 22:30	18400	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.34	150.
02/09/26 23:00	18400	379	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	147.
02/09/26 23:30	18400	379	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	147.
02/10/26 00:00	18600	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	149.

Daily Processed Summary (Average, Maximum Value)

Average	16700	378	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	185
Maximum Value	18600	389	2.31	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/10/26 00:30	18400	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	147.
02/10/26 01:00	18500	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	163.
02/10/26 01:30	18500	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	166.
02/10/26 02:00	18500	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	163.
02/10/26 02:30	18700	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	165.
02/10/26 03:00	18700	375	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.30	158.
02/10/26 03:30	18500	373	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	158.
02/10/26 04:00	18400	374	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	166.
02/10/26 04:30	18100	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.73	156.
02/10/26 05:00	17900	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	162.
02/10/26 05:30	17800	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	163.
02/10/26 06:00	17700	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.20	143.
02/10/26 06:30	17800	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	143.
02/10/26 07:00	17700	378	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.03	142.
02/10/26 07:30	17300	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.34	92.0
02/10/26 08:00	17400	378	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.77	96.8
02/10/26 08:30	17800	381	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.58	106.
02/10/26 09:00	18400	381	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	128.
02/10/26 09:30	19200	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.07	153.
02/10/26 10:00	19300	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	159.
02/10/26 10:30	19300	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	161.
02/10/26 11:00	19600	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	136.
02/10/26 11:30	19500	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	140.
02/10/26 12:00	19300	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.61	131.
02/10/26 12:30	19100	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	150.
02/10/26 13:00	18900	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	152.
02/10/26 13:30	19300	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.37	133.
02/10/26 14:00	19300	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.29	138.
02/10/26 14:30	19400	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.63	132.
02/10/26 15:00	19500	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	133.
02/10/26 15:30	19500	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.31	131.
02/10/26 16:00	19400	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	131.
02/10/26 16:30	19400	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	111.
02/10/26 17:00	19400	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.2	110.
02/10/26 17:30	19500	381	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	112.
02/10/26 18:00	19500	381	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	120.
02/10/26 18:30	19200	379	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.11	131.
02/10/26 19:00	19100	377	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	134.
02/10/26 19:30	19200	376	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	138.
02/10/26 20:00	19300	375	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.92	130.
02/10/26 20:30	19500	375	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	124.
02/10/26 21:00	19700	376	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	134.
02/10/26 21:30	19600	375	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.43	127.
02/10/26 22:00	19600	375	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.40	114.
02/10/26 22:30	19400	375	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	103.
02/10/26 23:00	19400	373	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	96.
02/10/26 23:30	19300	371	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.75	117.
02/11/26 00:00	19500	371	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	133.

Daily Processed Summary (Average, Maximum Value)

Average	18900	379	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	137
Maximum Value	19700	389	2.19	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/11/26 00:30	19600	372	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	130.
02/11/26 01:00	19500	371	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	141.
02/11/26 01:30	19300	369	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	146.
02/11/26 02:00	19200	369	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.19	133.
02/11/26 02:30	18900	365	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	121.
02/11/26 03:00	19000	363	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.29	120.
02/11/26 03:30	19000	367	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.75	107.
02/11/26 04:00	19200	367	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.68	115.
02/11/26 04:30	18900	366	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	110.
02/11/26 05:00	19300	363	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	157.
02/11/26 05:30	19400	361	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.49	157.
02/11/26 06:00	19400	359	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	150.
02/11/26 06:30	19200	358	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.20	156.
02/11/26 07:00	19200	361	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.23	171.
02/11/26 07:30	19400	367	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.77	192.
02/11/26 08:00	19700	374	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.46	278.
02/11/26 08:30	19800	380	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.94	304.
02/11/26 09:00	20100	378	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.953	331.
02/11/26 09:30	20400	380	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.41	279.
02/11/26 10:00	20400	381	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.94	301.
02/11/26 10:30	20800	386	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	286.
02/11/26 11:00	21100	392	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	283.
02/11/26 11:30	20700	397	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	317.
02/11/26 12:00	18500	396	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	0.0262
02/11/26 12:30	17100	390	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.80	13.6
02/11/26 13:00	17400	391	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	360.
02/11/26 13:30	17200	393	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.13	358.
02/11/26 14:00	16900	391	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	2.44
02/11/26 14:30	16900	390	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	1.90
02/11/26 15:00	16800	390	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.98	19.2
02/11/26 15:30	16800	392	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	21.9
02/11/26 16:00	16500	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.20	17.
02/11/26 16:30	16300	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.37	25.1
02/11/26 17:00	16100	390	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	12.8
02/11/26 17:30	15900	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	19.
02/11/26 18:00	M	M	M	M	M	M	M	M	M	M	2.18	14.3
02/11/26 18:30	15800	397	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.65	75.9
02/11/26 19:00	15900	398	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	57.3
02/11/26 19:30	16000	405	2.46	BDL	BDL	1.36	2.80	BDL	BDL	BDL	4.1	76.1
02/11/26 20:00	15800	405	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.44	91.5
02/11/26 20:30	15700	400	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.66	80.2
02/11/26 21:00	15500	399	2.54	BDL	BDL	BDL	BDL	BDL	BDL	24.9	2.19	93.1
02/11/26 21:30	15300	401	2.44	BDL	BDL	BDL	BDL	BDL	BDL	32.5	2.61	90.7
02/11/26 22:00	15200	396	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	97.5
02/11/26 22:30	16500	393	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	160.
02/11/26 23:00	16800	391	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.49	154.
02/11/26 23:30	16400	390	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.7	160.
02/12/26 00:00	16700	389	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.521	212.

Daily Processed Summary (Average, Maximum Value)

Average	18000	383	2.27	BDL	BDL	0.0289	0.0596	BDL	BDL	1.22	1.16	51.2
Maximum Value	21100	405	2.54	-	-	1.36	2.8	-	-	32.5	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/12/26 00:30	17400	388	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.46	307.
02/12/26 01:00	17700	386	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.574	159.
02/12/26 01:30	17900	387	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.22	320.
02/12/26 02:00	17900	380	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.08	305.
02/12/26 02:30	16800	395	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	8.83
02/12/26 03:00	14800	395	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.29	19.0
02/12/26 03:30	14900	392	2.48	BDL	BDL	8.30	BDL	BDL	BDL	BDL	1.13	49.2
02/12/26 04:00	14500	394	2.48	BDL	BDL	1.14	BDL	BDL	BDL	BDL	1.59	351.
02/12/26 04:30	14200	394	2.57	BDL	BDL	10.4	BDL	BDL	BDL	BDL	1.61	26.1
02/12/26 05:00	13600	395	2.54	BDL	BDL	5.97	BDL	BDL	BDL	BDL	1.48	353.
02/12/26 05:30	13100	395	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.52	8.95
02/12/26 06:00	12500	395	2.54	BDL	BDL	4.41	BDL	BDL	BDL	BDL	0.529	43.9
02/12/26 06:30	12200	400	2.86	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.41	55.8
02/12/26 07:00	12100	401	2.86	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.69	68.5
02/12/26 07:30	11800	401	2.86	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	65.6
02/12/26 08:00	12200	418	3.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	77.
02/12/26 08:30	12500	413	3.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	83.
02/12/26 09:00	12900	403	2.9	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.43	88.2
02/12/26 09:30	13500	406	2.9	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	89.8
02/12/26 10:00	14600	408	2.8	BDL	BDL	20.5	BDL	BDL	BDL	BDL	0.552	277.
02/12/26 10:30	15600	410	2.6	BDL	BDL	23.8	BDL	BDL	BDL	BDL	3.31	299.
02/12/26 11:00	16500	411	2.51	BDL	BDL	7.97	BDL	BDL	BDL	BDL	3.60	267.
02/12/26 11:30	17900	406	2.46	BDL	BDL	4.3	BDL	BDL	BDL	BDL	4.36	249.
02/12/26 12:00	19200	397	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.11	225.
02/12/26 12:30	18800	399	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	218.
02/12/26 13:00	18900	401	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	147.
02/12/26 13:30	19100	401	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	143.
02/12/26 14:00	19400	402	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.85	150.
02/12/26 14:30	19300	400	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	131.
02/12/26 15:00	19300	399	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	136.
02/12/26 15:30	19900	397	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.4	134.
02/12/26 16:00	19900	395	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	132.
02/12/26 16:30	20000	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.56	142.
02/12/26 17:00	20100	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.12	144.
02/12/26 17:30	20200	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.86	146.
02/12/26 18:00	20300	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.78	148.
02/12/26 18:30	20200	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	149.
02/12/26 19:00	20100	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	161.
02/12/26 19:30	19700	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	165.
02/12/26 20:00	19400	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	157.
02/12/26 20:30	19500	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	149.
02/12/26 21:00	19500	379	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.13	147.
02/12/26 21:30	19600	374	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	147.
02/12/26 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.46	151.
02/12/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.91	137.
02/12/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.42	124.
02/12/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.50	129.
02/13/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.6	136.

Daily Processed Summary (Average, Maximum Value)

Average	17000	396	2.44	BDL	BDL	2.02	BDL	BDL	BDL	BDL	2.81	138
Maximum Value	20300	418	3.03	-	-	23.8	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/13/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.72	133.
02/13/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.46	130.
02/13/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.14	150.
02/13/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.34	152.
02/13/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.	135.
02/13/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.86	139.
02/13/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.59	137.
02/13/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.12	129.
02/13/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.78	130.
02/13/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.70	116.
02/13/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.88	128.
02/13/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.1	131.
02/13/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.88	113.
02/13/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.62	119.
02/13/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.93	120.
02/13/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.41	112.
02/13/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.28	105.
02/13/26 09:00	20700	359	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	113.
02/13/26 09:30	22000	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	124.
02/13/26 10:00	21800	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.21	135.
02/13/26 10:30	21600	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.22	142.
02/13/26 11:00	21600	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.22	144.
02/13/26 11:30	21700	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.20	137.
02/13/26 12:00	21600	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.29	131.
02/13/26 12:30	21700	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	136.
02/13/26 13:00	21500	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	142.
02/13/26 13:30	21200	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.94	142.
02/13/26 14:00	21800	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.56	135.
02/13/26 14:30	21900	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.46	136.
02/13/26 15:00	21900	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	132.
02/13/26 15:30	22000	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	132.
02/13/26 16:00	21900	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	135.
02/13/26 16:30	22000	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.88	137.
02/13/26 17:00	22000	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.08	134.
02/13/26 17:30	22000	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.54	134.
02/13/26 18:00	21800	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	125.
02/13/26 18:30	21500	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.99	116.
02/13/26 19:00	21400	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.63	110.
02/13/26 19:30	21500	381	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	109.
02/13/26 20:00	21300	380	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	110.
02/13/26 20:30	21300	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.71	112.
02/13/26 21:00	21200	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	114.
02/13/26 21:30	21200	375	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.	113.
02/13/26 22:00	21000	364	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	114.
02/13/26 22:30	20900	366	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.11	112.
02/13/26 23:00	20900	370	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.94	112.
02/13/26 23:30	20800	369	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	115.
02/14/26 00:00	20800	368	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	122.

Daily Processed Summary (Average, Maximum Value)

Average	21500	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	128
Maximum Value	22000	394	2.2	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/14/26 00:30	20900	368	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	119.
02/14/26 01:00	21100	372	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	123.
02/14/26 01:30	21200	374	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.90	122.
02/14/26 02:00	21200	370	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	117.
02/14/26 02:30	21300	371	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	129.
02/14/26 03:00	21200	371	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.65	128.
02/14/26 03:30	21400	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.16	135.
02/14/26 04:00	21400	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.29	132.
02/14/26 04:30	21300	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.91	142.
02/14/26 05:00	21200	380	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.25	136.
02/14/26 05:30	21200	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.35	140.
02/14/26 06:00	21200	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	143.
02/14/26 06:30	21100	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.36	147.
02/14/26 07:00	21100	383	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	145.
02/14/26 07:30	21000	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.10	135.
02/14/26 08:00	21000	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	121.
02/14/26 08:30	21000	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	131.
02/14/26 09:00	21100	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	121.
02/14/26 09:30	21400	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	134.
02/14/26 10:00	21500	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	137.
02/14/26 10:30	21600	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	140.
02/14/26 11:00	21600	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	146.
02/14/26 11:30	21500	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	147.
02/14/26 12:00	21400	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	145.
02/14/26 12:30	21400	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	145.
02/14/26 13:00	21500	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	147.
02/14/26 13:30	21800	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	148.
02/14/26 14:00	22100	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.38	150.
02/14/26 14:30	22100	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	161.
02/14/26 15:00	22200	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	165.
02/14/26 15:30	22100	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	173.
02/14/26 16:00	22100	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	175.
02/14/26 16:30	22000	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.9	184.
02/14/26 17:00	22200	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	179.
02/14/26 17:30	22100	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	183.
02/14/26 18:00	22200	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	194.
02/14/26 18:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.21	324.
02/14/26 19:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.16	3.92
02/14/26 19:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.49	17.3
02/14/26 20:00	15400	381	2.21	BDL	BDL	3.59	BDL	BDL	BDL	BDL	3.24	16.3
02/14/26 20:30	15400	381	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	107.
02/14/26 21:00	15400	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.89	111.
02/14/26 21:30	15300	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	120.
02/14/26 22:00	15400	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.40	140.
02/14/26 22:30	15400	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.56	147.
02/14/26 23:00	15200	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.26	115.
02/14/26 23:30	15100	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.981	106.
02/15/26 00:00	15200	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.6	312.

Daily Processed Summary (Average, Maximum Value)

Average	20300	383	2.17	BDL	BDL	0.0798	BDL	BDL	BDL	BDL	6.02	145
Maximum Value	22200	391	2.21	-	-	3.59	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/15/26 00:30	15400	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.661	244.
02/15/26 01:00	15600	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.09	226.
02/15/26 01:30	15800	385	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.78	244.
02/15/26 02:00	15600	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.84	237.
02/15/26 02:30	15800	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	229.
02/15/26 03:00	15800	377	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	235.
02/15/26 03:30	15500	388	2.22	BDL	BDL	2.98	BDL	BDL	BDL	BDL	5.63	244.
02/15/26 04:00	14900	388	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	249.
02/15/26 04:30	14300	389	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	260.
02/15/26 05:00	13700	391	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.75	266.
02/15/26 05:30	13200	391	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	267.
02/15/26 06:00	12600	392	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	291.
02/15/26 06:30	12600	391	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	287.
02/15/26 07:00	12600	391	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.5	324.
02/15/26 07:30	12800	391	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	340.
02/15/26 08:00	13300	392	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	347.
02/15/26 08:30	13600	395	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	350.
02/15/26 09:00	13800	395	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.31	342.
02/15/26 09:30	14000	397	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	347.
02/15/26 10:00	14100	398	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	348.
02/15/26 10:30	13900	399	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	354.
02/15/26 11:00	13900	400	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	354.
02/15/26 11:30	14300	402	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	331.
02/15/26 12:00	14100	404	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.75	324.
02/15/26 12:30	13900	403	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	332.
02/15/26 13:00	13900	402	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.55	331.
02/15/26 13:30	13700	403	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	332.
02/15/26 14:00	13700	404	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.04	333.
02/15/26 14:30	13400	403	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.09	340.
02/15/26 15:00	13300	404	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	334.
02/15/26 15:30	13100	403	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	337.
02/15/26 16:00	12800	402	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	344.
02/15/26 16:30	12400	400	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	341.
02/15/26 17:00	12800	399	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	343.
02/15/26 17:30	12800	400	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	345.
02/15/26 18:00	13000	399	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	349.
02/15/26 18:30	13300	397	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.21	4.37
02/15/26 19:00	12600	394	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	20.7
02/15/26 19:30	12600	394	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	23.6
02/15/26 20:00	12600	394	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	22.2
02/15/26 20:30	12700	393	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	23.5
02/15/26 21:00	12600	396	2.31	BDL	BDL	14.7	BDL	BDL	BDL	BDL	5.58	26.8
02/15/26 21:30	12300	401	2.33	BDL	BDL	39.7	BDL	BDL	BDL	BDL	6.97	35.
02/15/26 22:00	12200	398	2.32	BDL	BDL	18.9	BDL	BDL	BDL	BDL	6.05	52.5
02/15/26 22:30	M	M	M	M	M	M	M	M	M	M	5.	71.2
02/15/26 23:00	M	M	M	M	M	M	M	M	M	M	4.28	94.9
02/15/26 23:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	4.37	99.3
02/16/26 00:00	12400	390	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	109.

Daily Processed Summary (Average, Maximum Value)

Average	13600	395	2.29	BDL	BDL	1.7	BDL	BDL	BDL	BDL	3.7	333
Maximum Value	15800	404	2.39	-	-	39.7	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/16/26 00:30	12400	390	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	99.4
02/16/26 01:00	12200	390	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	99.3
02/16/26 01:30	12000	390	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.20	101.
02/16/26 02:00	12000	390	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	106.
02/16/26 02:30	12700	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.53	104.
02/16/26 03:00	12800	388	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.54	108.
02/16/26 03:30	12600	391	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.3	91.1
02/16/26 04:00	12500	393	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.99	88.4
02/16/26 04:30	12800	393	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	91.1
02/16/26 05:00	13600	392	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.28	83.1
02/16/26 05:30	13600	393	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.46	90.9
02/16/26 06:00	13500	396	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.34	97.1
02/16/26 06:30	13300	397	2.83	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.57	95.7
02/16/26 07:00	13300	402	2.84	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.2	80.2
02/16/26 07:30	13300	406	2.85	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.89	78.9
02/16/26 08:00	13400	416	2.76	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.09	81.
02/16/26 08:30	13600	407	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	82.5
02/16/26 09:00	14200	404	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	76.2
02/16/26 09:30	14800	394	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	86.4
02/16/26 10:00	14900	394	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	98.6
02/16/26 10:30	14700	396	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	112.
02/16/26 11:00	14300	396	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	139.
02/16/26 11:30	14200	396	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.99	149.
02/16/26 12:00	14200	396	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.20	155.
02/16/26 12:30	14200	395	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	149.
02/16/26 13:00	14100	396	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	163.
02/16/26 13:30	13600	396	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.11	149.
02/16/26 14:00	13300	395	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	145.
02/16/26 14:30	13200	396	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	139.
02/16/26 15:00	12800	397	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.5	136.
02/16/26 15:30	13000	396	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.01	133.
02/16/26 16:00	13900	396	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.56	130.
02/16/26 16:30	14800	395	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	126.
02/16/26 17:00	15000	394	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	134.
02/16/26 17:30	15300	394	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	134.
02/16/26 18:00	15300	394	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.46	133.
02/16/26 18:30	15400	393	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	134.
02/16/26 19:00	15400	392	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	126.
02/16/26 19:30	15500	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	116.
02/16/26 20:00	15300	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.	110.
02/16/26 20:30	15300	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.16	109.
02/16/26 21:00	15400	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	125.
02/16/26 21:30	15400	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	119.
02/16/26 22:00	15500	389	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	105.
02/16/26 22:30	15400	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.37	111.
02/16/26 23:00	15600	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.95	120.
02/16/26 23:30	15900	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	109.
02/17/26 00:00	15900	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.20	103.

Daily Processed Summary (Average, Maximum Value)

Average	14100	394	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.47	119
Maximum Value	15900	416	2.85	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/17/26 00:30	15600	389	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.18	126.
02/17/26 01:00	15500	388	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	134.
02/17/26 01:30	15600	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	151.
02/17/26 02:00	15700	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	149.
02/17/26 02:30	15700	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	150.
02/17/26 03:00	15900	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	146.
02/17/26 03:30	16000	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	153.
02/17/26 04:00	16100	391	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	160.
02/17/26 04:30	16400	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.3	149.
02/17/26 05:00	16500	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	146.
02/17/26 05:30	16700	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	151.
02/17/26 06:00	17000	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	161.
02/17/26 06:30	17200	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.1	166.
02/17/26 07:00	17300	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	167.
02/17/26 07:30	17400	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	170.
02/17/26 08:00	17500	393	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	165.
02/17/26 08:30	17700	393	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	175.
02/17/26 09:00	17700	394	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	188.
02/17/26 09:30	18000	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	180.
02/17/26 10:00	18300	396	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.08	173.
02/17/26 10:30	17600	396	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	191.
02/17/26 11:00	17300	396	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.35	194.
02/17/26 11:30	17300	398	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.41	197.
02/17/26 12:00	17600	399	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.99	195.
02/17/26 12:30	17600	398	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.42	201.
02/17/26 13:00	17700	398	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.45	190.
02/17/26 13:30	17900	399	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.47	176.
02/17/26 14:00	18000	399	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	173.
02/17/26 14:30	18300	399	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	169.
02/17/26 15:00	18600	398	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	166.
02/17/26 15:30	18500	398	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	171.
02/17/26 16:00	18800	398	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	170.
02/17/26 16:30	18900	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	164.
02/17/26 17:00	18900	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	166.
02/17/26 17:30	19400	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.61	164.
02/17/26 18:00	19400	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.12	162.
02/17/26 18:30	19600	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.65	163.
02/17/26 19:00	19700	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	163.
02/17/26 19:30	19700	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.91	163.
02/17/26 20:00	19800	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	164.
02/17/26 20:30	19800	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.35	164.
02/17/26 21:00	19900	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.42	164.
02/17/26 21:30	20000	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.83	166.
02/17/26 22:00	20000	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.54	171.
02/17/26 22:30	19900	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	175.
02/17/26 23:00	19700	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.32	174.
02/17/26 23:30	19600	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.58	179.
02/18/26 00:00	19700	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	179.

Daily Processed Summary (Average, Maximum Value)

Average	18000	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.88	170
Maximum Value	20000	399	2.27	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/18/26 00:30	19700	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.18	174.
02/18/26 01:00	19600	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.4	174.
02/18/26 01:30	19600	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.32	176.
02/18/26 02:00	19600	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	185.
02/18/26 02:30	19600	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	187.
02/18/26 03:00	19700	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.52	199.
02/18/26 03:30	19700	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	192.
02/18/26 04:00	19700	391	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.77	192.
02/18/26 04:30	19800	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	192.
02/18/26 05:00	19800	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	193.
02/18/26 05:30	19800	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	195.
02/18/26 06:00	19700	391	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	193.
02/18/26 06:30	19700	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	209.
02/18/26 07:00	20000	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.81	271.
02/18/26 07:30	20100	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.23	264.
02/18/26 08:00	19900	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.18	153.
02/18/26 08:30	20200	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.39	203.
02/18/26 09:00	20200	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.59	213.
02/18/26 09:30	20200	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	215.
02/18/26 10:00	20000	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	212.
02/18/26 10:30	19600	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.99	213.
02/18/26 11:00	19400	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	215.
02/18/26 11:30	19200	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.93	209.
02/18/26 12:00	19000	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.77	198.
02/18/26 12:30	18800	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.17	203.
02/18/26 13:00	18800	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	202.
02/18/26 13:30	18700	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.59	204.
02/18/26 14:00	19000	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.54	202.
02/18/26 14:30	19600	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	184.
02/18/26 15:00	19700	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.59	189.
02/18/26 15:30	20000	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.13	187.
02/18/26 16:00	20300	396	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.99	179.
02/18/26 16:30	20700	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	183.
02/18/26 17:00	20900	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.70	187.
02/18/26 17:30	21000	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.20	183.
02/18/26 18:00	21100	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	191.
02/18/26 18:30	21200	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	181.
02/18/26 19:00	21300	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.00	175.
02/18/26 19:30	21400	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	172.
02/18/26 20:00	21500	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	158.
02/18/26 20:30	21300	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.4	139.
02/18/26 21:00	21200	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	146.
02/18/26 21:30	21400	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	155.
02/18/26 22:00	21500	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.54	163.
02/18/26 22:30	21500	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	162.
02/18/26 23:00	21500	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.99	155.
02/18/26 23:30	21600	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	158.
02/19/26 00:00	22000	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.52	167.

Daily Processed Summary (Average, Maximum Value)

Average	20200	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	188
Maximum Value	22000	397	2.26	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/19/26 00:30	22400	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	170.
02/19/26 01:00	22700	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	177.
02/19/26 01:30	22700	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.36	179.
02/19/26 02:00	22700	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.95	180.
02/19/26 02:30	22700	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.92	187.
02/19/26 03:00	22600	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	199.
02/19/26 03:30	22400	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.68	196.
02/19/26 04:00	22500	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.59	196.
02/19/26 04:30	22400	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.49	192.
02/19/26 05:00	22200	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	196.
02/19/26 05:30	22300	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	197.
02/19/26 06:00	22400	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	201.
02/19/26 06:30	22300	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	189.
02/19/26 07:00	22200	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	192.
02/19/26 07:30	22200	390	2.22	BDL	BDL	BDL	BDL	BDL	3.99	BDL	6.45	190.
02/19/26 08:00	22300	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.78	193.
02/19/26 08:30	22500	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	194.
02/19/26 09:00	22600	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.44	198.
02/19/26 09:30	22500	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	200.
02/19/26 10:00	22400	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.99	208.
02/19/26 10:30	22100	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	208.
02/19/26 11:00	22000	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.80	210.
02/19/26 11:30	21800	396	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	220.
02/19/26 12:00	21700	396	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.8	219.
02/19/26 12:30	21500	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.78	213.
02/19/26 13:00	21600	396	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	205.
02/19/26 13:30	21500	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	198.
02/19/26 14:00	21200	397	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	214.
02/19/26 14:30	20700	397	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.83	215.
02/19/26 15:00	20200	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	184.
02/19/26 15:30	21300	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	152.
02/19/26 16:00	22300	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	137.
02/19/26 16:30	22500	396	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.87	132.
02/19/26 17:00	22800	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.90	131.
02/19/26 17:30	22900	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.80	128.
02/19/26 18:00	23100	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.3	118.
02/19/26 18:30	23000	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	108.
02/19/26 19:00	22800	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.	111.
02/19/26 19:30	22500	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	102.
02/19/26 20:00	22300	384	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.27	105.
02/19/26 20:30	22200	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.10	114.
02/19/26 21:00	22400	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	97.4
02/19/26 21:30	21900	357	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.44	95.4
02/19/26 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.84	92.9
02/19/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.91	93.2
02/19/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.97	97.1
02/19/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.01	118.
02/20/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.55	124.

Daily Processed Summary (Average, Maximum Value)

Average	22200	391	2.19	BDL	BDL	BDL	BDL	BDL	0.0928	BDL	4.77	179
Maximum Value	23100	398	2.22	-	-	-	-	-	3.99	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/20/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.62	132.
02/20/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.51	130.
02/20/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.92	137.
02/20/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.80	140.
02/20/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.69	144.
02/20/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.	141.
02/20/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.65	146.
02/20/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.39	157.
02/20/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.42	158.
02/20/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.98	151.
02/20/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.71	131.
02/20/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.31	126.
02/20/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.14	117.
02/20/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.97	121.
02/20/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.84	116.
02/20/26 08:00	22500	352	2.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.92	108.
02/20/26 08:30	23200	384	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	115.
02/20/26 09:00	23900	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	120.
02/20/26 09:30	24100	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.92	123.
02/20/26 10:00	23800	393	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	142.
02/20/26 10:30	23800	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	143.
02/20/26 11:00	23600	397	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	130.
02/20/26 11:30	23400	393	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	134.
02/20/26 12:00	23300	393	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	134.
02/20/26 12:30	23400	393	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	138.
02/20/26 13:00	23400	394	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.25	135.
02/20/26 13:30	23600	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	137.
02/20/26 14:00	23500	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.70	133.
02/20/26 14:30	23500	397	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	132.
02/20/26 15:00	23600	397	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.95	134.
02/20/26 15:30	23800	397	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	132.
02/20/26 16:00	24000	396	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.72	131.
02/20/26 16:30	24000	396	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	135.
02/20/26 17:00	24100	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.69	118.
02/20/26 17:30	24200	394	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.34	123.
02/20/26 18:00	24100	393	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	126.
02/20/26 18:30	23900	390	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	124.
02/20/26 19:00	23500	386	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	126.
02/20/26 19:30	23300	378	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	119.
02/20/26 20:00	23200	372	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.37	116.
02/20/26 20:30	23200	369	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	114.
02/20/26 21:00	22900	348	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	117.
02/20/26 21:30	22700	335	2.07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	126.
02/20/26 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.21	134.
02/20/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.84	140.
02/20/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.56	148.
02/20/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.25	165.
02/21/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.34	159.

Daily Processed Summary (Average, Maximum Value)

Average	23600	386	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	132
Maximum Value	24200	397	2.18	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/21/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.33	153.
02/21/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.61	157.
02/21/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.72	189.
02/21/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.518	354.
02/21/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.542	1.68
02/21/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.81	123.
02/21/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.28	139.
02/21/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.90	189.
02/21/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.19	197.
02/21/26 05:00	22100	356	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	198.
02/21/26 05:30	21800	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.51	210.
02/21/26 06:00	22100	392	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.41	258.
02/21/26 06:30	22000	391	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.742	251.
02/21/26 07:00	21900	392	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.59	242.
02/21/26 07:30	22000	393	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.64	293.
02/21/26 08:00	21800	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.7	338.
02/21/26 08:30	21800	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.94	350.
02/21/26 09:00	18900	397	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	12.6
02/21/26 09:30	18000	393	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	8.99
02/21/26 10:00	18100	394	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	17.4
02/21/26 10:30	19000	399	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.11	346.
02/21/26 11:00	19000	399	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.56	356.
02/21/26 11:30	19300	401	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	340.
02/21/26 12:00	18900	402	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	344.
02/21/26 12:30	18200	403	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.06	357.
02/21/26 13:00	17400	404	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.34	12.2
02/21/26 13:30	15700	405	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.64	355.
02/21/26 14:00	14600	406	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	0.936
02/21/26 14:30	12700	407	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.82	7.74
02/21/26 15:00	11200	407	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.34	15.8
02/21/26 15:30	10600	406	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	13.2
02/21/26 16:00	9660	405	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.25	19.9
02/21/26 16:30	9270	404	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	21.5
02/21/26 17:00	8900	404	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.60	16.7
02/21/26 17:30	8640	403	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.14	15.8
02/21/26 18:00	8820	401	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.86	17.6
02/21/26 18:30	9410	399	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	9.69
02/21/26 19:00	9230	396	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	10.0
02/21/26 19:30	8310	395	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.18	11.0
02/21/26 20:00	7660	394	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.81	14.1
02/21/26 20:30	6810	392	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.38	11.6
02/21/26 21:00	7040	391	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.43	11.0
02/21/26 21:30	7380	391	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	8.31
02/21/26 22:00	7090	390	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	7.66
02/21/26 22:30	6740	390	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	8.55
02/21/26 23:00	6600	389	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	8.44
02/21/26 23:30	6310	389	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	9.94
02/22/26 00:00	6090	388	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	10.5

Daily Processed Summary (Average, Maximum Value)

Average	13900	396	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	8.31
Maximum Value	22100	407	2.33	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/22/26 00:30	5820	388	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	11.
02/22/26 01:00	5740	387	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.48	11.3
02/22/26 01:30	5810	386	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.75	8.62
02/22/26 02:00	5190	384	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.72	10.3
02/22/26 02:30	5120	383	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.80	10.1
02/22/26 03:00	5060	382	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.33	10.1
02/22/26 03:30	4900	381	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	13.1
02/22/26 04:00	4660	380	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	14.8
02/22/26 04:30	4610	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	13.8
02/22/26 05:00	4620	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.95	14.4
02/22/26 05:30	4630	378	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.84	14.1
02/22/26 06:00	4700	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.62	14.5
02/22/26 06:30	4750	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.14	14.
02/22/26 07:00	4840	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.39	14.2
02/22/26 07:30	4900	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.1	13.7
02/22/26 08:00	4950	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.66	13.8
02/22/26 08:30	4980	380	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	17.6
02/22/26 09:00	4840	382	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	21.3
02/22/26 09:30	4640	383	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	22.1
02/22/26 10:00	4360	385	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	24.2
02/22/26 10:30	4160	386	2.28	BDL	BDL	1.96	BDL	BDL	BDL	BDL	13.8	25.7
02/22/26 11:00	4140	387	2.29	BDL	BDL	4.56	BDL	BDL	BDL	BDL	12.	26.2
02/22/26 11:30	3930	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	25.2
02/22/26 12:00	3950	389	2.28	BDL	BDL	0.944	BDL	BDL	BDL	BDL	11.6	25.6
02/22/26 12:30	4000	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	20.6
02/22/26 13:00	3970	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	21.3
02/22/26 13:30	4240	391	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	15.8
02/22/26 14:00	3870	391	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.18	17.3
02/22/26 14:30	3740	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	20.7
02/22/26 15:00	3800	391	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.95	14.3
02/22/26 15:30	3700	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.53	24.7
02/22/26 16:00	3990	391	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	12.4
02/22/26 16:30	3960	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	14.0
02/22/26 17:00	4020	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.22	14.4
02/22/26 17:30	3950	389	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.31	15.9
02/22/26 18:00	3840	388	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.36	14.9
02/22/26 18:30	3770	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	16.3
02/22/26 19:00	4100	385	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	15.3
02/22/26 19:30	4250	384	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	15.7
02/22/26 20:00	4350	383	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	17.4
02/22/26 20:30	4510	382	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	17.
02/22/26 21:00	4560	381	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	8.40
02/22/26 21:30	4490	381	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	16.9
02/22/26 22:00	4750	381	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	14.4
02/22/26 22:30	4880	381	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	15.4
02/22/26 23:00	M	M	M	M	M	M	M	M	M	M	4.44	13.6
02/22/26 23:30	M	M	M	M	M	M	M	M	M	M	4.66	13.8
02/23/26 00:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	4.35	16.6

Daily Processed Summary (Average, Maximum Value)

Average	4490	384	2.29	BDL	BDL	0.166	BDL	BDL	BDL	BDL	8.4	16.9
Maximum Value	5820	392	2.32	-	-	4.56	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/23/26 00:30	4760	380	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.9	14.8
02/23/26 01:00	4680	379	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	10.3
02/23/26 01:30	4660	379	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	13.8
02/23/26 02:00	4700	379	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.60	13.8
02/23/26 02:30	4650	377	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	13.9
02/23/26 03:00	4540	378	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	17.2
02/23/26 03:30	4420	377	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	20.4
02/23/26 04:00	4400	379	2.33	BDL	BDL	1.48	BDL	BDL	BDL	BDL	6.33	22.3
02/23/26 04:30	4450	382	2.35	BDL	BDL	1.07	BDL	BDL	BDL	BDL	6.68	12.7
02/23/26 05:00	4480	383	2.36	BDL	BDL	4.71	BDL	BDL	BDL	BDL	6.21	11.7
02/23/26 05:30	4500	384	2.37	BDL	BDL	5.93	BDL	BDL	BDL	BDL	6.05	10.6
02/23/26 06:00	4420	382	2.38	BDL	BDL	0.901	BDL	BDL	BDL	BDL	4.94	7.48
02/23/26 06:30	4390	379	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	5.84
02/23/26 07:00	4400	380	2.4	BDL	BDL	2.44	BDL	BDL	BDL	BDL	4.19	13.9
02/23/26 07:30	4410	381	2.42	BDL	BDL	3.02	BDL	BDL	BDL	BDL	3.39	11.2
02/23/26 08:00	4460	383	2.42	BDL	BDL	3.46	BDL	BDL	BDL	BDL	3.38	12.8
02/23/26 08:30	3820	388	2.41	BDL	BDL	7.61	BDL	BDL	BDL	BDL	7.27	47.4
02/23/26 09:00	3980	385	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	53.3
02/23/26 09:30	3380	384	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.73	56.4
02/23/26 10:00	2900	386	2.37	BDL	BDL	BDL	9.55	BDL	BDL	BDL	10.3	60.5
02/23/26 10:30	2880	388	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.37	65.4
02/23/26 11:00	2800	389	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.01	63.5
02/23/26 11:30	2670	389	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	73.5
02/23/26 12:00	2460	392	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	56.9
02/23/26 12:30	2070	394	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.51	14.7
02/23/26 13:00	2130	396	2.33	BDL	BDL	1.25	BDL	BDL	BDL	BDL	2.85	61.1
02/23/26 13:30	2540	395	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.742	165.
02/23/26 14:00	4210	392	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	212.
02/23/26 14:30	4220	392	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.2	178.
02/23/26 15:00	4260	392	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	166.
02/23/26 15:30	4320	391	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	178.
02/23/26 16:00	4320	389	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	163.
02/23/26 16:30	4330	389	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	163.
02/23/26 17:00	5090	389	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	152.
02/23/26 17:30	5350	389	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	148.
02/23/26 18:00	5600	388	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	142.
02/23/26 18:30	6680	386	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	143.
02/23/26 19:00	7330	383	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	144.
02/23/26 19:30	7210	383	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.54	175.
02/23/26 20:00	7110	382	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	199.
02/23/26 20:30	7090	382	2.42	BDL	BDL	0.898	BDL	BDL	BDL	BDL	3.1	191.
02/23/26 21:00	7490	382	2.4	BDL	BDL	2.75	BDL	BDL	BDL	BDL	3.05	184.
02/23/26 21:30	7710	382	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	193.
02/23/26 22:00	7840	381	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	196.
02/23/26 22:30	8170	380	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.52	187.
02/23/26 23:00	8050	380	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	179.
02/23/26 23:30	7730	379	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.41	180.
02/24/26 00:00	8010	379	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.89	198.

Daily Processed Summary (Average, Maximum Value)

Average	4920	385	2.34	BDL	BDL	0.74	0.199	BDL	BDL	BDL	1.95	69.7
Maximum Value	8170	396	2.42	-	-	7.61	9.55	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/24/26 00:30	8160	378	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.02	192.
02/24/26 01:00	8410	377	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.54	201.
02/24/26 01:30	8400	377	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.33	202.
02/24/26 02:00	8430	377	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.27	214.
02/24/26 02:30	8440	376	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.962	208.
02/24/26 03:00	8830	376	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.451	220.
02/24/26 03:30	9310	377	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.918	347.
02/24/26 04:00	9410	378	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.698	4.75
02/24/26 04:30	9100	377	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.42	51.8
02/24/26 05:00	8370	375	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	95.4
02/24/26 05:30	8510	376	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	102.
02/24/26 06:00	8320	379	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.00	103.
02/24/26 06:30	8110	380	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.62	98.8
02/24/26 07:00	8440	380	2.83	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	97.2
02/24/26 07:30	8460	382	2.8	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.20	101.
02/24/26 08:00	9210	386	2.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.66	129.
02/24/26 08:30	9870	387	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.07	173.
02/24/26 09:00	9220	388	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	174.
02/24/26 09:30	9300	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.77	175.
02/24/26 10:00	8980	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	176.
02/24/26 10:30	9360	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.86	186.
02/24/26 11:00	9860	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	182.
02/24/26 11:30	10100	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.96	191.
02/24/26 12:00	10200	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.86	199.
02/24/26 12:30	10400	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.75	197.
02/24/26 13:00	10600	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.93	195.
02/24/26 13:30	10800	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	194.
02/24/26 14:00	11100	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.83	194.
02/24/26 14:30	11100	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	196.
02/24/26 15:00	11600	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	200.
02/24/26 15:30	12200	391	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	194.
02/24/26 16:00	12700	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	188.
02/24/26 16:30	12900	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	179.
02/24/26 17:00	13300	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	181.
02/24/26 17:30	13500	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.9	184.
02/24/26 18:00	13700	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	179.
02/24/26 18:30	13900	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.62	182.
02/24/26 19:00	14200	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.00	180.
02/24/26 19:30	14400	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	175.
02/24/26 20:00	14600	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.4	174.
02/24/26 20:30	14900	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	178.
02/24/26 21:00	14900	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	178.
02/24/26 21:30	15000	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	180.
02/24/26 22:00	15100	386	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	184.
02/24/26 22:30	15300	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.39	188.
02/24/26 23:00	15200	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.53	192.
02/24/26 23:30	15200	388	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	196.
02/25/26 00:00	15300	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	200.

Daily Processed Summary (Average, Maximum Value)

Average	11200	386	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	182
Maximum Value	15300	393	2.83	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/25/26 00:30	15600	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.27	202.
02/25/26 01:00	15900	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	202.
02/25/26 01:30	16100	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.21	200.
02/25/26 02:00	16200	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	199.
02/25/26 02:30	16200	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	198.
02/25/26 03:00	16300	386	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.78	201.
02/25/26 03:30	16600	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	205.
02/25/26 04:00	16700	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	204.
02/25/26 04:30	16800	384	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.03	201.
02/25/26 05:00	16900	385	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	198.
02/25/26 05:30	16800	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.08	202.
02/25/26 06:00	16700	385	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.46	199.
02/25/26 06:30	16800	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	200.
02/25/26 07:00	16900	385	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.20	203.
02/25/26 07:30	17000	384	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.82	202.
02/25/26 08:00	17300	386	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	201.
02/25/26 08:30	17400	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.99	203.
02/25/26 09:00	17300	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	207.
02/25/26 09:30	17200	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	206.
02/25/26 10:00	17100	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	210.
02/25/26 10:30	17300	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	215.
02/25/26 11:00	17200	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	214.
02/25/26 11:30	17300	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	213.
02/25/26 12:00	17700	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	211.
02/25/26 12:30	17700	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	209.
02/25/26 13:00	17700	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	206.
02/25/26 13:30	17700	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	204.
02/25/26 14:00	17800	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	203.
02/25/26 14:30	17700	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	204.
02/25/26 15:00	17600	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	203.
02/25/26 15:30	17900	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	200.
02/25/26 16:00	17800	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	200.
02/25/26 16:30	18000	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	196.
02/25/26 17:00	18400	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	194.
02/25/26 17:30	18500	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	191.
02/25/26 18:00	18400	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	188.
02/25/26 18:30	18600	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.94	189.
02/25/26 19:00	18900	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	189.
02/25/26 19:30	19200	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	189.
02/25/26 20:00	19300	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	190.
02/25/26 20:30	19300	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	192.
02/25/26 21:00	19300	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	193.
02/25/26 21:30	19300	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	196.
02/25/26 22:00	19500	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	198.
02/25/26 22:30	19700	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	198.
02/25/26 23:00	19700	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	201.
02/25/26 23:30	19600	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	200.
02/26/26 00:00	19700	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	202.

Daily Processed Summary (Average, Maximum Value)

Average	17700	389	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	201
Maximum Value	19700	396	2.31	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/26/26 00:30	19800	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	204.
02/26/26 01:00	19800	385	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.91	208.
02/26/26 01:30	19800	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	204.
02/26/26 02:00	19700	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	202.
02/26/26 02:30	19600	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	204.
02/26/26 03:00	19600	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	206.
02/26/26 03:30	19500	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.50	207.
02/26/26 04:00	19500	382	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.36	209.
02/26/26 04:30	19500	381	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.34	209.
02/26/26 05:00	19600	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.70	208.
02/26/26 05:30	19600	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.34	208.
02/26/26 06:00	19600	378	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.1	206.
02/26/26 06:30	19600	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.60	205.
02/26/26 07:00	19600	377	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.31	207.
02/26/26 07:30	19600	377	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	207.
02/26/26 08:00	19800	380	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.01	208.
02/26/26 08:30	20100	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	209.
02/26/26 09:00	20400	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.39	212.
02/26/26 09:30	20500	385	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	216.
02/26/26 10:00	20600	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	213.
02/26/26 10:30	20600	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.0	214.
02/26/26 11:00	20700	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	214.
02/26/26 11:30	20700	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	213.
02/26/26 12:00	20700	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	215.
02/26/26 12:30	20800	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	213.
02/26/26 13:00	21000	395	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	206.
02/26/26 13:30	20900	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	208.
02/26/26 14:00	21000	395	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	200.
02/26/26 14:30	21000	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	199.
02/26/26 15:00	21200	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	183.
02/26/26 15:30	21400	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.65	178.
02/26/26 16:00	21500	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.42	175.
02/26/26 16:30	21600	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.32	163.
02/26/26 17:00	21700	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	158.
02/26/26 17:30	21900	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.42	157.
02/26/26 18:00	21800	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	160.
02/26/26 18:30	21700	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.73	160.
02/26/26 19:00	21500	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	129.
02/26/26 19:30	21100	381	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.31	91.4
02/26/26 20:00	21000	376	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	85.7
02/26/26 20:30	21000	372	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	87.4
02/26/26 21:00	21000	371	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	88.4
02/26/26 21:30	21200	372	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	89.1
02/26/26 22:00	21600	375	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	88.9
02/26/26 22:30	21800	377	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.25	90.7
02/26/26 23:00	21800	377	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.50	98.5
02/26/26 23:30	21800	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	90.6
02/27/26 00:00	21900	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	93.5

Daily Processed Summary (Average, Maximum Value)

Average	20700	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	194
Maximum Value	21900	395	2.24	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/27/26 00:30	21700	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	110.
02/27/26 01:00	21500	378	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.92	171.
02/27/26 01:30	21400	374	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.05	94.2
02/27/26 02:00	21400	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.53	7.63
02/27/26 02:30	20900	377	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	26.
02/27/26 03:00	20800	354	2.24	BDL	BDL	21.4	BDL	BDL	BDL	BDL	2.31	33.6
02/27/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.33	95.8
02/27/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.85	74.9
02/27/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.72	27.6
02/27/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.34	34.5
02/27/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.06	27.1
02/27/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.01	11.2
02/27/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.85	14.9
02/27/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.57	24.7
02/27/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.37	24.7
02/27/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.77	23.5
02/27/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.72	20.5
02/27/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.74	19.1
02/27/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.24	16.5
02/27/26 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.72	15.1
02/27/26 10:30	21000	380	2.27	BDL	BDL	6.15	BDL	BDL	BDL	BDL	5.80	29.9
02/27/26 11:00	21100	398	2.27	BDL	BDL	7.33	BDL	BDL	BDL	BDL	6.92	50.0
02/27/26 11:30	20600	397	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	62.1
02/27/26 12:00	20100	400	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	83.1
02/27/26 12:30	19500	402	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	74.0
02/27/26 13:00	18500	402	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	79.1
02/27/26 13:30	18600	403	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	79.3
02/27/26 14:00	18100	401	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	84.0
02/27/26 14:30	20800	403	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.91	165.
02/27/26 15:00	20800	402	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.11	171.
02/27/26 15:30	19900	400	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.08	171.
02/27/26 16:00	19000	398	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	144.
02/27/26 16:30	20100	399	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	155.
02/27/26 17:00	19500	397	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.94	149.
02/27/26 17:30	20000	394	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.92	144.
02/27/26 18:00	19900	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	143.
02/27/26 18:30	20400	391	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	131.
02/27/26 19:00	20400	375	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	120.
02/27/26 19:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.	124.
02/27/26 20:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.49	127.
02/27/26 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.41	128.
02/27/26 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.11	129.
02/27/26 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.13	143.
02/27/26 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.74	138.
02/27/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.19	139.
02/27/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.28	167.
02/27/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.44	186.
02/28/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.33	182.

Daily Processed Summary (Average, Maximum Value)

Average	20200	391	2.28	BDL	BDL	1.45	BDL	BDL	BDL	BDL	2.81	105
Maximum Value	21700	403	2.42	-	-	21.4	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/28/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.93	171.
02/28/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.18	185.
02/28/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.86	189.
02/28/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.07	179.
02/28/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.29	184.
02/28/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.44	202.
02/28/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.92	204.
02/28/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.29	206.
02/28/26 04:30	17600	361	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.6	187.
02/28/26 05:00	17800	374	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.01	148.
02/28/26 05:30	17700	381	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.37	159.
02/28/26 06:00	17500	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.12	141.
02/28/26 06:30	17200	383	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.89	168.
02/28/26 07:00	17000	382	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.70	197.
02/28/26 07:30	16900	383	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.32	132.
02/28/26 08:00	17300	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.62	199.
02/28/26 08:30	17600	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.06	205.
02/28/26 09:00	17500	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.4	206.
02/28/26 09:30	17500	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	214.
02/28/26 10:00	18000	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	138.
02/28/26 10:30	17900	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.63	135.
02/28/26 11:00	17900	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.38	153.
02/28/26 11:30	17700	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.40	136.
02/28/26 12:00	17700	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	147.
02/28/26 12:30	17600	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.86	139.
02/28/26 13:00	17400	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.46	142.
02/28/26 13:30	17500	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	142.
02/28/26 14:00	17800	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.13	133.
02/28/26 14:30	18100	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.66	132.
02/28/26 15:00	18100	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.35	138.
02/28/26 15:30	18200	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.9	133.
02/28/26 16:00	18200	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.45	126.
02/28/26 16:30	18100	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.17	133.
02/28/26 17:00	17900	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.07	135.
02/28/26 17:30	18400	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.37	128.
02/28/26 18:00	19000	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	119.
02/28/26 18:30	18900	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	123.
02/28/26 19:00	18800	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.92	132.
02/28/26 19:30	19000	381	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	125.
02/28/26 20:00	19200	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	117.
02/28/26 20:30	19400	378	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	112.
02/28/26 21:00	19400	377	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.24	119.
02/28/26 21:30	19500	379	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.43	124.
02/28/26 22:00	19600	380	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.37	127.
02/28/26 22:30	19600	381	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	123.
02/28/26 23:00	19900	377	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	115.
02/28/26 23:30	19900	373	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	114.
03/01/26 00:00	19800	373	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	114.

Daily Processed Summary (Average, Maximum Value)

Average	18300	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	139
Maximum Value	19900	394	2.27	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR Daily (24-hour) Averages

Site: Formosa Point Comfort AAMS

Date	Capture%	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)	Met Capture%
03/01/26	100	19700	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.77	124	100
03/02/26	95.6	20000	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	129	100
03/03/26	100	23100	375	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	145	100
03/04/26	100	23300	379	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.99	145	100
03/05/26	100	22800	380	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.11	148	100
03/06/26	100	23900	377	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11	149	100
03/07/26	100	24100	376	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	156	100
03/08/26	100	19100	378	2.3	BDL	BDL	0.13	BDL	BDL	BDL	BDL	4.18	32.3	100
03/09/26	93.6	23200	392	2.22	BDL	BDL	0.0593	BDL	BDL	BDL	BDL	4.93	165	100
03/10/26	100	24300	392	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.88	168	100
03/11/26	100	20600	394	2.18	BDL	BDL	0.0835	BDL	BDL	BDL	BDL	3.28	197	100
03/12/26	100	7000	388	2.26	BDL	BDL	1.11	BDL	BDL	BDL	BDL	6.61	18.4	100
03/13/26	100	12200	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	154	100
03/14/26	100	18400	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	155	100
03/15/26	100	19900	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	193	100
03/16/26	100	3270	382	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	9.5	100
03/17/26	100	4430	378	2.3	BDL	BDL	0.816	BDL	BDL	BDL	BDL	2.99	100	100
03/18/26	100	11300	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.4	144	100
03/19/26	100	15000	386	2.24	BDL	BDL	0.278	BDL	BDL	BDL	BDL	3.75	168	100
03/20/26	100	17500	384	2.22	BDL	BDL	0.146	BDL	BDL	BDL	BDL	5.33	190	100
03/21/26	100	19200	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	192	100
03/22/26	100	18600	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	189	100
03/23/26	100	19900	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	152	100
03/24/26	100	21700	379	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	151	100
03/25/26	100	21900	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	154	100
03/26/26	100	20100	382	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	167	100
03/27/26	95.7	20500	382	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	161	100
03/28/26	100	15100	385	2.27	BDL	BDL	0.7	BDL	BDL	BDL	BDL	3.11	53.3	100
03/29/26	100	18000	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	134	100
03/30/26	100	20800	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.56	149	100
03/31/26	100	22700	379	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.64	151	100

Daily Processed Summary (Average, Maximum Value)

Average	99.5	18400	383	2.2	BDL	BDL	0.107	BDL	BDL	BDL	BDL	5.02	151	100
Maximum Value	100	24300	394	2.3	BDL	BDL	1.11	BDL	BDL	BDL	BDL	-	-	100

BDL = Below Detection Limit

Blank = Not Available

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/01/26 00:30	19700	372	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.81	112.
03/01/26 01:00	19600	369	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.66	114.
03/01/26 01:30	19800	367	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	120.
03/01/26 02:00	20000	374	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	127.
03/01/26 02:30	20300	373	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	134.
03/01/26 03:00	20500	369	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	137.
03/01/26 03:30	20300	368	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	133.
03/01/26 04:00	20300	370	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	135.
03/01/26 04:30	20300	371	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.25	133.
03/01/26 05:00	20000	370	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.01	111.
03/01/26 05:30	19500	360	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	97.1
03/01/26 06:00	19300	358	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	97.5
03/01/26 06:30	19100	355	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	102.
03/01/26 07:00	19200	352	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	101.
03/01/26 07:30	19300	363	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	96.
03/01/26 08:00	19500	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	97.3
03/01/26 08:30	20000	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	95.1
03/01/26 09:00	20600	388	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	108.
03/01/26 09:30	20800	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.30	115.
03/01/26 10:00	20300	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.12	134.
03/01/26 10:30	20000	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.95	136.
03/01/26 11:00	19600	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.63	137.
03/01/26 11:30	19600	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.59	134.
03/01/26 12:00	19400	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.55	130.
03/01/26 12:30	19100	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.58	125.
03/01/26 13:00	18900	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.63	132.
03/01/26 13:30	18900	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.65	129.
03/01/26 14:00	19200	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.54	131.
03/01/26 14:30	19000	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	126.
03/01/26 15:00	18900	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	134.
03/01/26 15:30	19200	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	130.
03/01/26 16:00	19300	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.79	135.
03/01/26 16:30	19300	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.76	130.
03/01/26 17:00	19200	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.47	132.
03/01/26 17:30	19400	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.80	128.
03/01/26 18:00	19600	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.99	129.
03/01/26 18:30	19700	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.58	120.
03/01/26 19:00	19600	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	112.
03/01/26 19:30	19600	381	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.50	112.
03/01/26 20:00	19700	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	110.
03/01/26 20:30	19700	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.82	110.
03/01/26 21:00	19800	378	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.38	114.
03/01/26 21:30	19900	377	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.33	114.
03/01/26 22:00	20000	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.07	114.
03/01/26 22:30	20100	375	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	118.
03/01/26 23:00	20100	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	124.
03/01/26 23:30	20000	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.62	124.
03/02/26 00:00	20100	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.35	127.

Daily Processed Summary (Average, Maximum Value)

Average	19700	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.77	124
Maximum Value	20800	394	2.24	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/02/26 00:30	20100	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.87	131.
03/02/26 01:00	20200	375	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	129.
03/02/26 01:30	20300	375	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	135.
03/02/26 02:00	20300	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	137.
03/02/26 02:30	20300	374	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	137.
03/02/26 03:00	20300	373	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	133.
03/02/26 03:30	20200	374	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	138.
03/02/26 04:00	20200	375	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.32	137.
03/02/26 04:30	20100	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.	135.
03/02/26 05:00	19800	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.02	134.
03/02/26 05:30	19700	378	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	131.
03/02/26 06:00	19400	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	113.
03/02/26 06:30	19100	373	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	110.
03/02/26 07:00	18900	374	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	101.
03/02/26 07:30	18700	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	91.4
03/02/26 08:00	19100	385	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	93.0
03/02/26 08:30	19700	391	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.69	94.1
03/02/26 09:00	19800	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	117.
03/02/26 09:30	18900	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.31	134.
03/02/26 10:00	18600	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.69	138.
03/02/26 10:30	18400	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.04	141.
03/02/26 11:00	18500	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.13	142.
03/02/26 11:30	19000	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.22	137.
03/02/26 12:00	19000	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	133.
03/02/26 12:30	19000	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	137.
03/02/26 13:00	19000	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.55	136.
03/02/26 13:30	19300	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.02	135.
03/02/26 14:00	19600	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.41	132.
03/02/26 14:30	19600	393	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	130.
03/02/26 15:00	19800	394	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.57	138.
03/02/26 15:30	20000	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.89	134.
03/02/26 16:00	20400	393	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.66	135.
03/02/26 16:30	20600	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.74	129.
03/02/26 17:00	21000	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.20	117.
03/02/26 17:30	21100	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	120.
03/02/26 18:00	21300	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	122.
03/02/26 18:30	21400	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.01	119.
03/02/26 19:00	21500	381	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.68	116.
03/02/26 19:30	21600	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	118.
03/02/26 20:00	21500	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.66	114.
03/02/26 20:30	21600	371	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	112.
03/02/26 21:00	21800	369	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.39	114.
03/02/26 21:30	22100	370	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	123.
03/02/26 22:00	M	M	M	M	M	M	M	M	M	M	9.07	133.
03/02/26 22:30	M	M	M	M	M	M	M	M	M	M	8.61	134.
03/02/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.30	133.
03/02/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.96	136.
03/03/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.40	139.

Daily Processed Summary (Average, Maximum Value)

Average	20000	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	129
Maximum Value	22100	395	2.24	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/03/26 00:30	21800	352	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.65	138.
03/03/26 01:00	21800	358	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	136.
03/03/26 01:30	22000	354	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.97	139.
03/03/26 02:00	22000	350	2.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.85	141.
03/03/26 02:30	22100	355	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.	141.
03/03/26 03:00	22200	360	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	145.
03/03/26 03:30	22300	362	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	142.
03/03/26 04:00	22400	364	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.12	142.
03/03/26 04:30	22400	363	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	150.
03/03/26 05:00	22500	361	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	151.
03/03/26 05:30	22500	362	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.02	145.
03/03/26 06:00	22400	363	2.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.1	148.
03/03/26 06:30	22500	363	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	159.
03/03/26 07:00	22400	350	2.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.46	146.
03/03/26 07:30	22400	352	2.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	144.
03/03/26 08:00	22800	367	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	143.
03/03/26 08:30	23100	376	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.6	146.
03/03/26 09:00	23300	380	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	147.
03/03/26 09:30	23400	387	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	151.
03/03/26 10:00	23500	390	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	157.
03/03/26 10:30	23400	391	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.65	158.
03/03/26 11:00	23500	391	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.71	160.
03/03/26 11:30	23600	393	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.53	153.
03/03/26 12:00	23700	390	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	145.
03/03/26 12:30	23700	390	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	150.
03/03/26 13:00	23800	393	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.95	151.
03/03/26 13:30	23800	394	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.93	149.
03/03/26 14:00	23800	394	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	154.
03/03/26 14:30	24000	392	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	146.
03/03/26 15:00	24000	391	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	143.
03/03/26 15:30	23900	391	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	147.
03/03/26 16:00	24000	391	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	145.
03/03/26 16:30	24000	390	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.61	142.
03/03/26 17:00	23800	388	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.58	142.
03/03/26 17:30	23600	386	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.56	147.
03/03/26 18:00	23600	385	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.78	142.
03/03/26 18:30	23400	381	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.11	137.
03/03/26 19:00	23300	376	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	140.
03/03/26 19:30	23300	375	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	139.
03/03/26 20:00	23300	375	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.64	144.
03/03/26 20:30	23400	372	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	139.
03/03/26 21:00	23300	372	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.47	134.
03/03/26 21:30	23300	370	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.35	135.
03/03/26 22:00	23200	371	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.2	141.
03/03/26 22:30	23200	371	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.81	141.
03/03/26 23:00	23200	371	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.47	145.
03/03/26 23:30	23200	369	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.8	141.
03/04/26 00:00	23200	368	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	143.

Daily Processed Summary (Average, Maximum Value)

Average	23100	375	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	145
Maximum Value	24000	394	2.15	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/04/26 00:30	23200	365	2.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.82	143.
03/04/26 01:00	23300	364	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.77	145.
03/04/26 01:30	23300	366	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.50	140.
03/04/26 02:00	23400	366	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	142.
03/04/26 02:30	23300	370	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.17	146.
03/04/26 03:00	23200	374	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.69	150.
03/04/26 03:30	23100	372	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	148.
03/04/26 04:00	23200	371	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	151.
03/04/26 04:30	23500	374	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	153.
03/04/26 05:00	23500	374	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.7	146.
03/04/26 05:30	23500	373	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	147.
03/04/26 06:00	23500	371	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.15	144.
03/04/26 06:30	23500	370	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.43	149.
03/04/26 07:00	23400	370	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.46	142.
03/04/26 07:30	23500	369	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.09	147.
03/04/26 08:00	23600	373	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	146.
03/04/26 08:30	23700	376	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	149.
03/04/26 09:00	23700	379	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.66	148.
03/04/26 09:30	24000	385	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	151.
03/04/26 10:00	23900	385	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.54	156.
03/04/26 10:30	23800	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.86	155.
03/04/26 11:00	23500	391	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	163.
03/04/26 11:30	23100	393	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.23	170.
03/04/26 12:00	22700	397	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	171.
03/04/26 12:30	22800	399	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	169.
03/04/26 13:00	22500	393	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	167.
03/04/26 13:30	22100	391	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	170.
03/04/26 14:00	22300	394	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.80	161.
03/04/26 14:30	22800	393	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.53	154.
03/04/26 15:00	23100	392	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.24	145.
03/04/26 15:30	23300	392	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.77	142.
03/04/26 16:00	23500	395	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.52	139.
03/04/26 16:30	23500	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.41	137.
03/04/26 17:00	23500	387	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.18	133.
03/04/26 17:30	23500	385	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.29	131.
03/04/26 18:00	23400	381	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.6	138.
03/04/26 18:30	23300	380	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.96	130.
03/04/26 19:00	23400	376	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.80	122.
03/04/26 19:30	23400	378	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.29	122.
03/04/26 20:00	23300	377	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	132.
03/04/26 20:30	23400	376	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.28	133.
03/04/26 21:00	23400	375	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.37	126.
03/04/26 21:30	23500	374	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	124.
03/04/26 22:00	23400	373	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.16	124.
03/04/26 22:30	23400	373	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	121.
03/04/26 23:00	23500	375	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	130.
03/04/26 23:30	23500	372	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	141.
03/05/26 00:00	23500	371	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.40	140.

Daily Processed Summary (Average, Maximum Value)

Average	23300	379	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.99	145
Maximum Value	24000	399	2.16	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/05/26 00:30	23500	371	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.41	143.
03/05/26 01:00	23500	370	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.20	143.
03/05/26 01:30	23400	367	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	142.
03/05/26 02:00	23300	370	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.66	145.
03/05/26 02:30	23200	371	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.74	143.
03/05/26 03:00	23200	375	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.32	152.
03/05/26 03:30	23200	377	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	147.
03/05/26 04:00	23100	373	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.46	148.
03/05/26 04:30	23200	372	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.61	150.
03/05/26 05:00	23200	373	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.37	152.
03/05/26 05:30	23100	372	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	151.
03/05/26 06:00	23100	372	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.65	160.
03/05/26 06:30	23000	376	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.51	162.
03/05/26 07:00	23000	375	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.97	155.
03/05/26 07:30	23000	375	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.75	146.
03/05/26 08:00	22900	380	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	166.
03/05/26 08:30	22800	383	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.9	163.
03/05/26 09:00	22800	386	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.62	162.
03/05/26 09:30	22600	384	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.07	160.
03/05/26 10:00	22500	386	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	161.
03/05/26 10:30	22800	387	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.7	156.
03/05/26 11:00	22600	389	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	163.
03/05/26 11:30	21900	390	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	158.
03/05/26 12:00	21800	390	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	159.
03/05/26 12:30	21900	389	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	163.
03/05/26 13:00	21700	390	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	167.
03/05/26 13:30	21600	390	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	173.
03/05/26 14:00	21700	390	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	170.
03/05/26 14:30	21500	390	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	165.
03/05/26 15:00	21900	391	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	157.
03/05/26 15:30	22600	389	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	152.
03/05/26 16:00	22700	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	144.
03/05/26 16:30	22600	388	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.99	143.
03/05/26 17:00	22700	387	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	146.
03/05/26 17:30	23100	386	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	142.
03/05/26 18:00	23000	384	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.57	134.
03/05/26 18:30	22900	380	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	128.
03/05/26 19:00	22900	377	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.03	128.
03/05/26 19:30	23000	375	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.85	125.
03/05/26 20:00	23000	375	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.30	118.
03/05/26 20:30	23200	375	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.48	119.
03/05/26 21:00	23200	375	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.17	125.
03/05/26 21:30	23200	374	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.4	127.
03/05/26 22:00	23200	373	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.05	129.
03/05/26 22:30	23300	373	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	127.
03/05/26 23:00	23400	373	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.39	128.
03/05/26 23:30	23500	373	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.68	133.
03/06/26 00:00	23800	372	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.58	135.

Daily Processed Summary (Average, Maximum Value)

Average	22800	380	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.11	148
Maximum Value	23800	391	2.14	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/06/26 00:30	23900	372	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.87	135.
03/06/26 01:00	23900	371	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	143.
03/06/26 01:30	24100	369	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	143.
03/06/26 02:00	24000	370	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.	145.
03/06/26 02:30	24000	371	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	144.
03/06/26 03:00	23900	370	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	145.
03/06/26 03:30	23800	371	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	146.
03/06/26 04:00	23800	372	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	147.
03/06/26 04:30	23700	373	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.75	147.
03/06/26 05:00	23700	372	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	146.
03/06/26 05:30	23600	373	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	154.
03/06/26 06:00	23500	374	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	165.
03/06/26 06:30	23600	374	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	161.
03/06/26 07:00	23500	375	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	164.
03/06/26 07:30	23500	375	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.66	153.
03/06/26 08:00	23500	375	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.66	149.
03/06/26 08:30	23500	377	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	147.
03/06/26 09:00	23600	382	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.80	148.
03/06/26 09:30	23700	383	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.68	153.
03/06/26 10:00	23600	385	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	151.
03/06/26 10:30	23500	387	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	159.
03/06/26 11:00	23100	387	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	162.
03/06/26 11:30	23100	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	162.
03/06/26 12:00	22600	390	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	169.
03/06/26 12:30	23000	391	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	161.
03/06/26 13:00	23700	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	147.
03/06/26 13:30	23800	386	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	146.
03/06/26 14:00	24000	385	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	145.
03/06/26 14:30	24100	386	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	145.
03/06/26 15:00	24200	387	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	145.
03/06/26 15:30	24500	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	141.
03/06/26 16:00	24500	385	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	146.
03/06/26 16:30	24700	384	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	146.
03/06/26 17:00	24800	381	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	144.
03/06/26 17:30	24800	379	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	144.
03/06/26 18:00	24600	378	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	140.
03/06/26 18:30	24600	374	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	143.
03/06/26 19:00	24600	372	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	144.
03/06/26 19:30	24500	371	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	143.
03/06/26 20:00	24400	372	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	148.
03/06/26 20:30	24000	373	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	147.
03/06/26 21:00	23800	373	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	146.
03/06/26 21:30	24000	372	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	149.
03/06/26 22:00	24200	370	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	150.
03/06/26 22:30	24200	370	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	149.
03/06/26 23:00	24300	370	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	149.
03/06/26 23:30	24200	369	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	151.
03/07/26 00:00	24100	372	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	163.

Daily Processed Summary (Average, Maximum Value)

Average	23900	377	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11	149
Maximum Value	24800	391	2.15	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/07/26 00:30	24000	373	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	164.
03/07/26 01:00	24100	371	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.42	164.
03/07/26 01:30	24100	371	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.42	165.
03/07/26 02:00	24100	372	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.32	163.
03/07/26 02:30	24100	372	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	164.
03/07/26 03:00	24100	372	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	164.
03/07/26 03:30	24000	371	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	161.
03/07/26 04:00	24100	370	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	154.
03/07/26 04:30	23800	371	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	162.
03/07/26 05:00	23800	367	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.66	163.
03/07/26 05:30	23700	369	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.84	162.
03/07/26 06:00	23700	367	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.96	166.
03/07/26 06:30	23600	366	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	162.
03/07/26 07:00	23400	368	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	164.
03/07/26 07:30	23400	372	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.72	164.
03/07/26 08:00	23700	377	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	166.
03/07/26 08:30	23800	377	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.25	164.
03/07/26 09:00	24000	377	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.32	164.
03/07/26 09:30	24000	381	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.42	158.
03/07/26 10:00	23900	383	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.87	159.
03/07/26 10:30	24100	383	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	144.
03/07/26 11:00	24500	384	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.72	150.
03/07/26 11:30	24500	386	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	163.
03/07/26 12:00	24700	388	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.4	160.
03/07/26 12:30	24500	388	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.39	164.
03/07/26 13:00	24500	387	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.71	152.
03/07/26 13:30	24800	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.34	161.
03/07/26 14:00	24600	390	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	164.
03/07/26 14:30	24700	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	160.
03/07/26 15:00	24200	388	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	164.
03/07/26 15:30	24400	387	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	162.
03/07/26 16:00	24700	387	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.58	158.
03/07/26 16:30	25100	384	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	161.
03/07/26 17:00	25100	382	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	143.
03/07/26 17:30	25200	379	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	139.
03/07/26 18:00	25200	375	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.6	124.
03/07/26 18:30	25100	373	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	136.
03/07/26 19:00	25200	370	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.6	139.
03/07/26 19:30	25300	368	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.72	114.
03/07/26 20:00	25200	368	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	143.
03/07/26 20:30	25100	368	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.45	140.
03/07/26 21:00	25100	368	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	136.
03/07/26 21:30	25100	367	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	132.
03/07/26 22:00	22900	376	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.34	41.6
03/07/26 22:30	20200	380	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.66	16.
03/07/26 23:00	20100	376	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	9.14
03/07/26 23:30	20400	363	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	16.
03/08/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.36	12.6

Daily Processed Summary (Average, Maximum Value)

Average	24100	376	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	156
Maximum Value	25300	390	2.31	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/08/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.90	13.
03/08/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.33	11.1
03/08/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.25	14.4
03/08/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.64	19.8
03/08/26 03:30	19900	342	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	16.1
03/08/26 04:00	19700	349	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	21.9
03/08/26 04:30	19400	342	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	17.3
03/08/26 05:00	18800	322	2.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	14.8
03/08/26 05:30	18900	353	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.06	15.9
03/08/26 06:00	18900	366	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	18.8
03/08/26 06:30	18600	374	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.72	20.2
03/08/26 07:00	18500	373	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.71	17.6
03/08/26 07:30	18400	372	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	19.5
03/08/26 08:00	18100	371	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	19.3
03/08/26 08:30	17700	375	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	14.5
03/08/26 09:00	17200	379	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	21.9
03/08/26 09:30	16700	378	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	14.
03/08/26 10:00	16600	383	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	18.5
03/08/26 10:30	16600	383	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	17.3
03/08/26 11:00	16700	385	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	13.8
03/08/26 11:30	16400	384	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.11	12.6
03/08/26 12:00	16300	381	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.27	17.6
03/08/26 12:30	16000	361	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	15.2
03/08/26 13:00	15800	369	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	9.74
03/08/26 13:30	15800	359	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	1.32
03/08/26 14:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.88	351.
03/08/26 14:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.01	34.0
03/08/26 15:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.45	29.1
03/08/26 15:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.01	89.6
03/08/26 16:00	19600	367	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	94.7
03/08/26 16:30	20900	384	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.	95.7
03/08/26 17:00	21300	388	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	108.
03/08/26 17:30	21700	391	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	110.
03/08/26 18:00	22200	392	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	91.2
03/08/26 18:30	22500	396	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	79.7
03/08/26 19:00	22700	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.75	90.2
03/08/26 19:30	22800	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	94.1
03/08/26 20:00	22700	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.24	96.3
03/08/26 20:30	22600	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.32	88.6
03/08/26 21:00	22600	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.797	307.
03/08/26 21:30	20400	400	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	330.
03/08/26 22:00	19100	400	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.88	357.
03/08/26 22:30	18500	399	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.32	14.6
03/08/26 23:00	18200	398	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.07	19.9
03/08/26 23:30	18400	400	2.5	BDL	BDL	1.08	BDL	BDL	BDL	BDL	0.856	36.1
03/09/26 00:00	18900	400	2.48	BDL	BDL	3.87	BDL	BDL	BDL	BDL	0.516	325.

Daily Processed Summary (Average, Maximum Value)

Average	19100	378	2.3	BDL	BDL	0.13	BDL	BDL	BDL	BDL	4.18	32.3
Maximum Value	22800	400	2.62	-	-	3.87	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/09/26 00:30	19400	400	2.42	BDL	BDL	2.61	BDL	BDL	BDL	BDL	2.24	337.
03/09/26 01:00	19500	399	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.61	351.
03/09/26 01:30	19600	397	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.64	351.
03/09/26 02:00	19800	397	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.62	356.
03/09/26 02:30	19900	395	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.74	14.9
03/09/26 03:00	19800	393	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.38	10.1
03/09/26 03:30	20100	394	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.15	26.3
03/09/26 04:00	20500	399	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.599	35.7
03/09/26 04:30	20800	403	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.512	75.5
03/09/26 05:00	21200	398	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.612	106.
03/09/26 05:30	21900	401	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.46	91.0
03/09/26 06:00	22100	404	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.14	99.0
03/09/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.48	182.
03/09/26 07:00	24600	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	197.
03/09/26 07:30	24700	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.87	199.
03/09/26 08:00	24700	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.41	193.
03/09/26 08:30	24800	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	190.
03/09/26 09:00	24900	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.1	192.
03/09/26 09:30	24900	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.66	194.
03/09/26 10:00	25100	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	189.
03/09/26 10:30	25200	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.2	208.
03/09/26 11:00	25000	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.21	203.
03/09/26 11:30	24600	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.8	198.
03/09/26 12:00	24200	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.01	199.
03/09/26 12:30	24000	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.26	190.
03/09/26 13:00	23900	393	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.40	172.
03/09/26 13:30	24700	393	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.93	152.
03/09/26 14:00	24000	394	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	168.
03/09/26 14:30	23600	394	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.46	176.
03/09/26 15:00	23400	394	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.14	177.
03/09/26 15:30	23000	393	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.39	177.
03/09/26 16:00	23200	394	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.76	169.
03/09/26 16:30	23200	394	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.41	172.
03/09/26 17:00	23300	393	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.18	166.
03/09/26 17:30	23200	392	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.09	162.
03/09/26 18:00	24400	391	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	140.
03/09/26 18:30	24400	389	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.9	139.
03/09/26 19:00	24400	389	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.29	140.
03/09/26 19:30	24300	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.42	145.
03/09/26 20:00	M	M	M	M	M	M	M	M	M	M	7.8	140.
03/09/26 20:30	M	M	M	M	M	M	M	M	M	M	7.53	141.
03/09/26 21:00	M	M	M	M	M	M	M	M	M	M	7.50	139.
03/09/26 21:30	24500	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.34	141.
03/09/26 22:00	24600	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.08	139.
03/09/26 22:30	24600	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.53	138.
03/09/26 23:00	24700	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.97	143.
03/09/26 23:30	24800	387	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.40	142.
03/10/26 00:00	24800	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.80	155.

Daily Processed Summary (Average, Maximum Value)

Average	23200	392	2.22	BDL	BDL	0.0593	BDL	BDL	BDL	BDL	4.93	165
Maximum Value	25200	404	2.44	-	-	2.61	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/10/26 00:30	24800	387	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.25	147.
03/10/26 01:00	24900	391	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.55	159.
03/10/26 01:30	24700	390	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.47	162.
03/10/26 02:00	24700	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	165.
03/10/26 02:30	24800	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	164.
03/10/26 03:00	24900	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.43	163.
03/10/26 03:30	24800	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.18	164.
03/10/26 04:00	24800	387	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.	163.
03/10/26 04:30	24900	388	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	162.
03/10/26 05:00	24900	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	163.
03/10/26 05:30	24900	390	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	165.
03/10/26 06:00	24900	390	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	176.
03/10/26 06:30	24700	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.84	177.
03/10/26 07:00	24600	390	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.72	176.
03/10/26 07:30	24500	390	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	175.
03/10/26 08:00	24300	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.28	182.
03/10/26 08:30	24100	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.83	187.
03/10/26 09:00	24400	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	197.
03/10/26 09:30	24400	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	193.
03/10/26 10:00	24300	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.94	192.
03/10/26 10:30	24300	392	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.08	183.
03/10/26 11:00	24300	393	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	175.
03/10/26 11:30	24100	394	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	176.
03/10/26 12:00	23800	394	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	174.
03/10/26 12:30	23600	395	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	176.
03/10/26 13:00	23400	394	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	181.
03/10/26 13:30	23600	395	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	188.
03/10/26 14:00	23300	396	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	190.
03/10/26 14:30	22800	398	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	180.
03/10/26 15:00	22600	398	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	182.
03/10/26 15:30	23000	397	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	176.
03/10/26 16:00	23200	396	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	175.
03/10/26 16:30	23300	395	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	171.
03/10/26 17:00	23700	395	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	169.
03/10/26 17:30	23900	394	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	168.
03/10/26 18:00	24000	394	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	162.
03/10/26 18:30	24300	394	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	161.
03/10/26 19:00	24500	390	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	148.
03/10/26 19:30	24500	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.97	147.
03/10/26 20:00	24500	388	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.01	149.
03/10/26 20:30	24500	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.76	147.
03/10/26 21:00	24600	389	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	143.
03/10/26 21:30	24500	390	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	143.
03/10/26 22:00	24600	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	146.
03/10/26 22:30	25000	390	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	150.
03/10/26 23:00	24900	393	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	160.
03/10/26 23:30	25000	390	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.45	150.
03/11/26 00:00	25000	391	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	156.

Daily Processed Summary (Average, Maximum Value)

Average	24300	392	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.88	168
Maximum Value	25000	398	2.18	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/11/26 00:30	25000	392	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	160.
03/11/26 01:00	24800	390	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	165.
03/11/26 01:30	24700	390	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	170.
03/11/26 02:00	24500	390	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	168.
03/11/26 02:30	24400	390	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	182.
03/11/26 03:00	24300	389	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.18	186.
03/11/26 03:30	24400	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	174.
03/11/26 04:00	24400	388	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	165.
03/11/26 04:30	24500	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	165.
03/11/26 05:00	24500	387	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	227.
03/11/26 05:30	24200	388	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.60	211.
03/11/26 06:00	24300	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	172.
03/11/26 06:30	23800	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	178.
03/11/26 07:00	23700	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.80	183.
03/11/26 07:30	23900	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	171.
03/11/26 08:00	24000	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	157.
03/11/26 08:30	24200	388	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	168.
03/11/26 09:00	24500	387	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.46	166.
03/11/26 09:30	24600	388	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	170.
03/11/26 10:00	24300	391	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	174.
03/11/26 10:30	24200	391	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	177.
03/11/26 11:00	23900	391	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	180.
03/11/26 11:30	23700	392	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	186.
03/11/26 12:00	23800	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	189.
03/11/26 12:30	24100	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	196.
03/11/26 13:00	24100	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	201.
03/11/26 13:30	24300	394	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	206.
03/11/26 14:00	24000	396	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	210.
03/11/26 14:30	24100	397	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	211.
03/11/26 15:00	22800	400	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	236.
03/11/26 15:30	19000	405	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.42	286.
03/11/26 16:00	16400	406	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	292.
03/11/26 16:30	14300	405	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	299.
03/11/26 17:00	12700	403	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.82	316.
03/11/26 17:30	13000	405	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	307.
03/11/26 18:00	12900	403	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	309.
03/11/26 18:30	13000	402	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	320.
03/11/26 19:00	14100	402	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	318.
03/11/26 19:30	14400	400	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	326.
03/11/26 20:00	15300	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.20	338.
03/11/26 20:30	15500	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.6	23.4
03/11/26 21:00	15700	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.75	28.2
03/11/26 21:30	14500	398	2.2	BDL	BDL	4.01	BDL	BDL	BDL	BDL	6.82	26.2
03/11/26 22:00	14400	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.99	20.3
03/11/26 22:30	14400	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	18.6
03/11/26 23:00	14700	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	14.
03/11/26 23:30	15000	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	11.6
03/12/26 00:00	15300	391	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.26	13.5

Daily Processed Summary (Average, Maximum Value)

Average	20600	394	2.18	BDL	BDL	0.0835	BDL	BDL	BDL	BDL	3.28	197
Maximum Value	25000	406	2.25	-	-	4.01	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/12/26 00:30	15700	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.70	14.1
03/12/26 01:00	14100	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.61	12.8
03/12/26 01:30	12200	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	14.2
03/12/26 02:00	10800	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	14.9
03/12/26 02:30	10800	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	14.4
03/12/26 03:00	9870	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	13.5
03/12/26 03:30	9930	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.25	12.5
03/12/26 04:00	9720	388	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	10.6
03/12/26 04:30	7550	386	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	10.6
03/12/26 05:00	6870	385	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	11.8
03/12/26 05:30	7120	384	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	12.9
03/12/26 06:00	6680	383	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.65	11.1
03/12/26 06:30	6320	382	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	12.6
03/12/26 07:00	6120	381	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	14.1
03/12/26 07:30	6130	380	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	14.8
03/12/26 08:00	6110	380	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	12.
03/12/26 08:30	5900	380	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.50	14.4
03/12/26 09:00	5830	382	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.53	16.0
03/12/26 09:30	5790	383	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.7	17.7
03/12/26 10:00	5740	383	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	17.0
03/12/26 10:30	5820	384	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	18.3
03/12/26 11:00	5940	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	19.8
03/12/26 11:30	5970	386	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.42	19.6
03/12/26 12:00	5900	387	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.16	14.5
03/12/26 12:30	5920	388	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.84	19.7
03/12/26 13:00	5880	389	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.84	22.8
03/12/26 13:30	5760	391	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	12.6
03/12/26 14:00	5870	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	4.95
03/12/26 14:30	5780	394	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.04	7.56
03/12/26 15:00	5430	393	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.04	13.4
03/12/26 15:30	5280	394	2.27	BDL	BDL	1.1	BDL	BDL	BDL	BDL	5.68	11.8
03/12/26 16:00	5000	394	2.26	BDL	BDL	2.23	BDL	BDL	BDL	BDL	5.04	31.5
03/12/26 16:30	5260	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.18	359.
03/12/26 17:00	5370	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.1	353.
03/12/26 17:30	5410	394	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.48	359.
03/12/26 18:00	5320	393	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	6.43
03/12/26 18:30	5410	393	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	23.7
03/12/26 19:00	5430	393	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	16.7
03/12/26 19:30	5760	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.45	12.1
03/12/26 20:00	5890	389	2.26	BDL	BDL	1.92	BDL	BDL	BDL	BDL	1.65	53.7
03/12/26 20:30	6030	392	2.28	BDL	BDL	7.46	BDL	BDL	BDL	BDL	0.751	163.
03/12/26 21:00	6060	391	2.27	BDL	BDL	20.6	BDL	BDL	BDL	BDL	1.97	87.5
03/12/26 21:30	6060	389	2.27	BDL	BDL	19.9	BDL	BDL	BDL	BDL	2.3	92.7
03/12/26 22:00	6060	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	101.
03/12/26 22:30	6560	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	99.7
03/12/26 23:00	7300	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.08	99.4
03/12/26 23:30	7280	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.09	97.1
03/13/26 00:00	9160	386	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	112.

Daily Processed Summary (Average, Maximum Value)

Average	7000	388	2.26	BDL	BDL	1.11	BDL	BDL	BDL	BDL	6.61	18.4
Maximum Value	15700	395	2.28	-	-	20.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/13/26 00:30	10200	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.35	131.
03/13/26 01:00	10300	385	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.35	131.
03/13/26 01:30	10100	384	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	136.
03/13/26 02:00	9960	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.83	131.
03/13/26 02:30	10100	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	127.
03/13/26 03:00	10000	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	128.
03/13/26 03:30	9830	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	128.
03/13/26 04:00	9560	386	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.69	143.
03/13/26 04:30	9640	385	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	174.
03/13/26 05:00	9750	386	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	160.
03/13/26 05:30	9540	386	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	173.
03/13/26 06:00	9340	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	175.
03/13/26 06:30	9290	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	171.
03/13/26 07:00	9530	388	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.77	172.
03/13/26 07:30	9690	388	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	171.
03/13/26 08:00	9860	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	168.
03/13/26 08:30	10200	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.27	171.
03/13/26 09:00	11100	391	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	167.
03/13/26 09:30	11800	392	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.6	174.
03/13/26 10:00	12200	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	174.
03/13/26 10:30	12500	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	168.
03/13/26 11:00	12600	395	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	171.
03/13/26 11:30	12500	395	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.12	163.
03/13/26 12:00	12600	395	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.9	163.
03/13/26 12:30	12700	397	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.5	145.
03/13/26 13:00	12400	397	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	146.
03/13/26 13:30	12300	397	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.18	156.
03/13/26 14:00	12400	397	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	152.
03/13/26 14:30	12800	398	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.68	156.
03/13/26 15:00	13000	398	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.66	159.
03/13/26 15:30	12700	398	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.37	168.
03/13/26 16:00	12800	398	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	165.
03/13/26 16:30	13200	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.56	155.
03/13/26 17:00	13300	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.37	163.
03/13/26 17:30	14000	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	137.
03/13/26 18:00	14500	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.26	133.
03/13/26 18:30	14500	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	128.
03/13/26 19:00	14400	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	136.
03/13/26 19:30	14500	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	134.
03/13/26 20:00	14700	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.03	136.
03/13/26 20:30	14600	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	142.
03/13/26 21:00	14700	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	140.
03/13/26 21:30	14800	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	139.
03/13/26 22:00	14600	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	144.
03/13/26 22:30	14700	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	151.
03/13/26 23:00	14600	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	166.
03/13/26 23:30	14900	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	166.
03/14/26 00:00	15400	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	162.

Daily Processed Summary (Average, Maximum Value)

Average	12200	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	154
Maximum Value	15400	398	2.27	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/14/26 00:30	15200	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	164.
03/14/26 01:00	15300	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.4	165.
03/14/26 01:30	15700	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	166.
03/14/26 02:00	15700	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.00	165.
03/14/26 02:30	16000	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	166.
03/14/26 03:00	16400	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.75	171.
03/14/26 03:30	16500	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.3	173.
03/14/26 04:00	16700	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	174.
03/14/26 04:30	16900	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.31	170.
03/14/26 05:00	17100	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.02	165.
03/14/26 05:30	17200	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	170.
03/14/26 06:00	17300	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.69	173.
03/14/26 06:30	17300	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	171.
03/14/26 07:00	17200	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	169.
03/14/26 07:30	17200	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	169.
03/14/26 08:00	17200	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	171.
03/14/26 08:30	17600	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	172.
03/14/26 09:00	17900	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	174.
03/14/26 09:30	17800	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	171.
03/14/26 10:00	17700	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	161.
03/14/26 10:30	17900	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	161.
03/14/26 11:00	17700	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.93	155.
03/14/26 11:30	17700	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.64	159.
03/14/26 12:00	18100	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.4	143.
03/14/26 12:30	18400	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	136.
03/14/26 13:00	18600	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.04	149.
03/14/26 13:30	18800	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.63	149.
03/14/26 14:00	18900	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	142.
03/14/26 14:30	19200	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.14	145.
03/14/26 15:00	19300	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.67	135.
03/14/26 15:30	19500	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	138.
03/14/26 16:00	19600	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	138.
03/14/26 16:30	19500	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	150.
03/14/26 17:00	19600	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	149.
03/14/26 17:30	19700	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	145.
03/14/26 18:00	19800	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	146.
03/14/26 18:30	20000	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	146.
03/14/26 19:00	20200	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.33	144.
03/14/26 19:30	20400	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.69	143.
03/14/26 20:00	20600	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.79	147.
03/14/26 20:30	20800	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.66	156.
03/14/26 21:00	20900	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.90	153.
03/14/26 21:30	20800	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.94	161.
03/14/26 22:00	20600	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.22	163.
03/14/26 22:30	20500	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	163.
03/14/26 23:00	20500	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.83	165.
03/14/26 23:30	20400	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.86	166.
03/15/26 00:00	20400	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	170.

Daily Processed Summary (Average, Maximum Value)

Average	18400	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	155
Maximum Value	20900	396	2.25	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/15/26 00:30	20500	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.98	173.
03/15/26 01:00	20600	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.38	174.
03/15/26 01:30	20700	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	175.
03/15/26 02:00	20800	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.4	173.
03/15/26 02:30	20600	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.36	172.
03/15/26 03:00	20300	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	181.
03/15/26 03:30	20000	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	181.
03/15/26 04:00	19900	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	180.
03/15/26 04:30	19700	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.09	181.
03/15/26 05:00	19800	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.60	181.
03/15/26 05:30	20200	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.44	180.
03/15/26 06:00	20500	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.5	175.
03/15/26 06:30	20400	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	175.
03/15/26 07:00	20400	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	178.
03/15/26 07:30	20600	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.07	179.
03/15/26 08:00	20700	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	175.
03/15/26 08:30	20900	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.95	179.
03/15/26 09:00	21100	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	181.
03/15/26 09:30	21400	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.77	180.
03/15/26 10:00	21300	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.10	185.
03/15/26 10:30	21200	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	199.
03/15/26 11:00	20800	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	209.
03/15/26 11:30	20800	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	211.
03/15/26 12:00	20700	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	210.
03/15/26 12:30	20600	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	211.
03/15/26 13:00	20700	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	216.
03/15/26 13:30	21000	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	210.
03/15/26 14:00	21200	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	206.
03/15/26 14:30	21800	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	204.
03/15/26 15:00	21900	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	205.
03/15/26 15:30	22000	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	202.
03/15/26 16:00	22200	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.95	208.
03/15/26 16:30	22400	398	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.61	204.
03/15/26 17:00	22400	398	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.31	206.
03/15/26 17:30	22500	398	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.22	203.
03/15/26 18:00	22600	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.02	199.
03/15/26 18:30	22900	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	201.
03/15/26 19:00	23000	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	205.
03/15/26 19:30	23000	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.91	200.
03/15/26 20:00	23000	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.36	198.
03/15/26 20:30	23100	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.80	200.
03/15/26 21:00	23100	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	197.
03/15/26 21:30	23200	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.06	350.
03/15/26 22:00	12500	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	26.3
03/15/26 22:30	7340	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	18.7
03/15/26 23:00	6870	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	15.8
03/15/26 23:30	6680	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	18.2
03/16/26 00:00	6430	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	17.3

Daily Processed Summary (Average, Maximum Value)

Average	19900	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	193
Maximum Value	23200	398	2.26	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/16/26 00:30	6050	388	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	13.9
03/16/26 01:00	6030	388	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	16.2
03/16/26 01:30	5080	385	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	16.1
03/16/26 02:00	5710	386	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	10.9
03/16/26 02:30	4990	384	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	9.59
03/16/26 03:00	4650	383	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	8.57
03/16/26 03:30	4520	383	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	8.54
03/16/26 04:00	4390	382	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	9.65
03/16/26 04:30	3940	381	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	9.91
03/16/26 05:00	3880	381	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	8.82
03/16/26 05:30	3800	380	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	10.5
03/16/26 06:00	3750	379	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.50	7.89
03/16/26 06:30	3610	379	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	9.01
03/16/26 07:00	3440	379	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	11.1
03/16/26 07:30	3550	379	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.56	7.21
03/16/26 08:00	2900	376	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	13.3
03/16/26 08:30	3260	377	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.83	11.1
03/16/26 09:00	3620	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	4.04
03/16/26 09:30	3270	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	7.99
03/16/26 10:00	3050	380	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.62	8.84
03/16/26 10:30	3070	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.33	9.26
03/16/26 11:00	2820	381	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	11.1
03/16/26 11:30	2670	381	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	13.1
03/16/26 12:00	2940	382	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.13	6.77
03/16/26 12:30	3030	384	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.07	4.98
03/16/26 13:00	3160	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	352.
03/16/26 13:30	3000	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.12	355.
03/16/26 14:00	2680	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.3	8.47
03/16/26 14:30	2640	386	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	4.53
03/16/26 15:00	2550	386	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.07	1.36
03/16/26 15:30	2510	386	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	0.278
03/16/26 16:00	2350	387	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.32	0.626
03/16/26 16:30	2310	387	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	3.25
03/16/26 17:00	2480	385	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	357.
03/16/26 17:30	2480	384	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.8	7.10
03/16/26 18:00	2650	384	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	0.561
03/16/26 18:30	2710	384	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	2.95
03/16/26 19:00	2550	382	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	10.1
03/16/26 19:30	2490	380	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	8.80
03/16/26 20:00	2450	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.66	14.6
03/16/26 20:30	2480	378	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.64	16.7
03/16/26 21:00	2460	378	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	19.2
03/16/26 21:30	2340	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.9	18.6
03/16/26 22:00	2450	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	17.1
03/16/26 22:30	2500	376	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.30	19.0
03/16/26 23:00	2520	376	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	21.1
03/16/26 23:30	2540	376	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.98	20.6
03/17/26 00:00	2610	376	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	13.0

Daily Processed Summary (Average, Maximum Value)

Average	3270	382	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	9.5
Maximum Value	6050	388	2.3	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/17/26 00:30	2670	377	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	17.1
03/17/26 01:00	2500	377	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.44	21.1
03/17/26 01:30	2530	376	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	19.7
03/17/26 02:00	2530	376	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.9	18.7
03/17/26 02:30	2520	375	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	16.8
03/17/26 03:00	2420	373	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.1	13.5
03/17/26 03:30	2470	372	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	12.3
03/17/26 04:00	2480	371	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	6.18
03/17/26 04:30	2490	371	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.95	7.40
03/17/26 05:00	2440	372	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.02	10.6
03/17/26 05:30	2380	370	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	7.73
03/17/26 06:00	2580	371	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	10.0
03/17/26 06:30	2630	373	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.31	11.0
03/17/26 07:00	2670	373	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.50	12.2
03/17/26 07:30	2750	372	2.35	BDL	BDL	1.76	BDL	BDL	BDL	BDL	2.72	21.6
03/17/26 08:00	2730	374	2.34	BDL	BDL	4.79	BDL	BDL	BDL	BDL	3.08	27.0
03/17/26 08:30	2430	379	2.37	BDL	BDL	10.2	BDL	BDL	BDL	BDL	4.60	47.9
03/17/26 09:00	2240	381	2.39	BDL	BDL	7.45	BDL	BDL	BDL	BDL	6.77	52.4
03/17/26 09:30	2400	381	2.38	BDL	BDL	11.5	BDL	BDL	BDL	BDL	6.82	55.7
03/17/26 10:00	2500	381	2.34	BDL	BDL	3.49	BDL	BDL	BDL	BDL	6.96	63.9
03/17/26 10:30	2460	383	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	67.0
03/17/26 11:00	2510	382	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	88.7
03/17/26 11:30	2430	386	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	86.6
03/17/26 12:00	2410	386	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	113.
03/17/26 12:30	2880	386	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.82	138.
03/17/26 13:00	3780	389	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.86	160.
03/17/26 13:30	3430	385	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.33	154.
03/17/26 14:00	4290	384	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	153.
03/17/26 14:30	5130	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	151.
03/17/26 15:00	5710	383	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.02	143.
03/17/26 15:30	5740	382	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.91	143.
03/17/26 16:00	5490	381	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.26	145.
03/17/26 16:30	5650	381	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.83	152.
03/17/26 17:00	6200	381	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	145.
03/17/26 17:30	6390	381	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.1	143.
03/17/26 18:00	6690	381	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	143.
03/17/26 18:30	6600	379	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.35	144.
03/17/26 19:00	6870	379	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.12	150.
03/17/26 19:30	6870	379	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	155.
03/17/26 20:00	7050	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.3	157.
03/17/26 20:30	7310	377	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	149.
03/17/26 21:00	7650	377	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	154.
03/17/26 21:30	7860	376	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	121.
03/17/26 22:00	7920	376	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.94	125.
03/17/26 22:30	8140	375	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.83	117.
03/17/26 23:00	8200	375	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	115.
03/17/26 23:30	8330	376	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.02	124.
03/18/26 00:00	8480	376	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.36	137.

Daily Processed Summary (Average, Maximum Value)

Average	4430	378	2.3	BDL	BDL	0.816	BDL	BDL	BDL	BDL	2.99	100
Maximum Value	8480	389	2.39	-	-	11.5	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/18/26 00:30	8540	377	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.66	116.
03/18/26 01:00	8300	377	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	99.9
03/18/26 01:30	8480	376	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.90	107.
03/18/26 02:00	8980	375	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	129.
03/18/26 02:30	9140	376	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.29	138.
03/18/26 03:00	9360	377	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	146.
03/18/26 03:30	9700	377	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.80	138.
03/18/26 04:00	9740	377	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.83	159.
03/18/26 04:30	9630	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	173.
03/18/26 05:00	9840	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	173.
03/18/26 05:30	10200	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	171.
03/18/26 06:00	10300	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.85	166.
03/18/26 06:30	10600	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.36	165.
03/18/26 07:00	10800	380	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.08	153.
03/18/26 07:30	11000	379	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.35	158.
03/18/26 08:00	11200	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	166.
03/18/26 08:30	11400	380	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.36	165.
03/18/26 09:00	11500	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	167.
03/18/26 09:30	11400	385	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	169.
03/18/26 10:00	11400	386	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.29	166.
03/18/26 10:30	11200	386	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.63	170.
03/18/26 11:00	11400	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	161.
03/18/26 11:30	11400	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	142.
03/18/26 12:00	11400	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	147.
03/18/26 12:30	11400	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.51	146.
03/18/26 13:00	11500	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	151.
03/18/26 13:30	11700	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.68	142.
03/18/26 14:00	11700	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.35	143.
03/18/26 14:30	11600	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	134.
03/18/26 15:00	11800	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.14	127.
03/18/26 15:30	12000	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.19	137.
03/18/26 16:00	11800	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	123.
03/18/26 16:30	11300	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	131.
03/18/26 17:00	11200	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	130.
03/18/26 17:30	11200	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.53	135.
03/18/26 18:00	11200	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.63	130.
03/18/26 18:30	11600	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.51	135.
03/18/26 19:00	11900	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.14	134.
03/18/26 19:30	12500	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	129.
03/18/26 20:00	12800	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	123.
03/18/26 20:30	13400	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	120.
03/18/26 21:00	13500	381	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.	122.
03/18/26 21:30	13700	380	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	122.
03/18/26 22:00	13900	380	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	116.
03/18/26 22:30	13900	380	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	126.
03/18/26 23:00	13800	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	130.
03/18/26 23:30	13700	381	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.46	128.
03/19/26 00:00	13600	380	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.77	161.

Daily Processed Summary (Average, Maximum Value)

Average	11300	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.4	144
Maximum Value	13900	389	2.36	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/19/26 00:30	13600	379	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.35	157.
03/19/26 01:00	13600	379	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	153.
03/19/26 01:30	13800	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	152.
03/19/26 02:00	13900	380	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	152.
03/19/26 02:30	13800	381	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.25	160.
03/19/26 03:00	14000	380	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.28	154.
03/19/26 03:30	13800	381	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.1	169.
03/19/26 04:00	13800	381	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	173.
03/19/26 04:30	13800	382	2.33	BDL	BDL	5.00	BDL	BDL	BDL	BDL	3.08	181.
03/19/26 05:00	13700	381	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.67	192.
03/19/26 05:30	13900	380	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.06	184.
03/19/26 06:00	14000	379	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.39	188.
03/19/26 06:30	14100	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.719	203.
03/19/26 07:00	14100	378	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.3	174.
03/19/26 07:30	14100	378	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.633	208.
03/19/26 08:00	14200	380	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.746	279.
03/19/26 08:30	14600	386	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.5	37.6
03/19/26 09:00	15200	391	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.02	313.
03/19/26 09:30	15700	393	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.87	303.
03/19/26 10:00	15800	395	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	285.
03/19/26 10:30	15300	394	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	248.
03/19/26 11:00	15000	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	244.
03/19/26 11:30	14500	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.13	216.
03/19/26 12:00	14500	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	211.
03/19/26 12:30	14500	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	188.
03/19/26 13:00	14400	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	201.
03/19/26 13:30	14400	395	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.75	172.
03/19/26 14:00	14200	396	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	143.
03/19/26 14:30	14600	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.70	149.
03/19/26 15:00	14900	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	149.
03/19/26 15:30	15000	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	150.
03/19/26 16:00	15100	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	148.
03/19/26 16:30	15500	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	146.
03/19/26 17:00	15500	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	143.
03/19/26 17:30	15500	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.02	144.
03/19/26 18:00	15800	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	145.
03/19/26 18:30	16000	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	148.
03/19/26 19:00	16200	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.77	163.
03/19/26 19:30	16100	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	172.
03/19/26 20:00	16000	387	2.24	BDL	BDL	2.03	BDL	BDL	BDL	BDL	6.57	177.
03/19/26 20:30	16200	385	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	177.
03/19/26 21:00	16600	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.11	173.
03/19/26 21:30	16800	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	172.
03/19/26 22:00	16800	382	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	175.
03/19/26 22:30	16700	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	177.
03/19/26 23:00	16700	383	2.28	BDL	BDL	2.92	BDL	BDL	BDL	BDL	3.98	180.
03/19/26 23:30	16600	382	2.3	BDL	BDL	3.39	BDL	BDL	BDL	BDL	4.63	175.
03/20/26 00:00	16800	382	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.24	178.

Daily Processed Summary (Average, Maximum Value)

Average	15000	386	2.24	BDL	BDL	0.278	BDL	BDL	BDL	BDL	3.75	168
Maximum Value	16800	396	2.38	-	-	5	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/20/26 00:30	16900	381	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	178.
03/20/26 01:00	16900	381	2.35	BDL	BDL	7.02	BDL	BDL	BDL	BDL	3.89	176.
03/20/26 01:30	17000	380	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	187.
03/20/26 02:00	17100	380	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.84	184.
03/20/26 02:30	17200	381	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	191.
03/20/26 03:00	17100	381	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	196.
03/20/26 03:30	17000	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	198.
03/20/26 04:00	17100	379	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	198.
03/20/26 04:30	17200	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	204.
03/20/26 05:00	17200	373	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	211.
03/20/26 05:30	17300	368	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	201.
03/20/26 06:00	17400	369	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	204.
03/20/26 06:30	17400	368	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	202.
03/20/26 07:00	17300	367	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	203.
03/20/26 07:30	17200	362	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.3	206.
03/20/26 08:00	17200	362	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.33	195.
03/20/26 08:30	17600	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.741	319.
03/20/26 09:00	18200	388	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.720	181.
03/20/26 09:30	18600	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	197.
03/20/26 10:00	18500	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	208.
03/20/26 10:30	18600	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.03	213.
03/20/26 11:00	17900	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.10	219.
03/20/26 11:30	17400	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.12	218.
03/20/26 12:00	17100	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.42	216.
03/20/26 12:30	16800	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.37	214.
03/20/26 13:00	16500	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.75	201.
03/20/26 13:30	16400	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.83	206.
03/20/26 14:00	16100	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	201.
03/20/26 14:30	16000	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.47	201.
03/20/26 15:00	16500	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	202.
03/20/26 15:30	16100	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.40	201.
03/20/26 16:00	16100	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	189.
03/20/26 16:30	16500	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.80	173.
03/20/26 17:00	16300	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	180.
03/20/26 17:30	16900	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	172.
03/20/26 18:00	16800	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.46	172.
03/20/26 18:30	17200	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	176.
03/20/26 19:00	17700	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.70	175.
03/20/26 19:30	18300	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	168.
03/20/26 20:00	18600	385	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	169.
03/20/26 20:30	18700	385	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	167.
03/20/26 21:00	18800	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	165.
03/20/26 21:30	19100	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	165.
03/20/26 22:00	19300	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.04	166.
03/20/26 22:30	19500	381	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	166.
03/20/26 23:00	19600	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	169.
03/20/26 23:30	19500	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	174.
03/21/26 00:00	19500	380	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	178.

Daily Processed Summary (Average, Maximum Value)

Average	17500	384	2.22	BDL	BDL	0.146	BDL	BDL	BDL	BDL	5.33	190
Maximum Value	19600	394	2.35	-	-	7.02	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/21/26 00:30	19400	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	181.
03/21/26 01:00	19400	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	188.
03/21/26 01:30	19400	379	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	191.
03/21/26 02:00	19400	379	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	193.
03/21/26 02:30	19500	377	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	198.
03/21/26 03:00	19500	376	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	202.
03/21/26 03:30	19400	373	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.30	201.
03/21/26 04:00	19300	372	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	206.
03/21/26 04:30	19200	374	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	208.
03/21/26 05:00	19200	375	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.3	207.
03/21/26 05:30	19200	373	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	205.
03/21/26 06:00	19100	370	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.79	208.
03/21/26 06:30	19100	367	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	204.
03/21/26 07:00	19000	365	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	201.
03/21/26 07:30	18900	364	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	199.
03/21/26 08:00	19000	365	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	197.
03/21/26 08:30	19500	372	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.79	201.
03/21/26 09:00	19800	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	201.
03/21/26 09:30	20200	382	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.77	206.
03/21/26 10:00	20100	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.95	208.
03/21/26 10:30	19900	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.39	206.
03/21/26 11:00	19400	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.9	216.
03/21/26 11:30	19300	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.64	216.
03/21/26 12:00	19200	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	210.
03/21/26 12:30	19000	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.99	212.
03/21/26 13:00	18900	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.4	198.
03/21/26 13:30	18900	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	205.
03/21/26 14:00	18600	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.90	206.
03/21/26 14:30	18400	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.70	198.
03/21/26 15:00	18700	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.83	188.
03/21/26 15:30	18700	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	180.
03/21/26 16:00	18600	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	178.
03/21/26 16:30	17700	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	178.
03/21/26 17:00	17900	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	176.
03/21/26 17:30	18100	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.79	178.
03/21/26 18:00	18500	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.46	178.
03/21/26 18:30	18700	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.94	177.
03/21/26 19:00	19000	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.65	176.
03/21/26 19:30	19200	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.54	178.
03/21/26 20:00	19500	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	175.
03/21/26 20:30	19600	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.46	177.
03/21/26 21:00	19700	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	176.
03/21/26 21:30	19700	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.14	177.
03/21/26 22:00	19800	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	176.
03/21/26 22:30	19900	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.66	179.
03/21/26 23:00	20100	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	181.
03/21/26 23:30	20100	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	180.
03/22/26 00:00	20000	379	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	185.

Daily Processed Summary (Average, Maximum Value)

Average	19200	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	192
Maximum Value	20200	395	2.24	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/22/26 00:30	20000	378	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.07	188.
03/22/26 01:00	19800	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.26	190.
03/22/26 01:30	19800	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	190.
03/22/26 02:00	19800	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	189.
03/22/26 02:30	19700	377	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	192.
03/22/26 03:00	19700	376	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.1	192.
03/22/26 03:30	19600	376	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	194.
03/22/26 04:00	19700	375	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.04	194.
03/22/26 04:30	19600	374	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	197.
03/22/26 05:00	19600	374	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	199.
03/22/26 05:30	19500	375	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	198.
03/22/26 06:00	19400	374	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	194.
03/22/26 06:30	19400	375	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	191.
03/22/26 07:00	19300	376	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	192.
03/22/26 07:30	19300	375	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	195.
03/22/26 08:00	19400	376	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	200.
03/22/26 08:30	19800	381	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.18	208.
03/22/26 09:00	20000	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	207.
03/22/26 09:30	20300	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	207.
03/22/26 10:00	19800	385	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.94	207.
03/22/26 10:30	19100	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.93	210.
03/22/26 11:00	18600	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.54	215.
03/22/26 11:30	18400	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.78	215.
03/22/26 12:00	18200	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.73	213.
03/22/26 12:30	17900	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	215.
03/22/26 13:00	17400	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.98	205.
03/22/26 13:30	16600	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	205.
03/22/26 14:00	16400	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	207.
03/22/26 14:30	16200	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.88	199.
03/22/26 15:00	16200	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	199.
03/22/26 15:30	16500	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.93	187.
03/22/26 16:00	16700	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.90	182.
03/22/26 16:30	16600	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	177.
03/22/26 17:00	15800	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	176.
03/22/26 17:30	16100	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.36	178.
03/22/26 18:00	16100	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.59	172.
03/22/26 18:30	16300	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.23	169.
03/22/26 19:00	17100	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	169.
03/22/26 19:30	17400	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	171.
03/22/26 20:00	18200	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	166.
03/22/26 20:30	18900	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.5	158.
03/22/26 21:00	20100	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	148.
03/22/26 21:30	20200	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.50	153.
03/22/26 22:00	20300	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	156.
03/22/26 22:30	20100	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	164.
03/22/26 23:00	19900	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.48	165.
03/22/26 23:30	20000	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	166.
03/23/26 00:00	20100	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.30	167.

Daily Processed Summary (Average, Maximum Value)

Average	18600	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	189
Maximum Value	20300	393	2.24	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/23/26 00:30	20300	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	167.
03/23/26 01:00	20600	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	165.
03/23/26 01:30	20500	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.18	164.
03/23/26 02:00	20500	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	167.
03/23/26 02:30	20600	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	166.
03/23/26 03:00	20700	377	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.4	167.
03/23/26 03:30	20800	376	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	169.
03/23/26 04:00	20900	375	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	168.
03/23/26 04:30	21000	375	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	169.
03/23/26 05:00	20900	372	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	167.
03/23/26 05:30	20900	372	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.79	166.
03/23/26 06:00	20900	370	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	166.
03/23/26 06:30	20800	371	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	160.
03/23/26 07:00	20300	366	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.18	117.
03/23/26 07:30	19600	343	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.33	114.
03/23/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.45	113.
03/23/26 08:30	20500	371	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.53	113.
03/23/26 09:00	21400	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	129.
03/23/26 09:30	21600	382	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.44	132.
03/23/26 10:00	20900	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	178.
03/23/26 10:30	20800	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	149.
03/23/26 11:00	20300	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	144.
03/23/26 11:30	20200	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	148.
03/23/26 12:00	19800	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	158.
03/23/26 12:30	19200	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.09	153.
03/23/26 13:00	18700	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	162.
03/23/26 13:30	17900	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.09	157.
03/23/26 14:00	17600	397	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	162.
03/23/26 14:30	17300	398	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	150.
03/23/26 15:00	16600	400	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.00	147.
03/23/26 15:30	16000	400	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	159.
03/23/26 16:00	17300	399	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	157.
03/23/26 16:30	18300	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.65	147.
03/23/26 17:00	18000	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	140.
03/23/26 17:30	17400	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	140.
03/23/26 18:00	18000	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.38	136.
03/23/26 18:30	19600	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.84	135.
03/23/26 19:00	20300	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	134.
03/23/26 19:30	20700	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	140.
03/23/26 20:00	20900	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.34	142.
03/23/26 20:30	20900	382	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	142.
03/23/26 21:00	21100	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	141.
03/23/26 21:30	21000	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	143.
03/23/26 22:00	21000	380	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	149.
03/23/26 22:30	21100	381	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	150.
03/23/26 23:00	21000	379	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.04	151.
03/23/26 23:30	20900	380	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	150.
03/24/26 00:00	21100	380	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	158.

Daily Processed Summary (Average, Maximum Value)

Average	19900	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	152
Maximum Value	21600	400	2.2	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/24/26 00:30	20900	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	163.
03/24/26 01:00	21600	375	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.92	153.
03/24/26 01:30	21700	368	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.19	154.
03/24/26 02:00	21800	364	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	161.
03/24/26 02:30	21800	370	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	172.
03/24/26 03:00	21800	370	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.08	174.
03/24/26 03:30	21600	373	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.36	174.
03/24/26 04:00	21500	371	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	169.
03/24/26 04:30	21500	366	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	175.
03/24/26 05:00	21400	360	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.01	170.
03/24/26 05:30	21300	352	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	174.
03/24/26 06:00	21600	355	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	180.
03/24/26 06:30	21700	366	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	189.
03/24/26 07:00	21600	369	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.73	202.
03/24/26 07:30	21500	368	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.96	192.
03/24/26 08:00	21400	370	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.1	176.
03/24/26 08:30	21300	377	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.32	188.
03/24/26 09:00	21600	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.06	185.
03/24/26 09:30	21300	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	168.
03/24/26 10:00	21300	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.09	157.
03/24/26 10:30	21200	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	155.
03/24/26 11:00	20100	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	157.
03/24/26 11:30	20300	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	135.
03/24/26 12:00	20900	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.66	133.
03/24/26 12:30	21100	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	132.
03/24/26 13:00	21000	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.82	128.
03/24/26 13:30	21000	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.46	134.
03/24/26 14:00	21200	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.42	127.
03/24/26 14:30	21200	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	144.
03/24/26 15:00	20800	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	146.
03/24/26 15:30	21400	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.09	135.
03/24/26 16:00	21800	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	134.
03/24/26 16:30	22100	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.15	132.
03/24/26 17:00	22100	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	144.
03/24/26 17:30	22000	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.56	145.
03/24/26 18:00	22300	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	140.
03/24/26 18:30	22400	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	144.
03/24/26 19:00	22400	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	143.
03/24/26 19:30	22400	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.51	141.
03/24/26 20:00	22500	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	141.
03/24/26 20:30	22700	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.08	141.
03/24/26 21:00	22800	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.30	139.
03/24/26 21:30	22800	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	144.
03/24/26 22:00	22800	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.94	147.
03/24/26 22:30	22800	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	150.
03/24/26 23:00	22700	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	159.
03/24/26 23:30	22400	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.39	168.
03/25/26 00:00	22400	379	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	167.

Daily Processed Summary (Average, Maximum Value)

Average	21700	379	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	151
Maximum Value	22800	394	2.23	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/25/26 00:30	22300	380	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.09	166.
03/25/26 01:00	22300	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.78	166.
03/25/26 01:30	22300	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.30	165.
03/25/26 02:00	22200	375	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.1	164.
03/25/26 02:30	22100	374	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	165.
03/25/26 03:00	22200	373	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	167.
03/25/26 03:30	22100	372	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	167.
03/25/26 04:00	22100	373	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	174.
03/25/26 04:30	22000	374	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	177.
03/25/26 05:00	21900	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	175.
03/25/26 05:30	21900	374	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	169.
03/25/26 06:00	21800	374	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	164.
03/25/26 06:30	21900	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.6	166.
03/25/26 07:00	21900	378	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.3	167.
03/25/26 07:30	21800	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	170.
03/25/26 08:00	21700	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	166.
03/25/26 08:30	21900	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.27	163.
03/25/26 09:00	21900	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.80	160.
03/25/26 09:30	21600	383	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	162.
03/25/26 10:00	21700	384	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.63	167.
03/25/26 10:30	21600	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.94	165.
03/25/26 11:00	21500	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.77	170.
03/25/26 11:30	21600	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.54	166.
03/25/26 12:00	21500	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.98	148.
03/25/26 12:30	21600	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	144.
03/25/26 13:00	21700	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	143.
03/25/26 13:30	21700	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.67	142.
03/25/26 14:00	21800	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	141.
03/25/26 14:30	22200	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.92	138.
03/25/26 15:00	22100	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.82	150.
03/25/26 15:30	21800	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	141.
03/25/26 16:00	21900	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.72	145.
03/25/26 16:30	21800	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	143.
03/25/26 17:00	21800	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.98	148.
03/25/26 17:30	21700	386	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	142.
03/25/26 18:00	21500	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.66	145.
03/25/26 18:30	21700	386	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	141.
03/25/26 19:00	21900	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.25	145.
03/25/26 19:30	21800	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	144.
03/25/26 20:00	22000	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	145.
03/25/26 20:30	22000	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	155.
03/25/26 21:00	22000	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.09	153.
03/25/26 21:30	21900	376	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	141.
03/25/26 22:00	22000	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.40	140.
03/25/26 22:30	21800	376	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	146.
03/25/26 23:00	21800	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.85	161.
03/25/26 23:30	21600	378	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.38	166.
03/26/26 00:00	21800	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.61	168.

Daily Processed Summary (Average, Maximum Value)

Average	21900	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	154
Maximum Value	22300	389	2.18	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/26/26 00:30	21700	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	162.
03/26/26 01:00	21600	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	166.
03/26/26 01:30	21600	378	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.04	165.
03/26/26 02:00	21500	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	168.
03/26/26 02:30	21400	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.70	170.
03/26/26 03:00	21300	375	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.99	174.
03/26/26 03:30	21200	376	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	173.
03/26/26 04:00	21100	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	171.
03/26/26 04:30	21100	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	171.
03/26/26 05:00	20900	376	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	172.
03/26/26 05:30	20900	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.70	174.
03/26/26 06:00	20700	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	176.
03/26/26 06:30	20600	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	179.
03/26/26 07:00	20500	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	174.
03/26/26 07:30	20500	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	174.
03/26/26 08:00	20600	376	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	175.
03/26/26 08:30	21000	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	173.
03/26/26 09:00	21000	381	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	177.
03/26/26 09:30	20700	382	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	176.
03/26/26 10:00	20100	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	184.
03/26/26 10:30	19200	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	183.
03/26/26 11:00	19000	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	175.
03/26/26 11:30	18400	388	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.07	171.
03/26/26 12:00	18700	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	165.
03/26/26 12:30	19000	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.85	171.
03/26/26 13:00	19000	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.40	168.
03/26/26 13:30	19400	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	161.
03/26/26 14:00	18900	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.38	166.
03/26/26 14:30	18500	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.81	167.
03/26/26 15:00	18400	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	160.
03/26/26 15:30	18700	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	154.
03/26/26 16:00	19000	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	161.
03/26/26 16:30	19200	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.94	160.
03/26/26 17:00	19200	388	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.95	153.
03/26/26 17:30	19100	388	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.24	159.
03/26/26 18:00	18700	388	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.65	157.
03/26/26 18:30	18800	387	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.15	163.
03/26/26 19:00	19300	388	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.52	165.
03/26/26 19:30	19500	386	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.27	165.
03/26/26 20:00	19700	383	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.01	163.
03/26/26 20:30	19700	382	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	166.
03/26/26 21:00	19900	381	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.09	167.
03/26/26 21:30	20200	380	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	166.
03/26/26 22:00	20500	380	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.53	167.
03/26/26 22:30	20500	380	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	169.
03/26/26 23:00	20600	380	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	165.
03/26/26 23:30	20700	379	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.39	167.
03/27/26 00:00	20700	379	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.23	167.

Daily Processed Summary (Average, Maximum Value)

Average	20100	382	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	167
Maximum Value	21700	391	2.2	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/27/26 00:30	20700	379	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.58	170.
03/27/26 01:00	20600	379	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	174.
03/27/26 01:30	20600	378	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.54	176.
03/27/26 02:00	20600	378	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	177.
03/27/26 02:30	20600	379	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	176.
03/27/26 03:00	20600	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.32	177.
03/27/26 03:30	20400	378	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.60	176.
03/27/26 04:00	20300	376	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	176.
03/27/26 04:30	20300	378	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	174.
03/27/26 05:00	20500	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.73	177.
03/27/26 05:30	20700	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	176.
03/27/26 06:00	20900	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	175.
03/27/26 06:30	20900	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	175.
03/27/26 07:00	20600	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.66	174.
03/27/26 07:30	20400	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	173.
03/27/26 08:00	20300	379	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.87	175.
03/27/26 08:30	20500	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	173.
03/27/26 09:00	20800	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.12	171.
03/27/26 09:30	20700	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.1	176.
03/27/26 10:00	20100	383	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.74	181.
03/27/26 10:30	19800	383	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.99	179.
03/27/26 11:00	19500	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	189.
03/27/26 11:30	19100	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	189.
03/27/26 12:00	19000	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.78	202.
03/27/26 12:30	18800	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	192.
03/27/26 13:00	19100	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	177.
03/27/26 13:30	19000	391	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.60	176.
03/27/26 14:00	19800	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.88	130.
03/27/26 14:30	19500	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	140.
03/27/26 15:00	19500	391	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.66	141.
03/27/26 15:30	20300	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	142.
03/27/26 16:00	20600	389	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.79	136.
03/27/26 16:30	M	M	M	M	M	M	M	M	M	M	7.90	120.
03/27/26 17:00	M	M	M	M	M	M	M	M	M	M	7.65	129.
03/27/26 17:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	7.45	138.
03/27/26 18:00	21000	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.82	138.
03/27/26 18:30	21000	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	136.
03/27/26 19:00	21200	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	139.
03/27/26 19:30	21300	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	142.
03/27/26 20:00	21300	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	143.
03/27/26 20:30	21300	379	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	145.
03/27/26 21:00	21400	378	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.63	141.
03/27/26 21:30	21300	378	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.71	142.
03/27/26 22:00	21500	379	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	130.
03/27/26 22:30	21400	378	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.59	116.
03/27/26 23:00	21400	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.20	122.
03/27/26 23:30	21300	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	113.
03/28/26 00:00	21200	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.22	5.33

Daily Processed Summary (Average, Maximum Value)

Average	20500	382	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	161
Maximum Value	21500	392	2.18	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/28/26 00:30	21600	377	2.48	BDL	BDL	10.0	BDL	BDL	BDL	BDL	3.53	332.
03/28/26 01:00	21500	378	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	326.
03/28/26 01:30	19700	383	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	335.
03/28/26 02:00	16700	386	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	2.48
03/28/26 02:30	15400	384	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	11.2
03/28/26 03:00	15000	383	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	15.8
03/28/26 03:30	15000	383	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	16.2
03/28/26 04:00	15100	383	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	12.5
03/28/26 04:30	15100	383	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.02	14.2
03/28/26 05:00	15200	384	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.90	14.6
03/28/26 05:30	15500	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	12.6
03/28/26 06:00	15700	384	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	15.4
03/28/26 06:30	15700	384	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.8	15.6
03/28/26 07:00	15500	384	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	17.2
03/28/26 07:30	15300	383	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	16.2
03/28/26 08:00	15100	383	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	18.2
03/28/26 08:30	14600	383	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	18.5
03/28/26 09:00	14200	384	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.86	22.
03/28/26 09:30	14200	388	2.29	BDL	BDL	5.63	BDL	BDL	BDL	BDL	7.70	31.2
03/28/26 10:00	14400	391	2.3	BDL	BDL	6.06	BDL	BDL	BDL	BDL	7.36	35.6
03/28/26 10:30	14400	390	2.3	BDL	BDL	8.65	BDL	BDL	BDL	BDL	7.34	53.2
03/28/26 11:00	13700	391	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.50	63.5
03/28/26 11:30	13500	390	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	63.3
03/28/26 12:00	13200	389	2.28	BDL	BDL	1.86	BDL	BDL	BDL	BDL	6.39	67.9
03/28/26 12:30	13400	390	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	55.7
03/28/26 13:00	13100	392	2.31	BDL	BDL	1.39	BDL	BDL	BDL	BDL	3.80	29.1
03/28/26 13:30	12900	392	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.7	32.8
03/28/26 14:00	12900	393	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	9.85
03/28/26 14:30	12800	394	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.91	31.7
03/28/26 15:00	12500	394	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.69	56.2
03/28/26 15:30	12600	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.843	158.
03/28/26 16:00	14100	392	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	179.
03/28/26 16:30	15100	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	169.
03/28/26 17:00	15100	386	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	149.
03/28/26 17:30	15000	386	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	142.
03/28/26 18:00	15100	386	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.94	140.
03/28/26 18:30	15300	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	138.
03/28/26 19:00	15400	384	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	121.
03/28/26 19:30	15300	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	110.
03/28/26 20:00	15200	381	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	110.
03/28/26 20:30	15200	380	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	108.
03/28/26 21:00	15300	379	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	104.
03/28/26 21:30	15300	379	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	102.
03/28/26 22:00	15200	379	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	96.5
03/28/26 22:30	15300	378	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	106.
03/28/26 23:00	15400	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	116.
03/28/26 23:30	15700	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	116.
03/29/26 00:00	15700	379	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.89	116.

Daily Processed Summary (Average, Maximum Value)

Average	15100	385	2.27	BDL	BDL	0.7	BDL	BDL	BDL	BDL	3.11	53.3
Maximum Value	21600	394	2.48	-	-	10	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/29/26 00:30	15900	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	122.
03/29/26 01:00	15800	378	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	114.
03/29/26 01:30	15600	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	117.
03/29/26 02:00	15700	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	111.
03/29/26 02:30	15600	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	111.
03/29/26 03:00	16000	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.93	123.
03/29/26 03:30	16000	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.67	121.
03/29/26 04:00	15800	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.68	123.
03/29/26 04:30	15800	378	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.83	127.
03/29/26 05:00	15800	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.67	119.
03/29/26 05:30	15700	378	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.10	96.1
03/29/26 06:00	15700	377	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.36	105.
03/29/26 06:30	16100	377	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.23	107.
03/29/26 07:00	17000	378	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	136.
03/29/26 07:30	17300	379	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.38	147.
03/29/26 08:00	17200	383	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.97	98.9
03/29/26 08:30	17200	385	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.792	53.7
03/29/26 09:00	17200	387	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.827	80.1
03/29/26 09:30	17900	386	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.40	112.
03/29/26 10:00	18200	388	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.40	131.
03/29/26 10:30	17800	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	144.
03/29/26 11:00	18100	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.1	134.
03/29/26 11:30	18200	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.63	135.
03/29/26 12:00	17700	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.49	139.
03/29/26 12:30	17200	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.49	148.
03/29/26 13:00	17500	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.43	140.
03/29/26 13:30	18100	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.33	129.
03/29/26 14:00	18100	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.31	127.
03/29/26 14:30	18500	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.30	133.
03/29/26 15:00	18500	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.08	129.
03/29/26 15:30	18500	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.84	136.
03/29/26 16:00	18400	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.85	142.
03/29/26 16:30	18900	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.84	137.
03/29/26 17:00	19300	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.72	130.
03/29/26 17:30	19500	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.33	143.
03/29/26 18:00	19900	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.57	137.
03/29/26 18:30	20100	386	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.57	143.
03/29/26 19:00	19900	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.36	146.
03/29/26 19:30	19900	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.8	141.
03/29/26 20:00	19900	382	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	143.
03/29/26 20:30	20100	381	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	138.
03/29/26 21:00	20300	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	139.
03/29/26 21:30	20400	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	137.
03/29/26 22:00	20500	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	139.
03/29/26 22:30	20700	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	138.
03/29/26 23:00	20800	379	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	140.
03/29/26 23:30	20900	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	140.
03/30/26 00:00	20800	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	141.

Daily Processed Summary (Average, Maximum Value)

Average	18000	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	134
Maximum Value	20900	389	2.47	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/30/26 00:30	20800	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	147.
03/30/26 01:00	20800	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	156.
03/30/26 01:30	20800	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	158.
03/30/26 02:00	20800	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	161.
03/30/26 02:30	20600	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	166.
03/30/26 03:00	20800	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	164.
03/30/26 03:30	21000	378	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	153.
03/30/26 04:00	21100	378	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.59	160.
03/30/26 04:30	21200	377	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	152.
03/30/26 05:00	21000	378	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	157.
03/30/26 05:30	20700	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.83	166.
03/30/26 06:00	20700	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.14	168.
03/30/26 06:30	20700	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	168.
03/30/26 07:00	20700	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.56	167.
03/30/26 07:30	20900	379	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	157.
03/30/26 08:00	20900	379	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	160.
03/30/26 08:30	21200	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	170.
03/30/26 09:00	21100	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	169.
03/30/26 09:30	20900	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	173.
03/30/26 10:00	20700	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	164.
03/30/26 10:30	20700	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.53	158.
03/30/26 11:00	20400	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.13	148.
03/30/26 11:30	20300	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	141.
03/30/26 12:00	20200	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.54	141.
03/30/26 12:30	20100	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.91	148.
03/30/26 13:00	19400	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.11	149.
03/30/26 13:30	19500	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.38	146.
03/30/26 14:00	19200	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.82	142.
03/30/26 14:30	19800	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.98	146.
03/30/26 15:00	20000	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.76	145.
03/30/26 15:30	20100	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.99	139.
03/30/26 16:00	20500	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.75	135.
03/30/26 16:30	19900	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.85	134.
03/30/26 17:00	20100	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.88	138.
03/30/26 17:30	20500	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.33	143.
03/30/26 18:00	20800	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	141.
03/30/26 18:30	21100	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.25	147.
03/30/26 19:00	21000	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	145.
03/30/26 19:30	21200	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	141.
03/30/26 20:00	21500	381	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	140.
03/30/26 20:30	21600	380	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.58	143.
03/30/26 21:00	21800	380	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.01	143.
03/30/26 21:30	21900	380	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.45	144.
03/30/26 22:00	21800	379	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.68	144.
03/30/26 22:30	21900	379	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.59	145.
03/30/26 23:00	21900	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.4	145.
03/30/26 23:30	22300	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	143.
03/31/26 00:00	22200	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.65	146.

Daily Processed Summary (Average, Maximum Value)

Average	20800	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.56	149
Maximum Value	22300	390	2.2	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/31/26 00:30	22300	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	147.
03/31/26 01:00	22300	378	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	154.
03/31/26 01:30	22200	378	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	168.
03/31/26 02:00	22100	378	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	169.
03/31/26 02:30	22200	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.73	173.
03/31/26 03:00	22300	374	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	170.
03/31/26 03:30	22400	374	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	169.
03/31/26 04:00	22500	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.09	166.
03/31/26 04:30	22500	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	150.
03/31/26 05:00	22300	377	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.15	166.
03/31/26 05:30	22200	379	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	164.
03/31/26 06:00	22100	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	161.
03/31/26 06:30	22400	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	161.
03/31/26 07:00	22400	376	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	165.
03/31/26 07:30	22600	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.60	160.
03/31/26 08:00	22900	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	151.
03/31/26 08:30	22900	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	146.
03/31/26 09:00	23300	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.51	139.
03/31/26 09:30	23100	380	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.71	144.
03/31/26 10:00	23000	380	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.56	147.
03/31/26 10:30	22900	380	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.	148.
03/31/26 11:00	23000	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.05	148.
03/31/26 11:30	23100	383	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	146.
03/31/26 12:00	23000	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	145.
03/31/26 12:30	22800	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	146.
03/31/26 13:00	22700	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	150.
03/31/26 13:30	22600	386	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	147.
03/31/26 14:00	22500	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	148.
03/31/26 14:30	22400	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	151.
03/31/26 15:00	22500	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	152.
03/31/26 15:30	22600	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	147.
03/31/26 16:00	22400	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	146.
03/31/26 16:30	22500	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	143.
03/31/26 17:00	22300	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	148.
03/31/26 17:30	22200	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	148.
03/31/26 18:00	21900	384	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	147.
03/31/26 18:30	22200	384	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.95	150.
03/31/26 19:00	22700	382	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.93	150.
03/31/26 19:30	22500	379	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.11	145.
03/31/26 20:00	22700	378	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.22	145.
03/31/26 20:30	23000	376	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.97	142.
03/31/26 21:00	23200	375	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.28	142.
03/31/26 21:30	23300	374	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.12	144.
03/31/26 22:00	23400	374	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.37	143.
03/31/26 22:30	23300	374	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.09	147.
03/31/26 23:00	23300	375	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	157.
03/31/26 23:30	23300	374	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.64	150.
04/01/26 00:00	23400	374	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	148.

Daily Processed Summary (Average, Maximum Value)

Average	22700	379	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.64	151
Maximum Value	23400	386	2.18	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR Daily (24-hour) Averages

Site: Formosa North AAMS

Date	Capture%	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)	Met Capture%
01/01/26	100	13900	430	2.27	BDL	BDL	0.538	BDL	BDL	BDL	BDL	5.53	185	100
01/02/26	100	17900	431	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	202	100
01/03/26	100	13200	433	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	334	100
01/04/26	100	12200	428	2.39	BDL	BDL	1.55	BDL	BDL	BDL	BDL	5.21	98.5	100
01/05/26	94.3	16200	428	2.3	BDL	BDL	1.98	BDL	BDL	BDL	BDL	8.24	140	100
01/06/26	0	-	-	-	-	-	-	-	-	-	-	6.03	189	100
01/07/26	84	22000	441	2.22	BDL	BDL	0.649	BDL	BDL	BDL	BDL	8.67	165	100
01/08/26	100	21900	436	2.38	BDL	BDL	0.175	BDL	BDL	BDL	BDL	14.5	169	100
01/09/26	100	24200	433	2.18	BDL	BDL	0.888	BDL	BDL	BDL	BDL	8.32	158	100
01/10/26	100	8460	418	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	342	100
01/11/26	100	4460	416	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	342	100
01/12/26	100	6200	421	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	8.96	100
01/13/26	100	9100	421	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.36	13.9	100
01/14/26	100	7790	421	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.84	317	100
01/15/26	100	6190	416	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	353	100
01/16/26	41.7	10300	414	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	191	100
01/17/26	0	-	-	-	-	-	-	-	-	-	-	15.8	12	100
01/18/26	0	-	-	-	-	-	-	-	-	-	-	1.97	249	100
01/19/26	0	-	-	-	-	-	-	-	-	-	-	4.15	124	100
01/20/26	0	-	-	-	-	-	-	-	-	-	-	8.22	85.2	100
01/21/26	0	-	-	-	-	-	-	-	-	-	-	4.89	167	100
01/22/26	0	-	-	-	-	-	-	-	-	-	-	4.61	89.5	100
01/23/26	20.5	18300	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.74	94.1	100
01/24/26	66.7	10100	391	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	11.7	100
01/25/26	0	-	-	-	-	-	-	-	-	-	-	17	338	100
01/26/26	0	-	-	-	-	-	-	-	-	-	-	11.5	348	100
01/27/26	80	4620	396	2.37	BDL	BDL	3.12	BDL	BDL	BDL	BDL	1.43	93.3	100
01/28/26	93.8	5800	399	2.37	BDL	BDL	1.58	BDL	BDL	BDL	BDL	2.54	25.6	100
01/29/26	93.6	10400	401	2.34	BDL	BDL	1.31	BDL	BDL	BDL	BDL	3.6	162	100
01/30/26	100	5360	398	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	344	100
01/31/26	100	3500	389	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.83	14.8	100

Daily Processed Summary (Average, Maximum Value)

Average	63.7	11500	416	2.32	BDL	BDL	0.536	BDL	BDL	BDL	BDL	1.68	29.7	100
Maximum Value	100	24200	441	2.5	BDL	BDL	3.12	BDL	BDL	BDL	BDL	-	-	100

BDL = Below Detection Limit

Blank = Not Available

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/01/26 00:30	9780	420	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	182.
01/01/26 01:00	10200	421	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	192.
01/01/26 01:30	10600	420	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	197.
01/01/26 02:00	10800	420	2.78	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.69	200.
01/01/26 02:30	10900	418	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.67	193.
01/01/26 03:00	10700	419	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.811	185.
01/01/26 03:30	10400	420	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.543	202.
01/01/26 04:00	9980	424	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.577	242.
01/01/26 04:30	9720	423	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.505	329.
01/01/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.12	301.
01/01/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.18	312.
01/01/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.596	316.
01/01/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.598	312.
01/01/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.586	328.
01/01/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.591	0.599
01/01/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.592	357.
01/01/26 08:30	10100	435	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.57	14.3
01/01/26 09:00	11200	430	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.4	3.52
01/01/26 09:30	10700	427	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.75	227.
01/01/26 10:00	11200	429	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	227.
01/01/26 10:30	11300	429	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	235.
01/01/26 11:00	12000	429	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.	222.
01/01/26 11:30	12700	430	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.93	199.
01/01/26 12:00	13100	430	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	197.
01/01/26 12:30	13400	430	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	195.
01/01/26 13:00	14000	432	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	193.
01/01/26 13:30	14100	431	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	191.
01/01/26 14:00	13900	432	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	193.
01/01/26 14:30	14000	432	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	190.
01/01/26 15:00	14500	432	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	189.
01/01/26 15:30	15100	433	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	189.
01/01/26 16:00	15500	432	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	186.
01/01/26 16:30	15600	431	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	180.
01/01/26 17:00	15900	432	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	172.
01/01/26 17:30	15800	435	2.24	BDL	BDL	2.67	BDL	BDL	BDL	BDL	9.66	171.
01/01/26 18:00	15800	439	2.28	BDL	BDL	12.5	BDL	BDL	BDL	BDL	7.46	161.
01/01/26 18:30	15500	438	2.25	BDL	BDL	6.89	BDL	BDL	BDL	BDL	7.32	144.
01/01/26 19:00	15700	435	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	145.
01/01/26 19:30	16200	439	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	146.
01/01/26 20:00	17000	443	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.88	146.
01/01/26 20:30	17500	440	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.34	168.
01/01/26 21:00	17600	433	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.37	173.
01/01/26 21:30	17700	431	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.15	181.
01/01/26 22:00	17800	430	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.6	182.
01/01/26 22:30	18000	429	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.86	184.
01/01/26 23:00	18300	428	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	184.
01/01/26 23:30	18700	429	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	187.
01/02/26 00:00	18500	429	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.68	196.

Daily Processed Summary (Average, Maximum Value)

Average	13900	430	2.27	BDL	BDL	0.538	BDL	BDL	BDL	BDL	5.53	185
Maximum Value	18700	443	2.78	-	-	12.5	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/02/26 00:30	18600	427	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.82	192.
01/02/26 01:00	18600	428	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	201.
01/02/26 01:30	18800	427	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.39	204.
01/02/26 02:00	18900	426	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	206.
01/02/26 02:30	18800	425	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.08	208.
01/02/26 03:00	18700	425	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	205.
01/02/26 03:30	18600	424	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	205.
01/02/26 04:00	18300	425	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	203.
01/02/26 04:30	18000	424	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	206.
01/02/26 05:00	17800	423	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	211.
01/02/26 05:30	17600	422	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	211.
01/02/26 06:00	17400	422	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	210.
01/02/26 06:30	17300	422	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.39	204.
01/02/26 07:00	17100	426	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	211.
01/02/26 07:30	16800	427	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.01	208.
01/02/26 08:00	16800	433	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	211.
01/02/26 08:30	17100	435	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	220.
01/02/26 09:00	17400	434	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	222.
01/02/26 09:30	17600	436	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.4	212.
01/02/26 10:00	17600	436	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.99	204.
01/02/26 10:30	17100	437	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.75	224.
01/02/26 11:00	16600	436	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	231.
01/02/26 11:30	16500	436	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	215.
01/02/26 12:00	16800	437	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.36	212.
01/02/26 12:30	15700	437	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	233.
01/02/26 13:00	15200	438	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	223.
01/02/26 13:30	14800	439	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	210.
01/02/26 14:00	16300	441	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.87	198.
01/02/26 14:30	16300	442	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	199.
01/02/26 15:00	16500	442	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	210.
01/02/26 15:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	11.2	192.
01/02/26 16:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	11.0	189.
01/02/26 16:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	11.2	184.
01/02/26 17:00	17500	438	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	184.
01/02/26 17:30	17500	437	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	187.
01/02/26 18:00	17700	436	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	188.
01/02/26 18:30	17800	436	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	188.
01/02/26 19:00	18400	435	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	189.
01/02/26 19:30	18800	433	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	191.
01/02/26 20:00	19100	432	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	189.
01/02/26 20:30	19600	431	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	189.
01/02/26 21:00	19800	430	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.85	189.
01/02/26 21:30	19900	429	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.69	189.
01/02/26 22:00	20000	428	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.75	191.
01/02/26 22:30	19800	428	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.19	191.
01/02/26 23:00	19600	427	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	191.
01/02/26 23:30	19500	427	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.34	189.
01/03/26 00:00	19600	428	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.3	192.

Daily Processed Summary (Average, Maximum Value)

Average	17900	431	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	202
Maximum Value	20000	442	2.3	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/03/26 00:30	19700	428	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	196.
01/03/26 01:00	19800	428	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	207.
01/03/26 01:30	19500	427	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	220.
01/03/26 02:00	19400	425	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	209.
01/03/26 02:30	19200	424	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.16	189.
01/03/26 03:00	19000	424	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	194.
01/03/26 03:30	18300	428	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.09	199.
01/03/26 04:00	17800	429	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.99	214.
01/03/26 04:30	17100	431	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	222.
01/03/26 05:00	16700	431	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	218.
01/03/26 05:30	16300	431	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	223.
01/03/26 06:00	15900	431	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.63	223.
01/03/26 06:30	15500	433	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	231.
01/03/26 07:00	15100	434	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	241.
01/03/26 07:30	14700	435	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	249.
01/03/26 08:00	14400	437	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	253.
01/03/26 08:30	14100	438	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	260.
01/03/26 09:00	13600	439	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	278.
01/03/26 09:30	12900	438	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	301.
01/03/26 10:00	12200	434	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	315.
01/03/26 10:30	11100	432	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	332.
01/03/26 11:00	10100	432	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	346.
01/03/26 11:30	9530	433	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	344.
01/03/26 12:00	9570	434	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.14	333.
01/03/26 12:30	9450	436	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	346.
01/03/26 13:00	9560	436	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	357.
01/03/26 13:30	9670	436	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	353.
01/03/26 14:00	9180	437	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	354.
01/03/26 14:30	8970	437	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	355.
01/03/26 15:00	9280	438	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	351.
01/03/26 15:30	9760	439	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	357.
01/03/26 16:00	10200	440	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	358.
01/03/26 16:30	10500	440	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	6.33
01/03/26 17:00	11000	439	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	4.18
01/03/26 17:30	11500	438	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	8.86
01/03/26 18:00	11600	438	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.70	20.5
01/03/26 18:30	11600	436	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.642	30.7
01/03/26 19:00	11400	435	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.43	26.7
01/03/26 19:30	11700	435	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	30.1
01/03/26 20:00	12100	434	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	33.8
01/03/26 20:30	12200	434	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	30.6
01/03/26 21:00	12200	432	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	28.6
01/03/26 21:30	12200	432	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	30.3
01/03/26 22:00	12000	432	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.58	24.4
01/03/26 22:30	11800	432	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.05	17.9
01/03/26 23:00	11800	432	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	20.7
01/03/26 23:30	11900	431	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	23.7
01/04/26 00:00	11700	430	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.43	26.6

Daily Processed Summary (Average, Maximum Value)

Average	13200	433	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	334
Maximum Value	19800	440	2.61	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/04/26 00:30	11500	431	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	21.9
01/04/26 01:00	11400	430	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.15	26.8
01/04/26 01:30	11400	432	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.24	30.9
01/04/26 02:00	11300	432	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.9	32.5
01/04/26 02:30	11200	431	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.22	39.3
01/04/26 03:00	11000	432	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	32.8
01/04/26 03:30	10800	432	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	27.9
01/04/26 04:00	10500	432	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	27.8
01/04/26 04:30	10800	428	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	35.3
01/04/26 05:00	10800	428	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.82	33.3
01/04/26 05:30	10600	424	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.03	42.4
01/04/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.95	26.6
01/04/26 06:30	10100	426	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.74	32.7
01/04/26 07:00	9980	424	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.1	26.3
01/04/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.11	35.
01/04/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.44	45.9
01/04/26 08:30	10500	433	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.36	39.7
01/04/26 09:00	11300	432	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	58.5
01/04/26 09:30	11700	431	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	65.9
01/04/26 10:00	12100	429	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	92.9
01/04/26 10:30	12400	426	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.09	92.7
01/04/26 11:00	12600	428	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	122.
01/04/26 11:30	12500	430	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	128.
01/04/26 12:00	12500	429	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	114.
01/04/26 12:30	12300	429	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	98.4
01/04/26 13:00	12600	430	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.69	120.
01/04/26 13:30	12500	428	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	124.
01/04/26 14:00	12400	427	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	117.
01/04/26 14:30	12400	429	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	111.
01/04/26 15:00	12800	432	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	147.
01/04/26 15:30	12600	431	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.62	129.
01/04/26 16:00	12300	430	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	112.
01/04/26 16:30	12300	430	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	108.
01/04/26 17:00	12400	429	2.28	BDL	BDL	2.76	BDL	BDL	BDL	BDL	7.97	113.
01/04/26 17:30	12700	428	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.5	109.
01/04/26 18:00	12800	428	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	111.
01/04/26 18:30	12900	428	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.19	113.
01/04/26 19:00	12900	427	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.32	115.
01/04/26 19:30	13000	425	2.23	BDL	BDL	12.1	BDL	BDL	BDL	BDL	7.61	115.
01/04/26 20:00	13100	425	2.24	BDL	BDL	13.2	BDL	BDL	BDL	BDL	7.77	116.
01/04/26 20:30	13200	426	2.23	BDL	BDL	14.1	BDL	BDL	BDL	BDL	7.96	119.
01/04/26 21:00	13200	426	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.34	119.
01/04/26 21:30	13300	426	2.31	BDL	BDL	2.84	BDL	BDL	BDL	BDL	6.19	108.
01/04/26 22:00	13200	425	2.43	BDL	BDL	5.76	BDL	BDL	BDL	BDL	7.02	104.
01/04/26 22:30	13500	425	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.01	116.
01/04/26 23:00	13600	425	2.23	BDL	BDL	6.21	BDL	BDL	BDL	BDL	10.0	121.
01/04/26 23:30	14000	426	2.23	BDL	BDL	5.25	BDL	BDL	BDL	BDL	7.16	131.
01/05/26 00:00	14300	427	2.22	BDL	BDL	7.63	BDL	BDL	BDL	BDL	7.39	142.

Daily Processed Summary (Average, Maximum Value)

Average	12200	428	2.39	BDL	BDL	1.55	BDL	BDL	BDL	BDL	5.21	98.5
Maximum Value	14300	433	2.68	-	-	14.1	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/05/26 00:30	14700	427	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	148.
01/05/26 01:00	15500	431	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.6	144.
01/05/26 01:30	15400	428	2.24	BDL	BDL	11.8	BDL	BDL	BDL	BDL	7.39	127.
01/05/26 02:00	14600	428	2.29	BDL	BDL	15.1	BDL	BDL	BDL	BDL	5.22	87.4
01/05/26 02:30	14400	426	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	84.4
01/05/26 03:00	14300	417	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.65	91.5
01/05/26 03:30	13200	425	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.43	46.8
01/05/26 04:00	13000	424	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	51.2
01/05/26 04:30	13400	422	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.23	50.4
01/05/26 05:00	13500	426	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.54	55.3
01/05/26 05:30	13600	426	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	64.0
01/05/26 06:00	13600	424	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	72.9
01/05/26 06:30	13500	421	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.45	78.4
01/05/26 07:00	13600	418	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	83.3
01/05/26 07:30	13600	423	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	90.0
01/05/26 08:00	13900	429	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	97.4
01/05/26 08:30	14700	433	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	106.
01/05/26 09:00	15700	430	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.12	103.
01/05/26 09:30	16500	429	2.27	BDL	BDL	27.4	BDL	BDL	BDL	BDL	7.61	114.
01/05/26 10:00	17000	427	2.26	BDL	BDL	11.1	BDL	BDL	BDL	BDL	8.51	115.
01/05/26 10:30	17500	428	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	117.
01/05/26 11:00	18000	428	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	115.
01/05/26 11:30	18700	430	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	140.
01/05/26 12:00	19000	432	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	145.
01/05/26 12:30	19200	432	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	143.
01/05/26 13:00	19200	434	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	145.
01/05/26 13:30	19200	433	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	141.
01/05/26 14:00	19200	433	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	143.
01/05/26 14:30	19300	434	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	140.
01/05/26 15:00	19600	435	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	142.
01/05/26 15:30	19600	433	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	142.
01/05/26 16:00	19700	432	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	142.
01/05/26 16:30	19800	433	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	142.
01/05/26 17:00	L	L	L	L	L	L	L	L	L	L	14.2	141.
01/05/26 17:30	L	L	L	L	L	L	L	L	L	L	11.4	145.
01/05/26 18:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.18	152.
01/05/26 18:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.46	158.
01/05/26 19:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.1	167.
01/05/26 19:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.3	167.
01/05/26 20:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.0	168.
01/05/26 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	13.3	168.
01/05/26 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.8	173.
01/05/26 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.9	171.
01/05/26 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.2	175.
01/05/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.8	175.
01/05/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.6	172.
01/05/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.4	173.
01/06/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.6	174.

Daily Processed Summary (Average, Maximum Value)

Average	16200	428	2.3	BDL	BDL	1.98	BDL	BDL	BDL	BDL	8.24	140
Maximum Value	19800	435	2.55	-	-	27.4	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/06/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.65	177.
01/06/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.60	181.
01/06/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.	192.
01/06/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.69	188.
01/06/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.39	193.
01/06/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.23	212.
01/06/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.68	204.
01/06/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.2	174.
01/06/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.39	172.
01/06/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.38	172.
01/06/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.2	175.
01/06/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.16	175.
01/06/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.30	176.
01/06/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.53	179.
01/06/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.5	188.
01/06/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.05	187.
01/06/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.05	200.
01/06/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.35	207.
01/06/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.42	204.
01/06/26 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.98	217.
01/06/26 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.47	228.
01/06/26 11:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.05	276.
01/06/26 11:30	L	L	L	L	L	L	L	L	L	L	4.67	223.
01/06/26 12:00	L	L	L	L	L	L	L	L	L	L	8.62	194.
01/06/26 12:30	L	L	L	L	L	L	L	L	L	L	8.82	216.
01/06/26 13:00	L	L	L	L	L	L	L	L	L	L	8.22	205.
01/06/26 13:30	L	L	L	L	L	L	L	L	L	L	6.49	221.
01/06/26 14:00	L	L	L	L	L	L	L	L	L	L	3.94	220.
01/06/26 14:30	L	L	L	L	L	L	L	L	L	L	4.67	196.
01/06/26 15:00	L	L	L	L	L	L	L	L	L	L	5.48	208.
01/06/26 15:30	L	L	L	L	L	L	L	L	L	L	4.75	212.
01/06/26 16:00	L	L	L	L	L	L	L	L	L	L	6.17	182.
01/06/26 16:30	L	L	L	L	L	L	L	L	L	L	9.32	171.
01/06/26 17:00	L	L	L	L	L	L	L	L	L	L	9.63	174.
01/06/26 17:30	L	L	L	L	L	L	L	L	L	L	10.0	173.
01/06/26 18:00	L	L	L	L	L	L	L	L	L	L	9.80	173.
01/06/26 18:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.77	174.
01/06/26 19:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.04	175.
01/06/26 19:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.48	177.
01/06/26 20:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.73	183.
01/06/26 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.95	185.
01/06/26 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.06	183.
01/06/26 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.64	179.
01/06/26 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.54	183.
01/06/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.31	184.
01/06/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.41	188.
01/06/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.68	193.
01/07/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.99	200.

Daily Processed Summary (Average, Maximum Value)

Average	-	-	-	-	-	-	-	-	-	-	6.03	189
Maximum Value	-	-	-	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/07/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.08	194.
01/07/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.72	197.
01/07/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.50	201.
01/07/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.40	188.
01/07/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.71	191.
01/07/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.36	182.
01/07/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.62	176.
01/07/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.63	183.
01/07/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.59	189.
01/07/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.09	184.
01/07/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.11	175.
01/07/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.10	178.
01/07/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.74	177.
01/07/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.31	172.
01/07/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.17	168.
01/07/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.67	166.
01/07/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.52	154.
01/07/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.29	93.4
01/07/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.01	99.3
01/07/26 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.63	132.
01/07/26 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.50	170.
01/07/26 11:00	L	L	L	L	L	L	L	L	L	L	7.55	186.
01/07/26 11:30	L	L	L	L	L	L	L	L	L	L	6.39	193.
01/07/26 12:00	L	L	L	L	L	L	L	L	L	L	9.6	187.
01/07/26 12:30	L	L	L	L	L	L	L	L	L	L	11.8	196.
01/07/26 13:00	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	11.5	194.
01/07/26 13:30	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	12.3	191.
01/07/26 14:00	21600	437	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	175.
01/07/26 14:30	21500	436	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	174.
01/07/26 15:00	21500	437	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	170.
01/07/26 15:30	21600	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.	167.
01/07/26 16:00	21700	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	161.
01/07/26 16:30	21800	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	159.
01/07/26 17:00	21900	448	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	156.
01/07/26 17:30	21900	442	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	148.
01/07/26 18:00	22000	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	147.
01/07/26 18:30	21900	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	143.
01/07/26 19:00	22100	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	148.
01/07/26 19:30	22100	439	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	143.
01/07/26 20:00	22000	445	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	148.
01/07/26 20:30	22000	441	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	146.
01/07/26 21:00	22000	438	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	145.
01/07/26 21:30	22300	448	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	150.
01/07/26 22:00	22300	448	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	149.
01/07/26 22:30	22300	446	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	152.
01/07/26 23:00	22300	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	161.
01/07/26 23:30	22400	441	2.2	BDL	BDL	10.8	BDL	BDL	BDL	BDL	13.5	159.
01/08/26 00:00	22600	447	2.21	BDL	BDL	2.82	BDL	BDL	BDL	BDL	15.3	157.

Daily Processed Summary (Average, Maximum Value)

Average	22000	441	2.22	BDL	BDL	0.649	BDL	BDL	BDL	BDL	8.67	165
Maximum Value	22600	448	2.29	-	-	10.8	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/08/26 00:30	22700	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	157.
01/08/26 01:00	22600	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.7	156.
01/08/26 01:30	22600	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.2	157.
01/08/26 02:00	22400	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	162.
01/08/26 02:30	22200	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	164.
01/08/26 03:00	22000	430	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.7	164.
01/08/26 03:30	22100	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.4	164.
01/08/26 04:00	22300	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	164.
01/08/26 04:30	22700	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	163.
01/08/26 05:00	22600	429	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	169.
01/08/26 05:30	22600	427	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	170.
01/08/26 06:00	22700	433	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	165.
01/08/26 06:30	22800	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.1	164.
01/08/26 07:00	23100	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.2	159.
01/08/26 07:30	23300	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.3	157.
01/08/26 08:00	23100	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.3	158.
01/08/26 08:30	22600	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.6	166.
01/08/26 09:00	22500	429	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	177.
01/08/26 09:30	22500	429	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	177.
01/08/26 10:00	22100	431	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	178.
01/08/26 10:30	21500	431	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.3	180.
01/08/26 11:00	21100	433	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.0	186.
01/08/26 11:30	20300	434	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.3	185.
01/08/26 12:00	19900	433	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.9	185.
01/08/26 12:30	19900	435	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.9	185.
01/08/26 13:00	20000	435	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.2	187.
01/08/26 13:30	20300	434	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	188.
01/08/26 14:00	20500	433	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	187.
01/08/26 14:30	20300	435	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	189.
01/08/26 15:00	20600	435	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	190.
01/08/26 15:30	20600	436	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	182.
01/08/26 16:00	20500	435	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	180.
01/08/26 16:30	20800	434	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	174.
01/08/26 17:00	20700	434	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	174.
01/08/26 17:30	21100	433	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	175.
01/08/26 18:00	21600	433	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	170.
01/08/26 18:30	22100	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.63	159.
01/08/26 19:00	22400	442	3.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.35	140.
01/08/26 19:30	22500	441	3.24	BDL	BDL	2.11	BDL	BDL	BDL	BDL	7.78	143.
01/08/26 20:00	22500	447	4.67	BDL	BDL	2.71	BDL	BDL	BDL	BDL	8.61	147.
01/08/26 20:30	22500	445	4.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.17	145.
01/08/26 21:00	22600	441	3.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	140.
01/08/26 21:30	22700	435	2.74	BDL	BDL	3.59	BDL	BDL	BDL	BDL	11.4	140.
01/08/26 22:00	22900	449	3.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	153.
01/08/26 22:30	22900	437	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	165.
01/08/26 23:00	22800	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	169.
01/08/26 23:30	23000	436	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	171.
01/09/26 00:00	23300	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.05	173.

Daily Processed Summary (Average, Maximum Value)

Average	21900	436	2.38	BDL	BDL	0.175	BDL	BDL	BDL	BDL	14.5	169
Maximum Value	23300	449	4.67	-	-	3.59	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/09/26 00:30	23600	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.90	166.
01/09/26 01:00	23800	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	172.
01/09/26 01:30	24000	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.7	172.
01/09/26 02:00	24000	430	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	177.
01/09/26 02:30	24200	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	172.
01/09/26 03:00	24400	436	2.25	BDL	BDL	4.19	BDL	BDL	BDL	BDL	4.49	153.
01/09/26 03:30	24100	432	2.27	BDL	BDL	8.62	BDL	BDL	BDL	BDL	3.79	119.
01/09/26 04:00	24000	426	2.24	BDL	BDL	13.1	BDL	BDL	BDL	BDL	5.95	122.
01/09/26 04:30	24400	427	2.16	BDL	BDL	7.19	BDL	BDL	BDL	BDL	6.44	131.
01/09/26 05:00	24600	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	151.
01/09/26 05:30	24700	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	145.
01/09/26 06:00	24600	435	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.57	143.
01/09/26 06:30	24500	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.22	144.
01/09/26 07:00	24400	431	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	138.
01/09/26 07:30	24300	426	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	137.
01/09/26 08:00	24400	427	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	141.
01/09/26 08:30	24600	429	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	141.
01/09/26 09:00	24700	429	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	139.
01/09/26 09:30	24600	432	2.23	BDL	BDL	9.54	BDL	BDL	BDL	BDL	11.6	139.
01/09/26 10:00	24400	432	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	136.
01/09/26 10:30	24500	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	141.
01/09/26 11:00	24600	442	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.85	148.
01/09/26 11:30	24900	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	143.
01/09/26 12:00	24800	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	154.
01/09/26 12:30	24800	445	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	156.
01/09/26 13:00	24600	443	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	162.
01/09/26 13:30	24600	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	160.
01/09/26 14:00	24200	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	162.
01/09/26 14:30	24000	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	170.
01/09/26 15:00	24000	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	169.
01/09/26 15:30	23900	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	167.
01/09/26 16:00	24600	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	164.
01/09/26 16:30	24500	436	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	169.
01/09/26 17:00	24400	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	166.
01/09/26 17:30	24400	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	159.
01/09/26 18:00	24300	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	172.
01/09/26 18:30	24400	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	155.
01/09/26 19:00	24600	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	149.
01/09/26 19:30	24600	434	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.58	169.
01/09/26 20:00	24600	435	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.78	174.
01/09/26 20:30	24500	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.56	177.
01/09/26 21:00	24200	426	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	181.
01/09/26 21:30	24200	422	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	178.
01/09/26 22:00	24400	419	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	195.
01/09/26 22:30	24400	418	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.31	202.
01/09/26 23:00	24300	419	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	227.
01/09/26 23:30	23600	421	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	296.
01/10/26 00:00	18000	425	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	337.

Daily Processed Summary (Average, Maximum Value)

Average	24200	433	2.18	BDL	BDL	0.888	BDL	BDL	BDL	BDL	8.32	158
Maximum Value	24900	445	2.27	-	-	13.1	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/10/26 00:30	16300	424	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	0.725
01/10/26 01:00	16100	424	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.97	9.6
01/10/26 01:30	15600	423	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.99	1.89
01/10/26 02:00	15500	423	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	344.
01/10/26 02:30	14800	423	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	334.
01/10/26 03:00	14500	423	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	342.
01/10/26 03:30	14700	423	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.64	347.
01/10/26 04:00	14600	422	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	338.
01/10/26 04:30	14200	422	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	335.
01/10/26 05:00	13500	420	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	332.
01/10/26 05:30	12600	421	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	336.
01/10/26 06:00	11500	421	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.3	337.
01/10/26 06:30	10800	422	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.1	337.
01/10/26 07:00	10200	421	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.	343.
01/10/26 07:30	9690	421	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.5	346.
01/10/26 08:00	9200	420	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.9	349.
01/10/26 08:30	8920	419	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.1	341.
01/10/26 09:00	8130	417	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.6	343.
01/10/26 09:30	7850	416	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.0	340.
01/10/26 10:00	7380	415	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.2	336.
01/10/26 10:30	6850	415	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.7	342.
01/10/26 11:00	6720	414	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.5	336.
01/10/26 11:30	6530	414	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.6	340.
01/10/26 12:00	6520	415	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.2	337.
01/10/26 12:30	6260	415	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.1	350.
01/10/26 13:00	6330	414	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.7	341.
01/10/26 13:30	6260	414	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.0	342.
01/10/26 14:00	6180	416	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	344.
01/10/26 14:30	6210	417	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.	337.
01/10/26 15:00	6280	416	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	334.
01/10/26 15:30	6250	416	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	335.
01/10/26 16:00	5940	417	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	342.
01/10/26 16:30	5750	419	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	338.
01/10/26 17:00	5570	419	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	344.
01/10/26 17:30	5730	418	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	341.
01/10/26 18:00	5590	418	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	344.
01/10/26 18:30	5500	417	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	346.
01/10/26 19:00	5380	416	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	346.
01/10/26 19:30	5220	416	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	345.
01/10/26 20:00	5080	418	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	343.
01/10/26 20:30	5040	415	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	351.
01/10/26 21:00	5130	413	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	347.
01/10/26 21:30	5160	413	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	348.
01/10/26 22:00	5040	413	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.46	347.
01/10/26 22:30	4820	414	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	354.
01/10/26 23:00	4640	413	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	355.
01/10/26 23:30	4710	413	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.48	355.
01/11/26 00:00	5210	413	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.6	336.

Daily Processed Summary (Average, Maximum Value)

Average	8460	418	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	342
Maximum Value	16300	424	2.36	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/11/26 00:30	5090	411	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	336.
01/11/26 01:00	5210	410	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.75	331.
01/11/26 01:30	5210	412	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.88	329.
01/11/26 02:00	5030	411	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	330.
01/11/26 02:30	5020	412	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.14	332.
01/11/26 03:00	4790	413	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.94	332.
01/11/26 03:30	4510	412	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	333.
01/11/26 04:00	4340	410	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.31	337.
01/11/26 04:30	4400	409	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.7	333.
01/11/26 05:00	4420	408	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.23	337.
01/11/26 05:30	4650	407	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.78	329.
01/11/26 06:00	4620	406	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.52	326.
01/11/26 06:30	4520	407	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.8	338.
01/11/26 07:00	4460	408	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.62	333.
01/11/26 07:30	4460	406	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.51	332.
01/11/26 08:00	4300	408	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.36	341.
01/11/26 08:30	4140	410	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.33	336.
01/11/26 09:00	4210	411	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.46	336.
01/11/26 09:30	4060	412	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	349.
01/11/26 10:00	4040	413	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	335.
01/11/26 10:30	4010	415	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	340.
01/11/26 11:00	3890	418	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.80	334.
01/11/26 11:30	3660	422	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	360.
01/11/26 12:00	3590	425	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.57	4.39
01/11/26 12:30	3580	425	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.93	11.3
01/11/26 13:00	3360	425	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	12.0
01/11/26 13:30	3270	425	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	14.3
01/11/26 14:00	3270	426	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	22.4
01/11/26 14:30	3440	426	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	14.2
01/11/26 15:00	3650	426	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.98	345.
01/11/26 15:30	3630	427	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	336.
01/11/26 16:00	3600	427	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	337.
01/11/26 16:30	3510	425	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.62	345.
01/11/26 17:00	3500	423	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	344.
01/11/26 17:30	3860	423	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	342.
01/11/26 18:00	3690	419	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	347.
01/11/26 18:30	4010	416	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.44	350.
01/11/26 19:00	4080	416	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.587	342.
01/11/26 19:30	4170	415	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.599	338.
01/11/26 20:00	5160	416	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	301.
01/11/26 20:30	5680	414	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.579	305.
01/11/26 21:00	5730	414	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.594	308.
01/11/26 21:30	5980	417	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.599	322.
01/11/26 22:00	6470	418	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.598	319.
01/11/26 22:30	6160	417	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.55	324.
01/11/26 23:00	6130	422	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.8	291.
01/11/26 23:30	5770	418	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.09	291.
01/12/26 00:00	5700	420	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.598	322.

Daily Processed Summary (Average, Maximum Value)

Average	4460	416	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	342
Maximum Value	6470	427	2.62	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/12/26 00:30	5800	424	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.39	345.
01/12/26 01:00	5500	420	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.60	343.
01/12/26 01:30	5490	418	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	343.
01/12/26 02:00	5840	420	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	348.
01/12/26 02:30	5740	419	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.96	343.
01/12/26 03:00	5560	416	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	350.
01/12/26 03:30	5600	417	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	11.4
01/12/26 04:00	5450	416	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.59	2.54
01/12/26 04:30	5410	417	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.05	6.94
01/12/26 05:00	5360	415	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.6	354.
01/12/26 05:30	5640	418	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	0.768
01/12/26 06:00	5870	419	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.51	18.9
01/12/26 06:30	5690	415	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.63	347.
01/12/26 07:00	5750	416	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.25	346.
01/12/26 07:30	6080	416	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	353.
01/12/26 08:00	6360	416	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.02	350.
01/12/26 08:30	6450	417	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	12.7
01/12/26 09:00	6420	419	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.98	31.6
01/12/26 09:30	6650	423	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.10	34.4
01/12/26 10:00	6790	423	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	27.8
01/12/26 10:30	6840	423	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	20.6
01/12/26 11:00	6690	424	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	25.7
01/12/26 11:30	6300	425	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	36.7
01/12/26 12:00	5670	425	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.6	6.03
01/12/26 12:30	5770	427	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	360.
01/12/26 13:00	6030	426	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	337.
01/12/26 13:30	5590	427	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.52	326.
01/12/26 14:00	5900	425	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	330.
01/12/26 14:30	5820	426	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.39	321.
01/12/26 15:00	5560	426	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.04	326.
01/12/26 15:30	5160	426	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.6	354.
01/12/26 16:00	5070	427	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.41	352.
01/12/26 16:30	4900	427	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.81	13.6
01/12/26 17:00	5020	425	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.	21.4
01/12/26 17:30	5060	427	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	350.
01/12/26 18:00	5200	426	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	349.
01/12/26 18:30	6100	423	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	337.
01/12/26 19:00	7310	423	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.7	326.
01/12/26 19:30	7750	423	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.77	333.
01/12/26 20:00	6520	425	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.33	64.7
01/12/26 20:30	5810	424	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.95	46.6
01/12/26 21:00	5680	423	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	55.6
01/12/26 21:30	6600	419	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.20	62.7
01/12/26 22:00	8130	419	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.82	63.1
01/12/26 22:30	9080	417	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	77.1
01/12/26 23:00	9200	416	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	87.6
01/12/26 23:30	8920	417	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	86.6
01/13/26 00:00	8610	417	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	74.8

Daily Processed Summary (Average, Maximum Value)

Average	6200	421	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	8.96
Maximum Value	9200	427	2.62	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/13/26 00:30	8300	415	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	77.6
01/13/26 01:00	8100	416	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	76.5
01/13/26 01:30	8050	419	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.574	113.
01/13/26 02:00	7950	420	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.642	82.8
01/13/26 02:30	7820	421	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.68	76.7
01/13/26 03:00	7700	421	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.82	81.5
01/13/26 03:30	7570	419	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	89.3
01/13/26 04:00	7740	419	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.82	64.8
01/13/26 04:30	7830	420	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	66.1
01/13/26 05:00	7690	420	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	73.9
01/13/26 05:30	7630	420	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.86	82.6
01/13/26 06:00	7890	419	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	66.
01/13/26 06:30	7990	422	2.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.50	79.
01/13/26 07:00	8110	427	2.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.21	96.9
01/13/26 07:30	8290	428	2.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.727	65.4
01/13/26 08:00	8650	432	2.72	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.19	32.6
01/13/26 08:30	8900	430	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.293	20.2
01/13/26 09:00	9440	427	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.403	36.3
01/13/26 09:30	9870	429	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.586	337.
01/13/26 10:00	9660	427	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.775	5.64
01/13/26 10:30	10100	423	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	353.
01/13/26 11:00	10200	425	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	331.
01/13/26 11:30	9910	425	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.36	321.
01/13/26 12:00	9480	419	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	328.
01/13/26 12:30	9260	418	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	327.
01/13/26 13:00	9570	417	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	341.
01/13/26 13:30	9670	418	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	2.23
01/13/26 14:00	9570	420	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	11.9
01/13/26 14:30	9470	422	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	33.4
01/13/26 15:00	9210	423	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	352.
01/13/26 15:30	9250	423	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.99	355.
01/13/26 16:00	9070	421	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.45	350.
01/13/26 16:30	9030	422	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.75	37.3
01/13/26 17:00	9640	420	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.50	15.2
01/13/26 17:30	9540	421	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.93	343.
01/13/26 18:00	9540	421	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.584	334.
01/13/26 18:30	9770	420	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.555	1.66
01/13/26 19:00	9740	418	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.309	79.2
01/13/26 19:30	9780	420	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.414	16.1
01/13/26 20:00	9770	422	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.575	140.
01/13/26 20:30	9900	425	2.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.507	74.7
01/13/26 21:00	9650	421	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.12	161.
01/13/26 21:30	9470	416	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	180.
01/13/26 22:00	9760	418	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	192.
01/13/26 22:30	10300	418	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.80	207.
01/13/26 23:00	10300	418	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.25	212.
01/13/26 23:30	10200	418	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	218.
01/14/26 00:00	10400	421	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	222.

Daily Processed Summary (Average, Maximum Value)

Average	9100	421	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.36	13.9
Maximum Value	10400	432	2.74	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/14/26 00:30	10300	418	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	230.
01/14/26 01:00	10400	417	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.53	229.
01/14/26 01:30	10100	416	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	235.
01/14/26 02:00	9920	416	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	231.
01/14/26 02:30	9910	416	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	232.
01/14/26 03:00	9840	417	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	220.
01/14/26 03:30	9670	418	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	223.
01/14/26 04:00	9380	417	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	223.
01/14/26 04:30	9240	416	2.64	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.04	223.
01/14/26 05:00	9240	416	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	229.
01/14/26 05:30	9200	416	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	238.
01/14/26 06:00	9160	416	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.61	245.
01/14/26 06:30	9080	415	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.72	245.
01/14/26 07:00	9140	414	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	240.
01/14/26 07:30	9060	415	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	253.
01/14/26 08:00	8970	415	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	260.
01/14/26 08:30	8970	418	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.18	264.
01/14/26 09:00	9050	420	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.34	262.
01/14/26 09:30	9310	421	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	268.
01/14/26 10:00	9540	423	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	282.
01/14/26 10:30	9770	425	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	280.
01/14/26 11:00	9260	426	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	281.
01/14/26 11:30	8510	428	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	300.
01/14/26 12:00	8450	429	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	318.
01/14/26 12:30	8350	429	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	324.
01/14/26 13:00	8090	428	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.	343.
01/14/26 13:30	8140	427	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	342.
01/14/26 14:00	7860	428	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	344.
01/14/26 14:30	7460	429	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	340.
01/14/26 15:00	6950	430	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	331.
01/14/26 15:30	6090	430	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.4	342.
01/14/26 16:00	5790	430	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.0	346.
01/14/26 16:30	5730	428	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.3	344.
01/14/26 17:00	5670	428	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.	337.
01/14/26 17:30	5670	425	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	341.
01/14/26 18:00	5620	423	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	345.
01/14/26 18:30	5840	419	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	334.
01/14/26 19:00	5810	418	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	335.
01/14/26 19:30	5870	418	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	332.
01/14/26 20:00	6040	416	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	312.
01/14/26 20:30	6480	415	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.39	320.
01/14/26 21:00	5560	417	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.74	333.
01/14/26 21:30	5180	417	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	349.
01/14/26 22:00	5140	419	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	356.
01/14/26 22:30	5160	418	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	353.
01/14/26 23:00	5370	416	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.71	353.
01/14/26 23:30	5270	417	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	351.
01/15/26 00:00	5390	417	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.73	352.

Daily Processed Summary (Average, Maximum Value)

Average	7790	421	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.84	317
Maximum Value	10400	430	2.65	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/15/26 00:30	5320	417	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	0.286
01/15/26 01:00	5410	417	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	355.
01/15/26 01:30	5690	417	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.79	358.
01/15/26 02:00	5510	414	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	343.
01/15/26 02:30	5550	412	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	338.
01/15/26 03:00	5220	412	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.21	344.
01/15/26 03:30	5410	412	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	342.
01/15/26 04:00	5580	413	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.03	342.
01/15/26 04:30	5560	413	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.11	330.
01/15/26 05:00	5710	410	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	295.
01/15/26 05:30	5590	408	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	292.
01/15/26 06:00	5550	405	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	299.
01/15/26 06:30	5540	404	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	305.
01/15/26 07:00	5580	404	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.78	317.
01/15/26 07:30	5490	405	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.11	337.
01/15/26 08:00	5450	407	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.60	344.
01/15/26 08:30	5370	409	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	358.
01/15/26 09:00	5390	414	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	8.85
01/15/26 09:30	5550	417	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	15.1
01/15/26 10:00	5440	420	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	20.2
01/15/26 10:30	5230	420	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	16.9
01/15/26 11:00	4870	421	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	19.1
01/15/26 11:30	4770	420	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	13.3
01/15/26 12:00	4880	422	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	9.25
01/15/26 12:30	5010	424	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	347.
01/15/26 13:00	4910	423	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	360.
01/15/26 13:30	4880	423	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.60	352.
01/15/26 14:00	4990	423	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	345.
01/15/26 14:30	4960	423	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	352.
01/15/26 15:00	4990	424	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.75	354.
01/15/26 15:30	5040	425	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.69	20.9
01/15/26 16:00	5030	424	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.80	95.9
01/15/26 16:30	5130	423	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.734	91.7
01/15/26 17:00	5750	424	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.69	174.
01/15/26 17:30	7080	420	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	168.
01/15/26 18:00	7160	417	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	178.
01/15/26 18:30	7370	415	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.97	180.
01/15/26 19:00	7850	414	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.68	181.
01/15/26 19:30	7940	414	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.04	182.
01/15/26 20:00	8040	413	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.92	183.
01/15/26 20:30	8070	414	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.03	176.
01/15/26 21:00	8450	414	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	177.
01/15/26 21:30	8800	413	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.94	178.
01/15/26 22:00	9030	413	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.21	178.
01/15/26 22:30	9040	411	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	177.
01/15/26 23:00	9090	412	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.54	174.
01/15/26 23:30	9280	412	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.47	174.
01/16/26 00:00	9380	415	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.96	175.

Daily Processed Summary (Average, Maximum Value)

Average	6190	416	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	353
Maximum Value	9380	425	2.4	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/16/26 00:30	9750	415	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.58	177.
01/16/26 01:00	9680	414	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.83	175.
01/16/26 01:30	9480	415	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.45	176.
01/16/26 02:00	9320	415	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.35	178.
01/16/26 02:30	9580	416	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.29	186.
01/16/26 03:00	10300	412	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	192.
01/16/26 03:30	11000	412	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.56	193.
01/16/26 04:00	11100	414	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	193.
01/16/26 04:30	11200	411	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	187.
01/16/26 05:00	11000	412	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	176.
01/16/26 05:30	11000	413	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	182.
01/16/26 06:00	11100	413	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	202.
01/16/26 06:30	10600	413	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.884	288.
01/16/26 07:00	10000	411	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.568	324.
01/16/26 07:30	9460	410	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	8.04
01/16/26 08:00	9470	414	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.994	15.4
01/16/26 08:30	10200	418	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	17.4
01/16/26 09:00	10800	419	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.42	21.9
01/16/26 09:30	10700	420	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.554	309.
01/16/26 10:00	11100	421	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.22	317.
01/16/26 10:30	M	M	M	M	M	M	M	M	M	M	2.59	299.
01/16/26 11:00	M	M	M	M	M	M	M	M	M	M	3.10	223.
01/16/26 11:30	M	M	M	M	M	M	M	M	M	M	6.58	201.
01/16/26 12:00	M	M	M	M	M	M	M	M	M	M	7.85	187.
01/16/26 12:30	M	M	M	M	M	M	M	M	M	M	8.34	189.
01/16/26 13:00	M	M	M	M	M	M	M	M	M	M	10.3	190.
01/16/26 13:30	M	M	M	M	M	M	M	M	M	M	12.	197.
01/16/26 14:00	M	M	M	M	M	M	M	M	M	M	12.4	197.
01/16/26 14:30	M	M	M	M	M	M	M	M	M	M	12.3	196.
01/16/26 15:00	M	M	M	M	M	M	M	M	M	M	10.7	195.
01/16/26 15:30	M	M	M	M	M	M	M	M	M	M	11.7	191.
01/16/26 16:00	M	M	M	M	M	M	M	M	M	M	11.	198.
01/16/26 16:30	M	M	M	M	M	M	M	M	M	M	9.35	190.
01/16/26 17:00	M	M	M	M	M	M	M	M	M	M	8.88	183.
01/16/26 17:30	M	M	M	M	M	M	M	M	M	M	7.6	186.
01/16/26 18:00	M	M	M	M	M	M	M	M	M	M	5.39	182.
01/16/26 18:30	M	M	M	M	M	M	M	M	M	M	4.66	187.
01/16/26 19:00	M	M	M	M	M	M	M	M	M	M	1.78	180.
01/16/26 19:30	M	M	M	M	M	M	M	M	M	M	1.78	170.
01/16/26 20:00	M	M	M	M	M	M	M	M	M	M	0.586	146.
01/16/26 20:30	M	M	M	M	M	M	M	M	M	M	4.33	344.
01/16/26 21:00	M	M	M	M	M	M	M	M	M	M	17.6	358.
01/16/26 21:30	M	M	M	M	M	M	M	M	M	M	16.2	7.77
01/16/26 22:00	M	M	M	M	M	M	M	M	M	M	16.2	10.2
01/16/26 22:30	M	M	M	M	M	M	M	M	M	M	17.4	16.2
01/16/26 23:00	M	M	M	M	M	M	M	M	M	M	17.	13.6
01/16/26 23:30	M	M	M	M	M	M	M	M	M	M	17.8	11.6
01/17/26 00:00	M	M	M	M	M	M	M	M	M	M	16.1	16.

Daily Processed Summary (Average, Maximum Value)

Average	10300	414	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	191
Maximum Value	11200	421	2.37	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/17/26 00:30	M	M	M	M	M	M	M	M	M	M	15.5	14.8
01/17/26 01:00	M	M	M	M	M	M	M	M	M	M	17.3	8.74
01/17/26 01:30	M	M	M	M	M	M	M	M	M	M	19.1	12.8
01/17/26 02:00	M	M	M	M	M	M	M	M	M	M	19.2	13.8
01/17/26 02:30	M	M	M	M	M	M	M	M	M	M	18.6	14.
01/17/26 03:00	M	M	M	M	M	M	M	M	M	M	17.6	18.6
01/17/26 03:30	M	M	M	M	M	M	M	M	M	M	18.5	18.2
01/17/26 04:00	M	M	M	M	M	M	M	M	M	M	17.2	13.8
01/17/26 04:30	M	M	M	M	M	M	M	M	M	M	16.8	15.6
01/17/26 05:00	M	M	M	M	M	M	M	M	M	M	12.7	11.4
01/17/26 05:30	M	M	M	M	M	M	M	M	M	M	13.5	8.19
01/17/26 06:00	M	M	M	M	M	M	M	M	M	M	16.4	15.1
01/17/26 06:30	M	M	M	M	M	M	M	M	M	M	13.6	13.
01/17/26 07:00	M	M	M	M	M	M	M	M	M	M	14.9	11.8
01/17/26 07:30	M	M	M	M	M	M	M	M	M	M	13.3	16.8
01/17/26 08:00	M	M	M	M	M	M	M	M	M	M	11.5	12.3
01/17/26 08:30	M	M	M	M	M	M	M	M	M	M	13.1	15.2
01/17/26 09:00	M	M	M	M	M	M	M	M	M	M	14.5	18.4
01/17/26 09:30	M	M	M	M	M	M	M	M	M	M	15.9	18.3
01/17/26 10:00	M	M	M	M	M	M	M	M	M	M	16.2	20.9
01/17/26 10:30	M	M	M	M	M	M	M	M	M	M	16.2	24.9
01/17/26 11:00	M	M	M	M	M	M	M	M	M	M	18.3	23.9
01/17/26 11:30	M	M	M	M	M	M	M	M	M	M	17.9	24.9
01/17/26 12:00	M	M	M	M	M	M	M	M	M	M	17.4	22.7
01/17/26 12:30	M	M	M	M	M	M	M	M	M	M	17.5	19.6
01/17/26 13:00	M	M	M	M	M	M	M	M	M	M	18.1	24.8
01/17/26 13:30	M	M	M	M	M	M	M	M	M	M	18.	21.7
01/17/26 14:00	M	M	M	M	M	M	M	M	M	M	18.0	17.4
01/17/26 14:30	M	M	M	M	M	M	M	M	M	M	19.8	18.0
01/17/26 15:00	M	M	M	M	M	M	M	M	M	M	19.3	20.1
01/17/26 15:30	M	M	M	M	M	M	M	M	M	M	18.8	19.9
01/17/26 16:00	M	M	M	M	M	M	M	M	M	M	18.5	16.8
01/17/26 16:30	M	M	M	M	M	M	M	M	M	M	19.3	16.6
01/17/26 17:00	M	M	M	M	M	M	M	M	M	M	19.5	4.32
01/17/26 17:30	M	M	M	M	M	M	M	M	M	M	18.0	9.92
01/17/26 18:00	M	M	M	M	M	M	M	M	M	M	17.4	11.6
01/17/26 18:30	M	M	M	M	M	M	M	M	M	M	14.	17.5
01/17/26 19:00	M	M	M	M	M	M	M	M	M	M	13.7	14.5
01/17/26 19:30	M	M	M	M	M	M	M	M	M	M	17.9	9.29
01/17/26 20:00	M	M	M	M	M	M	M	M	M	M	18.	0.630
01/17/26 20:30	M	M	M	M	M	M	M	M	M	M	17.1	359.
01/17/26 21:00	M	M	M	M	M	M	M	M	M	M	15.4	351.
01/17/26 21:30	M	M	M	M	M	M	M	M	M	M	13.4	345.
01/17/26 22:00	M	M	M	M	M	M	M	M	M	M	12.3	339.
01/17/26 22:30	M	M	M	M	M	M	M	M	M	M	11.4	338.
01/17/26 23:00	M	M	M	M	M	M	M	M	M	M	10.1	340.
01/17/26 23:30	M	M	M	M	M	M	M	M	M	M	12.0	341.
01/18/26 00:00	M	M	M	M	M	M	M	M	M	M	11.7	350.

Daily Processed Summary (Average, Maximum Value)

Average	-	-	-	-	-	-	-	-	-	-	15.8	12
Maximum Value	-	-	-	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/18/26 00:30	M	M	M	M	M	M	M	M	M	M	10.3	348.
01/18/26 01:00	M	M	M	M	M	M	M	M	M	M	8.42	351.
01/18/26 01:30	M	M	M	M	M	M	M	M	M	M	7.76	349.
01/18/26 02:00	M	M	M	M	M	M	M	M	M	M	7.78	345.
01/18/26 02:30	M	M	M	M	M	M	M	M	M	M	2.22	342.
01/18/26 03:00	M	M	M	M	M	M	M	M	M	M	5.47	327.
01/18/26 03:30	M	M	M	M	M	M	M	M	M	M	0.685	305.
01/18/26 04:00	M	M	M	M	M	M	M	M	M	M	0.646	285.
01/18/26 04:30	M	M	M	M	M	M	M	M	M	M	0.578	295.
01/18/26 05:00	M	M	M	M	M	M	M	M	M	M	0.594	313.
01/18/26 05:30	M	M	M	M	M	M	M	M	M	M	3.24	310.
01/18/26 06:00	M	M	M	M	M	M	M	M	M	M	5.02	308.
01/18/26 06:30	M	M	M	M	M	M	M	M	M	M	4.8	313.
01/18/26 07:00	M	M	M	M	M	M	M	M	M	M	3.98	312.
01/18/26 07:30	M	M	M	M	M	M	M	M	M	M	2.35	333.
01/18/26 08:00	M	M	M	M	M	M	M	M	M	M	2.7	318.
01/18/26 08:30	M	M	M	M	M	M	M	M	M	M	4.87	316.
01/18/26 09:00	M	M	M	M	M	M	M	M	M	M	5.97	310.
01/18/26 09:30	M	M	M	M	M	M	M	M	M	M	7.7	315.
01/18/26 10:00	M	M	M	M	M	M	M	M	M	M	6.53	333.
01/18/26 10:30	M	M	M	M	M	M	M	M	M	M	6.16	318.
01/18/26 11:00	M	M	M	M	M	M	M	M	M	M	7.19	299.
01/18/26 11:30	M	M	M	M	M	M	M	M	M	M	6.66	298.
01/18/26 12:00	M	M	M	M	M	M	M	M	M	M	4.24	301.
01/18/26 12:30	M	M	M	M	M	M	M	M	M	M	2.15	296.
01/18/26 13:00	M	M	M	M	M	M	M	M	M	M	2.45	281.
01/18/26 13:30	M	M	M	M	M	M	M	M	M	M	4.26	279.
01/18/26 14:00	M	M	M	M	M	M	M	M	M	M	2.49	273.
01/18/26 14:30	M	M	M	M	M	M	M	M	M	M	2.63	242.
01/18/26 15:00	M	M	M	M	M	M	M	M	M	M	2.69	209.
01/18/26 15:30	M	M	M	M	M	M	M	M	M	M	2.89	234.
01/18/26 16:00	M	M	M	M	M	M	M	M	M	M	3.24	199.
01/18/26 16:30	M	M	M	M	M	M	M	M	M	M	5.59	197.
01/18/26 17:00	M	M	M	M	M	M	M	M	M	M	9.23	175.
01/18/26 17:30	M	M	M	M	M	M	M	M	M	M	10.5	175.
01/18/26 18:00	M	M	M	M	M	M	M	M	M	M	9.09	176.
01/18/26 18:30	M	M	M	M	M	M	M	M	M	M	8.41	178.
01/18/26 19:00	M	M	M	M	M	M	M	M	M	M	7.97	176.
01/18/26 19:30	M	M	M	M	M	M	M	M	M	M	7.18	180.
01/18/26 20:00	M	M	M	M	M	M	M	M	M	M	6.31	183.
01/18/26 20:30	M	M	M	M	M	M	M	M	M	M	6.26	184.
01/18/26 21:00	M	M	M	M	M	M	M	M	M	M	6.64	183.
01/18/26 21:30	M	M	M	M	M	M	M	M	M	M	6.88	186.
01/18/26 22:00	M	M	M	M	M	M	M	M	M	M	5.99	189.
01/18/26 22:30	M	M	M	M	M	M	M	M	M	M	6.2	187.
01/18/26 23:00	M	M	M	M	M	M	M	M	M	M	7.13	188.
01/18/26 23:30	M	M	M	M	M	M	M	M	M	M	6.71	190.
01/19/26 00:00	M	M	M	M	M	M	M	M	M	M	6.63	191.

Daily Processed Summary (Average, Maximum Value)

Average	-	-	-	-	-	-	-	-	-	-	1.97	249
Maximum Value	-	-	-	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/19/26 00:30	M	M	M	M	M	M	M	M	M	M	5.68	195.
01/19/26 01:00	M	M	M	M	M	M	M	M	M	M	4.56	188.
01/19/26 01:30	M	M	M	M	M	M	M	M	M	M	4.42	184.
01/19/26 02:00	M	M	M	M	M	M	M	M	M	M	5.04	187.
01/19/26 02:30	M	M	M	M	M	M	M	M	M	M	3.6	193.
01/19/26 03:00	M	M	M	M	M	M	M	M	M	M	2.57	199.
01/19/26 03:30	M	M	M	M	M	M	M	M	M	M	1.41	209.
01/19/26 04:00	M	M	M	M	M	M	M	M	M	M	0.506	288.
01/19/26 04:30	M	M	M	M	M	M	M	M	M	M	0.595	340.
01/19/26 05:00	M	M	M	M	M	M	M	M	M	M	0.596	335.
01/19/26 05:30	M	M	M	M	M	M	M	M	M	M	0.586	5.1
01/19/26 06:00	M	M	M	M	M	M	M	M	M	M	0.595	36.8
01/19/26 06:30	M	M	M	M	M	M	M	M	M	M	0.593	27.1
01/19/26 07:00	M	M	M	M	M	M	M	M	M	M	0.598	34.8
01/19/26 07:30	M	M	M	M	M	M	M	M	M	M	0.592	37.5
01/19/26 08:00	M	M	M	M	M	M	M	M	M	M	0.592	45.1
01/19/26 08:30	M	M	M	M	M	M	M	M	M	M	0.590	45.8
01/19/26 09:00	M	M	M	M	M	M	M	M	M	M	0.591	32.2
01/19/26 09:30	M	M	M	M	M	M	M	M	M	M	0.580	38.0
01/19/26 10:00	M	M	M	M	M	M	M	M	M	M	0.587	12.9
01/19/26 10:30	M	M	M	M	M	M	M	M	M	M	0.652	84.1
01/19/26 11:00	M	M	M	M	M	M	M	M	M	M	1.87	227.
01/19/26 11:30	M	M	M	M	M	M	M	M	M	M	6.65	176.
01/19/26 12:00	M	M	M	M	M	M	M	M	M	M	10.4	149.
01/19/26 12:30	M	M	M	M	M	M	M	M	M	M	11.3	143.
01/19/26 13:00	M	M	M	M	M	M	M	M	M	M	12.4	137.
01/19/26 13:30	M	M	M	M	M	M	M	M	M	M	9.89	156.
01/19/26 14:00	M	M	M	M	M	M	M	M	M	M	11.9	125.
01/19/26 14:30	M	M	M	M	M	M	M	M	M	M	12.	120.
01/19/26 15:00	M	M	M	M	M	M	M	M	M	M	12.5	139.
01/19/26 15:30	M	M	M	M	M	M	M	M	M	M	12.4	128.
01/19/26 16:00	M	M	M	M	M	M	M	M	M	M	14.7	128.
01/19/26 16:30	M	M	M	M	M	M	M	M	M	M	13.7	143.
01/19/26 17:00	M	M	M	M	M	M	M	M	M	M	13.5	137.
01/19/26 17:30	M	M	M	M	M	M	M	M	M	M	11.3	125.
01/19/26 18:00	M	M	M	M	M	M	M	M	M	M	8.26	116.
01/19/26 18:30	M	M	M	M	M	M	M	M	M	M	7.62	104.
01/19/26 19:00	M	M	M	M	M	M	M	M	M	M	6.15	88.0
01/19/26 19:30	M	M	M	M	M	M	M	M	M	M	2.87	83.2
01/19/26 20:00	M	M	M	M	M	M	M	M	M	M	5.65	70.7
01/19/26 20:30	M	M	M	M	M	M	M	M	M	M	5.6	64.
01/19/26 21:00	M	M	M	M	M	M	M	M	M	M	6.14	66.2
01/19/26 21:30	M	M	M	M	M	M	M	M	M	M	5.15	63.1
01/19/26 22:00	M	M	M	M	M	M	M	M	M	M	5.28	53.1
01/19/26 22:30	M	M	M	M	M	M	M	M	M	M	5.79	54.3
01/19/26 23:00	M	M	M	M	M	M	M	M	M	M	6.30	60.9
01/19/26 23:30	M	M	M	M	M	M	M	M	M	M	5.45	58.4
01/20/26 00:00	M	M	M	M	M	M	M	M	M	M	5.98	53.3

Daily Processed Summary (Average, Maximum Value)

Average	-	-	-	-	-	-	-	-	-	-	4.15	124
Maximum Value	-	-	-	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/20/26 00:30	M	M	M	M	M	M	M	M	M	M	6.98	57.7
01/20/26 01:00	M	M	M	M	M	M	M	M	M	M	6.36	56.9
01/20/26 01:30	M	M	M	M	M	M	M	M	M	M	2.51	44.5
01/20/26 02:00	M	M	M	M	M	M	M	M	M	M	4.95	45.1
01/20/26 02:30	M	M	M	M	M	M	M	M	M	M	5.32	47.4
01/20/26 03:00	M	M	M	M	M	M	M	M	M	M	5.91	61.5
01/20/26 03:30	M	M	M	M	M	M	M	M	M	M	7.87	73.2
01/20/26 04:00	M	M	M	M	M	M	M	M	M	M	7.54	52.1
01/20/26 04:30	M	M	M	M	M	M	M	M	M	M	6.57	53.8
01/20/26 05:00	M	M	M	M	M	M	M	M	M	M	6.19	61.1
01/20/26 05:30	M	M	M	M	M	M	M	M	M	M	6.96	68.3
01/20/26 06:00	M	M	M	M	M	M	M	M	M	M	8.87	68.9
01/20/26 06:30	M	M	M	M	M	M	M	M	M	M	8.19	70.3
01/20/26 07:00	M	M	M	M	M	M	M	M	M	M	8.02	70.1
01/20/26 07:30	M	M	M	M	M	M	M	M	M	M	7.74	69.8
01/20/26 08:00	M	M	M	M	M	M	M	M	M	M	8.1	71.5
01/20/26 08:30	M	M	M	M	M	M	M	M	M	M	7.55	68.4
01/20/26 09:00	M	M	M	M	M	M	M	M	M	M	8.29	75.9
01/20/26 09:30	M	M	M	M	M	M	M	M	M	M	9.65	91.9
01/20/26 10:00	M	M	M	M	M	M	M	M	M	M	12.3	99.7
01/20/26 10:30	M	M	M	M	M	M	M	M	M	M	13.	96.7
01/20/26 11:00	M	M	M	M	M	M	M	M	M	M	12.5	95.2
01/20/26 11:30	M	M	M	M	M	M	M	M	M	M	13.6	95.9
01/20/26 12:00	M	M	M	M	M	M	M	M	M	M	14.3	104.
01/20/26 12:30	M	M	M	M	M	M	M	M	M	M	13.3	113.
01/20/26 13:00	M	M	M	M	M	M	M	M	M	M	11.9	107.
01/20/26 13:30	M	M	M	M	M	M	M	M	M	M	7.49	90.2
01/20/26 14:00	M	M	M	M	M	M	M	M	M	M	5.96	68.2
01/20/26 14:30	M	M	M	M	M	M	M	M	M	M	7.20	70.
01/20/26 15:00	M	M	M	M	M	M	M	M	M	M	6.46	73.8
01/20/26 15:30	M	M	M	M	M	M	M	M	M	M	8.65	78.1
01/20/26 16:00	M	M	M	M	M	M	M	M	M	M	6.77	87.4
01/20/26 16:30	M	M	M	M	M	M	M	M	M	M	6.96	80.4
01/20/26 17:00	M	M	M	M	M	M	M	M	M	M	6.95	80.7
01/20/26 17:30	M	M	M	M	M	M	M	M	M	M	8.28	89.2
01/20/26 18:00	M	M	M	M	M	M	M	M	M	M	7.84	85.7
01/20/26 18:30	M	M	M	M	M	M	M	M	M	M	7.54	81.7
01/20/26 19:00	M	M	M	M	M	M	M	M	M	M	6.97	83.3
01/20/26 19:30	M	M	M	M	M	M	M	M	M	M	8.43	83.5
01/20/26 20:00	M	M	M	M	M	M	M	M	M	M	9.92	86.5
01/20/26 20:30	M	M	M	M	M	M	M	M	M	M	10.1	88.9
01/20/26 21:00	M	M	M	M	M	M	M	M	M	M	11.1	91.7
01/20/26 21:30	M	M	M	M	M	M	M	M	M	M	11.1	92.3
01/20/26 22:00	M	M	M	M	M	M	M	M	M	M	11.2	101.
01/20/26 22:30	M	M	M	M	M	M	M	M	M	M	11.2	109.
01/20/26 23:00	M	M	M	M	M	M	M	M	M	M	10.6	112.
01/20/26 23:30	M	M	M	M	M	M	M	M	M	M	10.8	115.
01/21/26 00:00	M	M	M	M	M	M	M	M	M	M	8.33	107.

Daily Processed Summary (Average, Maximum Value)

Average	-	-	-	-	-	-	-	-	-	-	8.22	85.2
Maximum Value	-	-	-	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/21/26 00:30	M	M	M	M	M	M	M	M	M	M	6.69	96.5
01/21/26 01:00	M	M	M	M	M	M	M	M	M	M	7.20	91.
01/21/26 01:30	M	M	M	M	M	M	M	M	M	M	5.91	106.
01/21/26 02:00	M	M	M	M	M	M	M	M	M	M	5.97	115.
01/21/26 02:30	M	M	M	M	M	M	M	M	M	M	4.94	116.
01/21/26 03:00	M	M	M	M	M	M	M	M	M	M	7.00	124.
01/21/26 03:30	M	M	M	M	M	M	M	M	M	M	8.46	130.
01/21/26 04:00	M	M	M	M	M	M	M	M	M	M	11.4	138.
01/21/26 04:30	M	M	M	M	M	M	M	M	M	M	10.8	141.
01/21/26 05:00	M	M	M	M	M	M	M	M	M	M	10.4	142.
01/21/26 05:30	M	M	M	M	M	M	M	M	M	M	9.58	142.
01/21/26 06:00	M	M	M	M	M	M	M	M	M	M	9.31	143.
01/21/26 06:30	M	M	M	M	M	M	M	M	M	M	10.5	157.
01/21/26 07:00	M	M	M	M	M	M	M	M	M	M	8.68	149.
01/21/26 07:30	M	M	M	M	M	M	M	M	M	M	7.58	148.
01/21/26 08:00	M	M	M	M	M	M	M	M	M	M	7.61	153.
01/21/26 08:30	M	M	M	M	M	M	M	M	M	M	8.08	166.
01/21/26 09:00	M	M	M	M	M	M	M	M	M	M	6.41	183.
01/21/26 09:30	M	M	M	M	M	M	M	M	M	M	6.51	174.
01/21/26 10:00	M	M	M	M	M	M	M	M	M	M	7.94	170.
01/21/26 10:30	M	M	M	M	M	M	M	M	M	M	7.87	177.
01/21/26 11:00	M	M	M	M	M	M	M	M	M	M	5.90	188.
01/21/26 11:30	M	M	M	M	M	M	M	M	M	M	4.77	197.
01/21/26 12:00	M	M	M	M	M	M	M	M	M	M	5.05	202.
01/21/26 12:30	M	M	M	M	M	M	M	M	M	M	4.00	205.
01/21/26 13:00	M	M	M	M	M	M	M	M	M	M	4.96	196.
01/21/26 13:30	M	M	M	M	M	M	M	M	M	M	8.26	197.
01/21/26 14:00	M	M	M	M	M	M	M	M	M	M	7.64	203.
01/21/26 14:30	M	M	M	M	M	M	M	M	M	M	7.27	222.
01/21/26 15:00	M	M	M	M	M	M	M	M	M	M	6.	230.
01/21/26 15:30	M	M	M	M	M	M	M	M	M	M	4.67	231.
01/21/26 16:00	M	M	M	M	M	M	M	M	M	M	4.69	223.
01/21/26 16:30	M	M	M	M	M	M	M	M	M	M	5.14	220.
01/21/26 17:00	M	M	M	M	M	M	M	M	M	M	5.08	215.
01/21/26 17:30	M	M	M	M	M	M	M	M	M	M	3.45	187.
01/21/26 18:00	M	M	M	M	M	M	M	M	M	M	4.16	182.
01/21/26 18:30	M	M	M	M	M	M	M	M	M	M	4.50	182.
01/21/26 19:00	M	M	M	M	M	M	M	M	M	M	6.22	181.
01/21/26 19:30	M	M	M	M	M	M	M	M	M	M	5.33	184.
01/21/26 20:00	M	M	M	M	M	M	M	M	M	M	4.70	182.
01/21/26 20:30	M	M	M	M	M	M	M	M	M	M	5.24	182.
01/21/26 21:00	M	M	M	M	M	M	M	M	M	M	4.8	195.
01/21/26 21:30	M	M	M	M	M	M	M	M	M	M	3.84	205.
01/21/26 22:00	M	M	M	M	M	M	M	M	M	M	2.35	225.
01/21/26 22:30	M	M	M	M	M	M	M	M	M	M	2.96	211.
01/21/26 23:00	M	M	M	M	M	M	M	M	M	M	0.677	295.
01/21/26 23:30	M	M	M	M	M	M	M	M	M	M	1.76	7.82
01/22/26 00:00	M	M	M	M	M	M	M	M	M	M	0.581	59.4

Daily Processed Summary (Average, Maximum Value)

Average	-	-	-	-	-	-	-	-	-	-	4.89	167
Maximum Value	-	-	-	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/22/26 00:30	M	M	M	M	M	M	M	M	M	M	1.62	143.
01/22/26 01:00	M	M	M	M	M	M	M	M	M	M	0.789	192.
01/22/26 01:30	M	M	M	M	M	M	M	M	M	M	0.58	228.
01/22/26 02:00	M	M	M	M	M	M	M	M	M	M	0.557	284.
01/22/26 02:30	M	M	M	M	M	M	M	M	M	M	0.400	239.
01/22/26 03:00	M	M	M	M	M	M	M	M	M	M	0.525	51.3
01/22/26 03:30	M	M	M	M	M	M	M	M	M	M	0.587	81.4
01/22/26 04:00	M	M	M	M	M	M	M	M	M	M	0.571	95.5
01/22/26 04:30	M	M	M	M	M	M	M	M	M	M	0.587	359.
01/22/26 05:00	M	M	M	M	M	M	M	M	M	M	0.593	346.
01/22/26 05:30	M	M	M	M	M	M	M	M	M	M	0.591	348.
01/22/26 06:00	M	M	M	M	M	M	M	M	M	M	2.03	19.4
01/22/26 06:30	M	M	M	M	M	M	M	M	M	M	3.35	42.4
01/22/26 07:00	M	M	M	M	M	M	M	M	M	M	3.19	65.6
01/22/26 07:30	M	M	M	M	M	M	M	M	M	M	3.24	30.0
01/22/26 08:00	M	M	M	M	M	M	M	M	M	M	5.57	10.6
01/22/26 08:30	M	M	M	M	M	M	M	M	M	M	6.	41.8
01/22/26 09:00	M	M	M	M	M	M	M	M	M	M	6.53	43.3
01/22/26 09:30	M	M	M	M	M	M	M	M	M	M	5.62	50.5
01/22/26 10:00	M	M	M	M	M	M	M	M	M	M	6.49	46.1
01/22/26 10:30	M	M	M	M	M	M	M	M	M	M	4.91	70.2
01/22/26 11:00	M	M	M	M	M	M	M	M	M	M	4.22	55.0
01/22/26 11:30	M	M	M	M	M	M	M	M	M	M	4.4	64.3
01/22/26 12:00	M	M	M	M	M	M	M	M	M	M	5.47	47.2
01/22/26 12:30	M	M	M	M	M	M	M	M	M	M	3.83	22.4
01/22/26 13:00	M	M	M	M	M	M	M	M	M	M	3.89	21.9
01/22/26 13:30	M	M	M	M	M	M	M	M	M	M	5.60	56.4
01/22/26 14:00	M	M	M	M	M	M	M	M	M	M	3.89	60.6
01/22/26 14:30	M	M	M	M	M	M	M	M	M	M	0.506	60.8
01/22/26 15:00	M	M	M	M	M	M	M	M	M	M	0.489	190.
01/22/26 15:30	M	M	M	M	M	M	M	M	M	M	5.28	113.
01/22/26 16:00	M	M	M	M	M	M	M	M	M	M	7.23	118.
01/22/26 16:30	M	M	M	M	M	M	M	M	M	M	7.18	111.
01/22/26 17:00	M	M	M	M	M	M	M	M	M	M	8.87	113.
01/22/26 17:30	M	M	M	M	M	M	M	M	M	M	10.8	116.
01/22/26 18:00	M	M	M	M	M	M	M	M	M	M	11.5	117.
01/22/26 18:30	M	M	M	M	M	M	M	M	M	M	9.87	107.
01/22/26 19:00	M	M	M	M	M	M	M	M	M	M	12.0	103.
01/22/26 19:30	M	M	M	M	M	M	M	M	M	M	11.9	104.
01/22/26 20:00	M	M	M	M	M	M	M	M	M	M	11.5	101.
01/22/26 20:30	M	M	M	M	M	M	M	M	M	M	12.9	105.
01/22/26 21:00	M	M	M	M	M	M	M	M	M	M	12.9	104.
01/22/26 21:30	M	M	M	M	M	M	M	M	M	M	10.7	103.
01/22/26 22:00	M	M	M	M	M	M	M	M	M	M	10.1	105.
01/22/26 22:30	M	M	M	M	M	M	M	M	M	M	9.70	108.
01/22/26 23:00	M	M	M	M	M	M	M	M	M	M	8.21	99.8
01/22/26 23:30	M	M	M	M	M	M	M	M	M	M	8.12	98.4
01/23/26 00:00	M	M	M	M	M	M	M	M	M	M	6.98	103.

Daily Processed Summary (Average, Maximum Value)

Average	-	-	-	-	-	-	-	-	-	-	4.61	89.5
Maximum Value	-	-	-	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/23/26 00:30	M	M	M	M	M	M	M	M	M	M	6.93	101.
01/23/26 01:00	M	M	M	M	M	M	M	M	M	M	7.81	98.7
01/23/26 01:30	M	M	M	M	M	M	M	M	M	M	7.86	97.9
01/23/26 02:00	M	M	M	M	M	M	M	M	M	M	7.05	87.6
01/23/26 02:30	M	M	M	M	M	M	M	M	M	M	7.69	89.7
01/23/26 03:00	M	M	M	M	M	M	M	M	M	M	7.55	93.8
01/23/26 03:30	M	M	M	M	M	M	M	M	M	M	6.73	91.4
01/23/26 04:00	M	M	M	M	M	M	M	M	M	M	3.98	87.4
01/23/26 04:30	M	M	M	M	M	M	M	M	M	M	2.84	81.2
01/23/26 05:00	M	M	M	M	M	M	M	M	M	M	3.43	86.8
01/23/26 05:30	M	M	M	M	M	M	M	M	M	M	5.89	73.5
01/23/26 06:00	M	M	M	M	M	M	M	M	M	M	6.58	65.7
01/23/26 06:30	M	M	M	M	M	M	M	M	M	M	6.14	76.9
01/23/26 07:00	M	M	M	M	M	M	M	M	M	M	6.96	78.8
01/23/26 07:30	M	M	M	M	M	M	M	M	M	M	7.2	76.2
01/23/26 08:00	M	M	M	M	M	M	M	M	M	M	7.27	76.7
01/23/26 08:30	M	M	M	M	M	M	M	M	M	M	7.76	83.6
01/23/26 09:00	M	M	M	M	M	M	M	M	M	M	8.54	89.2
01/23/26 09:30	M	M	M	M	M	M	M	M	M	M	10.4	95.7
01/23/26 10:00	M	M	M	M	M	M	M	M	M	M	10.1	97.5
01/23/26 10:30	M	M	M	M	M	M	M	M	M	M	10.2	104.
01/23/26 11:00	M	M	M	M	M	M	M	M	M	M	11.0	99.7
01/23/26 11:30	M	M	M	M	M	M	M	M	M	M	10.5	96.
01/23/26 12:00	M	M	M	M	M	M	M	M	M	M	9.52	97.2
01/23/26 12:30	M	M	M	M	M	M	M	M	M	M	12.3	103.
01/23/26 13:00	M	M	M	M	M	M	M	M	M	M	13.4	102.
01/23/26 13:30	M	M	M	M	M	M	M	M	M	M	13.3	105.
01/23/26 14:00	M	M	M	M	M	M	M	M	M	M	13.2	97.1
01/23/26 14:30	M	M	M	M	M	M	M	M	M	M	13.1	107.
01/23/26 15:00	M	M	M	M	M	M	M	M	M	M	12.2	108.
01/23/26 15:30	M	M	M	M	M	M	M	M	M	M	12.7	105.
01/23/26 16:00	M	M	M	M	M	M	M	M	M	M	13.5	104.
01/23/26 16:30	M	M	M	M	M	M	M	M	M	M	12.5	98.6
01/23/26 17:00	M	M	M	M	M	M	M	M	M	M	12.1	95.9
01/23/26 17:30	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	11.8	93.2
01/23/26 18:00	18500	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	91.7
01/23/26 18:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.88	84.5
01/23/26 19:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.85	84.5
01/23/26 19:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.68	87.2
01/23/26 20:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.	92.9
01/23/26 20:30	18200	371	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	95.4
01/23/26 21:00	18300	373	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	97.3
01/23/26 21:30	18300	385	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	93.3
01/23/26 22:00	18300	399	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	91.5
01/23/26 22:30	18400	403	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	88.6
01/23/26 23:00	18300	404	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	90.1
01/23/26 23:30	18300	404	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	95.1
01/24/26 00:00	18200	402	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.0	94.4

Daily Processed Summary (Average, Maximum Value)

Average	18300	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.74	94.1
Maximum Value	18500	404	2.33	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/24/26 00:30	18200	402	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	98.5
01/24/26 01:00	18200	402	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	102.
01/24/26 01:30	18200	401	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	101.
01/24/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.4	101.
01/24/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.6	98.3
01/24/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.7	94.6
01/24/26 03:30	M	M	M	M	M	M	M	M	M	M	10.9	108.
01/24/26 04:00	M	M	M	M	M	M	M	M	M	M	14.3	117.
01/24/26 04:30	M	M	M	M	M	M	M	M	M	M	12.6	120.
01/24/26 05:00	M	M	M	M	M	M	M	M	M	M	10.6	137.
01/24/26 05:30	M	M	M	M	M	M	M	M	M	M	6.65	319.
01/24/26 06:00	M	M	M	M	M	M	M	M	M	M	18.1	341.
01/24/26 06:30	M	M	M	M	M	M	M	M	M	M	17.9	343.
01/24/26 07:00	10100	382	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.1	353.
01/24/26 07:30	9590	388	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.8	352.
01/24/26 08:00	9300	389	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.8	353.
01/24/26 08:30	9250	389	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.7	355.
01/24/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	18.1	358.
01/24/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	19.4	360.
01/24/26 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	19.2	8.62
01/24/26 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	20.3	9.97
01/24/26 11:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	20.2	10.1
01/24/26 11:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	20.9	13.2
01/24/26 12:00	8050	388	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.2	7.68
01/24/26 12:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	21.2	9.54
01/24/26 13:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	18.5	10.4
01/24/26 13:30	7850	388	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	12.8
01/24/26 14:00	7780	391	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.7	11.7
01/24/26 14:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	17.1	14.9
01/24/26 15:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	17.0	10.4
01/24/26 15:30	7590	390	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	14.9
01/24/26 16:00	7700	390	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	9.66
01/24/26 16:30	7650	389	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	10.3
01/24/26 17:00	7600	389	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	13.2
01/24/26 17:30	7580	389	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	14.9
01/24/26 18:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	17.	9.79
01/24/26 18:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	16.2	12.8
01/24/26 19:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	14.4	19.0
01/24/26 19:30	7370	392	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	5.51
01/24/26 20:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	15.7	7.27
01/24/26 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	16.1	2.48
01/24/26 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	16.1	11.4
01/24/26 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	15.9	340.
01/24/26 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	17.6	334.
01/24/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	15.6	329.
01/24/26 23:00	L	L	L	L	L	L	L	L	L	L	19.1	320.
01/24/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	19.2	333.
01/25/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	15.9	346.

Daily Processed Summary (Average, Maximum Value)

Average	10100	391	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	11.7
Maximum Value	18200	402	2.31	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/25/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	14.3	349.
01/25/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	16.3	338.
01/25/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	17.6	324.
01/25/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	18.2	339.
01/25/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	16.6	343.
01/25/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	16.8	348.
01/25/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.8	359.
01/25/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	14.1	337.
01/25/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	14.5	338.
01/25/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.5	336.
01/25/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.5	323.
01/25/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	14.4	334.
01/25/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	15.1	337.
01/25/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	14.3	342.
01/25/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	15.9	349.
01/25/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	16.0	339.
01/25/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	16.5	342.
01/25/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	18.1	337.
01/25/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	20.5	334.
01/25/26 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	19.1	331.
01/25/26 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	19.8	331.
01/25/26 11:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	18.6	336.
01/25/26 11:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	17.9	338.
01/25/26 12:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	17.5	336.
01/25/26 12:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	16.1	338.
01/25/26 13:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	15.4	334.
01/25/26 13:30	L	L	L	L	L	L	L	L	L	L	15.7	340.
01/25/26 14:00	L	L	L	L	L	L	L	L	L	L	17.1	337.
01/25/26 14:30	L	L	L	L	L	L	L	L	L	L	16.5	342.
01/25/26 15:00	L	L	L	L	L	L	L	L	L	L	16.6	340.
01/25/26 15:30	L	L	L	L	L	L	L	L	L	L	16.6	331.
01/25/26 16:00	L	L	L	L	L	L	L	L	L	L	17.3	339.
01/25/26 16:30	L	L	L	L	L	L	L	L	L	L	18.	333.
01/25/26 17:00	L	L	L	L	L	L	L	L	L	L	19.1	328.
01/25/26 17:30	L	L	L	L	L	L	L	L	L	L	17.7	335.
01/25/26 18:00	L	L	L	L	L	L	L	L	L	L	18.3	331.
01/25/26 18:30	L	L	L	L	L	L	L	L	L	L	19.4	335.
01/25/26 19:00	L	L	L	L	L	L	L	L	L	L	20.8	337.
01/25/26 19:30	L	L	L	L	L	L	L	L	L	L	18.8	341.
01/25/26 20:00	L	L	L	L	L	L	L	L	L	L	20.8	338.
01/25/26 20:30	L	L	L	L	L	L	L	L	L	L	20.8	336.
01/25/26 21:00	L	L	L	L	L	L	L	L	L	L	19.3	341.
01/25/26 21:30	L	L	L	L	L	L	L	L	L	L	18.7	336.
01/25/26 22:00	L	L	L	L	L	L	L	L	L	L	16.8	343.
01/25/26 22:30	L	L	L	L	L	L	L	L	L	L	20.7	344.
01/25/26 23:00	L	L	L	L	L	L	L	L	L	L	19.7	336.
01/25/26 23:30	L	L	L	L	L	L	L	L	L	L	15.7	341.
01/26/26 00:00	L	L	L	L	L	L	L	L	L	L	15.5	355.

Daily Processed Summary (Average, Maximum Value)

Average	-	-	-	-	-	-	-	-	-	-	17	338
Maximum Value	-	-	-	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/26/26 00:30	L	L	L	L	L	L	L	L	L	L	16.1	350.
01/26/26 01:00	L	L	L	L	L	L	L	L	L	L	16.4	346.
01/26/26 01:30	L	L	L	L	L	L	L	L	L	L	17.4	348.
01/26/26 02:00	L	L	L	L	L	L	L	L	L	L	14.2	358.
01/26/26 02:30	L	L	L	L	L	L	L	L	L	L	12.3	336.
01/26/26 03:00	L	L	L	L	L	L	L	L	L	L	14.5	334.
01/26/26 03:30	L	L	L	L	L	L	L	L	L	L	13.3	337.
01/26/26 04:00	L	L	L	L	L	L	L	L	L	L	12.9	338.
01/26/26 04:30	L	L	L	L	L	L	L	L	L	L	13.5	334.
01/26/26 05:00	L	L	L	L	L	L	L	L	L	L	12.	338.
01/26/26 05:30	L	L	L	L	L	L	L	L	L	L	12.7	336.
01/26/26 06:00	L	L	L	L	L	L	L	L	L	L	13.1	338.
01/26/26 06:30	L	L	L	L	L	L	L	L	L	L	11.8	338.
01/26/26 07:00	L	L	L	L	L	L	L	L	L	L	9.97	345.
01/26/26 07:30	L	L	L	L	L	L	L	L	L	L	11.4	338.
01/26/26 08:00	L	L	L	L	L	L	L	L	L	L	13.0	337.
01/26/26 08:30	L	L	L	L	L	L	L	L	L	L	15.4	342.
01/26/26 09:00	L	L	L	L	L	L	L	L	L	L	15.7	344.
01/26/26 09:30	L	L	L	L	L	L	L	L	L	L	15.3	342.
01/26/26 10:00	M	M	M	M	M	M	M	M	M	M	16.1	343.
01/26/26 10:30	M	M	M	M	M	M	M	M	M	M	17.4	342.
01/26/26 11:00	M	M	M	M	M	M	M	M	M	M	17.3	340.
01/26/26 11:30	M	M	M	M	M	M	M	M	M	M	17.9	345.
01/26/26 12:00	M	M	M	M	M	M	M	M	M	M	17.9	342.
01/26/26 12:30	M	M	M	M	M	M	M	M	M	M	16.9	340.
01/26/26 13:00	M	M	M	M	M	M	M	M	M	M	18.1	346.
01/26/26 13:30	M	M	M	M	M	M	M	M	M	M	15.4	344.
01/26/26 14:00	M	M	M	M	M	M	M	M	M	M	15.7	346.
01/26/26 14:30	M	M	M	M	M	M	M	M	M	M	14.6	353.
01/26/26 15:00	M	M	M	M	M	M	M	M	M	M	14.1	352.
01/26/26 15:30	M	M	M	M	M	M	M	M	M	M	13.5	351.
01/26/26 16:00	M	M	M	M	M	M	M	M	M	M	14.9	349.
01/26/26 16:30	M	M	M	M	M	M	M	M	M	M	14.2	358.
01/26/26 17:00	M	M	M	M	M	M	M	M	M	M	14.2	359.
01/26/26 17:30	M	M	M	M	M	M	M	M	M	M	13.2	0.180
01/26/26 18:00	M	M	M	M	M	M	M	M	M	M	9.09	2.48
01/26/26 18:30	M	M	M	M	M	M	M	M	M	M	6.82	2.93
01/26/26 19:00	M	M	M	M	M	M	M	M	M	M	7.4	360.
01/26/26 19:30	M	M	M	M	M	M	M	M	M	M	5.41	9.67
01/26/26 20:00	M	M	M	M	M	M	M	M	M	M	1.02	36.7
01/26/26 20:30	L	L	L	L	L	L	L	L	L	L	3.15	41.3
01/26/26 21:00	L	L	L	L	L	L	L	L	L	L	0.588	33.5
01/26/26 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.897	26.5
01/26/26 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.56	37.1
01/26/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.33	47.1
01/26/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.08	24.8
01/26/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.92	38.2
01/27/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.62	26.5

Daily Processed Summary (Average, Maximum Value)

Average	-	-	-	-	-	-	-	-	-	-	11.5	348
Maximum Value	-	-	-	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/27/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.56	37.2
01/27/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.25	20.1
01/27/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.32	27.3
01/27/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.59	37.8
01/27/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.55	27.7
01/27/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.83	43.
01/27/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.67	36.9
01/27/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.30	40.0
01/27/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.65	50.3
01/27/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.49	66.9
01/27/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.19	63.7
01/27/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.65	79.5
01/27/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.44	79.3
01/27/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.56	79.2
01/27/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.71	79.2
01/27/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.72	87.
01/27/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.08	87.5
01/27/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.97	90.8
01/27/26 09:30	L	L	L	L	L	L	L	L	L	L	3.75	56.1
01/27/26 10:00	L	L	L	L	L	L	L	L	L	L	3.46	41.9
01/27/26 10:30	L	L	L	L	L	L	L	L	L	L	2.71	54.
01/27/26 11:00	L	L	L	L	L	L	L	L	L	L	3.26	118.
01/27/26 11:30	M	M	M	M	M	M	M	M	M	M	2.34	101.
01/27/26 12:00	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	2.10	175.
01/27/26 12:30	4570	390	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.80	223.
01/27/26 13:00	3780	393	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	218.
01/27/26 13:30	3270	392	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	218.
01/27/26 14:00	3830	394	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.80	206.
01/27/26 14:30	4200	393	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.27	173.
01/27/26 15:00	4220	393	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	166.
01/27/26 15:30	3990	396	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.17	184.
01/27/26 16:00	4010	394	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.22	213.
01/27/26 16:30	3790	397	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	214.
01/27/26 17:00	3580	397	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.65	209.
01/27/26 17:30	3490	396	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.481	204.
01/27/26 18:00	4070	397	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.537	190.
01/27/26 18:30	5180	400	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.19	90.
01/27/26 19:00	5830	400	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.30	116.
01/27/26 19:30	5600	401	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	120.
01/27/26 20:00	5080	400	2.35	BDL	BDL	27.6	BDL	BDL	BDL	BDL	4.86	132.
01/27/26 20:30	4650	402	2.35	BDL	BDL	23.2	BDL	BDL	BDL	BDL	0.864	103.
01/27/26 21:00	4630	399	2.57	BDL	BDL	24.1	BDL	BDL	BDL	BDL	0.568	82.2
01/27/26 21:30	4880	398	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.560	129.
01/27/26 22:00	5020	398	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.505	161.
01/27/26 22:30	5770	399	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.482	28.9
01/27/26 23:00	5990	395	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.565	55.7
01/27/26 23:30	5760	395	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.587	56.0
01/28/26 00:00	5680	396	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.599	32.

Daily Processed Summary (Average, Maximum Value)

Average	4620	396	2.37	BDL	BDL	3.12	BDL	BDL	BDL	BDL	1.43	93.3
Maximum Value	5990	402	2.57	-	-	27.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/28/26 00:30	5780	402	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.596	34.
01/28/26 01:00	6100	405	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.43	54.3
01/28/26 01:30	6100	405	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.81	44.2
01/28/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.10	34.2
01/28/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.22	26.6
01/28/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.24	20.3
01/28/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.55	18.4
01/28/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.44	18.4
01/28/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.72	13.9
01/28/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.913	15.6
01/28/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.593	37.4
01/28/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.596	38.8
01/28/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.24	31.5
01/28/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.36	30.6
01/28/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.69	30.3
01/28/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.72	19.7
01/28/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.49	23.7
01/28/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.02	25.4
01/28/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.18	30.3
01/28/26 10:00	6400	390	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	30.8
01/28/26 10:30	5610	389	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	2.83
01/28/26 11:00	5620	390	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	316.
01/28/26 11:30	5040	393	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	315.
01/28/26 12:00	5110	394	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	327.
01/28/26 12:30	4650	395	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	314.
01/28/26 13:00	4560	394	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.15	317.
01/28/26 13:30	4730	394	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	5.18
01/28/26 14:00	4890	396	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.11	342.
01/28/26 14:30	5100	397	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	312.
01/28/26 15:00	5360	399	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	349.
01/28/26 15:30	M	M	M	M	M	M	M	M	M	M	5.7	333.
01/28/26 16:00	5130	402	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	335.
01/28/26 16:30	5090	403	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	351.
01/28/26 17:00	5040	403	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	348.
01/28/26 17:30	4970	403	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	345.
01/28/26 18:00	4980	401	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.98	347.
01/28/26 18:30	5010	403	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.575	34.5
01/28/26 19:00	5160	401	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.598	47.7
01/28/26 19:30	5330	401	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	62.
01/28/26 20:00	5690	401	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	84.7
01/28/26 20:30	6920	401	2.37	BDL	BDL	7.74	BDL	BDL	BDL	BDL	6.47	109.
01/28/26 21:00	7410	401	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.85	112.
01/28/26 21:30	7650	400	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	113.
01/28/26 22:00	7360	400	2.34	BDL	BDL	3.41	BDL	BDL	BDL	BDL	6.79	122.
01/28/26 22:30	7580	400	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.93	125.
01/28/26 23:00	7670	404	2.36	BDL	BDL	14.9	BDL	BDL	BDL	BDL	6.51	122.
01/28/26 23:30	7900	405	2.4	BDL	BDL	21.3	BDL	BDL	BDL	BDL	5.69	119.
01/29/26 00:00	M	M	M	M	M	M	M	M	M	M	5.74	123.

Daily Processed Summary (Average, Maximum Value)

Average	5800	399	2.37	BDL	BDL	1.58	BDL	BDL	BDL	BDL	2.54	25.6
Maximum Value	7900	405	2.48	-	-	21.3	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/29/26 00:30	8020	405	2.37	BDL	BDL	39.0	BDL	BDL	BDL	BDL	5.88	127.
01/29/26 01:00	7980	401	2.6	BDL	BDL	9.54	BDL	BDL	BDL	BDL	5.70	114.
01/29/26 01:30	7930	400	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	115.
01/29/26 02:00	7900	402	2.65	BDL	BDL	9.28	BDL	BDL	BDL	BDL	1.22	109.
01/29/26 02:30	8050	400	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.19	112.
01/29/26 03:00	8140	400	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.706	102.
01/29/26 03:30	8270	399	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	101.
01/29/26 04:00	8310	398	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	104.
01/29/26 04:30	8370	399	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.582	105.
01/29/26 05:00	8340	398	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.947	92.7
01/29/26 05:30	8250	398	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	95.5
01/29/26 06:00	8250	399	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.688	101.
01/29/26 06:30	8270	399	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	93.2
01/29/26 07:00	8300	400	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	94.
01/29/26 07:30	8130	399	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	82.7
01/29/26 08:00	8260	400	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	103.
01/29/26 08:30	M	M	M	M	M	M	M	M	M	M	3.52	101.
01/29/26 09:00	9340	398	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	102.
01/29/26 09:30	10100	398	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.29	109.
01/29/26 10:00	10700	401	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.11	105.
01/29/26 10:30	10900	402	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	151.
01/29/26 11:00	10800	399	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.38	167.
01/29/26 11:30	11200	399	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	166.
01/29/26 12:00	11300	400	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.44	166.
01/29/26 12:30	11300	401	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.68	168.
01/29/26 13:00	11100	402	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.45	196.
01/29/26 13:30	11000	402	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.52	187.
01/29/26 14:00	10800	404	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	192.
01/29/26 14:30	10700	405	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.99	190.
01/29/26 15:00	10700	406	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.19	186.
01/29/26 15:30	10900	406	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	180.
01/29/26 16:00	11200	406	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.53	186.
01/29/26 16:30	M	M	M	M	M	M	M	M	M	M	9.33	189.
01/29/26 17:00	M	M	M	M	M	M	M	M	M	M	9.06	185.
01/29/26 17:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	8.62	171.
01/29/26 18:00	12900	407	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.46	175.
01/29/26 18:30	12800	404	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.39	177.
01/29/26 19:00	13000	404	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	175.
01/29/26 19:30	13100	402	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	173.
01/29/26 20:00	13200	401	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	179.
01/29/26 20:30	13100	400	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.17	185.
01/29/26 21:00	13100	400	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.355	289.
01/29/26 21:30	12900	402	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.499	262.
01/29/26 22:00	13000	402	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.595	300.
01/29/26 22:30	12900	400	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.588	267.
01/29/26 23:00	12700	401	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.42	310.
01/29/26 23:30	12900	403	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	317.
01/30/26 00:00	10800	404	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	343.

Daily Processed Summary (Average, Maximum Value)

Average	10400	401	2.34	BDL	BDL	1.31	BDL	BDL	BDL	BDL	3.6	162
Maximum Value	13200	407	2.67	-	-	39	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/30/26 00:30	7550	403	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	357.
01/30/26 01:00	7200	401	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	354.
01/30/26 01:30	6220	402	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	351.
01/30/26 02:00	6030	401	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	348.
01/30/26 02:30	5880	400	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	352.
01/30/26 03:00	5800	399	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	345.
01/30/26 03:30	5810	398	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	343.
01/30/26 04:00	5640	398	2.72	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	354.
01/30/26 04:30	5440	398	2.77	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	356.
01/30/26 05:00	5530	398	2.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	353.
01/30/26 05:30	5340	398	2.77	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	354.
01/30/26 06:00	5380	399	2.77	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	349.
01/30/26 06:30	5180	398	2.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	352.
01/30/26 07:00	5300	398	2.72	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	346.
01/30/26 07:30	5310	398	2.71	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	349.
01/30/26 08:00	5330	396	2.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	346.
01/30/26 08:30	5310	396	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	342.
01/30/26 09:00	5080	395	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	342.
01/30/26 09:30	4980	396	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	347.
01/30/26 10:00	5000	397	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	348.
01/30/26 10:30	4960	397	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	347.
01/30/26 11:00	4960	397	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.0	345.
01/30/26 11:30	4990	399	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	356.
01/30/26 12:00	4960	400	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	351.
01/30/26 12:30	4990	401	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	346.
01/30/26 13:00	5060	402	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.	342.
01/30/26 13:30	5210	402	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	342.
01/30/26 14:00	5090	402	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	343.
01/30/26 14:30	4910	401	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	343.
01/30/26 15:00	4860	400	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	341.
01/30/26 15:30	4770	399	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	339.
01/30/26 16:00	4620	399	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	341.
01/30/26 16:30	4750	399	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	343.
01/30/26 17:00	4870	400	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	334.
01/30/26 17:30	4850	399	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.76	334.
01/30/26 18:00	5240	398	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	331.
01/30/26 18:30	5160	398	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.47	333.
01/30/26 19:00	5330	397	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	327.
01/30/26 19:30	5460	396	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	327.
01/30/26 20:00	5740	396	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.93	322.
01/30/26 20:30	5530	395	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.87	325.
01/30/26 21:00	5580	395	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.77	324.
01/30/26 21:30	5660	394	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	316.
01/30/26 22:00	5620	392	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	315.
01/30/26 22:30	5430	390	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	326.
01/30/26 23:00	5200	392	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.67	351.
01/30/26 23:30	4970	390	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.28	341.
01/31/26 00:00	5070	390	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	351.

Daily Processed Summary (Average, Maximum Value)

Average	5360	398	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	344
Maximum Value	7550	403	2.77	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
01/31/26 00:30	4970	390	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.598	339.
01/31/26 01:00	4880	391	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.50	350.
01/31/26 01:30	4930	392	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.62	2.29
01/31/26 02:00	4820	391	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.599	8.50
01/31/26 02:30	4730	391	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.588	354.
01/31/26 03:00	5080	390	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.598	338.
01/31/26 03:30	5290	390	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	337.
01/31/26 04:00	5050	390	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	346.
01/31/26 04:30	5020	390	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	352.
01/31/26 05:00	5060	390	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	3.09
01/31/26 05:30	5090	391	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	12.9
01/31/26 06:00	5020	390	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.93	16.8
01/31/26 06:30	4890	388	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.55	14.1
01/31/26 07:00	4700	388	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	15.2
01/31/26 07:30	4500	389	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	11.4
01/31/26 08:00	4300	388	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	4.17
01/31/26 08:30	4080	387	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	11.1
01/31/26 09:00	3870	387	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.2	12.0
01/31/26 09:30	3560	387	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.7	14.2
01/31/26 10:00	3330	387	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.6	13.7
01/31/26 10:30	3030	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.2	5.31
01/31/26 11:00	3060	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.9	8.05
01/31/26 11:30	2960	388	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.7	3.44
01/31/26 12:00	2800	388	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.5	6.30
01/31/26 12:30	2870	388	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	5.77
01/31/26 13:00	2790	388	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	13.2
01/31/26 13:30	2620	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	15.6
01/31/26 14:00	2560	388	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.3	28.
01/31/26 14:30	2570	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	22.6
01/31/26 15:00	2570	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	13.4
01/31/26 15:30	2530	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	15.7
01/31/26 16:00	2590	392	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	8.36
01/31/26 16:30	2580	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	26.9
01/31/26 17:00	2460	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	26.3
01/31/26 17:30	2320	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	20.7
01/31/26 18:00	2450	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.83	14.4
01/31/26 18:30	2490	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	13.2
01/31/26 19:00	2530	389	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	14.3
01/31/26 19:30	2650	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	18.2
01/31/26 20:00	2720	390	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.02	27.8
01/31/26 20:30	2710	391	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.38	36.7
01/31/26 21:00	2670	390	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	36.4
01/31/26 21:30	2570	388	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	43.9
01/31/26 22:00	2610	387	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.10	48.5
01/31/26 22:30	2700	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	41.6
01/31/26 23:00	2750	387	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	36.3
01/31/26 23:30	2730	386	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.63	44.4
02/01/26 00:00	2790	384	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.87	48.2

Daily Processed Summary (Average, Maximum Value)

Average	3500	389	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.83	14.8
Maximum Value	5290	392	2.44	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR Daily (24-hour) Averages

Site: Formosa North AAMS

Date	Capture%	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)	Met Capture%
02/01/26	81.2	5240	305	1.79	BDL	BDL	3.85	BDL	BDL	BDL	BDL	5.95	85.5	100
02/02/26	100	13900	401	2.24	BDL	BDL	2.95	BDL	BDL	BDL	BDL	8.87	147	100
02/03/26	87	16600	398	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.84	189	100
02/04/26	100	8300	404	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	8.18	100
02/05/26	100	7180	401	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	240	100
02/06/26	100	7830	405	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	230	100
02/07/26	100	10100	405	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	215	100
02/08/26	100	15700	404	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	171	100
02/09/26	94.7	16900	403	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	176	100
02/10/26	100	19000	407	2.18	BDL	BDL	0.293	BDL	BDL	BDL	BDL	8.39	151	100
02/11/26	79.2	18200	416	2.29	BDL	BDL	1.67	BDL	BDL	BDL	BDL	2.09	33.5	100
02/12/26	100	17100	448	2.39	BDL	BDL	0.454	BDL	BDL	BDL	BDL	3.64	140	100
02/13/26	93.6	21000	443	2.22	BDL	BDL	1.34	BDL	BDL	BDL	BDL	9.75	133	100
02/14/26	100	20700	443	2.22	BDL	BDL	1.64	BDL	BDL	BDL	BDL	10.4	144	100
02/15/26	100	12900	440	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.32	325	100
02/16/26	100	13500	442	2.38	BDL	BDL	0.47	BDL	BDL	BDL	BDL	6.15	114	100
02/17/26	100	18000	445	2.25	BDL	BDL	0.135	BDL	BDL	BDL	BDL	12.2	166	100
02/18/26	100	20200	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.78	180	100
02/19/26	100	22100	443	2.19	BDL	BDL	0.928	BDL	BDL	BDL	BDL	7.45	172	100
02/20/26	100	23700	448	2.21	BDL	BDL	1.68	BDL	BDL	BDL	BDL	7.33	133	100
02/21/26	100	13900	442	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.39	354	100
02/22/26	95.8	4450	431	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15	7.84	100
02/23/26	100	4800	430	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.16	67.7	100
02/24/26	100	10900	431	2.31	BDL	BDL	0.346	BDL	BDL	BDL	BDL	8.97	172	100
02/25/26	100	17800	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	186	100
02/26/26	100	20800	446	2.24	BDL	BDL	0.295	BDL	BDL	BDL	BDL	9.6	179	100
02/27/26	100	19600	456	2.3	BDL	BDL	2.13	BDL	BDL	BDL	BDL	3.96	92.6	100
02/28/26	100	18100	445	2.25	BDL	BDL	0.0651	BDL	BDL	BDL	BDL	7.2	139	100

Daily Processed Summary (Average, Maximum Value)

Average	97.6	14900	424	2.24	BDL	BDL	0.652	BDL	BDL	BDL	BDL	3.7	154	100
Maximum Value	100	23700	456	2.39	BDL	BDL	3.85	BDL	BDL	BDL	BDL	-	-	100

BDL = Below Detection Limit

Blank = Not Available

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/01/26 00:30	2890	383	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.11	44.5
02/01/26 01:00	3000	383	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	47.4
02/01/26 01:30	3070	383	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	47.8
02/01/26 02:00	3130	383	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	47.5
02/01/26 02:30	3180	382	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	36.2
02/01/26 03:00	3240	381	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	23.2
02/01/26 03:30	3270	381	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	33.6
02/01/26 04:00	545	63.7	0.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	36.6
02/01/26 04:30	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	39.6
02/01/26 05:00	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	41.3
02/01/26 05:30	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.34	42.2
02/01/26 06:00	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	43.2
02/01/26 06:30	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.18	36.1
02/01/26 07:00	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.61	39.1
02/01/26 07:30	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	43.8
02/01/26 08:00	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.05	47.2
02/01/26 08:30	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.51	50.0
02/01/26 09:00	1980	193	1.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.37	52.2
02/01/26 09:30	4210	387	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	58.6
02/01/26 10:00	4670	387	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	70.6
02/01/26 10:30	5050	388	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	78.6
02/01/26 11:00	5500	388	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	95.5
02/01/26 11:30	5980	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	91.5
02/01/26 12:00	6350	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	104.
02/01/26 12:30	6620	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.17	104.
02/01/26 13:00	6840	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.05	111.
02/01/26 13:30	7030	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.09	117.
02/01/26 14:00	7180	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.17	114.
02/01/26 14:30	7350	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.3	123.
02/01/26 15:00	7520	394	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	130.
02/01/26 15:30	7550	395	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.14	132.
02/01/26 16:00	7590	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.72	124.
02/01/26 16:30	7650	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.77	120.
02/01/26 17:00	7750	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.14	121.
02/01/26 17:30	7910	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.72	129.
02/01/26 18:00	8050	392	2.23	BDL	BDL	6.72	BDL	BDL	BDL	BDL	8.28	130.
02/01/26 18:30	8130	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.74	122.
02/01/26 19:00	8270	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.22	123.
02/01/26 19:30	8530	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	117.
02/01/26 20:00	8630	393	2.24	BDL	BDL	25.9	BDL	BDL	BDL	BDL	5.65	109.
02/01/26 20:30	8640	391	2.25	BDL	BDL	24.4	BDL	BDL	BDL	BDL	5.40	108.
02/01/26 21:00	8720	390	2.22	BDL	BDL	26.5	BDL	BDL	BDL	BDL	2.68	112.
02/01/26 21:30	8920	389	2.22	BDL	BDL	38.7	BDL	BDL	BDL	BDL	2.74	115.
02/01/26 22:00	8930	389	2.23	BDL	BDL	13.5	BDL	BDL	BDL	BDL	3.4	MAL
02/01/26 22:30	9180	388	2.23	BDL	BDL	16.6	BDL	BDL	BDL	BDL	0.429	126.
02/01/26 23:00	9360	390	2.46	BDL	BDL	32.6	BDL	BDL	BDL	BDL	5.97	107.
02/01/26 23:30	9420	391	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	108.
02/02/26 00:00	9460	390	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	104.

Daily Processed Summary (Average, Maximum Value)

Average	5240	305	1.79	BDL	BDL	3.85	BDL	BDL	BDL	BDL	5.95	85.5
Maximum Value	9460	395	2.47	-	-	38.7	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/02/26 00:30	9580	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	107.
02/02/26 01:00	9800	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	112.
02/02/26 01:30	9850	390	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	102.
02/02/26 02:00	9580	388	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	98.
02/02/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.4	101.
02/02/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.817	90.2
02/02/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.596	79.2
02/02/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.87	87.7
02/02/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.17	87.9
02/02/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.62	93.5
02/02/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.22	88.6
02/02/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.70	89.7
02/02/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.72	91.2
02/02/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.94	93.1
02/02/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.74	103.
02/02/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.99	93.7
02/02/26 08:30	10400	394	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.63	100.
02/02/26 09:00	11400	394	2.41	BDL	BDL	24.3	BDL	BDL	BDL	BDL	2.56	102.
02/02/26 09:30	12200	394	2.31	BDL	BDL	48.6	BDL	BDL	BDL	BDL	2.63	99.6
02/02/26 10:00	12500	397	2.26	BDL	BDL	33.2	BDL	BDL	BDL	BDL	4.37	110.
02/02/26 10:30	13100	399	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.54	150.
02/02/26 11:00	13100	400	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	159.
02/02/26 11:30	13400	400	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	159.
02/02/26 12:00	13500	401	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	156.
02/02/26 12:30	13600	402	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	154.
02/02/26 13:00	13700	403	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	144.
02/02/26 13:30	14000	405	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	143.
02/02/26 14:00	14200	408	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	152.
02/02/26 14:30	14100	401	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.3	140.
02/02/26 15:00	14200	402	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	141.
02/02/26 15:30	14400	406	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	144.
02/02/26 16:00	14600	408	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	145.
02/02/26 16:30	14600	406	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	142.
02/02/26 17:00	14500	403	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	143.
02/02/26 17:30	14500	402	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	144.
02/02/26 18:00	14700	403	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	145.
02/02/26 18:30	15100	411	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	145.
02/02/26 19:00	15000	404	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	142.
02/02/26 19:30	15300	413	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	149.
02/02/26 20:00	15500	419	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	155.
02/02/26 20:30	15400	405	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	167.
02/02/26 21:00	16100	402	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	165.
02/02/26 21:30	16300	408	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	160.
02/02/26 22:00	16100	404	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.8	165.
02/02/26 22:30	16300	406	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	167.
02/02/26 23:00	16000	400	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	173.
02/02/26 23:30	16200	398	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	172.
02/03/26 00:00	16500	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.41	173.

Daily Processed Summary (Average, Maximum Value)

Average	13900	401	2.24	BDL	BDL	2.95	BDL	BDL	BDL	BDL	8.87	147
Maximum Value	16500	419	2.54	-	-	48.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/03/26 00:30	16600	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	175.
02/03/26 01:00	16700	397	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.73	173.
02/03/26 01:30	16700	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	175.
02/03/26 02:00	16700	394	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.04	181.
02/03/26 02:30	16800	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.41	178.
02/03/26 03:00	16800	396	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.55	176.
02/03/26 03:30	16700	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	180.
02/03/26 04:00	16500	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.17	177.
02/03/26 04:30	16400	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.58	176.
02/03/26 05:00	16400	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	174.
02/03/26 05:30	16300	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.95	180.
02/03/26 06:00	16200	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	180.
02/03/26 06:30	16100	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.46	177.
02/03/26 07:00	16200	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.32	183.
02/03/26 07:30	16200	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.00	188.
02/03/26 08:00	16000	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	192.
02/03/26 08:30	16100	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	195.
02/03/26 09:00	16600	397	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	186.
02/03/26 09:30	17200	397	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	194.
02/03/26 10:00	17600	396	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.6	197.
02/03/26 10:30	17700	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.46	191.
02/03/26 11:00	17400	397	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	191.
02/03/26 11:30	17400	397	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	189.
02/03/26 12:00	16900	398	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	193.
02/03/26 12:30	16300	399	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	196.
02/03/26 13:00	16100	400	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	195.
02/03/26 13:30	15900	404	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	195.
02/03/26 14:00	16100	402	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	195.
02/03/26 14:30	16100	403	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	194.
02/03/26 15:00	16400	402	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	185.
02/03/26 15:30	16700	403	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	187.
02/03/26 16:00	16800	403	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	MNT	M
02/03/26 16:30	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	13.7	184.
02/03/26 17:00	M	M	M	M	M	M	M	M	M	M	13.7	182.
02/03/26 17:30	M	M	M	M	M	M	M	M	M	M	13.6	183.
02/03/26 18:00	M	M	M	M	M	M	M	M	M	M	11.1	181.
02/03/26 18:30	M	M	M	M	M	M	M	M	M	M	9.72	178.
02/03/26 19:00	M	M	M	M	M	M	M	M	M	M	8.77	180.
02/03/26 19:30	M	M	M	M	M	M	M	M	M	M	9.35	184.
02/03/26 20:00	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	9.7	190.
02/03/26 20:30	17200	406	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.56	187.
02/03/26 21:00	17100	404	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	191.
02/03/26 21:30	16800	404	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	207.
02/03/26 22:00	16400	400	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	231.
02/03/26 22:30	16400	401	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	283.
02/03/26 23:00	16600	401	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	302.
02/03/26 23:30	16800	403	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	303.
02/04/26 00:00	16800	404	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	301.

Daily Processed Summary (Average, Maximum Value)

Average	16600	398	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.84	189
Maximum Value	17700	406	2.23	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/04/26 00:30	16800	404	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	310.
02/04/26 01:00	16700	405	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.09	326.
02/04/26 01:30	16700	406	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.43	353.
02/04/26 02:00	16500	404	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	14.5
02/04/26 02:30	15600	401	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	19.9
02/04/26 03:00	15100	396	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	25.8
02/04/26 03:30	14100	406	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	14.8
02/04/26 04:00	12100	407	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	16.0
02/04/26 04:30	10100	405	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	16.1
02/04/26 05:00	9870	406	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	18.5
02/04/26 05:30	9430	405	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	10.8
02/04/26 06:00	8770	406	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.0	13.0
02/04/26 06:30	8270	406	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	11.7
02/04/26 07:00	7670	405	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	12.4
02/04/26 07:30	7380	403	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	14.9
02/04/26 08:00	7350	402	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	13.9
02/04/26 08:30	7220	402	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	15.6
02/04/26 09:00	7150	402	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	18.1
02/04/26 09:30	7060	401	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	21.1
02/04/26 10:00	7030	402	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	22.8
02/04/26 10:30	7000	402	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	24.2
02/04/26 11:00	6910	403	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	21.8
02/04/26 11:30	6920	403	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.7	21.
02/04/26 12:00	6870	402	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	12.
02/04/26 12:30	6580	402	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	13.5
02/04/26 13:00	6460	403	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.	13.6
02/04/26 13:30	6490	403	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	16.
02/04/26 14:00	6230	404	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	4.75
02/04/26 14:30	5800	404	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	14.4
02/04/26 15:00	5680	405	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	14.5
02/04/26 15:30	5630	405	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.8	360.
02/04/26 16:00	5480	406	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.3	5.83
02/04/26 16:30	5570	407	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	3.74
02/04/26 17:00	5850	407	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	6.96
02/04/26 17:30	5940	406	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	12.8
02/04/26 18:00	6320	407	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	7.82
02/04/26 18:30	6560	408	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	5.03
02/04/26 19:00	6210	405	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	352.
02/04/26 19:30	6170	406	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	349.
02/04/26 20:00	6250	407	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	347.
02/04/26 20:30	6440	405	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	349.
02/04/26 21:00	6770	403	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	338.
02/04/26 21:30	6610	402	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.63	340.
02/04/26 22:00	6540	403	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.58	340.
02/04/26 22:30	6610	403	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.09	336.
02/04/26 23:00	6500	403	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	338.
02/04/26 23:30	6600	402	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.68	340.
02/05/26 00:00	6630	401	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.93	346.

Daily Processed Summary (Average, Maximum Value)

Average	8300	404	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	8.18
Maximum Value	16800	408	2.4	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/05/26 00:30	6700	401	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.31	347.
02/05/26 01:00	6500	400	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	1.63
02/05/26 01:30	6450	398	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.08	358.
02/05/26 02:00	6430	397	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.4	19.2
02/05/26 02:30	6440	397	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.7	20.6
02/05/26 03:00	6370	396	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	352.
02/05/26 03:30	6260	395	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.20	357.
02/05/26 04:00	6480	395	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	328.
02/05/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.26	331.
02/05/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.09	336.
02/05/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.32	340.
02/05/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.79	331.
02/05/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.98	331.
02/05/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.16	345.
02/05/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.65	355.
02/05/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.88	356.
02/05/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.71	5.66
02/05/26 09:00	7080	397	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	2.84
02/05/26 09:30	6680	396	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.4	16.7
02/05/26 10:00	6630	397	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.400	314.
02/05/26 10:30	6510	398	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.743	265.
02/05/26 11:00	6740	400	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	237.
02/05/26 11:30	6590	401	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	257.
02/05/26 12:00	6300	404	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	274.
02/05/26 12:30	6080	400	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	265.
02/05/26 13:00	5860	400	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	266.
02/05/26 13:30	5730	400	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	243.
02/05/26 14:00	5480	403	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	269.
02/05/26 14:30	5130	402	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.64	244.
02/05/26 15:00	4910	405	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	251.
02/05/26 15:30	4910	407	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	239.
02/05/26 16:00	4990	408	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	244.
02/05/26 16:30	6010	409	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.81	195.
02/05/26 17:00	7150	408	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.42	176.
02/05/26 17:30	7410	406	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	175.
02/05/26 18:00	7520	404	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.15	174.
02/05/26 18:30	7790	404	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.66	177.
02/05/26 19:00	7770	404	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.68	180.
02/05/26 19:30	8360	403	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.56	185.
02/05/26 20:00	8700	403	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.9	186.
02/05/26 20:30	9000	403	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	185.
02/05/26 21:00	9370	401	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.97	188.
02/05/26 21:30	9750	400	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.72	193.
02/05/26 22:00	9930	400	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	191.
02/05/26 22:30	10000	400	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	193.
02/05/26 23:00	10100	399	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	192.
02/05/26 23:30	10100	398	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.09	199.
02/06/26 00:00	9760	400	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	208.

Daily Processed Summary (Average, Maximum Value)

Average	7180	401	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	240
Maximum Value	10100	409	2.4	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/06/26 00:30	9710	399	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	219.
02/06/26 01:00	9660	398	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.49	223.
02/06/26 01:30	9610	400	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.42	226.
02/06/26 02:00	9380	402	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.83	233.
02/06/26 02:30	9070	402	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.15	234.
02/06/26 03:00	8920	400	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.94	236.
02/06/26 03:30	8560	399	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	237.
02/06/26 04:00	8270	400	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.23	241.
02/06/26 04:30	7990	400	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	241.
02/06/26 05:00	7900	400	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.3	245.
02/06/26 05:30	7850	400	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.81	240.
02/06/26 06:00	7870	399	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.97	244.
02/06/26 06:30	7730	397	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	242.
02/06/26 07:00	7720	396	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	248.
02/06/26 07:30	7560	396	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.49	253.
02/06/26 08:00	7450	397	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.36	251.
02/06/26 08:30	7580	398	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.45	252.
02/06/26 09:00	7510	399	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	249.
02/06/26 09:30	7630	400	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.00	243.
02/06/26 10:00	7260	402	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.18	241.
02/06/26 10:30	6620	403	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.93	239.
02/06/26 11:00	6350	403	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	242.
02/06/26 11:30	6320	406	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	243.
02/06/26 12:00	6360	407	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	246.
02/06/26 12:30	6160	409	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	241.
02/06/26 13:00	5940	409	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.97	245.
02/06/26 13:30	5620	412	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.90	255.
02/06/26 14:00	5380	413	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.86	246.
02/06/26 14:30	5160	413	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	250.
02/06/26 15:00	5000	415	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	245.
02/06/26 15:30	4840	416	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	230.
02/06/26 16:00	4710	416	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	228.
02/06/26 16:30	4850	417	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.66	234.
02/06/26 17:00	5390	419	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	183.
02/06/26 17:30	7200	416	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.53	177.
02/06/26 18:00	8050	412	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.16	181.
02/06/26 18:30	9000	411	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.68	188.
02/06/26 19:00	9000	408	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.85	187.
02/06/26 19:30	9610	407	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.61	191.
02/06/26 20:00	10200	407	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	192.
02/06/26 20:30	10500	405	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	198.
02/06/26 21:00	11000	403	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	206.
02/06/26 21:30	10300	403	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	217.
02/06/26 22:00	9520	402	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.75	219.
02/06/26 22:30	9010	402	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.35	214.
02/06/26 23:00	8860	404	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.95	219.
02/06/26 23:30	9620	402	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.72	220.
02/07/26 00:00	9990	402	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	227.

Daily Processed Summary (Average, Maximum Value)

Average	7830	405	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	230
Maximum Value	11000	419	2.56	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/07/26 00:30	10300	401	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.63	235.
02/07/26 01:00	10800	401	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.64	235.
02/07/26 01:30	10800	400	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.30	238.
02/07/26 02:00	10400	401	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	234.
02/07/26 02:30	10100	400	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	233.
02/07/26 03:00	9680	402	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	239.
02/07/26 03:30	9710	404	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	251.
02/07/26 04:00	9160	403	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	256.
02/07/26 04:30	8760	401	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.3	264.
02/07/26 05:00	8500	400	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	263.
02/07/26 05:30	8680	399	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	254.
02/07/26 06:00	8950	400	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	255.
02/07/26 06:30	8810	400	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	279.
02/07/26 07:00	8110	399	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	273.
02/07/26 07:30	8230	396	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.44	270.
02/07/26 08:00	8320	398	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	262.
02/07/26 08:30	9130	401	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	249.
02/07/26 09:00	9500	400	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	245.
02/07/26 09:30	9490	401	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.20	253.
02/07/26 10:00	9870	401	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	274.
02/07/26 10:30	10500	401	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.56	242.
02/07/26 11:00	10700	403	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	243.
02/07/26 11:30	10100	407	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.70	227.
02/07/26 12:00	9190	409	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	241.
02/07/26 12:30	8220	410	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.92	240.
02/07/26 13:00	7650	411	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	262.
02/07/26 13:30	5720	412	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	301.
02/07/26 14:00	6450	413	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.52	310.
02/07/26 14:30	6230	417	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.5	225.
02/07/26 15:00	6250	416	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	203.
02/07/26 15:30	7160	420	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.11	179.
02/07/26 16:00	7470	419	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.22	172.
02/07/26 16:30	8060	421	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	160.
02/07/26 17:00	12000	420	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.43	160.
02/07/26 17:30	12200	418	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.55	175.
02/07/26 18:00	11900	414	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.16	172.
02/07/26 18:30	11300	408	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	176.
02/07/26 19:00	12300	407	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	179.
02/07/26 19:30	12300	405	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.47	180.
02/07/26 20:00	13300	403	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.	182.
02/07/26 20:30	13700	403	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.63	176.
02/07/26 21:00	13800	403	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	180.
02/07/26 21:30	13800	400	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.98	180.
02/07/26 22:00	14100	399	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	181.
02/07/26 22:30	14700	397	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	174.
02/07/26 23:00	14200	398	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.45	106.
02/07/26 23:30	13500	392	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.97	92.3
02/08/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.62	91.8

Daily Processed Summary (Average, Maximum Value)

Average	10100	405	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	215
Maximum Value	14700	421	2.59	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/08/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.72	92.7
02/08/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.06	95.5
02/08/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.16	96.4
02/08/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.97	90.1
02/08/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.89	94.4
02/08/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.94	95.1
02/08/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.52	93.3
02/08/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.02	92.3
02/08/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.03	80.7
02/08/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.32	71.3
02/08/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.30	40.1
02/08/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.13	59.9
02/08/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.31	58.5
02/08/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.34	23.7
02/08/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.07	48.2
02/08/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.25	41.2
02/08/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.30	64.2
02/08/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.12	55.8
02/08/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.87	62.6
02/08/26 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.58	132.
02/08/26 10:30	16600	400	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.1	240.
02/08/26 11:00	16100	399	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	234.
02/08/26 11:30	16100	400	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	219.
02/08/26 12:00	15200	403	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	181.
02/08/26 12:30	14800	405	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	203.
02/08/26 13:00	14400	404	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.92	200.
02/08/26 13:30	13200	407	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	197.
02/08/26 14:00	13600	410	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	187.
02/08/26 14:30	13600	409	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	201.
02/08/26 15:00	13700	408	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	189.
02/08/26 15:30	14000	407	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	189.
02/08/26 16:00	14100	408	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	189.
02/08/26 16:30	14500	408	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	190.
02/08/26 17:00	14900	406	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.7	190.
02/08/26 17:30	14900	405	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	187.
02/08/26 18:00	15000	405	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	178.
02/08/26 18:30	15300	404	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.48	178.
02/08/26 19:00	16000	402	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	173.
02/08/26 19:30	16900	404	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	170.
02/08/26 20:00	17500	408	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.33	170.
02/08/26 20:30	17200	404	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	168.
02/08/26 21:00	17500	405	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	162.
02/08/26 21:30	17900	407	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	170.
02/08/26 22:00	17400	400	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.20	171.
02/08/26 22:30	17400	399	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.51	172.
02/08/26 23:00	17400	400	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	173.
02/08/26 23:30	17300	396	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	178.
02/09/26 00:00	17200	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	177.

Daily Processed Summary (Average, Maximum Value)

Average	15700	404	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	171
Maximum Value	17900	410	2.3	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/09/26 00:30	17100	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.01	180.
02/09/26 01:00	17000	391	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	183.
02/09/26 01:30	16800	392	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.5	189.
02/09/26 02:00	16700	389	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	188.
02/09/26 02:30	16600	388	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	190.
02/09/26 03:00	16400	387	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.7	193.
02/09/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.98	208.
02/09/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.9	209.
02/09/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.57	258.
02/09/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.46	232.
02/09/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.40	227.
02/09/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.13	211.
02/09/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.25	217.
02/09/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.24	163.
02/09/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.36	170.
02/09/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.31	177.
02/09/26 08:30	16500	400	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	185.
02/09/26 09:00	16900	399	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	194.
02/09/26 09:30	16800	400	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.63	197.
02/09/26 10:00	16600	398	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.33	208.
02/09/26 10:30	16600	398	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.8	210.
02/09/26 11:00	16200	399	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	195.
02/09/26 11:30	16000	400	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	192.
02/09/26 12:00	15900	400	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	198.
02/09/26 12:30	15700	401	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	198.
02/09/26 13:00	15800	403	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	198.
02/09/26 13:30	15800	406	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	197.
02/09/26 14:00	15600	405	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	197.
02/09/26 14:30	15300	407	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	191.
02/09/26 15:00	15000	408	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	189.
02/09/26 15:30	15000	410	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	183.
02/09/26 16:00	15300	409	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	172.
02/09/26 16:30	15400	408	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	175.
02/09/26 17:00	15800	407	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	173.
02/09/26 17:30	16600	412	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	165.
02/09/26 18:00	17200	416	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	159.
02/09/26 18:30	L	L	L	L	L	L	L	L	L	L	9.86	148.
02/09/26 19:00	L	L	L	L	L	L	L	L	L	L	10.5	141.
02/09/26 19:30	17800	390	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	133.
02/09/26 20:00	17800	397	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.31	124.
02/09/26 20:30	18400	395	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.77	122.
02/09/26 21:00	18600	397	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.30	121.
02/09/26 21:30	18700	400	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	135.
02/09/26 22:00	19100	414	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	148.
02/09/26 22:30	19200	422	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	153.
02/09/26 23:00	19200	424	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	155.
02/09/26 23:30	19300	424	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	157.
02/10/26 00:00	19200	417	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	160.

Daily Processed Summary (Average, Maximum Value)

Average	16900	403	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	176
Maximum Value	19300	424	2.25	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/10/26 00:30	19000	415	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	161.
02/10/26 01:00	18800	414	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	164.
02/10/26 01:30	18800	412	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.91	169.
02/10/26 02:00	18700	408	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	170.
02/10/26 02:30	18800	406	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.82	172.
02/10/26 03:00	18800	406	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	173.
02/10/26 03:30	18600	405	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.54	175.
02/10/26 04:00	18500	403	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	181.
02/10/26 04:30	18200	404	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.99	171.
02/10/26 05:00	18200	409	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.26	170.
02/10/26 05:30	18000	404	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	171.
02/10/26 06:00	18300	409	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.73	166.
02/10/26 06:30	18400	409	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.51	166.
02/10/26 07:00	18300	406	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	170.
02/10/26 07:30	18100	403	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	155.
02/10/26 08:00	17900	405	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	128.
02/10/26 08:30	18300	409	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	161.
02/10/26 09:00	18700	410	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	166.
02/10/26 09:30	19300	410	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	163.
02/10/26 10:00	19200	408	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.36	170.
02/10/26 10:30	19200	406	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	172.
02/10/26 11:00	19300	406	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.4	179.
02/10/26 11:30	19300	411	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.64	160.
02/10/26 12:00	19000	412	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	164.
02/10/26 12:30	18900	413	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	162.
02/10/26 13:00	18600	414	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	166.
02/10/26 13:30	18500	413	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	159.
02/10/26 14:00	18600	413	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	155.
02/10/26 14:30	18900	406	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	142.
02/10/26 15:00	19100	406	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	143.
02/10/26 15:30	19300	405	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	138.
02/10/26 16:00	19400	404	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	137.
02/10/26 16:30	19300	401	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	114.
02/10/26 17:00	19300	400	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	116.
02/10/26 17:30	19400	401	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	117.
02/10/26 18:00	19500	404	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	126.
02/10/26 18:30	19500	410	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.61	134.
02/10/26 19:00	19500	408	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.24	132.
02/10/26 19:30	19700	404	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	136.
02/10/26 20:00	19600	406	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.23	126.
02/10/26 20:30	19700	403	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.19	125.
02/10/26 21:00	20000	403	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.94	137.
02/10/26 21:30	20100	405	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	144.
02/10/26 22:00	20000	404	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	116.
02/10/26 22:30	19400	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.43	76.8
02/10/26 23:00	19600	395	2.18	BDL	BDL	13.5	BDL	BDL	BDL	BDL	6.03	114.
02/10/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.79	127.
02/11/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.98	131.

Daily Processed Summary (Average, Maximum Value)

Average	19000	407	2.18	BDL	BDL	0.293	BDL	BDL	BDL	BDL	8.39	151
Maximum Value	20100	415	2.28	-	-	13.5	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/11/26 00:30	20000	391	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.41	129.
02/11/26 01:00	20300	397	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	140.
02/11/26 01:30	20300	410	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.05	143.
02/11/26 02:00	20200	408	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.49	145.
02/11/26 02:30	20100	407	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	146.
02/11/26 03:00	19700	403	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.5	99.8
02/11/26 03:30	19400	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.77	112.
02/11/26 04:00	19300	395	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	81.4
02/11/26 04:30	19300	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.71	121.
02/11/26 05:00	19900	394	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	183.
02/11/26 05:30	19800	395	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	180.
02/11/26 06:00	19800	394	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	177.
02/11/26 06:30	19600	393	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	182.
02/11/26 07:00	19500	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.75	189.
02/11/26 07:30	19400	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	226.
02/11/26 08:00	19200	402	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.25	302.
02/11/26 08:30	19600	401	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.75	293.
02/11/26 09:00	20300	400	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.16	234.
02/11/26 09:30	20600	401	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	283.
02/11/26 10:00	20700	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.2	278.
02/11/26 10:30	20700	398	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.20	270.
02/11/26 11:00	20500	404	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.	269.
02/11/26 11:30	19500	410	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	325.
02/11/26 12:00	17500	409	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	358.
02/11/26 12:30	M	M	M	M	M	M	M	M	M	M	13.8	2.10
02/11/26 13:00	M	M	M	M	M	M	M	M	M	M	12.3	9.28
02/11/26 13:30	M	M	M	M	M	M	M	M	M	M	11.0	5.22
02/11/26 14:00	M	M	M	M	M	M	M	M	M	M	10.2	8.99
02/11/26 14:30	M	M	M	M	M	M	M	M	M	M	10.6	3.24
02/11/26 15:00	M	M	M	M	M	M	M	M	M	M	11.6	14.5
02/11/26 15:30	M	M	M	M	M	M	M	M	M	M	8.47	12.4
02/11/26 16:00	M	M	M	M	M	M	M	M	M	M	7.34	13.1
02/11/26 16:30	M	M	M	M	M	M	M	M	M	M	8.20	12.4
02/11/26 17:00	M	M	M	M	M	M	M	M	M	M	6.49	28.5
02/11/26 17:30	15600	453	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	46.3
02/11/26 18:00	15500	452	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	42.3
02/11/26 18:30	15500	445	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	57.1
02/11/26 19:00	15500	446	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	57.6
02/11/26 19:30	15300	441	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	65.3
02/11/26 20:00	15400	438	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.92	50.4
02/11/26 20:30	15500	446	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	68.8
02/11/26 21:00	15100	444	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	60.2
02/11/26 21:30	14900	444	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.9	67.7
02/11/26 22:00	14900	448	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.27	70.3
02/11/26 22:30	14700	442	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	80.9
02/11/26 23:00	15200	444	2.38	BDL	BDL	33.2	BDL	BDL	BDL	BDL	1.76	163.
02/11/26 23:30	15700	441	2.45	BDL	BDL	20.9	BDL	BDL	BDL	BDL	1.67	283.
02/12/26 00:00	16200	443	2.42	BDL	BDL	9.35	BDL	BDL	BDL	BDL	2.52	293.

Daily Processed Summary (Average, Maximum Value)

Average	18200	416	2.29	BDL	BDL	1.67	BDL	BDL	BDL	BDL	2.09	33.5
Maximum Value	20700	453	2.57	-	-	33.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/12/26 00:30	16800	442	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	303.
02/12/26 01:00	16500	445	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	317.
02/12/26 01:30	16300	443	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.48	337.
02/12/26 02:00	15700	449	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	357.
02/12/26 02:30	15100	456	2.6	BDL	BDL	2.72	BDL	BDL	BDL	BDL	5.36	359.
02/12/26 03:00	14500	449	2.64	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.52	34.4
02/12/26 03:30	14200	449	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.99	5.04
02/12/26 04:00	14200	446	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	342.
02/12/26 04:30	13900	449	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	345.
02/12/26 05:00	13500	451	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.7	356.
02/12/26 05:30	13000	450	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.8	14.3
02/12/26 06:00	12700	452	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	37.1
02/12/26 06:30	12700	452	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	37.6
02/12/26 07:00	12500	449	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	44.6
02/12/26 07:30	12400	449	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	61.4
02/12/26 08:00	12200	449	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	61.7
02/12/26 08:30	12300	449	2.71	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	58.9
02/12/26 09:00	12700	452	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	59.8
02/12/26 09:30	13200	453	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	57.3
02/12/26 10:00	13700	451	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	42.8
02/12/26 10:30	15200	451	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.53	33.
02/12/26 11:00	17200	450	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	127.
02/12/26 11:30	18400	451	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	225.
02/12/26 12:00	18700	448	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	216.
02/12/26 12:30	18300	445	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	214.
02/12/26 13:00	18300	445	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.29	199.
02/12/26 13:30	18700	448	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.	189.
02/12/26 14:00	18800	448	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	184.
02/12/26 14:30	18900	451	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	166.
02/12/26 15:00	18300	450	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.51	167.
02/12/26 15:30	19000	453	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	148.
02/12/26 16:00	19500	450	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	142.
02/12/26 16:30	19700	448	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	144.
02/12/26 17:00	19800	453	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	159.
02/12/26 17:30	20000	460	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	155.
02/12/26 18:00	20000	458	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	157.
02/12/26 18:30	20200	453	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	163.
02/12/26 19:00	20100	451	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.55	162.
02/12/26 19:30	20000	457	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.83	154.
02/12/26 20:00	20000	451	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	143.
02/12/26 20:30	19400	445	2.26	BDL	BDL	15.6	BDL	BDL	BDL	BDL	6.25	112.
02/12/26 21:00	19700	443	2.23	BDL	BDL	3.47	BDL	BDL	BDL	BDL	8.11	130.
02/12/26 21:30	20100	443	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.88	141.
02/12/26 22:00	20600	443	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.18	139.
02/12/26 22:30	20700	432	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.52	131.
02/12/26 23:00	20700	426	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	126.
02/12/26 23:30	20700	427	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.33	133.
02/13/26 00:00	20700	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	140.

Daily Processed Summary (Average, Maximum Value)

Average	17100	448	2.39	BDL	BDL	0.454	BDL	BDL	BDL	BDL	3.64	140
Maximum Value	20700	460	2.71	-	-	15.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/13/26 00:30	20600	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.94	142.
02/13/26 01:00	20400	440	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.43	143.
02/13/26 01:30	20300	444	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.54	156.
02/13/26 02:00	20300	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.8	153.
02/13/26 02:30	20200	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.14	142.
02/13/26 03:00	20300	439	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	145.
02/13/26 03:30	20200	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.00	141.
02/13/26 04:00	20200	436	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	141.
02/13/26 04:30	20300	437	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	146.
02/13/26 05:00	20300	439	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	147.
02/13/26 05:30	20200	438	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	144.
02/13/26 06:00	20100	431	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	147.
02/13/26 06:30	20200	427	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	122.
02/13/26 07:00	19500	427	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	109.
02/13/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.11	125.
02/13/26 08:00	20500	436	2.3	BDL	BDL	11.1	BDL	BDL	BDL	BDL	5.41	108.
02/13/26 08:30	20400	436	2.29	BDL	BDL	2.73	BDL	BDL	BDL	BDL	5.62	92.2
02/13/26 09:00	20900	440	2.3	BDL	BDL	3.45	BDL	BDL	BDL	BDL	5.99	106.
02/13/26 09:30	21600	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.93	122.
02/13/26 10:00	21300	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	127.
02/13/26 10:30	21200	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	145.
02/13/26 11:00	21000	450	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	152.
02/13/26 11:30	20800	453	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	155.
02/13/26 12:00	20900	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	165.
02/13/26 12:30	20800	453	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	142.
02/13/26 13:00	20700	455	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	143.
02/13/26 13:30	M	M	M	M	M	M	M	M	M	M	16.	143.
02/13/26 14:00	M	M	M	M	M	M	M	M	M	M	15.2	142.
02/13/26 14:30	M	M	M	M	M	M	M	M	M	M	14.1	143.
02/13/26 15:00	21500	448	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	141.
02/13/26 15:30	21300	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	135.
02/13/26 16:00	21300	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	142.
02/13/26 16:30	21400	451	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	146.
02/13/26 17:00	21800	453	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	144.
02/13/26 17:30	21900	452	2.21	BDL	BDL	7.24	BDL	BDL	BDL	BDL	12.1	137.
02/13/26 18:00	21900	452	2.21	BDL	BDL	9.13	BDL	BDL	BDL	BDL	12.6	127.
02/13/26 18:30	21700	446	2.18	BDL	BDL	2.13	BDL	BDL	BDL	BDL	11.9	117.
02/13/26 19:00	21700	440	2.19	BDL	BDL	5.60	BDL	BDL	BDL	BDL	10.8	114.
02/13/26 19:30	21700	440	2.18	BDL	BDL	7.60	BDL	BDL	BDL	BDL	10.6	116.
02/13/26 20:00	21600	444	2.18	BDL	BDL	2.73	BDL	BDL	BDL	BDL	12.2	115.
02/13/26 20:30	21600	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	118.
02/13/26 21:00	21600	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	118.
02/13/26 21:30	21600	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	116.
02/13/26 22:00	21600	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	116.
02/13/26 22:30	21400	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	114.
02/13/26 23:00	21400	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	114.
02/13/26 23:30	21300	449	2.2	BDL	BDL	5.11	BDL	BDL	BDL	BDL	10.3	111.
02/14/26 00:00	21300	448	2.19	BDL	BDL	2.10	BDL	BDL	BDL	BDL	10.7	118.

Daily Processed Summary (Average, Maximum Value)

Average	21000	443	2.22	BDL	BDL	1.34	BDL	BDL	BDL	BDL	9.75	133
Maximum Value	21900	455	2.31	-	-	11.1	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/14/26 00:30	21400	446	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	119.
02/14/26 01:00	21500	446	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	121.
02/14/26 01:30	21600	448	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	121.
02/14/26 02:00	21700	446	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	123.
02/14/26 02:30	21800	450	2.2	BDL	BDL	3.56	BDL	BDL	BDL	BDL	11.8	130.
02/14/26 03:00	21800	456	2.21	BDL	BDL	8.92	BDL	BDL	BDL	BDL	14.0	128.
02/14/26 03:30	21900	453	2.22	BDL	BDL	3.91	BDL	BDL	BDL	BDL	13.1	129.
02/14/26 04:00	21800	450	2.22	BDL	BDL	7.65	BDL	BDL	BDL	BDL	14.4	128.
02/14/26 04:30	21800	445	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	141.
02/14/26 05:00	21700	446	2.24	BDL	BDL	6.73	BDL	BDL	BDL	BDL	14.2	139.
02/14/26 05:30	21700	442	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	141.
02/14/26 06:00	21800	448	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	146.
02/14/26 06:30	21800	454	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	152.
02/14/26 07:00	21700	457	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	153.
02/14/26 07:30	21600	456	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	149.
02/14/26 08:00	21300	444	2.21	BDL	BDL	7.41	BDL	BDL	BDL	BDL	10.4	130.
02/14/26 08:30	21200	443	2.2	BDL	BDL	9.48	BDL	BDL	BDL	BDL	9.22	128.
02/14/26 09:00	21400	443	2.19	BDL	BDL	11.6	BDL	BDL	BDL	BDL	11.2	126.
02/14/26 09:30	21600	442	2.2	BDL	BDL	8.63	BDL	BDL	BDL	BDL	11.6	131.
02/14/26 10:00	21900	446	2.23	BDL	BDL	2.24	BDL	BDL	BDL	BDL	16.6	143.
02/14/26 10:30	21700	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.9	143.
02/14/26 11:00	21900	445	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.3	142.
02/14/26 11:30	21900	452	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	147.
02/14/26 12:00	21900	457	2.29	BDL	BDL	2.06	BDL	BDL	BDL	BDL	16.6	148.
02/14/26 12:30	21800	454	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	147.
02/14/26 13:00	22000	445	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	145.
02/14/26 13:30	22100	439	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	152.
02/14/26 14:00	22500	455	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	155.
02/14/26 14:30	22700	457	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	156.
02/14/26 15:00	22500	447	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.5	165.
02/14/26 15:30	22400	449	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.8	165.
02/14/26 16:00	22400	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.3	168.
02/14/26 16:30	22100	446	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	174.
02/14/26 17:00	22300	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.8	169.
02/14/26 17:30	22200	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.3	173.
02/14/26 18:00	22200	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	181.
02/14/26 18:30	16200	429	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	327.
02/14/26 19:00	15000	413	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	357.
02/14/26 19:30	15200	418	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	25.1
02/14/26 20:00	15200	419	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	42.5
02/14/26 20:30	15400	421	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	117.
02/14/26 21:00	15300	427	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.31	99.6
02/14/26 21:30	15200	421	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.4	103.
02/14/26 22:00	15000	417	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.72	111.
02/14/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.33	109.
02/14/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.12	139.
02/14/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.86	332.
02/15/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.10	269.

Daily Processed Summary (Average, Maximum Value)

Average	20700	443	2.22	BDL	BDL	1.64	BDL	BDL	BDL	BDL	10.4	144
Maximum Value	22700	457	2.39	-	-	11.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/15/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.95	288.
02/15/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.13	238.
02/15/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.07	241.
02/15/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.46	222.
02/15/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.66	216.
02/15/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.37	225.
02/15/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.37	230.
02/15/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.07	241.
02/15/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.69	245.
02/15/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.	253.
02/15/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.56	249.
02/15/26 06:00	12600	411	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.50	286.
02/15/26 06:30	12100	431	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.1	325.
02/15/26 07:00	12300	437	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.4	322.
02/15/26 07:30	12700	437	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	329.
02/15/26 08:00	13100	438	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	338.
02/15/26 08:30	13200	440	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.2	340.
02/15/26 09:00	13400	441	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	337.
02/15/26 09:30	13600	441	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	342.
02/15/26 10:00	13800	443	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	343.
02/15/26 10:30	13700	444	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	345.
02/15/26 11:00	13700	443	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	338.
02/15/26 11:30	13700	445	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	330.
02/15/26 12:00	13500	444	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	322.
02/15/26 12:30	13400	447	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	323.
02/15/26 13:00	13400	447	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	321.
02/15/26 13:30	13300	444	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	327.
02/15/26 14:00	13400	446	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	321.
02/15/26 14:30	13000	445	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	318.
02/15/26 15:00	12900	447	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	311.
02/15/26 15:30	12600	446	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	317.
02/15/26 16:00	12600	446	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	323.
02/15/26 16:30	12400	445	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	320.
02/15/26 17:00	12400	445	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	321.
02/15/26 17:30	12500	445	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	325.
02/15/26 18:00	12600	444	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.82	333.
02/15/26 18:30	12500	442	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	352.
02/15/26 19:00	12300	444	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	12.
02/15/26 19:30	12600	442	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	15.2
02/15/26 20:00	12600	438	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	18.3
02/15/26 20:30	12800	437	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	41.4
02/15/26 21:00	12600	438	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	51.2
02/15/26 21:30	12600	436	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.02	55.7
02/15/26 22:00	12500	435	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	79.3
02/15/26 22:30	12400	434	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	82.3
02/15/26 23:00	12400	436	2.8	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.3	94.2
02/15/26 23:30	12500	436	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.27	105.
02/16/26 00:00	12600	436	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	101.

Daily Processed Summary (Average, Maximum Value)

Average	12900	440	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.32	325
Maximum Value	13800	447	2.8	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/16/26 00:30	12300	433	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	101.
02/16/26 01:00	11900	433	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.66	102.
02/16/26 01:30	11900	436	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.37	101.
02/16/26 02:00	11900	437	2.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	96.9
02/16/26 02:30	12200	438	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	95.5
02/16/26 03:00	12300	437	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.13	86.6
02/16/26 03:30	12000	435	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	73.6
02/16/26 04:00	11600	441	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	64.5
02/16/26 04:30	11200	441	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	64.6
02/16/26 05:00	11000	442	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	48.9
02/16/26 05:30	11000	441	2.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	52.3
02/16/26 06:00	10900	441	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	60.5
02/16/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.4	56.4
02/16/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.31	56.5
02/16/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.94	55.3
02/16/26 08:00	11700	439	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.98	63.9
02/16/26 08:30	12600	440	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	67.5
02/16/26 09:00	13900	438	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	72.1
02/16/26 09:30	14600	436	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	81.6
02/16/26 10:00	14700	436	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	94.1
02/16/26 10:30	14500	441	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	104.
02/16/26 11:00	13500	444	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	118.
02/16/26 11:30	13200	450	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	118.
02/16/26 12:00	12900	447	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	114.
02/16/26 12:30	13100	450	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	111.
02/16/26 13:00	13200	449	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.	113.
02/16/26 13:30	14200	453	2.33	BDL	BDL	1.65	BDL	BDL	BDL	BDL	9.41	149.
02/16/26 14:00	13800	452	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.39	155.
02/16/26 14:30	12700	450	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.01	154.
02/16/26 15:00	12400	450	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	171.
02/16/26 15:30	12600	455	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.19	154.
02/16/26 16:00	12900	454	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.33	151.
02/16/26 16:30	13600	447	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.89	149.
02/16/26 17:00	14100	444	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.81	140.
02/16/26 17:30	14200	441	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.14	141.
02/16/26 18:00	14800	443	2.31	BDL	BDL	2.47	BDL	BDL	BDL	BDL	8.07	136.
02/16/26 18:30	15000	441	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.92	130.
02/16/26 19:00	15000	441	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.26	129.
02/16/26 19:30	15100	438	2.29	BDL	BDL	1.82	BDL	BDL	BDL	BDL	9.89	118.
02/16/26 20:00	15100	437	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	114.
02/16/26 20:30	15200	437	2.3	BDL	BDL	3.72	BDL	BDL	BDL	BDL	10.7	115.
02/16/26 21:00	15200	437	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	122.
02/16/26 21:30	15200	438	2.29	BDL	BDL	9.88	BDL	BDL	BDL	BDL	8.17	128.
02/16/26 22:00	15300	436	2.29	BDL	BDL	1.62	BDL	BDL	BDL	BDL	9.12	115.
02/16/26 22:30	15400	435	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	117.
02/16/26 23:00	15400	438	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.80	129.
02/16/26 23:30	15500	438	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.24	126.
02/17/26 00:00	15700	440	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.12	123.

Daily Processed Summary (Average, Maximum Value)

Average	13500	442	2.38	BDL	BDL	0.47	BDL	BDL	BDL	BDL	6.15	114
Maximum Value	15700	455	2.75	-	-	9.88	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/17/26 00:30	15700	443	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.11	123.
02/17/26 01:00	15700	442	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.80	141.
02/17/26 01:30	15600	442	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.33	146.
02/17/26 02:00	15500	442	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	141.
02/17/26 02:30	15800	450	2.31	BDL	BDL	2.44	BDL	BDL	BDL	BDL	9.11	148.
02/17/26 03:00	15800	451	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.24	147.
02/17/26 03:30	16000	455	2.32	BDL	BDL	1.94	BDL	BDL	BDL	BDL	9.03	148.
02/17/26 04:00	16300	456	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	150.
02/17/26 04:30	16500	450	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.58	147.
02/17/26 05:00	16600	449	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	146.
02/17/26 05:30	16900	446	2.29	BDL	BDL	2.12	BDL	BDL	BDL	BDL	7.27	156.
02/17/26 06:00	16900	443	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	167.
02/17/26 06:30	17200	446	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.95	168.
02/17/26 07:00	17000	438	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.09	173.
02/17/26 07:30	17100	435	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	178.
02/17/26 08:00	17300	436	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	172.
02/17/26 08:30	17500	436	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.22	179.
02/17/26 09:00	17500	435	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.54	179.
02/17/26 09:30	17600	435	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	180.
02/17/26 10:00	18000	437	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	171.
02/17/26 10:30	17800	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	177.
02/17/26 11:00	17300	441	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	188.
02/17/26 11:30	17200	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	193.
02/17/26 12:00	17400	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	183.
02/17/26 12:30	17400	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	187.
02/17/26 13:00	17500	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	182.
02/17/26 13:30	17900	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	165.
02/17/26 14:00	17900	447	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.0	172.
02/17/26 14:30	18100	445	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.	174.
02/17/26 15:00	18500	448	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.0	169.
02/17/26 15:30	18400	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.9	168.
02/17/26 16:00	18700	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.2	165.
02/17/26 16:30	18900	450	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	162.
02/17/26 17:00	19000	453	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.	156.
02/17/26 17:30	19500	453	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	160.
02/17/26 18:00	19800	455	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	158.
02/17/26 18:30	19900	454	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	153.
02/17/26 19:00	20000	449	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	151.
02/17/26 19:30	20100	457	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	154.
02/17/26 20:00	20200	454	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	153.
02/17/26 20:30	20300	454	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	157.
02/17/26 21:00	20100	442	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	164.
02/17/26 21:30	20100	442	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.0	165.
02/17/26 22:00	20000	441	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	168.
02/17/26 22:30	19800	437	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	176.
02/17/26 23:00	19700	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	176.
02/17/26 23:30	19500	433	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	177.
02/18/26 00:00	19600	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	175.

Daily Processed Summary (Average, Maximum Value)

Average	18000	445	2.25	BDL	BDL	0.135	BDL	BDL	BDL	BDL	12.2	166
Maximum Value	20300	457	2.32	-	-	2.44	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/18/26 00:30	19600	434	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	171.
02/18/26 01:00	19400	434	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	171.
02/18/26 01:30	19400	432	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	178.
02/18/26 02:00	19500	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	179.
02/18/26 02:30	19500	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.70	178.
02/18/26 03:00	19600	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.99	186.
02/18/26 03:30	19600	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.38	180.
02/18/26 04:00	19600	436	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.09	179.
02/18/26 04:30	19700	433	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	179.
02/18/26 05:00	19800	434	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.20	184.
02/18/26 05:30	19700	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	183.
02/18/26 06:00	19700	432	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.12	181.
02/18/26 06:30	19700	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.37	217.
02/18/26 07:00	20000	434	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.07	261.
02/18/26 07:30	20000	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.55	228.
02/18/26 08:00	19900	439	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.22	153.
02/18/26 08:30	20100	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	201.
02/18/26 09:00	20100	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	204.
02/18/26 09:30	20000	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.71	196.
02/18/26 10:00	20000	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	199.
02/18/26 10:30	19800	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	201.
02/18/26 11:00	19600	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	199.
02/18/26 11:30	19600	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	195.
02/18/26 12:00	19200	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	196.
02/18/26 12:30	18600	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	187.
02/18/26 13:00	18800	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	191.
02/18/26 13:30	18700	443	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	193.
02/18/26 14:00	18900	444	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	194.
02/18/26 14:30	19400	446	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.	178.
02/18/26 15:00	19600	443	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	176.
02/18/26 15:30	19800	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	179.
02/18/26 16:00	20200	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	172.
02/18/26 16:30	20700	444	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	172.
02/18/26 17:00	20900	446	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	176.
02/18/26 17:30	20900	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	178.
02/18/26 18:00	21000	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	179.
02/18/26 18:30	21200	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	173.
02/18/26 19:00	21200	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.12	177.
02/18/26 19:30	21300	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.53	182.
02/18/26 20:00	21400	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.90	175.
02/18/26 20:30	21700	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.95	157.
02/18/26 21:00	21900	456	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.91	153.
02/18/26 21:30	21900	453	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	163.
02/18/26 22:00	22000	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	165.
02/18/26 22:30	22100	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	167.
02/18/26 23:00	22000	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.61	172.
02/18/26 23:30	22100	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	173.
02/19/26 00:00	22300	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	175.

Daily Processed Summary (Average, Maximum Value)

Average	20200	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.78	180
Maximum Value	22300	456	2.23	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/19/26 00:30	22600	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	177.
02/19/26 01:00	22700	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	172.
02/19/26 01:30	22800	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	175.
02/19/26 02:00	22700	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	174.
02/19/26 02:30	22700	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	178.
02/19/26 03:00	22600	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	183.
02/19/26 03:30	22400	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	182.
02/19/26 04:00	22400	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	183.
02/19/26 04:30	22400	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	181.
02/19/26 05:00	22200	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	183.
02/19/26 05:30	22300	435	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	184.
02/19/26 06:00	22400	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.6	188.
02/19/26 06:30	22400	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.99	181.
02/19/26 07:00	22200	436	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	181.
02/19/26 07:30	22200	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.89	180.
02/19/26 08:00	22300	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	181.
02/19/26 08:30	22500	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	183.
02/19/26 09:00	22600	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	184.
02/19/26 09:30	22600	445	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	188.
02/19/26 10:00	22500	447	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	194.
02/19/26 10:30	22300	448	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.56	195.
02/19/26 11:00	22000	449	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.85	197.
02/19/26 11:30	21900	450	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	204.
02/19/26 12:00	21600	451	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.47	201.
02/19/26 12:30	21500	450	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.85	195.
02/19/26 13:00	21600	449	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.11	194.
02/19/26 13:30	21500	451	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	192.
02/19/26 14:00	21300	453	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.40	214.
02/19/26 14:30	21000	452	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	205.
02/19/26 15:00	20300	453	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	188.
02/19/26 15:30	20800	459	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.48	168.
02/19/26 16:00	20900	459	2.18	BDL	BDL	4.37	BDL	BDL	BDL	BDL	9.02	166.
02/19/26 16:30	21800	454	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.42	155.
02/19/26 17:00	22000	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.49	134.
02/19/26 17:30	22300	449	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	131.
02/19/26 18:00	22600	448	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	130.
02/19/26 18:30	22800	446	2.19	BDL	BDL	2.36	BDL	BDL	BDL	BDL	6.69	111.
02/19/26 19:00	23000	443	2.18	BDL	BDL	7.57	BDL	BDL	BDL	BDL	6.7	106.
02/19/26 19:30	22900	441	2.23	BDL	BDL	14.7	BDL	BDL	BDL	BDL	5.71	104.
02/19/26 20:00	22600	440	2.33	BDL	BDL	10.9	BDL	BDL	BDL	BDL	3.70	101.
02/19/26 20:30	22200	438	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.30	104.
02/19/26 21:00	22100	435	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	97.5
02/19/26 21:30	21900	426	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	85.3
02/19/26 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.98	96.2
02/19/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.25	83.6
02/19/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.14	68.3
02/19/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.24	95.3
02/20/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.43	117.

Daily Processed Summary (Average, Maximum Value)

Average	22100	443	2.19	BDL	BDL	0.928	BDL	BDL	BDL	BDL	7.45	172
Maximum Value	23000	459	2.33	-	-	14.7	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/20/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.2	127.
02/20/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.0	134.
02/20/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.5	140.
02/20/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.6	144.
02/20/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.5	145.
02/20/26 03:00	23800	424	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.09	145.
02/20/26 03:30	24100	439	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	156.
02/20/26 04:00	24000	441	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.04	165.
02/20/26 04:30	24000	442	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.31	166.
02/20/26 05:00	24100	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.08	163.
02/20/26 05:30	24100	456	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.19	145.
02/20/26 06:00	24000	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	140.
02/20/26 06:30	23600	445	2.33	BDL	BDL	16.2	BDL	BDL	BDL	BDL	4.	104.
02/20/26 07:00	23400	449	2.33	BDL	BDL	17.6	BDL	BDL	BDL	BDL	4.10	100.
02/20/26 07:30	23300	452	2.27	BDL	BDL	6.73	BDL	BDL	BDL	BDL	4.40	79.7
02/20/26 08:00	23300	461	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	93.2
02/20/26 08:30	23500	460	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	102.
02/20/26 09:00	23900	456	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	88.5
02/20/26 09:30	24300	449	2.23	BDL	BDL	6.86	BDL	BDL	BDL	BDL	7.22	103.
02/20/26 10:00	23900	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.1	151.
02/20/26 10:30	23800	454	2.21	BDL	BDL	4.76	BDL	BDL	BDL	BDL	9.49	154.
02/20/26 11:00	23200	455	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.69	172.
02/20/26 11:30	23000	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.20	155.
02/20/26 12:00	23100	450	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	142.
02/20/26 12:30	23100	448	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	145.
02/20/26 13:00	23100	451	2.2	BDL	BDL	3.30	BDL	BDL	BDL	BDL	10.4	137.
02/20/26 13:30	23100	456	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	134.
02/20/26 14:00	23000	451	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	127.
02/20/26 14:30	23000	451	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	130.
02/20/26 15:00	22700	455	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	148.
02/20/26 15:30	22900	454	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	141.
02/20/26 16:00	23500	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	141.
02/20/26 16:30	23700	451	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	137.
02/20/26 17:00	23900	450	2.19	BDL	BDL	2.20	BDL	BDL	BDL	BDL	9.50	116.
02/20/26 17:30	24200	448	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.64	121.
02/20/26 18:00	24200	448	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	118.
02/20/26 18:30	24200	443	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	120.
02/20/26 19:00	24000	442	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	120.
02/20/26 19:30	23800	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.98	121.
02/20/26 20:00	23800	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.40	112.
02/20/26 20:30	23800	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.46	114.
02/20/26 21:00	24000	443	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.87	121.
02/20/26 21:30	23900	445	2.22	BDL	BDL	8.53	BDL	BDL	BDL	BDL	2.68	108.
02/20/26 22:00	23900	444	2.27	BDL	BDL	6.25	BDL	BDL	BDL	BDL	3.71	90.7
02/20/26 22:30	23800	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	69.4
02/20/26 23:00	23900	441	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.20	79.7
02/20/26 23:30	23800	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.735	269.
02/21/26 00:00	23400	429	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.21	360.

Daily Processed Summary (Average, Maximum Value)

Average	23700	448	2.21	BDL	BDL	1.68	BDL	BDL	BDL	BDL	7.33	133
Maximum Value	24300	461	2.37	-	-	17.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/21/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.85	272.
02/21/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.78	229.
02/21/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.44	257.
02/21/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.3	289.
02/21/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.559	310.
02/21/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.50	53.9
02/21/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.793	39.
02/21/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.82	193.
02/21/26 04:30	23200	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.34	192.
02/21/26 05:00	22900	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	187.
02/21/26 05:30	22000	439	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	193.
02/21/26 06:00	22000	443	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.93	226.
02/21/26 06:30	21800	444	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.38	263.
02/21/26 07:00	21700	442	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	286.
02/21/26 07:30	21700	443	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	312.
02/21/26 08:00	21800	441	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	329.
02/21/26 08:30	21200	444	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.78	350.
02/21/26 09:00	18300	440	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	343.
02/21/26 09:30	17800	437	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	355.
02/21/26 10:00	18100	438	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.01	4.79
02/21/26 10:30	18600	440	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	350.
02/21/26 11:00	18700	440	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.25	351.
02/21/26 11:30	18900	442	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	348.
02/21/26 12:00	18300	447	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	351.
02/21/26 12:30	17900	450	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	5.79
02/21/26 13:00	16900	449	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	359.
02/21/26 13:30	15100	449	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	358.
02/21/26 14:00	14100	449	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	353.
02/21/26 14:30	12000	453	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	0.66
02/21/26 15:00	11000	453	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	4.87
02/21/26 15:30	10400	450	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	5.1
02/21/26 16:00	9450	450	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	9.39
02/21/26 16:30	9200	449	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	4.14
02/21/26 17:00	8750	446	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	7.81
02/21/26 17:30	8740	446	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.4	6.84
02/21/26 18:00	8900	447	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	5.68
02/21/26 18:30	9020	444	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	350.
02/21/26 19:00	8720	441	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	351.
02/21/26 19:30	8020	439	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	356.
02/21/26 20:00	7450	437	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	357.
02/21/26 20:30	6800	434	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	355.
02/21/26 21:00	6950	434	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	354.
02/21/26 21:30	6830	436	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	350.
02/21/26 22:00	6610	433	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	348.
02/21/26 22:30	6300	432	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.7	350.
02/21/26 23:00	6210	431	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	352.
02/21/26 23:30	6120	432	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.7	355.
02/22/26 00:00	5960	429	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.	355.

Daily Processed Summary (Average, Maximum Value)

Average	13900	442	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.39	354
Maximum Value	23200	453	2.35	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/22/26 00:30	5740	429	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	358.
02/22/26 01:00	5580	428	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.0	354.
02/22/26 01:30	5390	426	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.5	354.
02/22/26 02:00	5100	425	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.3	356.
02/22/26 02:30	5050	425	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	357.
02/22/26 03:00	4990	428	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.7	2.98
02/22/26 03:30	4830	425	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	8.96
02/22/26 04:00	4610	424	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.1	11.1
02/22/26 04:30	4560	425	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.	10.8
02/22/26 05:00	4560	423	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.5	8.56
02/22/26 05:30	4590	424	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.2	10.6
02/22/26 06:00	4650	423	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	10.5
02/22/26 06:30	4720	421	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	8.79
02/22/26 07:00	4780	424	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	6.92
02/22/26 07:30	4820	424	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	6.53
02/22/26 08:00	4870	427	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	6.16
02/22/26 08:30	4900	428	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.7	10.8
02/22/26 09:00	4740	428	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.6	17.4
02/22/26 09:30	4480	431	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.2	20.5
02/22/26 10:00	4130	433	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.7	21.5
02/22/26 10:30	3960	434	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.8	22.
02/22/26 11:00	3960	434	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.7	20.3
02/22/26 11:30	3930	433	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.2	17.5
02/22/26 12:00	3820	433	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.5	21.6
02/22/26 12:30	3900	434	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.3	9.78
02/22/26 13:00	3980	435	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	8.02
02/22/26 13:30	4190	436	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	359.
02/22/26 14:00	3860	438	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	7.26
02/22/26 14:30	3770	438	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.3	5.78
02/22/26 15:00	3800	437	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	5.88
02/22/26 15:30	3860	439	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	4.51
02/22/26 16:00	3810	438	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	359.
02/22/26 16:30	3880	439	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	358.
02/22/26 17:00	3950	437	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	0.614
02/22/26 17:30	3940	436	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	1.72
02/22/26 18:00	3770	436	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	7.29
02/22/26 18:30	3940	436	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.17	7.01
02/22/26 19:00	4240	432	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.92	3.19
02/22/26 19:30	4370	431	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	5.99
02/22/26 20:00	4440	432	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.99	13.7
02/22/26 20:30	4600	434	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.5	16.6
02/22/26 21:00	4590	433	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.71	7.78
02/22/26 21:30	4650	431	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	0.363
02/22/26 22:00	M	M	M	M	M	M	M	M	M	M	7.2	7.39
02/22/26 22:30	M	M	M	M	M	M	M	M	M	M	6.84	5.29
02/22/26 23:00	4830	429	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	5.01
02/22/26 23:30	4790	428	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	7.93
02/23/26 00:00	4760	426	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	11.5

Daily Processed Summary (Average, Maximum Value)

Average	4450	431	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15	7.84
Maximum Value	5740	439	2.38	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/23/26 00:30	4800	426	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	10.7
02/23/26 01:00	4710	425	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	13.4
02/23/26 01:30	4670	425	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	9.31
02/23/26 02:00	4670	423	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.9	14.7
02/23/26 02:30	4580	423	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.71	9.44
02/23/26 03:00	4470	423	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	7.85
02/23/26 03:30	4370	423	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	5.35
02/23/26 04:00	4410	424	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	19.0
02/23/26 04:30	4570	427	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.56	25.8
02/23/26 05:00	4570	426	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	27.9
02/23/26 05:30	4530	426	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	26.3
02/23/26 06:00	4500	423	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	18.6
02/23/26 06:30	4440	420	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	13.9
02/23/26 07:00	4420	421	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	23.0
02/23/26 07:30	4410	423	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	16.9
02/23/26 08:00	4590	425	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.56	17.8
02/23/26 08:30	4640	429	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	33.4
02/23/26 09:00	4230	432	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.31	55.1
02/23/26 09:30	3510	434	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	67.1
02/23/26 10:00	2770	435	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	67.8
02/23/26 10:30	2760	438	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	57.3
02/23/26 11:00	2320	438	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	53.3
02/23/26 11:30	2340	439	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	44.7
02/23/26 12:00	2250	437	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	30.0
02/23/26 12:30	2220	434	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	37.
02/23/26 13:00	2080	435	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.31	22.0
02/23/26 13:30	2080	434	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	34.4
02/23/26 14:00	2380	433	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.83	65.3
02/23/26 14:30	4380	435	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.81	162.
02/23/26 15:00	4480	435	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.77	192.
02/23/26 15:30	4360	438	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	205.
02/23/26 16:00	4480	439	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	173.
02/23/26 16:30	4700	440	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.19	170.
02/23/26 17:00	4780	440	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.27	172.
02/23/26 17:30	4590	441	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	178.
02/23/26 18:00	5200	441	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	176.
02/23/26 18:30	5710	434	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	151.
02/23/26 19:00	5920	433	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	155.
02/23/26 19:30	6790	432	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	178.
02/23/26 20:00	7360	428	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.12	195.
02/23/26 20:30	7080	426	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	193.
02/23/26 21:00	7130	426	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	191.
02/23/26 21:30	7410	426	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	191.
02/23/26 22:00	7920	426	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.15	195.
02/23/26 22:30	7860	425	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.70	189.
02/23/26 23:00	8010	424	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.19	188.
02/23/26 23:30	7940	423	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	192.
02/24/26 00:00	7880	421	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	199.

Daily Processed Summary (Average, Maximum Value)

Average	4800	430	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.16	67.7
Maximum Value	8010	441	2.5	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/24/26 00:30	8270	421	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	201.
02/24/26 01:00	8470	420	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.2	222.
02/24/26 01:30	8100	421	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.	269.
02/24/26 02:00	8260	420	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.78	309.
02/24/26 02:30	8120	419	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.77	358.
02/24/26 03:00	8170	420	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.91	22.4
02/24/26 03:30	7760	421	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	25.3
02/24/26 04:00	7530	424	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.32	35.
02/24/26 04:30	7480	424	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	49.3
02/24/26 05:00	7450	423	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	56.3
02/24/26 05:30	7440	425	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	50.
02/24/26 06:00	7370	427	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	79.5
02/24/26 06:30	7440	426	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.8	82.6
02/24/26 07:00	7590	425	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.89	90.5
02/24/26 07:30	7870	426	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	96.3
02/24/26 08:00	8650	431	2.95	BDL	BDL	11.9	BDL	BDL	BDL	BDL	3.02	93.7
02/24/26 08:30	9590	429	2.43	BDL	BDL	4.03	BDL	BDL	BDL	BDL	7.6	176.
02/24/26 09:00	9190	431	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	174.
02/24/26 09:30	8830	434	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	172.
02/24/26 10:00	8790	434	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	169.
02/24/26 10:30	9160	436	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.3	162.
02/24/26 11:00	9770	435	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	165.
02/24/26 11:30	10200	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	169.
02/24/26 12:00	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	13.2	188.
02/24/26 12:30	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	13.7	186.
02/24/26 13:00	10500	436	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	180.
02/24/26 13:30	10600	439	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	187.
02/24/26 14:00	10900	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	182.
02/24/26 14:30	11000	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	187.
02/24/26 15:00	11500	439	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	185.
02/24/26 15:30	12000	440	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	182.
02/24/26 16:00	12500	441	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	174.
02/24/26 16:30	12900	441	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	168.
02/24/26 17:00	13200	441	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	169.
02/24/26 17:30	13400	439	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.3	170.
02/24/26 18:00	13800	437	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	169.
02/24/26 18:30	13800	436	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	176.
02/24/26 19:00	14000	433	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.	175.
02/24/26 19:30	14300	434	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	174.
02/24/26 20:00	14500	433	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	175.
02/24/26 20:30	14700	433	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.84	176.
02/24/26 21:00	14800	432	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	174.
02/24/26 21:30	14800	432	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	175.
02/24/26 22:00	15000	431	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	176.
02/24/26 22:30	15200	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	176.
02/24/26 23:00	15100	432	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	180.
02/24/26 23:30	15100	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	181.
02/25/26 00:00	15300	432	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	184.

Daily Processed Summary (Average, Maximum Value)

Average	10900	431	2.31	BDL	BDL	0.346	BDL	BDL	BDL	BDL	8.97	172
Maximum Value	15300	441	2.95	-	-	11.9	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/25/26 00:30	15400	434	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	185.
02/25/26 01:00	15800	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	185.
02/25/26 01:30	16000	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.8	186.
02/25/26 02:00	16100	432	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	184.
02/25/26 02:30	16200	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	184.
02/25/26 03:00	16300	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	186.
02/25/26 03:30	16500	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.57	190.
02/25/26 04:00	16700	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	188.
02/25/26 04:30	16800	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	186.
02/25/26 05:00	16900	438	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.31	185.
02/25/26 05:30	16800	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	187.
02/25/26 06:00	16700	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.64	185.
02/25/26 06:30	16800	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	186.
02/25/26 07:00	16900	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.55	188.
02/25/26 07:30	17100	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	185.
02/25/26 08:00	17300	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	186.
02/25/26 08:30	17400	440	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	188.
02/25/26 09:00	17400	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	193.
02/25/26 09:30	17300	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	193.
02/25/26 10:00	17300	449	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.0	195.
02/25/26 10:30	17300	450	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.1	198.
02/25/26 11:00	17500	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	199.
02/25/26 11:30	17700	449	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	198.
02/25/26 12:00	17800	451	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.4	196.
02/25/26 12:30	17900	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.9	195.
02/25/26 13:00	17800	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.	194.
02/25/26 13:30	17800	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.8	190.
02/25/26 14:00	17800	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.6	187.
02/25/26 14:30	17800	453	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.5	187.
02/25/26 15:00	17700	456	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.5	189.
02/25/26 15:30	18000	456	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.0	187.
02/25/26 16:00	17800	454	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	184.
02/25/26 16:30	18000	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	184.
02/25/26 17:00	18400	451	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.0	181.
02/25/26 17:30	18500	451	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	180.
02/25/26 18:00	18500	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	178.
02/25/26 18:30	18600	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.	177.
02/25/26 19:00	18900	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	176.
02/25/26 19:30	19100	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	175.
02/25/26 20:00	19200	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	178.
02/25/26 20:30	19300	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	177.
02/25/26 21:00	19300	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	178.
02/25/26 21:30	19400	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.3	180.
02/25/26 22:00	19500	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	182.
02/25/26 22:30	19700	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	185.
02/25/26 23:00	19700	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	185.
02/25/26 23:30	19700	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	187.
02/26/26 00:00	19800	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	187.

Daily Processed Summary (Average, Maximum Value)

Average	17800	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	186
Maximum Value	19800	456	2.23	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/26/26 00:30	19900	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	191.
02/26/26 01:00	19900	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	191.
02/26/26 01:30	19900	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	190.
02/26/26 02:00	19900	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	192.
02/26/26 02:30	19800	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	191.
02/26/26 03:00	19700	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	193.
02/26/26 03:30	19700	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	194.
02/26/26 04:00	19600	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	195.
02/26/26 04:30	19700	440	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	195.
02/26/26 05:00	19700	437	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	194.
02/26/26 05:30	19700	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	194.
02/26/26 06:00	19700	437	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.24	193.
02/26/26 06:30	19700	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.75	192.
02/26/26 07:00	19700	431	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.17	193.
02/26/26 07:30	19700	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.50	195.
02/26/26 08:00	19900	437	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.25	194.
02/26/26 08:30	20200	438	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.3	197.
02/26/26 09:00	20400	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.90	201.
02/26/26 09:30	20600	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	203.
02/26/26 10:00	20700	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	202.
02/26/26 10:30	20700	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	196.
02/26/26 11:00	20800	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.3	190.
02/26/26 11:30	20700	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	194.
02/26/26 12:00	20800	450	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.2	194.
02/26/26 12:30	20800	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	196.
02/26/26 13:00	21000	448	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	192.
02/26/26 13:30	21100	448	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	196.
02/26/26 14:00	21000	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	195.
02/26/26 14:30	21000	450	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	187.
02/26/26 15:00	21100	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	179.
02/26/26 15:30	21500	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.7	165.
02/26/26 16:00	21600	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	171.
02/26/26 16:30	21800	459	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	168.
02/26/26 17:00	22000	465	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	155.
02/26/26 17:30	22000	464	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	150.
02/26/26 18:00	22100	464	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	150.
02/26/26 18:30	21900	461	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.	151.
02/26/26 19:00	21700	456	2.24	BDL	BDL	9.32	BDL	BDL	BDL	BDL	6.36	125.
02/26/26 19:30	21300	453	2.27	BDL	BDL	4.82	BDL	BDL	BDL	BDL	5.17	105.
02/26/26 20:00	21100	448	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	86.3
02/26/26 20:30	21100	445	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.38	88.
02/26/26 21:00	21200	451	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	88.9
02/26/26 21:30	21400	448	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	88.0
02/26/26 22:00	21900	448	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.82	94.8
02/26/26 22:30	22000	449	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.54	96.2
02/26/26 23:00	21800	450	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.34	92.9
02/26/26 23:30	21700	448	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	68.4
02/27/26 00:00	21700	445	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	63.9

Daily Processed Summary (Average, Maximum Value)

Average	20800	446	2.24	BDL	BDL	0.295	BDL	BDL	BDL	BDL	9.6	179
Maximum Value	22100	465	2.39	-	-	9.32	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/27/26 00:30	21600	448	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	77.4
02/27/26 01:00	21400	449	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.652	230.
02/27/26 01:30	21000	446	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	10.2
02/27/26 02:00	20400	446	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.20	37.1
02/27/26 02:30	19800	442	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	32.1
02/27/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.55	47.2
02/27/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.98	53.3
02/27/26 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.23	38.9
02/27/26 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.29	36.6
02/27/26 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.43	33.8
02/27/26 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.85	33.
02/27/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.47	26.3
02/27/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.33	32.2
02/27/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.86	28.6
02/27/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.03	21.3
02/27/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.9	16.9
02/27/26 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.38	20.9
02/27/26 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.67	20.5
02/27/26 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.2	27.1
02/27/26 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.98	25.8
02/27/26 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.76	38.1
02/27/26 11:00	20800	448	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.12	43.8
02/27/26 11:30	20500	452	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	52.7
02/27/26 12:00	20000	456	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	67.1
02/27/26 12:30	19300	457	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.75	79.9
02/27/26 13:00	18300	461	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.59	87.4
02/27/26 13:30	18100	461	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	97.3
02/27/26 14:00	17300	464	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	73.6
02/27/26 14:30	17600	462	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	57.7
02/27/26 15:00	20600	465	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	183.
02/27/26 15:30	21000	468	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	175.
02/27/26 16:00	20100	467	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	172.
02/27/26 16:30	19000	469	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	165.
02/27/26 17:00	17900	468	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	155.
02/27/26 17:30	18800	456	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	143.
02/27/26 18:00	19200	452	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	144.
02/27/26 18:30	19700	454	2.28	BDL	BDL	10.3	BDL	BDL	BDL	BDL	9.72	135.
02/27/26 19:00	20000	461	2.42	BDL	BDL	25.2	BDL	BDL	BDL	BDL	7.45	117.
02/27/26 19:30	19700	451	2.41	BDL	BDL	17.8	BDL	BDL	BDL	BDL	7.53	122.
02/27/26 20:00	19400	448	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.40	117.
02/27/26 20:30	19100	441	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	121.
02/27/26 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.30	120.
02/27/26 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.09	125.
02/27/26 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.33	134.
02/27/26 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.89	135.
02/27/26 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.52	159.
02/27/26 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.11	179.
02/28/26 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.97	199.

Daily Processed Summary (Average, Maximum Value)

Average	19600	456	2.3	BDL	BDL	2.13	BDL	BDL	BDL	BDL	3.96	92.6
Maximum Value	21600	469	2.42	-	-	25.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
02/28/26 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.43	194.
02/28/26 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.07	188.
02/28/26 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.87	186.
02/28/26 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.83	170.
02/28/26 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.82	175.
02/28/26 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.40	186.
02/28/26 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.42	198.
02/28/26 04:00	18300	429	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.87	191.
02/28/26 04:30	18200	438	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	174.
02/28/26 05:00	17900	442	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	149.
02/28/26 05:30	17700	445	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	182.
02/28/26 06:00	17300	444	2.29	BDL	BDL	2.67	BDL	BDL	BDL	BDL	1.46	153.
02/28/26 06:30	17300	442	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	194.
02/28/26 07:00	17200	443	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	199.
02/28/26 07:30	17200	443	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.18	178.
02/28/26 08:00	17300	446	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.16	194.
02/28/26 08:30	17700	447	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.08	201.
02/28/26 09:00	17600	445	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	210.
02/28/26 09:30	17600	451	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	187.
02/28/26 10:00	17700	453	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.2	174.
02/28/26 10:30	17800	454	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	113.
02/28/26 11:00	17400	451	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	119.
02/28/26 11:30	17600	452	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	147.
02/28/26 12:00	17400	450	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	149.
02/28/26 12:30	17600	450	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	144.
02/28/26 13:00	17200	446	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	145.
02/28/26 13:30	17200	448	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	144.
02/28/26 14:00	17400	448	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	141.
02/28/26 14:30	17700	449	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	138.
02/28/26 15:00	17900	450	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.95	141.
02/28/26 15:30	17900	449	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.7	137.
02/28/26 16:00	18000	448	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.92	137.
02/28/26 16:30	18000	451	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	126.
02/28/26 17:00	17600	449	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	129.
02/28/26 17:30	17900	451	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	130.
02/28/26 18:00	18600	445	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	123.
02/28/26 18:30	18800	440	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	120.
02/28/26 19:00	18800	444	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	125.
02/28/26 19:30	18800	442	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	120.
02/28/26 20:00	19000	441	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.32	123.
02/28/26 20:30	19300	436	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.55	123.
02/28/26 21:00	19300	439	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	122.
02/28/26 21:30	19400	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	121.
02/28/26 22:00	19500	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	121.
02/28/26 22:30	19400	444	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	120.
02/28/26 23:00	19700	444	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.22	118.
02/28/26 23:30	19900	446	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.84	118.
03/01/26 00:00	19700	446	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.11	117.

Daily Processed Summary (Average, Maximum Value)

Average	18100	445	2.25	BDL	BDL	0.0651	BDL	BDL	BDL	BDL	7.2	139
Maximum Value	19900	454	2.3	-	-	2.67	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR Daily (24-hour) Averages

Site: Formosa North AAMS

Date	Capture%	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)	Met Capture%
03/01/26	100	19400	447	2.25	BDL	BDL	0.717	BDL	BDL	BDL	BDL	10.1	130	100
03/02/26	95.7	20000	447	2.23	BDL	BDL	0.582	BDL	BDL	BDL	BDL	10	128	97.9
03/03/26	100	23500	453	2.19	BDL	BDL	0.399	BDL	BDL	BDL	BDL	14.3	146	100
03/04/26	100	23700	450	2.19	BDL	BDL	0.373	BDL	BDL	BDL	BDL	13.3	144	100
03/05/26	100	23100	447	2.18	BDL	BDL	0.206	BDL	BDL	BDL	BDL	15.3	144	100
03/06/26	100	24300	446	2.2	BDL	BDL	0.0585	BDL	BDL	BDL	BDL	17.4	147	100
03/07/26	100	24200	447	2.22	BDL	BDL	0.0535	BDL	BDL	BDL	BDL	10.6	153	100
03/08/26	100	18600	441	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.46	22.9	100
03/09/26	95.5	23200	447	2.27	BDL	BDL	0.0769	BDL	BDL	BDL	BDL	8.48	158	100
03/10/26	100	24500	454	2.2	BDL	BDL	0.991	BDL	BDL	BDL	BDL	17.1	160	100
03/11/26	100	20400	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	184	100
03/12/26	100	6930	437	2.29	BDL	BDL	0.0571	BDL	BDL	BDL	BDL	12.7	10.5	100
03/13/26	100	12000	444	2.25	BDL	BDL	3.47	BDL	BDL	BDL	BDL	9.64	155	100
03/14/26	100	18300	450	2.23	BDL	BDL	0.148	BDL	BDL	BDL	BDL	12.6	155	100
03/15/26	100	19900	447	2.22	BDL	BDL	0.0973	BDL	BDL	BDL	BDL	8.69	180	100
03/16/26	100	3150	428	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.3	356	100
03/17/26	100	4400	428	2.32	BDL	BDL	1.08	BDL	BDL	BDL	BDL	5.22	97.8	97.9
03/18/26	100	11000	438	2.25	BDL	BDL	3.74	BDL	BDL	BDL	BDL	8.96	148	93.8
03/19/26	100	14700	443	2.25	BDL	BDL	1.43	BDL	BDL	BDL	BDL	6.53	180	100
03/20/26	100	17500	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.03	187	100
03/21/26	100	19300	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	186	100
03/22/26	100	18800	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	182	100
03/23/26	100	19700	452	2.23	BDL	BDL	1.07	BDL	BDL	BDL	BDL	8.7	157	87.5
03/24/26	100	21500	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.4	161	100
03/25/26	97.9	21800	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	161	100
03/26/26	100	20200	449	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	170	100
03/27/26	100	20300	444	2.2	BDL	BDL	0.831	BDL	BDL	BDL	BDL	9.95	171	100
03/28/26	100	14900	443	2.32	BDL	BDL	0.561	BDL	BDL	BDL	BDL	5.99	38	100
03/29/26	100	17500	446	2.37	BDL	BDL	0.661	BDL	BDL	BDL	BDL	7.87	143	100
03/30/26	100	20800	450	2.23	BDL	BDL	0.311	BDL	BDL	BDL	BDL	13.3	150	100
03/31/26	93.6	22600	449	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	152	100

Daily Processed Summary (Average, Maximum Value)

Average	99.4	18400	445	2.24	BDL	BDL	0.546	BDL	BDL	BDL	BDL	7.96	151	99.3
Maximum Value	100	24500	454	2.39	BDL	BDL	3.74	BDL	BDL	BDL	BDL	-	-	100

BDL = Below Detection Limit

Blank = Not Available

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/01/26 00:30	19700	440	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	117.
03/01/26 01:00	19800	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	119.
03/01/26 01:30	19900	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	121.
03/01/26 02:00	20000	446	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.99	128.
03/01/26 02:30	20300	442	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	130.
03/01/26 03:00	20600	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.55	133.
03/01/26 03:30	20600	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.51	133.
03/01/26 04:00	20600	439	2.23	BDL	BDL	6.56	BDL	BDL	BDL	BDL	9.29	131.
03/01/26 04:30	20500	442	2.22	BDL	BDL	13.3	BDL	BDL	BDL	BDL	7.95	125.
03/01/26 05:00	20200	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	118.
03/01/26 05:30	20100	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	119.
03/01/26 06:00	19900	439	2.23	BDL	BDL	5.43	BDL	BDL	BDL	BDL	5.21	108.
03/01/26 06:30	18700	436	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	73.1
03/01/26 07:00	18200	438	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	94.2
03/01/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.82	123.
03/01/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.47	89.6
03/01/26 08:30	19500	444	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	91.7
03/01/26 09:00	20800	444	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.	97.7
03/01/26 09:30	20600	446	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	117.
03/01/26 10:00	19800	449	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	133.
03/01/26 10:30	19000	455	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	146.
03/01/26 11:00	18500	456	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	146.
03/01/26 11:30	18100	457	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	141.
03/01/26 12:00	18000	459	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	145.
03/01/26 12:30	18000	456	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	146.
03/01/26 13:00	18200	455	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	145.
03/01/26 13:30	18200	458	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	146.
03/01/26 14:00	18300	454	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	150.
03/01/26 14:30	18400	455	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	144.
03/01/26 15:00	18400	456	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	145.
03/01/26 15:30	18400	456	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	144.
03/01/26 16:00	18500	455	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	142.
03/01/26 16:30	18500	454	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	146.
03/01/26 17:00	18500	457	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	145.
03/01/26 17:30	18900	455	2.23	BDL	BDL	4.27	BDL	BDL	BDL	BDL	12.8	131.
03/01/26 18:00	19100	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	123.
03/01/26 18:30	19400	446	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	120.
03/01/26 19:00	19600	443	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	120.
03/01/26 19:30	19700	444	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	113.
03/01/26 20:00	19700	442	2.22	BDL	BDL	3.4	BDL	BDL	BDL	BDL	9.99	111.
03/01/26 20:30	19700	442	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	115.
03/01/26 21:00	19900	442	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	117.
03/01/26 21:30	20000	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	119.
03/01/26 22:00	20000	440	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	122.
03/01/26 22:30	20000	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	125.
03/01/26 23:00	20000	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	123.
03/01/26 23:30	20000	448	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	121.
03/02/26 00:00	20000	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	123.

Daily Processed Summary (Average, Maximum Value)

Average	19400	447	2.25	BDL	BDL	0.717	BDL	BDL	BDL	BDL	10.1	130
Maximum Value	20800	459	2.4	-	-	13.3	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/02/26 00:30	20000	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	122.
03/02/26 01:00	20100	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	123.
03/02/26 01:30	20200	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.70	125.
03/02/26 02:00	20400	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	132.
03/02/26 02:30	20500	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	133.
03/02/26 03:00	20400	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	132.
03/02/26 03:30	20400	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	133.
03/02/26 04:00	20300	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	137.
03/02/26 04:30	20200	446	2.21	BDL	BDL	6.30	BDL	BDL	BDL	BDL	9.05	131.
03/02/26 05:00	19900	443	2.21	BDL	BDL	9.56	BDL	BDL	BDL	BDL	7.52	125.
03/02/26 05:30	19800	440	2.2	BDL	BDL	3.86	BDL	BDL	BDL	BDL	7.63	125.
03/02/26 06:00	19600	439	2.22	BDL	BDL	2.74	BDL	BDL	BDL	BDL	5.08	118.
03/02/26 06:30	19400	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	117.
03/02/26 07:00	18300	436	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
03/02/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.64	75.1
03/02/26 08:00	17800	445	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	78.4
03/02/26 08:30	19300	441	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	83.1
03/02/26 09:00	20300	445	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	86.
03/02/26 09:30	19800	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.68	114.
03/02/26 10:00	18500	450	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.57	131.
03/02/26 10:30	17400	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	144.
03/02/26 11:00	17700	450	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	145.
03/02/26 11:30	17900	454	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	153.
03/02/26 12:00	18200	450	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	143.
03/02/26 12:30	18300	450	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	148.
03/02/26 13:00	18500	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	151.
03/02/26 13:30	18800	455	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	152.
03/02/26 14:00	19000	454	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	143.
03/02/26 14:30	19300	456	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	141.
03/02/26 15:00	19000	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	142.
03/02/26 15:30	18800	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	136.
03/02/26 16:00	19400	453	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	136.
03/02/26 16:30	20200	454	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	130.
03/02/26 17:00	20800	450	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	121.
03/02/26 17:30	21000	449	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	117.
03/02/26 18:00	21300	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	118.
03/02/26 18:30	21400	447	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	119.
03/02/26 19:00	21600	446	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	117.
03/02/26 19:30	21700	444	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	119.
03/02/26 20:00	21800	446	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	118.
03/02/26 20:30	21900	447	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.76	117.
03/02/26 21:00	22100	447	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	118.
03/02/26 21:30	22200	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	124.
03/02/26 22:00	22400	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	127.
03/02/26 22:30	22600	454	2.22	BDL	BDL	3.73	BDL	BDL	BDL	BDL	12.8	128.
03/02/26 23:00	M	M	M	M	M	M	M	M	M	M	13.7	126.
03/02/26 23:30	M	M	M	M	M	M	M	M	M	M	12.3	130.
03/03/26 00:00	22800	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	132.

Daily Processed Summary (Average, Maximum Value)

Average	20000	447	2.23	BDL	BDL	0.582	BDL	BDL	BDL	BDL	10	128
Maximum Value	22800	456	2.37	-	-	9.56	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/03/26 00:30	22600	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	138.
03/03/26 01:00	22600	449	2.22	BDL	BDL	4.86	BDL	BDL	BDL	BDL	9.64	134.
03/03/26 01:30	22600	448	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	142.
03/03/26 02:00	22700	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	146.
03/03/26 02:30	22700	448	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	143.
03/03/26 03:00	22800	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	139.
03/03/26 03:30	22900	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	141.
03/03/26 04:00	23000	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	140.
03/03/26 04:30	23000	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	142.
03/03/26 05:00	23300	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	144.
03/03/26 05:30	23100	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	140.
03/03/26 06:00	23200	453	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	142.
03/03/26 06:30	23200	453	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	156.
03/03/26 07:00	23300	449	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	142.
03/03/26 07:30	23400	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	145.
03/03/26 08:00	23400	452	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	142.
03/03/26 08:30	23600	459	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	151.
03/03/26 09:00	23800	466	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	157.
03/03/26 09:30	23700	463	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	157.
03/03/26 10:00	23700	466	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	158.
03/03/26 10:30	23800	465	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	157.
03/03/26 11:00	23500	455	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	156.
03/03/26 11:30	23800	462	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	155.
03/03/26 12:00	23900	460	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	145.
03/03/26 12:30	23900	463	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	153.
03/03/26 13:00	23800	462	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.	158.
03/03/26 13:30	23900	463	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	150.
03/03/26 14:00	24000	459	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	148.
03/03/26 14:30	24100	466	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	153.
03/03/26 15:00	24100	463	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	148.
03/03/26 15:30	24100	463	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	147.
03/03/26 16:00	24000	463	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	148.
03/03/26 16:30	23800	451	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	143.
03/03/26 17:00	23800	450	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	140.
03/03/26 17:30	23900	461	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	151.
03/03/26 18:00	23700	452	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	144.
03/03/26 18:30	23600	443	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	141.
03/03/26 19:00	23500	442	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	140.
03/03/26 19:30	23600	445	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	141.
03/03/26 20:00	23500	448	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	142.
03/03/26 20:30	23600	446	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	141.
03/03/26 21:00	23600	446	2.18	BDL	BDL	3.48	BDL	BDL	BDL	BDL	12.6	139.
03/03/26 21:30	23600	451	2.17	BDL	BDL	10.8	BDL	BDL	BDL	BDL	11.7	131.
03/03/26 22:00	23700	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	142.
03/03/26 22:30	23700	443	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	144.
03/03/26 23:00	23700	442	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	144.
03/03/26 23:30	23700	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	144.
03/04/26 00:00	23700	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	142.

Daily Processed Summary (Average, Maximum Value)

Average	23500	453	2.19	BDL	BDL	0.399	BDL	BDL	BDL	BDL	14.3	146
Maximum Value	24100	466	2.24	-	-	10.8	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/04/26 00:30	23800	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.2	145.
03/04/26 01:00	23800	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	143.
03/04/26 01:30	23900	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.	143.
03/04/26 02:00	24000	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	146.
03/04/26 02:30	23900	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	145.
03/04/26 03:00	23900	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	149.
03/04/26 03:30	23900	456	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	151.
03/04/26 04:00	24100	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.73	151.
03/04/26 04:30	24200	454	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	148.
03/04/26 05:00	24100	448	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	140.
03/04/26 05:30	24000	448	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	143.
03/04/26 06:00	24100	448	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	141.
03/04/26 06:30	24100	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	146.
03/04/26 07:00	24100	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	141.
03/04/26 07:30	24200	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	144.
03/04/26 08:00	24200	446	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	143.
03/04/26 08:30	24300	452	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	151.
03/04/26 09:00	24300	458	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	152.
03/04/26 09:30	24400	463	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	149.
03/04/26 10:00	24200	456	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	152.
03/04/26 10:30	24200	455	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	155.
03/04/26 11:00	23800	446	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	162.
03/04/26 11:30	23300	446	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.7	168.
03/04/26 12:00	23000	447	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	170.
03/04/26 12:30	22900	452	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	167.
03/04/26 13:00	22800	450	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.0	169.
03/04/26 13:30	22400	451	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	164.
03/04/26 14:00	23000	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	151.
03/04/26 14:30	23300	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	151.
03/04/26 15:00	23400	455	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	148.
03/04/26 15:30	23100	454	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	148.
03/04/26 16:00	23000	452	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	144.
03/04/26 16:30	23200	454	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	139.
03/04/26 17:00	23200	450	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	139.
03/04/26 17:30	23200	456	2.19	BDL	BDL	2.92	BDL	BDL	BDL	BDL	12.5	131.
03/04/26 18:00	23300	454	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	137.
03/04/26 18:30	23300	454	2.18	BDL	BDL	5.11	BDL	BDL	BDL	BDL	12.7	124.
03/04/26 19:00	23400	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	120.
03/04/26 19:30	23500	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	123.
03/04/26 20:00	23400	447	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	124.
03/04/26 20:30	23500	449	2.18	BDL	BDL	2.67	BDL	BDL	BDL	BDL	14.4	126.
03/04/26 21:00	23500	446	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	123.
03/04/26 21:30	23600	446	2.19	BDL	BDL	2.40	BDL	BDL	BDL	BDL	11.2	125.
03/04/26 22:00	23600	449	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	124.
03/04/26 22:30	23600	449	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	121.
03/04/26 23:00	23700	452	2.17	BDL	BDL	4.8	BDL	BDL	BDL	BDL	11.2	130.
03/04/26 23:30	23800	445	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	141.
03/05/26 00:00	23800	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	142.

Daily Processed Summary (Average, Maximum Value)

Average	23700	450	2.19	BDL	BDL	0.373	BDL	BDL	BDL	BDL	13.3	144
Maximum Value	24400	463	2.22	-	-	5.11	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/05/26 00:30	23800	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	141.
03/05/26 01:00	23800	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	141.
03/05/26 01:30	23700	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	141.
03/05/26 02:00	23700	441	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	141.
03/05/26 02:30	23500	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	140.
03/05/26 03:00	23600	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	142.
03/05/26 03:30	23600	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	144.
03/05/26 04:00	23500	442	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	141.
03/05/26 04:30	23600	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	141.
03/05/26 05:00	23800	448	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	146.
03/05/26 05:30	23600	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	143.
03/05/26 06:00	23600	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	142.
03/05/26 06:30	23500	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	145.
03/05/26 07:00	23400	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	140.
03/05/26 07:30	23200	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	139.
03/05/26 08:00	23300	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	141.
03/05/26 08:30	23300	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	149.
03/05/26 09:00	23200	450	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	157.
03/05/26 09:30	23000	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	159.
03/05/26 10:00	22800	451	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	156.
03/05/26 10:30	22700	448	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	154.
03/05/26 11:00	22600	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	154.
03/05/26 11:30	22400	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	156.
03/05/26 12:00	22300	449	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	157.
03/05/26 12:30	22400	452	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	160.
03/05/26 13:00	21900	449	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.4	168.
03/05/26 13:30	22000	448	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.6	164.
03/05/26 14:00	21900	449	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.4	163.
03/05/26 14:30	21700	448	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.8	164.
03/05/26 15:00	22100	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.3	155.
03/05/26 15:30	22500	454	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.3	148.
03/05/26 16:00	22600	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	147.
03/05/26 16:30	22300	451	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	146.
03/05/26 17:00	22400	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	148.
03/05/26 17:30	22700	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	141.
03/05/26 18:00	22700	450	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	133.
03/05/26 18:30	22700	448	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	123.
03/05/26 19:00	22900	446	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	124.
03/05/26 19:30	23000	447	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	125.
03/05/26 20:00	23000	445	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	124.
03/05/26 20:30	23200	443	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	123.
03/05/26 21:00	23300	447	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	126.
03/05/26 21:30	23300	444	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	126.
03/05/26 22:00	23400	447	2.15	BDL	BDL	2.74	BDL	BDL	BDL	BDL	15.2	123.
03/05/26 22:30	23500	446	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	123.
03/05/26 23:00	23700	444	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	124.
03/05/26 23:30	23800	450	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	126.
03/06/26 00:00	24100	451	2.18	BDL	BDL	7.17	BDL	BDL	BDL	BDL	14.4	127.

Daily Processed Summary (Average, Maximum Value)

Average	23100	447	2.18	BDL	BDL	0.206	BDL	BDL	BDL	BDL	15.3	144
Maximum Value	24100	454	2.22	-	-	7.17	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/06/26 00:30	24400	448	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	137.
03/06/26 01:00	24400	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	142.
03/06/26 01:30	24500	439	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.1	142.
03/06/26 02:00	24500	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	143.
03/06/26 02:30	24500	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	141.
03/06/26 03:00	24500	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.1	142.
03/06/26 03:30	24300	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.1	144.
03/06/26 04:00	24300	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	143.
03/06/26 04:30	24200	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	142.
03/06/26 05:00	24100	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	140.
03/06/26 05:30	24200	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	146.
03/06/26 06:00	24200	456	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	151.
03/06/26 06:30	24300	456	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	149.
03/06/26 07:00	24200	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	151.
03/06/26 07:30	24000	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	142.
03/06/26 08:00	24000	446	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	144.
03/06/26 08:30	23900	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.2	144.
03/06/26 09:00	24100	451	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	150.
03/06/26 09:30	23900	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.7	154.
03/06/26 10:00	23700	451	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	153.
03/06/26 10:30	23600	445	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.8	160.
03/06/26 11:00	23600	445	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.8	160.
03/06/26 11:30	23500	446	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	161.
03/06/26 12:00	22700	444	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.9	169.
03/06/26 12:30	22900	446	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.1	162.
03/06/26 13:00	23700	447	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	152.
03/06/26 13:30	23900	447	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.6	147.
03/06/26 14:00	24000	446	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	144.
03/06/26 14:30	24200	446	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	145.
03/06/26 15:00	24100	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.7	146.
03/06/26 15:30	24300	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.1	144.
03/06/26 16:00	24600	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.7	143.
03/06/26 16:30	24800	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.5	145.
03/06/26 17:00	24900	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.3	143.
03/06/26 17:30	25000	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.3	143.
03/06/26 18:00	25000	448	2.19	BDL	BDL	2.81	BDL	BDL	BDL	BDL	15.9	143.
03/06/26 18:30	24900	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.2	144.
03/06/26 19:00	24900	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.5	142.
03/06/26 19:30	25000	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.8	142.
03/06/26 20:00	24900	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.2	143.
03/06/26 20:30	24600	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.1	142.
03/06/26 21:00	24300	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.7	143.
03/06/26 21:30	24500	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.6	144.
03/06/26 22:00	24800	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.7	143.
03/06/26 22:30	24900	449	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.8	146.
03/06/26 23:00	25000	451	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.	145.
03/06/26 23:30	24900	449	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	145.
03/07/26 00:00	24800	452	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.7	158.

Daily Processed Summary (Average, Maximum Value)

Average	24300	446	2.2	BDL	BDL	0.0585	BDL	BDL	BDL	BDL	17.4	147
Maximum Value	25000	456	2.28	-	-	2.81	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/07/26 00:30	24700	450	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	160.
03/07/26 01:00	24700	445	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	161.
03/07/26 01:30	24700	445	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	158.
03/07/26 02:00	24700	448	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	157.
03/07/26 02:30	24800	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	156.
03/07/26 03:00	24900	456	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	156.
03/07/26 03:30	24700	456	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	157.
03/07/26 04:00	24700	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.2	147.
03/07/26 04:30	24600	456	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.1	157.
03/07/26 05:00	24600	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	157.
03/07/26 05:30	24500	456	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	157.
03/07/26 06:00	24300	444	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	163.
03/07/26 06:30	24100	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	164.
03/07/26 07:00	23900	446	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	159.
03/07/26 07:30	23900	450	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.0	158.
03/07/26 08:00	24100	449	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	154.
03/07/26 08:30	24300	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	160.
03/07/26 09:00	24200	449	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	164.
03/07/26 09:30	24400	447	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	159.
03/07/26 10:00	24300	452	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	154.
03/07/26 10:30	24300	455	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	153.
03/07/26 11:00	24600	453	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	151.
03/07/26 11:30	24500	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	157.
03/07/26 12:00	24700	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	163.
03/07/26 12:30	24400	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	163.
03/07/26 13:00	24700	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	154.
03/07/26 13:30	24900	455	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	149.
03/07/26 14:00	24600	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	163.
03/07/26 14:30	24800	451	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	163.
03/07/26 15:00	24900	456	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	160.
03/07/26 15:30	24800	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	167.
03/07/26 16:00	25000	451	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	156.
03/07/26 16:30	25200	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	166.
03/07/26 17:00	25300	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	149.
03/07/26 17:30	25300	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.5	148.
03/07/26 18:00	25300	439	2.19	BDL	BDL	2.46	BDL	BDL	BDL	BDL	6.92	140.
03/07/26 18:30	25500	439	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.35	156.
03/07/26 19:00	25600	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	166.
03/07/26 19:30	25600	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.37	144.
03/07/26 20:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.21	149.
03/07/26 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.33	130.
03/07/26 21:00	25300	422	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	126.
03/07/26 21:30	23700	433	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	55.4
03/07/26 22:00	20600	441	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	15.2
03/07/26 22:30	20300	441	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.84	15.8
03/07/26 23:00	20400	434	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.03	16.3
03/07/26 23:30	20700	435	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	10.4
03/08/26 00:00	20700	437	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.89	6.83

Daily Processed Summary (Average, Maximum Value)

Average	24200	447	2.22	BDL	BDL	0.0535	BDL	BDL	BDL	BDL	10.6	153
Maximum Value	25600	456	2.35	-	-	2.46	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/08/26 00:30	20900	437	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	9.2
03/08/26 01:00	20900	437	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.5	6.23
03/08/26 01:30	20900	439	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	8.3
03/08/26 03:00	20700	428	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	17.7
03/08/26 03:30	20400	430	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	19.4
03/08/26 04:00	20100	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	14.2
03/08/26 04:30	19900	433	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	9.6
03/08/26 05:00	19500	436	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	7.53
03/08/26 05:30	19300	440	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.86	1.28
03/08/26 06:00	19100	440	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.33	8.81
03/08/26 06:30	18800	441	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	21.3
03/08/26 07:00	18700	444	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	19.3
03/08/26 07:30	18500	442	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	17.8
03/08/26 08:00	18000	442	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	16.5
03/08/26 08:30	17400	444	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	10.5
03/08/26 09:00	16900	443	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	15.9
03/08/26 09:30	16600	442	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	17.0
03/08/26 10:00	16600	441	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	18.8
03/08/26 10:30	16500	439	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	19.4
03/08/26 11:00	16600	444	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	5.75
03/08/26 11:30	16300	444	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.52	5.35
03/08/26 12:00	16200	442	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	19.7
03/08/26 12:30	15900	435	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	9.82
03/08/26 13:00	15800	438	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	6.40
03/08/26 13:30	16000	438	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	354.
03/08/26 14:00	15200	437	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	334.
03/08/26 14:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.72	44.9
03/08/26 15:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.28	57.1
03/08/26 15:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.09	90.5
03/08/26 16:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.7	106.
03/08/26 16:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.0	108.
03/08/26 17:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.6	118.
03/08/26 17:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.71	111.
03/08/26 18:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.69	80.7
03/08/26 18:30	22100	435	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.61	64.
03/08/26 19:00	20200	444	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.46	16.3
03/08/26 19:30	20000	449	3.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	29.7
03/08/26 20:00	20500	448	2.85	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	34.0
03/08/26 20:30	20700	445	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.34	10.8
03/08/26 21:00	20000	449	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	326.
03/08/26 21:30	19200	446	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	333.
03/08/26 22:00	18300	450	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	351.
03/08/26 22:30	18000	445	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.8	6.50
03/08/26 23:00	18000	445	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	21.1
03/08/26 23:30	18300	448	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	51.
03/09/26 00:00	18500	451	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.03	33.3

Daily Processed Summary (Average, Maximum Value)

Average	18600	441	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.46	22.9
Maximum Value	22100	451	3.18	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/09/26 00:30	18800	448	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	346.
03/09/26 01:00	18900	446	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	357.
03/09/26 01:30	19100	450	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	351.
03/09/26 02:00	19400	449	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.51	346.
03/09/26 02:30	19500	447	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	19.
03/09/26 03:00	19600	447	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	15.1
03/09/26 03:30	19900	445	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.07	28.9
03/09/26 04:00	20100	450	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.82	23.7
03/09/26 04:30	20300	456	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.08	33.7
03/09/26 05:00	20600	458	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.23	46.6
03/09/26 05:30	21000	435	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.6	90.7
03/09/26 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.1	173.
03/09/26 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.76	179.
03/09/26 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.79	183.
03/09/26 07:30	24700	437	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	187.
03/09/26 08:00	24800	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.86	179.
03/09/26 08:30	24900	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.63	181.
03/09/26 09:00	25100	443	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.56	183.
03/09/26 09:30	25100	446	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.5	181.
03/09/26 10:00	25200	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.9	179.
03/09/26 10:30	25300	445	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.31	194.
03/09/26 11:00	25300	447	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.77	191.
03/09/26 11:30	25000	447	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	188.
03/09/26 12:00	24400	446	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	188.
03/09/26 12:30	24300	445	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	180.
03/09/26 13:00	24200	448	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	169.
03/09/26 13:30	24900	448	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	157.
03/09/26 14:00	24400	447	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	169.
03/09/26 14:30	23800	447	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	172.
03/09/26 15:00	23600	448	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	164.
03/09/26 15:30	23300	451	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	168.
03/09/26 16:00	23400	454	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	169.
03/09/26 16:30	23000	452	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	174.
03/09/26 17:00	23300	453	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	163.
03/09/26 17:30	23600	453	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	160.
03/09/26 18:00	24300	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	140.
03/09/26 18:30	M	M	M	M	M	M	M	M	M	M	14.6	142.
03/09/26 19:00	M	M	M	M	M	M	M	M	M	M	14.1	141.
03/09/26 19:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	12.2	144.
03/09/26 20:00	24200	444	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	142.
03/09/26 20:30	24400	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	142.
03/09/26 21:00	24500	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	143.
03/09/26 21:30	24500	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	139.
03/09/26 22:00	24600	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	142.
03/09/26 22:30	24700	449	2.21	BDL	BDL	3.23	BDL	BDL	BDL	BDL	12.1	143.
03/09/26 23:00	24800	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	142.
03/09/26 23:30	25000	446	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	142.
03/10/26 00:00	25100	457	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	150.

Daily Processed Summary (Average, Maximum Value)

Average	23200	447	2.27	BDL	BDL	0.0769	BDL	BDL	BDL	BDL	8.48	158
Maximum Value	25300	458	2.65	-	-	3.23	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/10/26 00:30	25100	455	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	143.
03/10/26 01:00	25200	462	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	147.
03/10/26 01:30	25100	465	2.22	BDL	BDL	23.6	BDL	BDL	BDL	BDL	12.7	158.
03/10/26 02:00	25100	467	2.2	BDL	BDL	12.6	BDL	BDL	BDL	BDL	15.3	160.
03/10/26 02:30	25200	464	2.21	BDL	BDL	6.17	BDL	BDL	BDL	BDL	16.8	158.
03/10/26 03:00	25300	462	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.	158.
03/10/26 03:30	25200	466	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	159.
03/10/26 04:00	25300	461	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	159.
03/10/26 04:30	25400	465	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	158.
03/10/26 05:00	25400	462	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.1	157.
03/10/26 05:30	25200	460	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.2	161.
03/10/26 06:00	25100	451	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.8	170.
03/10/26 06:30	24800	447	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	170.
03/10/26 07:00	24700	451	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.0	170.
03/10/26 07:30	24600	451	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	170.
03/10/26 08:00	24400	449	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	178.
03/10/26 08:30	24100	448	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	180.
03/10/26 09:00	24400	448	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	179.
03/10/26 09:30	24500	449	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	178.
03/10/26 10:00	24400	445	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	177.
03/10/26 10:30	24500	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	172.
03/10/26 11:00	24400	445	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.8	168.
03/10/26 11:30	24300	448	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.8	166.
03/10/26 12:00	23900	449	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.9	169.
03/10/26 12:30	23700	451	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.5	172.
03/10/26 13:00	23700	452	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.2	168.
03/10/26 13:30	23700	453	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	176.
03/10/26 14:00	23500	455	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.2	174.
03/10/26 14:30	23100	453	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.6	167.
03/10/26 15:00	22800	453	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.4	167.
03/10/26 15:30	23100	452	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.9	170.
03/10/26 16:00	23400	453	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.7	169.
03/10/26 16:30	23500	452	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.5	166.
03/10/26 17:00	24000	454	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.4	164.
03/10/26 17:30	24100	454	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.7	162.
03/10/26 18:00	24500	460	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.7	152.
03/10/26 18:30	24700	457	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	147.
03/10/26 19:00	24700	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.	141.
03/10/26 19:30	24800	452	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	146.
03/10/26 20:00	24900	452	2.24	BDL	BDL	2.4	BDL	BDL	BDL	BDL	16.9	142.
03/10/26 20:30	24900	450	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.4	143.
03/10/26 21:00	24800	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.6	142.
03/10/26 21:30	24700	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.2	141.
03/10/26 22:00	24800	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	142.
03/10/26 22:30	25200	450	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	145.
03/10/26 23:00	25300	466	2.31	BDL	BDL	2.82	BDL	BDL	BDL	BDL	14.9	152.
03/10/26 23:30	25100	450	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.8	139.
03/11/26 00:00	25300	456	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	143.

Daily Processed Summary (Average, Maximum Value)

Average	24500	454	2.2	BDL	BDL	0.991	BDL	BDL	BDL	BDL	17.1	160
Maximum Value	25400	467	2.31	-	-	23.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/11/26 00:30	25500	460	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	153.
03/11/26 01:00	25200	455	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.4	164.
03/11/26 01:30	24900	451	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.5	167.
03/11/26 02:00	24700	452	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.1	167.
03/11/26 02:30	24500	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	180.
03/11/26 03:00	24400	451	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	176.
03/11/26 03:30	24600	451	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	176.
03/11/26 04:00	24800	451	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.8	160.
03/11/26 04:30	24800	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.	160.
03/11/26 05:00	24500	443	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.28	216.
03/11/26 05:30	24300	444	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.56	205.
03/11/26 06:00	24300	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	175.
03/11/26 06:30	24000	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	175.
03/11/26 07:00	23800	444	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.15	180.
03/11/26 07:30	23900	446	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	176.
03/11/26 08:00	24000	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	164.
03/11/26 08:30	24400	448	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	164.
03/11/26 09:00	24600	449	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	166.
03/11/26 09:30	24600	449	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.7	167.
03/11/26 10:00	24200	449	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.4	171.
03/11/26 10:30	24400	446	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.6	172.
03/11/26 11:00	24200	447	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	168.
03/11/26 11:30	23800	451	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.6	174.
03/11/26 12:00	23800	447	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	180.
03/11/26 12:30	24200	450	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	186.
03/11/26 13:00	24400	449	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	185.
03/11/26 13:30	24400	447	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	192.
03/11/26 14:00	24200	450	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	190.
03/11/26 14:30	24000	452	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.90	212.
03/11/26 15:00	22500	457	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.21	60.6
03/11/26 15:30	17000	460	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.15	5.79
03/11/26 16:00	14200	458	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.239	190.
03/11/26 16:30	13200	459	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	300.
03/11/26 17:00	11000	459	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	297.
03/11/26 17:30	11200	460	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	297.
03/11/26 18:00	11100	458	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	300.
03/11/26 18:30	12000	456	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	313.
03/11/26 19:00	12700	456	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	315.
03/11/26 19:30	13100	455	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.23	314.
03/11/26 20:00	13900	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.80	334.
03/11/26 20:30	15800	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	18.4
03/11/26 21:00	16300	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	28.7
03/11/26 21:30	15100	445	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.63	26.9
03/11/26 22:00	14900	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.4	18.6
03/11/26 22:30	14900	444	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	15.
03/11/26 23:00	14800	445	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	357.
03/11/26 23:30	15000	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.8	354.
03/12/26 00:00	15400	447	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	0.382

Daily Processed Summary (Average, Maximum Value)

Average	20400	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	184
Maximum Value	25500	460	2.31	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/12/26 00:30	15700	446	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	355.
03/12/26 01:00	13700	446	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.7	360.
03/12/26 01:30	12100	444	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.9	2.53
03/12/26 02:00	10800	443	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.2	4.4
03/12/26 02:30	10800	442	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	359.
03/12/26 03:00	9720	444	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	1.05
03/12/26 03:30	10100	443	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	355.
03/12/26 04:00	9430	441	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.9	0.571
03/12/26 04:30	7310	439	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.2	0.447
03/12/26 05:00	6940	438	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.6	0.386
03/12/26 05:30	7080	436	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.5	360.
03/12/26 06:00	6640	437	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.5	360.
03/12/26 06:30	6270	435	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.8	4.09
03/12/26 07:00	6060	433	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.0	7.28
03/12/26 07:30	6090	434	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	9.23
03/12/26 08:00	6030	430	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	8.22
03/12/26 08:30	5780	429	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.7	10.8
03/12/26 09:00	5680	429	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.8	9.87
03/12/26 09:30	5700	431	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.1	12.7
03/12/26 10:00	5660	432	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.8	13.
03/12/26 10:30	5790	434	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.1	15.7
03/12/26 11:00	5840	433	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	9.12
03/12/26 11:30	5890	435	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.7	12.
03/12/26 12:00	5840	436	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	13.6
03/12/26 12:30	5810	438	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	5.18
03/12/26 13:00	5800	438	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.	12.8
03/12/26 13:30	5720	438	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	12.2
03/12/26 14:00	5610	440	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	9.35
03/12/26 14:30	5590	440	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	1.09
03/12/26 15:00	5340	442	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	9.03
03/12/26 15:30	5300	442	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.93	9.29
03/12/26 16:00	5010	442	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	358.
03/12/26 16:30	5160	443	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.22	359.
03/12/26 17:00	5220	441	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.42	354.
03/12/26 17:30	5130	440	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	354.
03/12/26 18:00	5230	439	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.48	11.5
03/12/26 18:30	5380	436	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.62	20.0
03/12/26 19:00	5560	436	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	30.6
03/12/26 19:30	5900	436	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	41.6
03/12/26 20:00	6150	436	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	59.7
03/12/26 20:30	6340	439	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	65.7
03/12/26 21:00	6070	435	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.	70.3
03/12/26 21:30	6240	435	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	74.5
03/12/26 22:00	6060	432	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	77.4
03/12/26 22:30	6370	430	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	85.9
03/12/26 23:00	7290	433	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	90.0
03/12/26 23:30	7430	434	2.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	90.9
03/13/26 00:00	8180	437	2.42	BDL	BDL	2.74	BDL	BDL	BDL	BDL	4.96	103.

Daily Processed Summary (Average, Maximum Value)

Average	6930	437	2.29	BDL	BDL	0.0571	BDL	BDL	BDL	BDL	12.7	10.5
Maximum Value	15700	446	2.75	-	-	2.74	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/13/26 00:30	9400	435	2.26	BDL	BDL	16.2	BDL	BDL	BDL	BDL	5.24	123.
03/13/26 01:00	9470	440	2.29	BDL	BDL	37.6	BDL	BDL	BDL	BDL	6.16	131.
03/13/26 01:30	9640	440	2.29	BDL	BDL	29.4	BDL	BDL	BDL	BDL	6.33	131.
03/13/26 02:00	9720	440	2.29	BDL	BDL	15.1	BDL	BDL	BDL	BDL	5.50	127.
03/13/26 02:30	9590	440	2.29	BDL	BDL	18.6	BDL	BDL	BDL	BDL	6.44	127.
03/13/26 03:00	9420	444	2.3	BDL	BDL	36.3	BDL	BDL	BDL	BDL	6.	128.
03/13/26 03:30	9340	439	2.28	BDL	BDL	9.26	BDL	BDL	BDL	BDL	7.05	134.
03/13/26 04:00	9330	441	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.15	145.
03/13/26 04:30	9490	445	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.5	156.
03/13/26 05:00	9480	443	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.86	154.
03/13/26 05:30	9820	445	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	162.
03/13/26 06:00	9570	436	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	171.
03/13/26 06:30	9260	439	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.39	173.
03/13/26 07:00	9360	439	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.33	174.
03/13/26 07:30	9630	438	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.54	170.
03/13/26 08:00	9760	439	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.91	170.
03/13/26 08:30	10100	441	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.6	170.
03/13/26 09:00	10800	444	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.98	168.
03/13/26 09:30	11500	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	174.
03/13/26 10:00	11900	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	169.
03/13/26 10:30	12300	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	174.
03/13/26 11:00	12400	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	167.
03/13/26 11:30	12300	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	164.
03/13/26 12:00	12300	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	163.
03/13/26 12:30	12500	448	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	166.
03/13/26 13:00	12800	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	161.
03/13/26 13:30	12500	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	166.
03/13/26 14:00	12600	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	161.
03/13/26 14:30	12800	448	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	166.
03/13/26 15:00	13100	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	159.
03/13/26 15:30	12800	445	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	174.
03/13/26 16:00	12900	451	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	161.
03/13/26 16:30	13100	451	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	149.
03/13/26 17:00	13300	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	146.
03/13/26 17:30	13600	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.92	153.
03/13/26 18:00	14100	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	143.
03/13/26 18:30	14100	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	140.
03/13/26 19:00	14200	445	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	138.
03/13/26 19:30	14300	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.70	133.
03/13/26 20:00	14600	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	146.
03/13/26 20:30	14300	440	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	142.
03/13/26 21:00	14400	440	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	141.
03/13/26 21:30	14500	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	142.
03/13/26 22:00	14400	442	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	141.
03/13/26 22:30	14700	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	143.
03/13/26 23:00	14800	450	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	154.
03/13/26 23:30	15000	450	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.99	156.
03/14/26 00:00	15400	451	2.24	BDL	BDL	4.23	BDL	BDL	BDL	BDL	12.3	160.

Daily Processed Summary (Average, Maximum Value)

Average	12000	444	2.25	BDL	BDL	3.47	BDL	BDL	BDL	BDL	9.64	155
Maximum Value	15400	451	2.3	-	-	37.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/14/26 00:30	15400	454	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	156.
03/14/26 01:00	15500	454	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	158.
03/14/26 01:30	15800	453	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	158.
03/14/26 02:00	15900	456	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	157.
03/14/26 02:30	16000	454	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	158.
03/14/26 03:00	16100	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	174.
03/14/26 03:30	16300	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.74	182.
03/14/26 04:00	16500	444	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.58	182.
03/14/26 04:30	16700	443	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.85	180.
03/14/26 05:00	16900	441	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.	180.
03/14/26 05:30	17000	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.71	178.
03/14/26 06:00	17000	442	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	181.
03/14/26 06:30	17200	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	180.
03/14/26 07:00	17000	442	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.83	180.
03/14/26 07:30	17000	447	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.56	179.
03/14/26 08:00	17100	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	178.
03/14/26 08:30	17300	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.63	178.
03/14/26 09:00	17600	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	181.
03/14/26 09:30	17500	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	177.
03/14/26 10:00	17500	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	172.
03/14/26 10:30	17900	451	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	165.
03/14/26 11:00	17900	450	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	166.
03/14/26 11:30	17900	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	164.
03/14/26 12:00	17900	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	145.
03/14/26 12:30	18100	454	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	150.
03/14/26 13:00	18200	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	137.
03/14/26 13:30	18500	452	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	139.
03/14/26 14:00	18600	451	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	136.
03/14/26 14:30	18800	456	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	148.
03/14/26 15:00	18900	454	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	149.
03/14/26 15:30	19100	458	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	149.
03/14/26 16:00	19100	454	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	147.
03/14/26 16:30	19200	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.2	148.
03/14/26 17:00	19300	455	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.8	148.
03/14/26 17:30	19500	453	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.0	143.
03/14/26 18:00	19600	454	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.7	142.
03/14/26 18:30	19800	452	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.1	145.
03/14/26 19:00	20200	454	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	146.
03/14/26 19:30	20400	452	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	140.
03/14/26 20:00	20500	451	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	140.
03/14/26 20:30	20800	449	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	141.
03/14/26 21:00	20800	445	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	140.
03/14/26 21:30	21000	452	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	148.
03/14/26 22:00	21000	447	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	143.
03/14/26 22:30	21000	458	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	150.
03/14/26 23:00	20800	458	2.23	BDL	BDL	3.61	BDL	BDL	BDL	BDL	18.	157.
03/14/26 23:30	20700	453	2.23	BDL	BDL	3.51	BDL	BDL	BDL	BDL	16.3	160.
03/15/26 00:00	20500	447	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	165.

Daily Processed Summary (Average, Maximum Value)

Average	18300	450	2.23	BDL	BDL	0.148	BDL	BDL	BDL	BDL	12.6	155
Maximum Value	21000	458	2.28	-	-	3.61	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/15/26 00:30	20500	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	171.
03/15/26 01:00	20500	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	173.
03/15/26 01:30	20600	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	175.
03/15/26 02:00	20700	447	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	173.
03/15/26 02:30	20500	444	2.22	BDL	BDL	4.67	BDL	BDL	BDL	BDL	15.6	175.
03/15/26 03:00	20300	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	176.
03/15/26 03:30	20000	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	176.
03/15/26 04:00	19800	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	176.
03/15/26 04:30	19700	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	176.
03/15/26 05:00	19700	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	175.
03/15/26 05:30	20100	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	173.
03/15/26 06:00	20400	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	171.
03/15/26 06:30	20400	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	169.
03/15/26 07:00	20400	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	174.
03/15/26 07:30	20500	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	176.
03/15/26 08:00	20700	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	174.
03/15/26 08:30	20900	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	176.
03/15/26 09:00	21200	445	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	175.
03/15/26 09:30	21400	447	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	175.
03/15/26 10:00	21400	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	177.
03/15/26 10:30	21300	448	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	188.
03/15/26 11:00	21000	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	195.
03/15/26 11:30	21000	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	194.
03/15/26 12:00	21000	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	196.
03/15/26 12:30	21000	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	199.
03/15/26 13:00	21100	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	198.
03/15/26 13:30	21300	451	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	193.
03/15/26 14:00	21400	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	191.
03/15/26 14:30	21700	449	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	193.
03/15/26 15:00	21900	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	190.
03/15/26 15:30	22100	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	196.
03/15/26 16:00	22400	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	192.
03/15/26 16:30	22500	453	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	190.
03/15/26 17:00	22500	453	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	187.
03/15/26 17:30	22600	455	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	184.
03/15/26 18:00	22600	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	184.
03/15/26 18:30	23000	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	187.
03/15/26 19:00	23100	448	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	192.
03/15/26 19:30	23000	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	187.
03/15/26 20:00	23000	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	181.
03/15/26 20:30	23100	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.68	184.
03/15/26 21:00	23200	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.66	187.
03/15/26 21:30	23200	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	346.
03/15/26 22:00	10500	449	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.9	22.0
03/15/26 22:30	7260	447	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	25.7	9.4
03/15/26 23:00	6790	445	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24.4	8.01
03/15/26 23:30	6580	442	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24.8	13.2
03/16/26 00:00	6310	441	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24.2	11.5

Daily Processed Summary (Average, Maximum Value)

Average	19900	447	2.22	BDL	BDL	0.0973	BDL	BDL	BDL	BDL	8.69	180
Maximum Value	23200	455	2.28	-	-	4.67	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/16/26 00:30	6040	440	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.1	7.44
03/16/26 01:00	5960	438	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	26.	11.
03/16/26 01:30	5060	438	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24.3	9.32
03/16/26 02:00	5550	437	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.8	358.
03/16/26 02:30	4800	435	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	25.2	354.
03/16/26 03:00	4470	433	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	26.8	355.
03/16/26 03:30	4320	431	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	26.6	353.
03/16/26 04:00	4220	430	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.9	355.
03/16/26 04:30	3850	432	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	26.2	358.
03/16/26 05:00	3790	434	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24.7	358.
03/16/26 05:30	3690	429	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	25.3	356.
03/16/26 06:00	3550	429	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.7	353.
03/16/26 06:30	3430	426	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	25.8	351.
03/16/26 07:00	3310	430	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.6	356.
03/16/26 07:30	3230	429	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.8	356.
03/16/26 08:00	2960	424	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.2	2.91
03/16/26 08:30	3220	424	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.1	358.
03/16/26 09:00	3420	426	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.9	350.
03/16/26 09:30	3090	426	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.8	353.
03/16/26 10:00	2920	426	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.8	358.
03/16/26 10:30	2900	425	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.7	357.
03/16/26 11:00	2690	423	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24.6	358.
03/16/26 11:30	2590	427	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.4	3.76
03/16/26 12:00	2840	429	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.6	343.
03/16/26 12:30	2780	427	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.9	356.
03/16/26 13:00	2890	428	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.1	346.
03/16/26 13:30	2710	430	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.8	354.
03/16/26 14:00	2510	432	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.2	358.
03/16/26 14:30	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	19.6	348.
03/16/26 15:00	2290	429	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.4	346.
03/16/26 15:30	2200	431	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.5	337.
03/16/26 16:00	2140	431	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.1	339.
03/16/26 16:30	2090	431	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.8	349.
03/16/26 17:00	2180	432	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	343.
03/16/26 17:30	2250	431	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	348.
03/16/26 18:00	2300	430	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	350.
03/16/26 18:30	2340	429	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	344.
03/16/26 19:00	2390	427	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	355.
03/16/26 19:30	2360	425	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	351.
03/16/26 20:00	2480	423	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	9.15
03/16/26 20:30	2510	422	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	11.7
03/16/26 21:00	2370	422	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	13.1
03/16/26 21:30	2360	422	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	13.5
03/16/26 22:00	2460	424	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	9.56
03/16/26 22:30	2570	424	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.81	17.3
03/16/26 23:00	2530	420	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.	17.7
03/16/26 23:30	2550	423	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.86	18.
03/17/26 00:00	2740	423	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	23.4

Daily Processed Summary (Average, Maximum Value)

Average	3150	428	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.3	356
Maximum Value	6040	440	2.32	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/17/26 00:30	2720	422	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	19.3
03/17/26 01:00	2670	422	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.95	26.5
03/17/26 01:30	2580	422	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.87	20.5
03/17/26 02:00	2700	421	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	23.5
03/17/26 02:30	2730	421	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.54	17.9
03/17/26 03:00	2630	422	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	15.1
03/17/26 03:30	2680	423	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	20.4
03/17/26 04:00	2710	421	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	8.97
03/17/26 04:30	2900	419	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	18.6
03/17/26 05:00	2930	417	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.38	30.6
03/17/26 05:30	2930	417	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	22.6
03/17/26 06:00	3020	418	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	22.4
03/17/26 06:30	3100	420	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	28.3
03/17/26 07:00	3160	421	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	30.6
03/17/26 07:30	2990	418	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	39.5
03/17/26 08:00	3090	421	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	36.1
03/17/26 08:30	3190	421	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	38.9
03/17/26 09:00	3250	421	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.4	42.8
03/17/26 09:30	2810	420	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.46	49.7
03/17/26 10:00	2490	422	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	59.2
03/17/26 10:30	2390	424	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.67	62.6
03/17/26 11:00	2440	429	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.57	78.6
03/17/26 11:30	2390	418	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	96.3
03/17/26 12:00	2270	419	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	119.
03/17/26 12:30	2630	430	2.33	BDL	BDL	2.55	BDL	BDL	BDL	BDL	7.66	122.
03/17/26 13:00	2820	437	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.26	121.
03/17/26 13:30	3200	431	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.66	120.
03/17/26 14:00	3200	437	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.48	115.
03/17/26 14:30	3560	431	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.62	113.
03/17/26 15:00	4940	436	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	126.
03/17/26 15:30	6080	436	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	150.
03/17/26 16:00	5790	439	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	135.
03/17/26 16:30	5770	435	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	145.
03/17/26 17:00	6080	437	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	146.
03/17/26 17:30	5950	436	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	146.
03/17/26 18:00	6400	441	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	145.
03/17/26 18:30	6490	440	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	137.
03/17/26 19:00	6630	437	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	141.
03/17/26 19:30	6870	438	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	145.
03/17/26 20:00	6830	432	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	144.
03/17/26 20:30	7140	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	140.
03/17/26 21:00	7440	431	2.2	BDL	BDL	2.50	BDL	BDL	BDL	BDL	4.94	134.
03/17/26 21:30	7570	434	2.27	BDL	BDL	2.78	BDL	BDL	BDL	BDL	4.07	104.
03/17/26 22:00	7620	435	2.16	BDL	BDL	9.79	BDL	BDL	BDL	BDL	5.46	127.
03/17/26 22:30	7770	436	2.15	BDL	BDL	18.9	BDL	BDL	BDL	BDL	6.56	128.
03/17/26 23:00	7950	427	2.28	BDL	BDL	11.5	BDL	BDL	BDL	BDL	5.43	112.
03/17/26 23:30	7900	427	2.32	BDL	BDL	3.83	BDL	BDL	BDL	BDL	5.13	MAL
03/18/26 00:00	7570	430	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL

Daily Processed Summary (Average, Maximum Value)

Average	4400	428	2.32	BDL	BDL	1.08	BDL	BDL	BDL	BDL	5.22	97.8
Maximum Value	7950	441	2.5	-	-	18.9	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/18/26 00:30	7550	431	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
03/18/26 01:00	7660	424	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
03/18/26 01:30	7830	425	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
03/18/26 02:00	8240	425	2.51	BDL	BDL	6.20	BDL	BDL	BDL	BDL	3.02	112.
03/18/26 02:30	8850	425	2.33	BDL	BDL	25.5	BDL	BDL	BDL	BDL	7.14	123.
03/18/26 03:00	8940	427	2.45	BDL	BDL	25.9	BDL	BDL	BDL	BDL	5.69	110.
03/18/26 03:30	9060	426	2.45	BDL	BDL	18.2	BDL	BDL	BDL	BDL	3.8	107.
03/18/26 04:00	9650	427	2.18	BDL	BDL	15.8	BDL	BDL	BDL	BDL	8.65	141.
03/18/26 04:30	9930	427	2.21	BDL	BDL	6.62	BDL	BDL	BDL	BDL	7.89	169.
03/18/26 05:00	9520	428	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	170.
03/18/26 05:30	9960	431	2.21	BDL	BDL	4.09	BDL	BDL	BDL	BDL	10.7	167.
03/18/26 06:00	10100	429	2.21	BDL	BDL	7.63	BDL	BDL	BDL	BDL	10.8	167.
03/18/26 06:30	10300	427	2.2	BDL	BDL	4.54	BDL	BDL	BDL	BDL	10.7	166.
03/18/26 07:00	10700	441	2.2	BDL	BDL	7.63	BDL	BDL	BDL	BDL	10.1	155.
03/18/26 07:30	11000	437	2.19	BDL	BDL	13.7	BDL	BDL	BDL	BDL	9.11	161.
03/18/26 08:00	11000	435	2.19	BDL	BDL	3.55	BDL	BDL	BDL	BDL	9.46	168.
03/18/26 08:30	11200	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	167.
03/18/26 09:00	11300	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	170.
03/18/26 09:30	11300	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	173.
03/18/26 10:00	11300	442	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	173.
03/18/26 10:30	11300	441	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	167.
03/18/26 11:00	11300	443	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	172.
03/18/26 11:30	11500	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	162.
03/18/26 12:00	11200	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	146.
03/18/26 12:30	11400	441	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	155.
03/18/26 13:00	11500	442	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	143.
03/18/26 13:30	11500	442	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	157.
03/18/26 14:00	11800	443	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	142.
03/18/26 14:30	11500	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	138.
03/18/26 15:00	11700	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.78	163.
03/18/26 15:30	11500	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	161.
03/18/26 16:00	11600	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.82	156.
03/18/26 16:30	11400	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	143.
03/18/26 17:00	11300	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	149.
03/18/26 17:30	11300	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.68	145.
03/18/26 18:00	11200	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	139.
03/18/26 18:30	11100	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	122.
03/18/26 19:00	11400	449	2.22	BDL	BDL	3.04	BDL	BDL	BDL	BDL	10.6	125.
03/18/26 19:30	11900	445	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	122.
03/18/26 20:00	12300	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.62	118.
03/18/26 20:30	12700	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.21	119.
03/18/26 21:00	12700	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.33	122.
03/18/26 21:30	12700	439	2.21	BDL	BDL	6.66	BDL	BDL	BDL	BDL	6.84	127.
03/18/26 22:00	12900	437	2.22	BDL	BDL	4.05	BDL	BDL	BDL	BDL	7.99	121.
03/18/26 22:30	13000	438	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	124.
03/18/26 23:00	13100	437	2.22	BDL	BDL	3.4	BDL	BDL	BDL	BDL	6.03	127.
03/18/26 23:30	13100	440	2.24	BDL	BDL	11.0	BDL	BDL	BDL	BDL	5.46	126.
03/19/26 00:00	13000	439	2.41	BDL	BDL	12.1	BDL	BDL	BDL	BDL	4.82	115.

Daily Processed Summary (Average, Maximum Value)

Average	11000	438	2.25	BDL	BDL	3.74	BDL	BDL	BDL	BDL	8.96	148
Maximum Value	13100	449	2.51	-	-	25.9	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/19/26 00:30	12900	439	2.44	BDL	BDL	10.7	BDL	BDL	BDL	BDL	5.68	113.
03/19/26 01:00	13000	440	2.37	BDL	BDL	12.1	BDL	BDL	BDL	BDL	6.25	116.
03/19/26 01:30	13300	442	2.25	BDL	BDL	11.1	BDL	BDL	BDL	BDL	7.26	141.
03/19/26 02:00	13700	449	2.25	BDL	BDL	14.	BDL	BDL	BDL	BDL	6.76	163.
03/19/26 02:30	13600	447	2.24	BDL	BDL	13.7	BDL	BDL	BDL	BDL	7.67	175.
03/19/26 03:00	13500	444	2.22	BDL	BDL	5.4	BDL	BDL	BDL	BDL	6.73	175.
03/19/26 03:30	13500	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.13	180.
03/19/26 04:00	13700	436	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.43	189.
03/19/26 04:30	13700	436	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	190.
03/19/26 05:00	13600	435	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.15	197.
03/19/26 05:30	13900	437	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	191.
03/19/26 06:00	14000	437	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	197.
03/19/26 06:30	14000	437	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.31	206.
03/19/26 07:00	13900	435	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.00	233.
03/19/26 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.11	314.
03/19/26 08:00	13100	440	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.40	357.
03/19/26 08:30	13400	449	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.29	3.22
03/19/26 09:00	14700	448	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.70	348.
03/19/26 09:30	15200	445	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.67	253.
03/19/26 10:00	14800	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.20	215.
03/19/26 10:30	14600	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.04	202.
03/19/26 11:00	14600	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	208.
03/19/26 11:30	14400	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.55	201.
03/19/26 12:00	14200	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.02	212.
03/19/26 12:30	14100	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	224.
03/19/26 13:00	14400	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.79	216.
03/19/26 13:30	14200	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.00	199.
03/19/26 14:00	14300	445	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	192.
03/19/26 14:30	14400	447	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.5	164.
03/19/26 15:00	14500	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	177.
03/19/26 15:30	14900	448	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	156.
03/19/26 16:00	14900	451	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	158.
03/19/26 16:30	14900	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	169.
03/19/26 17:00	14900	453	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	160.
03/19/26 17:30	14900	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	170.
03/19/26 18:00	15400	450	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	166.
03/19/26 18:30	16000	454	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	160.
03/19/26 19:00	15900	451	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	158.
03/19/26 19:30	16000	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	179.
03/19/26 20:00	16000	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.71	186.
03/19/26 20:30	16200	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.19	189.
03/19/26 21:00	16400	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	187.
03/19/26 21:30	16400	439	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	186.
03/19/26 22:00	16500	437	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	187.
03/19/26 22:30	16600	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	188.
03/19/26 23:00	16600	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	186.
03/19/26 23:30	16600	437	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	187.
03/20/26 00:00	16600	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.94	187.

Daily Processed Summary (Average, Maximum Value)

Average	14700	443	2.25	BDL	BDL	1.43	BDL	BDL	BDL	BDL	6.53	180
Maximum Value	16600	454	2.44	-	-	14	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/20/26 00:30	16700	437	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	184.
03/20/26 01:00	16900	436	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	188.
03/20/26 01:30	16900	438	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.49	188.
03/20/26 02:00	17000	437	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	185.
03/20/26 02:30	17000	438	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	193.
03/20/26 03:00	17100	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	195.
03/20/26 03:30	17100	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	194.
03/20/26 04:00	17100	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	191.
03/20/26 04:30	17100	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	193.
03/20/26 05:00	17200	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	200.
03/20/26 05:30	17200	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	189.
03/20/26 06:00	17300	430	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	194.
03/20/26 06:30	17300	423	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	192.
03/20/26 07:00	17100	421	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.63	195.
03/20/26 07:30	16800	406	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.2	192.
03/20/26 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.05	166.
03/20/26 08:30	16700	444	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.73	27.2
03/20/26 09:00	17800	442	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.457	89.2
03/20/26 09:30	18600	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	202.
03/20/26 10:00	18600	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.68	204.
03/20/26 10:30	18600	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.13	200.
03/20/26 11:00	18200	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.43	206.
03/20/26 11:30	17600	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	195.
03/20/26 12:00	17300	451	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	201.
03/20/26 12:30	16900	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	200.
03/20/26 13:00	16500	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	210.
03/20/26 13:30	16600	449	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	212.
03/20/26 14:00	16400	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	205.
03/20/26 14:30	16300	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	206.
03/20/26 15:00	16300	451	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	202.
03/20/26 15:30	16300	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	205.
03/20/26 16:00	15900	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	179.
03/20/26 16:30	16500	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	169.
03/20/26 17:00	16400	448	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	175.
03/20/26 17:30	16700	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	176.
03/20/26 18:00	16700	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.4	174.
03/20/26 18:30	17000	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	179.
03/20/26 19:00	17500	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	178.
03/20/26 19:30	18200	448	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	173.
03/20/26 20:00	18500	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.94	178.
03/20/26 20:30	18500	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.01	176.
03/20/26 21:00	18800	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	183.
03/20/26 21:30	19200	445	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	172.
03/20/26 22:00	19600	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.96	172.
03/20/26 22:30	19600	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	173.
03/20/26 23:00	19600	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	178.
03/20/26 23:30	19600	437	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	182.
03/21/26 00:00	19500	437	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.82	181.

Daily Processed Summary (Average, Maximum Value)

Average	17500	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.03	187
Maximum Value	19600	451	2.45	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/21/26 00:30	19500	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.84	182.
03/21/26 01:00	19400	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	185.
03/21/26 01:30	19500	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.05	187.
03/21/26 02:00	19500	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	186.
03/21/26 02:30	19500	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.00	191.
03/21/26 03:00	19600	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	194.
03/21/26 03:30	19500	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.63	196.
03/21/26 04:00	19500	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.12	197.
03/21/26 04:30	19500	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.13	201.
03/21/26 05:00	19600	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.63	199.
03/21/26 05:30	19500	433	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	199.
03/21/26 06:00	19300	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	199.
03/21/26 06:30	19100	429	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.63	193.
03/21/26 07:00	19000	424	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	188.
03/21/26 07:30	19000	420	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	191.
03/21/26 08:00	19300	423	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	192.
03/21/26 08:30	19700	431	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	197.
03/21/26 09:00	20100	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	189.
03/21/26 09:30	20300	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.94	193.
03/21/26 10:00	20300	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	199.
03/21/26 10:30	19800	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	201.
03/21/26 11:00	19700	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	200.
03/21/26 11:30	19600	451	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	199.
03/21/26 12:00	19600	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	200.
03/21/26 12:30	19400	454	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	200.
03/21/26 13:00	19100	454	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	204.
03/21/26 13:30	19200	457	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	206.
03/21/26 14:00	19000	459	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	200.
03/21/26 14:30	18300	457	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	198.
03/21/26 15:00	18800	456	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	185.
03/21/26 15:30	18800	454	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	180.
03/21/26 16:00	18800	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.0	172.
03/21/26 16:30	18000	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	175.
03/21/26 17:00	18100	450	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.0	173.
03/21/26 17:30	18200	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.1	170.
03/21/26 18:00	18500	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.1	170.
03/21/26 18:30	18700	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.0	173.
03/21/26 19:00	18900	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.	173.
03/21/26 19:30	19200	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	175.
03/21/26 20:00	19500	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	178.
03/21/26 20:30	19600	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	179.
03/21/26 21:00	19700	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	178.
03/21/26 21:30	19700	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	178.
03/21/26 22:00	19700	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	178.
03/21/26 22:30	19800	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	180.
03/21/26 23:00	19900	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.57	183.
03/21/26 23:30	20000	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.84	183.
03/22/26 00:00	20000	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.73	183.

Daily Processed Summary (Average, Maximum Value)

Average	19300	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	186
Maximum Value	20300	459	2.22	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/22/26 00:30	19900	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.85	183.
03/22/26 01:00	19800	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.88	184.
03/22/26 01:30	19800	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.05	186.
03/22/26 02:00	19800	438	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.49	185.
03/22/26 02:30	19700	439	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.61	186.
03/22/26 03:00	19700	439	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.33	186.
03/22/26 03:30	19700	437	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.83	190.
03/22/26 04:00	19700	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.39	190.
03/22/26 04:30	19700	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.91	192.
03/22/26 05:00	19700	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.61	190.
03/22/26 05:30	19600	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.01	190.
03/22/26 06:00	19500	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.8	187.
03/22/26 06:30	19500	437	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	188.
03/22/26 07:00	19500	437	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	190.
03/22/26 07:30	19500	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	190.
03/22/26 08:00	19700	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	193.
03/22/26 08:30	19900	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	195.
03/22/26 09:00	20200	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.36	200.
03/22/26 09:30	20400	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.69	195.
03/22/26 10:00	20200	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	196.
03/22/26 10:30	19400	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	199.
03/22/26 11:00	19000	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	204.
03/22/26 11:30	18900	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	207.
03/22/26 12:00	18700	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	207.
03/22/26 12:30	18600	448	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	204.
03/22/26 13:00	17900	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	201.
03/22/26 13:30	17200	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	203.
03/22/26 14:00	16600	449	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	199.
03/22/26 14:30	16700	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	194.
03/22/26 15:00	16200	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	194.
03/22/26 15:30	16600	452	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	191.
03/22/26 16:00	16800	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.2	176.
03/22/26 16:30	16800	449	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	170.
03/22/26 17:00	16000	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	173.
03/22/26 17:30	16100	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.8	170.
03/22/26 18:00	15900	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.2	172.
03/22/26 18:30	15900	446	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	178.
03/22/26 19:00	16400	448	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	183.
03/22/26 19:30	16800	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	182.
03/22/26 20:00	17600	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	173.
03/22/26 20:30	18800	451	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	155.
03/22/26 21:00	19900	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	145.
03/22/26 21:30	20100	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	147.
03/22/26 22:00	20300	452	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	150.
03/22/26 22:30	20400	455	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	158.
03/22/26 23:00	20400	455	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	161.
03/22/26 23:30	20300	456	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	162.
03/23/26 00:00	20500	456	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	162.

Daily Processed Summary (Average, Maximum Value)

Average	18800	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	182
Maximum Value	20500	456	2.23	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/23/26 00:30	20700	457	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	160.
03/23/26 01:00	20800	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.23	155.
03/23/26 01:30	20900	456	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	160.
03/23/26 02:00	20800	455	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	158.
03/23/26 02:30	20800	454	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	160.
03/23/26 03:00	20800	450	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	167.
03/23/26 03:30	20800	447	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	165.
03/23/26 04:00	21000	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	168.
03/23/26 04:30	21100	454	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.46	170.
03/23/26 05:00	21000	451	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	174.
03/23/26 05:30	21200	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	175.
03/23/26 06:00	21100	457	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.23	178.
03/23/26 06:30	21100	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.01	176.
03/23/26 07:00	20800	451	2.24	BDL	BDL	7.02	BDL	BDL	BDL	BDL	3.55	157.
03/23/26 07:30	19900	449	2.36	BDL	BDL	17.	BDL	BDL	BDL	BDL	2.01	88.9
03/23/26 08:00	20300	448	2.38	BDL	BDL	8.19	BDL	BDL	BDL	BDL	2.73	95.2
03/23/26 08:30	21100	448	2.31	BDL	BDL	12.5	BDL	BDL	BDL	BDL	3.38	104.
03/23/26 09:00	21200	448	2.25	BDL	BDL	4.06	BDL	BDL	BDL	BDL	3.93	94.9
03/23/26 09:30	21500	452	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.76	MAL
03/23/26 10:00	21400	455	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
03/23/26 10:30	21300	453	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
03/23/26 11:00	21200	451	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
03/23/26 11:30	20000	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
03/23/26 12:00	19000	444	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
03/23/26 12:30	18400	448	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
03/23/26 13:00	17900	452	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.89	164.
03/23/26 13:30	17200	454	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	188.
03/23/26 14:00	17200	459	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.00	177.
03/23/26 14:30	16800	461	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	177.
03/23/26 15:00	16500	462	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	180.
03/23/26 15:30	16300	459	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.61	169.
03/23/26 16:00	16100	460	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	151.
03/23/26 16:30	16800	460	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	161.
03/23/26 17:00	16400	455	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	155.
03/23/26 17:30	16400	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	151.
03/23/26 18:00	16100	451	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	152.
03/23/26 18:30	17500	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	153.
03/23/26 19:00	18900	450	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	152.
03/23/26 19:30	19400	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	150.
03/23/26 20:00	19800	449	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.83	149.
03/23/26 20:30	20400	447	2.24	BDL	BDL	2.46	BDL	BDL	BDL	BDL	8.43	142.
03/23/26 21:00	20700	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.85	142.
03/23/26 21:30	20600	445	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.97	145.
03/23/26 22:00	20800	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	147.
03/23/26 22:30	21000	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	149.
03/23/26 23:00	20800	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	148.
03/23/26 23:30	20700	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	148.
03/24/26 00:00	21100	451	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.33	151.

Daily Processed Summary (Average, Maximum Value)

Average	19700	452	2.23	BDL	BDL	1.07	BDL	BDL	BDL	BDL	8.7	157
Maximum Value	21500	462	2.38	-	-	17	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/24/26 00:30	21000	455	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.8	157.
03/24/26 01:00	21800	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	151.
03/24/26 01:30	22100	448	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	154.
03/24/26 02:00	22200	459	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	162.
03/24/26 02:30	22200	450	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	171.
03/24/26 03:00	21800	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	179.
03/24/26 03:30	21600	439	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.66	181.
03/24/26 04:00	21600	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	186.
03/24/26 04:30	21600	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.30	190.
03/24/26 05:00	21700	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.85	188.
03/24/26 05:30	21800	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.72	190.
03/24/26 06:00	21800	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	187.
03/24/26 06:30	21900	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.35	190.
03/24/26 07:00	21900	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	195.
03/24/26 07:30	21600	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	189.
03/24/26 08:00	21500	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.02	185.
03/24/26 08:30	21400	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	198.
03/24/26 09:00	21600	448	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	223.
03/24/26 09:30	21900	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	237.
03/24/26 10:00	21500	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.11	204.
03/24/26 10:30	20900	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	195.
03/24/26 11:00	20300	454	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	176.
03/24/26 11:30	19800	456	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	177.
03/24/26 12:00	19700	454	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.5	157.
03/24/26 12:30	19900	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.59	156.
03/24/26 13:00	20400	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.37	158.
03/24/26 13:30	20000	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.93	155.
03/24/26 14:00	20100	455	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	162.
03/24/26 14:30	20000	457	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	164.
03/24/26 15:00	20400	455	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	155.
03/24/26 15:30	20500	452	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	152.
03/24/26 16:00	20700	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	153.
03/24/26 16:30	20900	451	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	152.
03/24/26 17:00	21100	449	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	154.
03/24/26 17:30	21300	448	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	151.
03/24/26 18:00	21700	447	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	150.
03/24/26 18:30	22200	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	148.
03/24/26 19:00	22100	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	146.
03/24/26 19:30	22300	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	147.
03/24/26 20:00	22500	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	150.
03/24/26 20:30	22600	443	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	151.
03/24/26 21:00	22800	447	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	145.
03/24/26 21:30	22700	447	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	147.
03/24/26 22:00	22700	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	145.
03/24/26 22:30	22700	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	142.
03/24/26 23:00	22600	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	146.
03/24/26 23:30	22600	448	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	148.
03/25/26 00:00	22500	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	155.

Daily Processed Summary (Average, Maximum Value)

Average	21500	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.4	161
Maximum Value	22800	459	2.25	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/25/26 00:30	22500	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.88	162.
03/25/26 01:00	22200	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	164.
03/25/26 01:30	22300	451	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	159.
03/25/26 02:00	22300	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	165.
03/25/26 02:30	22100	448	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	164.
03/25/26 03:00	22200	451	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.48	173.
03/25/26 03:30	22100	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	177.
03/25/26 04:00	21700	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	184.
03/25/26 04:30	21700	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	184.
03/25/26 05:00	21800	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	181.
03/25/26 05:30	21800	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	179.
03/25/26 06:00	21500	444	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	178.
03/25/26 06:30	21600	445	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.59	182.
03/25/26 07:00	21600	447	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.36	183.
03/25/26 07:30	21600	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	179.
03/25/26 08:00	21600	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.61	184.
03/25/26 08:30	21600	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.3	184.
03/25/26 09:00	22000	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	173.
03/25/26 09:30	22000	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	175.
03/25/26 10:00	21700	452	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	175.
03/25/26 10:30	21600	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	188.
03/25/26 11:00	21400	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	176.
03/25/26 11:30	21300	450	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	183.
03/25/26 12:00	21600	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	159.
03/25/26 12:30	21400	447	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	142.
03/25/26 13:00	21400	453	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	146.
03/25/26 13:30	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	14.6	152.
03/25/26 14:00	21400	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	153.
03/25/26 14:30	21600	454	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	159.
03/25/26 15:00	21600	455	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	161.
03/25/26 15:30	21600	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	154.
03/25/26 16:00	21500	451	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	150.
03/25/26 16:30	21500	456	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	154.
03/25/26 17:00	21600	455	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	150.
03/25/26 17:30	21400	453	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	144.
03/25/26 18:00	21500	456	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	158.
03/25/26 18:30	21500	454	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	157.
03/25/26 19:00	21700	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	150.
03/25/26 19:30	21600	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	145.
03/25/26 20:00	21900	449	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	145.
03/25/26 20:30	22100	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	147.
03/25/26 21:00	22100	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	145.
03/25/26 21:30	22100	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	146.
03/25/26 22:00	22000	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	150.
03/25/26 22:30	22000	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	147.
03/25/26 23:00	22100	455	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	149.
03/25/26 23:30	22000	457	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	153.
03/26/26 00:00	21800	451	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	166.

Daily Processed Summary (Average, Maximum Value)

Average	21800	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	161
Maximum Value	22500	457	2.24	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/26/26 00:30	21700	456	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	161.
03/26/26 01:00	21600	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	162.
03/26/26 01:30	21500	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	162.
03/26/26 02:00	21400	448	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	171.
03/26/26 02:30	21200	442	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	174.
03/26/26 03:00	21300	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	181.
03/26/26 03:30	21300	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	176.
03/26/26 04:00	21300	451	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	176.
03/26/26 04:30	21100	448	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	177.
03/26/26 05:00	21000	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	179.
03/26/26 05:30	21100	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	180.
03/26/26 06:00	20700	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	186.
03/26/26 06:30	20600	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.46	187.
03/26/26 07:00	20600	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.12	187.
03/26/26 07:30	20600	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.96	188.
03/26/26 08:00	20700	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.51	187.
03/26/26 08:30	21000	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.90	188.
03/26/26 09:00	20900	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	183.
03/26/26 09:30	20600	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	185.
03/26/26 10:00	20000	449	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	183.
03/26/26 10:30	19300	448	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	173.
03/26/26 11:00	19000	445	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	174.
03/26/26 11:30	18500	449	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	180.
03/26/26 12:00	18600	448	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	178.
03/26/26 12:30	18900	448	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	183.
03/26/26 13:00	19100	449	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	180.
03/26/26 13:30	19300	450	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	171.
03/26/26 14:00	19300	451	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	171.
03/26/26 14:30	18900	450	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	167.
03/26/26 15:00	18400	450	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	173.
03/26/26 15:30	18600	449	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	165.
03/26/26 16:00	19500	449	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	153.
03/26/26 16:30	19600	450	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	149.
03/26/26 17:00	19600	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	158.
03/26/26 17:30	19500	453	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	155.
03/26/26 18:00	19400	450	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	158.
03/26/26 18:30	19000	448	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	162.
03/26/26 19:00	19600	451	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	155.
03/26/26 19:30	19700	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	164.
03/26/26 20:00	19900	452	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	162.
03/26/26 20:30	19900	450	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	166.
03/26/26 21:00	20200	454	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	164.
03/26/26 21:30	20400	452	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	164.
03/26/26 22:00	20600	448	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	165.
03/26/26 22:30	20700	447	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	166.
03/26/26 23:00	20800	449	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	164.
03/26/26 23:30	21000	451	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	164.
03/27/26 00:00	20800	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	169.

Daily Processed Summary (Average, Maximum Value)

Average	20200	449	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	170
Maximum Value	21700	456	2.24	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/27/26 00:30	20800	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	172.
03/27/26 01:00	20700	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	180.
03/27/26 01:30	20600	446	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	184.
03/27/26 02:00	20600	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	183.
03/27/26 02:30	20500	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	182.
03/27/26 03:00	20600	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	184.
03/27/26 03:30	20300	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	180.
03/27/26 04:00	20200	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	180.
03/27/26 04:30	20300	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	181.
03/27/26 05:00	20400	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	185.
03/27/26 05:30	20700	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	184.
03/27/26 06:00	20900	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	182.
03/27/26 06:30	20900	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	184.
03/27/26 07:00	20600	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.92	183.
03/27/26 07:30	20200	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	182.
03/27/26 08:00	20200	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	181.
03/27/26 08:30	20400	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	179.
03/27/26 09:00	20600	445	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	179.
03/27/26 09:30	20600	446	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	181.
03/27/26 10:00	20000	445	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	177.
03/27/26 10:30	20000	447	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	176.
03/27/26 11:00	19900	444	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	171.
03/27/26 11:30	19400	446	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	187.
03/27/26 12:00	19100	445	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.40	200.
03/27/26 12:30	18900	446	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.36	206.
03/27/26 13:00	18900	447	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	194.
03/27/26 13:30	18900	447	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	203.
03/27/26 14:00	19200	447	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.56	192.
03/27/26 14:30	18500	447	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.18	196.
03/27/26 15:00	19000	452	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	174.
03/27/26 15:30	19400	453	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	163.
03/27/26 16:00	20000	451	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	163.
03/27/26 16:30	20300	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.24	157.
03/27/26 17:00	20200	451	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	149.
03/27/26 17:30	20000	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	136.
03/27/26 18:00	20400	448	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.32	154.
03/27/26 18:30	20100	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	152.
03/27/26 19:00	20300	444	2.21	BDL	BDL	2.8	BDL	BDL	BDL	BDL	9.51	148.
03/27/26 19:30	20800	443	2.21	BDL	BDL	3.42	BDL	BDL	BDL	BDL	10.7	151.
03/27/26 20:00	21100	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	153.
03/27/26 20:30	21300	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	149.
03/27/26 21:00	21400	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	151.
03/27/26 21:30	21400	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	149.
03/27/26 22:00	21500	441	2.19	BDL	BDL	10.7	BDL	BDL	BDL	BDL	7.63	118.
03/27/26 22:30	21400	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.27	120.
03/27/26 23:00	21200	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	123.
03/27/26 23:30	21200	439	2.23	BDL	BDL	2.86	BDL	BDL	BDL	BDL	5.27	113.
03/28/26 00:00	20800	443	2.47	BDL	BDL	20.1	BDL	BDL	BDL	BDL	3.94	345.

Daily Processed Summary (Average, Maximum Value)

Average	20300	444	2.2	BDL	BDL	0.831	BDL	BDL	BDL	BDL	9.95	171
Maximum Value	21500	453	2.47	-	-	20.1	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/28/26 00:30	21400	443	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.09	339.
03/28/26 01:00	21300	441	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	332.
03/28/26 01:30	19400	448	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	331.
03/28/26 02:00	16400	447	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	347.
03/28/26 02:30	15200	446	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	357.
03/28/26 03:00	15000	445	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	1.81
03/28/26 03:30	15000	445	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	4.96
03/28/26 04:00	15000	444	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	355.
03/28/26 04:30	15100	442	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	1.01
03/28/26 05:00	15300	445	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	0.593
03/28/26 05:30	15500	447	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	1.64
03/28/26 06:00	15800	449	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	9.23
03/28/26 06:30	15700	449	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	13.1
03/28/26 07:00	15500	446	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	12.2
03/28/26 07:30	15400	444	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	13.3
03/28/26 08:00	15000	442	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	18.5
03/28/26 08:30	14500	441	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	19.6
03/28/26 09:00	14100	445	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	28.0
03/28/26 09:30	14000	445	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	30.7
03/28/26 10:00	14000	446	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	36.2
03/28/26 10:30	13900	447	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	44.3
03/28/26 11:00	13400	448	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	65.
03/28/26 11:30	13500	445	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	59.7
03/28/26 12:00	13300	445	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.36	53.6
03/28/26 12:30	13100	445	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.92	44.8
03/28/26 13:00	12800	445	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	49.9
03/28/26 13:30	12600	447	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	37.4
03/28/26 14:00	12500	444	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	27.5
03/28/26 14:30	12000	444	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.30	36.1
03/28/26 15:00	12100	444	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	357.
03/28/26 15:30	12400	443	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.07	16.
03/28/26 16:00	12500	444	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.62	4.63
03/28/26 16:30	14800	445	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.87	195.
03/28/26 17:00	15200	447	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.48	172.
03/28/26 17:30	15100	444	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.52	151.
03/28/26 18:00	14900	444	2.28	BDL	BDL	5.94	BDL	BDL	BDL	BDL	7.93	138.
03/28/26 18:30	14900	443	2.26	BDL	BDL	8.43	BDL	BDL	BDL	BDL	8.66	122.
03/28/26 19:00	15000	442	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.30	123.
03/28/26 19:30	15100	440	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	117.
03/28/26 20:00	15200	439	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.00	110.
03/28/26 20:30	15100	439	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.20	102.
03/28/26 21:00	15000	438	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.37	102.
03/28/26 21:30	15000	438	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.79	97.3
03/28/26 22:00	15000	435	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	96.0
03/28/26 22:30	15100	435	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	101.
03/28/26 23:00	15300	437	2.31	BDL	BDL	2.95	BDL	BDL	BDL	BDL	6.43	109.
03/28/26 23:30	15500	435	2.47	BDL	BDL	9.60	BDL	BDL	BDL	BDL	6.31	106.
03/29/26 00:00	15500	437	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	107.

Daily Processed Summary (Average, Maximum Value)

Average	14900	443	2.32	BDL	BDL	0.561	BDL	BDL	BDL	BDL	5.99	38
Maximum Value	21400	449	2.6	-	-	9.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/29/26 00:30	15400	436	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.88	109.
03/29/26 01:00	15400	439	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	109.
03/29/26 01:30	15400	440	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	114.
03/29/26 02:00	15500	441	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	111.
03/29/26 02:30	15400	438	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	111.
03/29/26 03:00	15600	438	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.88	115.
03/29/26 03:30	15500	439	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.03	125.
03/29/26 04:00	15500	441	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	126.
03/29/26 04:30	15200	441	2.27	BDL	BDL	5.88	BDL	BDL	BDL	BDL	6.62	127.
03/29/26 05:00	15200	443	2.37	BDL	BDL	4.15	BDL	BDL	BDL	BDL	4.36	101.
03/29/26 05:30	14700	444	3.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.261	6.24
03/29/26 06:00	14400	448	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.16	64.6
03/29/26 06:30	14400	449	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.19	64.6
03/29/26 07:00	15000	448	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.89	41.3
03/29/26 07:30	15400	453	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.26	360.
03/29/26 08:00	15500	455	3.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	20.5
03/29/26 08:30	15400	451	2.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	11.4
03/29/26 09:00	15800	452	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.11	2.03
03/29/26 09:30	16800	451	2.85	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.42	46.9
03/29/26 10:00	18000	449	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.58	8.82
03/29/26 10:30	17700	448	2.29	BDL	BDL	4.43	BDL	BDL	BDL	BDL	6.26	154.
03/29/26 11:00	17600	449	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	151.
03/29/26 11:30	17800	449	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.99	153.
03/29/26 12:00	17600	450	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	160.
03/29/26 12:30	17300	450	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	158.
03/29/26 13:00	17000	451	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	164.
03/29/26 13:30	17300	451	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	165.
03/29/26 14:00	17300	450	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	160.
03/29/26 14:30	17500	448	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	151.
03/29/26 15:00	17700	447	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	146.
03/29/26 15:30	17500	447	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	148.
03/29/26 16:00	17700	448	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	149.
03/29/26 16:30	17900	447	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	154.
03/29/26 17:00	18500	448	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	145.
03/29/26 17:30	19000	449	2.26	BDL	BDL	3.16	BDL	BDL	BDL	BDL	13.9	151.
03/29/26 18:00	19500	449	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	152.
03/29/26 18:30	19800	448	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	149.
03/29/26 19:00	20000	448	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	151.
03/29/26 19:30	19900	445	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	147.
03/29/26 20:00	19800	445	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	149.
03/29/26 20:30	20200	445	2.24	BDL	BDL	4.71	BDL	BDL	BDL	BDL	9.16	144.
03/29/26 21:00	20400	446	2.25	BDL	BDL	9.40	BDL	BDL	BDL	BDL	7.79	139.
03/29/26 21:30	20500	445	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	152.
03/29/26 22:00	20600	442	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	151.
03/29/26 22:30	20700	446	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	150.
03/29/26 23:00	20700	443	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	148.
03/29/26 23:30	20900	444	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	148.
03/30/26 00:00	20800	443	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	149.

Daily Processed Summary (Average, Maximum Value)

Average	17500	446	2.37	BDL	BDL	0.661	BDL	BDL	BDL	BDL	7.87	143
Maximum Value	20900	455	3.14	-	-	9.4	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/30/26 00:30	20700	442	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	148.
03/30/26 01:00	20700	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	147.
03/30/26 01:30	20900	449	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	146.
03/30/26 02:00	20800	448	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	143.
03/30/26 02:30	20800	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	147.
03/30/26 03:00	20900	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	149.
03/30/26 03:30	21100	448	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	143.
03/30/26 04:00	21200	449	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.0	143.
03/30/26 04:30	21300	448	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	146.
03/30/26 05:00	21200	451	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	149.
03/30/26 05:30	21200	457	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	163.
03/30/26 06:00	21200	461	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	163.
03/30/26 06:30	21300	461	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	161.
03/30/26 07:00	21200	454	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.27	155.
03/30/26 07:30	21200	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	143.
03/30/26 08:00	21100	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	150.
03/30/26 08:30	21400	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	151.
03/30/26 09:00	21200	453	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	149.
03/30/26 09:30	20800	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	171.
03/30/26 10:00	20800	454	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	164.
03/30/26 10:30	20600	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	154.
03/30/26 11:00	20100	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	141.
03/30/26 11:30	20100	450	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	141.
03/30/26 12:00	20100	452	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	153.
03/30/26 12:30	20200	451	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	155.
03/30/26 13:00	19300	452	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	151.
03/30/26 13:30	18700	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	160.
03/30/26 14:00	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	13.5	158.
03/30/26 14:30	18800	450	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	157.
03/30/26 15:00	19100	454	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	157.
03/30/26 15:30	19500	454	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	147.
03/30/26 16:00	19600	454	2.24	BDL	BDL	2.06	BDL	BDL	BDL	BDL	14.5	150.
03/30/26 16:30	19400	454	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	148.
03/30/26 17:00	19200	451	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	149.
03/30/26 17:30	19800	450	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	151.
03/30/26 18:00	20400	449	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	149.
03/30/26 18:30	20800	449	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.7	148.
03/30/26 19:00	21000	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	152.
03/30/26 19:30	21300	450	2.24	BDL	BDL	3.38	BDL	BDL	BDL	BDL	12.1	140.
03/30/26 20:00	21600	451	2.24	BDL	BDL	2.70	BDL	BDL	BDL	BDL	11.1	133.
03/30/26 20:30	21800	452	2.25	BDL	BDL	2.80	BDL	BDL	BDL	BDL	10.4	135.
03/30/26 21:00	22000	448	2.25	BDL	BDL	3.70	BDL	BDL	BDL	BDL	9.34	141.
03/30/26 21:30	22000	446	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	153.
03/30/26 22:00	22100	446	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	151.
03/30/26 22:30	22200	449	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	145.
03/30/26 23:00	22000	445	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	153.
03/30/26 23:30	22300	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	151.
03/31/26 00:00	22300	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	147.

Daily Processed Summary (Average, Maximum Value)

Average	20800	450	2.23	BDL	BDL	0.311	BDL	BDL	BDL	BDL	13.3	150
Maximum Value	22300	461	2.26	-	-	3.7	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
03/31/26 00:30	22400	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	144.
03/31/26 01:00	22500	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	145.
03/31/26 01:30	22800	450	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	151.
03/31/26 02:00	22500	452	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	163.
03/31/26 02:30	22500	451	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	165.
03/31/26 03:00	22600	448	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	165.
03/31/26 03:30	22700	450	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	161.
03/31/26 04:00	22700	452	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	159.
03/31/26 04:30	22700	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	145.
03/31/26 05:00	22700	451	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	157.
03/31/26 05:30	22700	450	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	157.
03/31/26 06:00	22400	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	144.
03/31/26 06:30	22700	448	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	149.
03/31/26 07:00	22800	450	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	149.
03/31/26 07:30	22800	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	146.
03/31/26 08:00	22900	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	145.
03/31/26 08:30	23000	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	146.
03/31/26 09:00	23100	445	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	149.
03/31/26 09:30	23000	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	151.
03/31/26 10:00	23000	450	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	151.
03/31/26 10:30	22900	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	151.
03/31/26 11:00	22900	450	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	150.
03/31/26 11:30	22700	448	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	150.
03/31/26 12:00	22800	449	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.2	151.
03/31/26 12:30	22800	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.2	155.
03/31/26 13:00	22400	451	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.3	159.
03/31/26 13:30	22400	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.8	155.
03/31/26 14:00	22400	453	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.3	155.
03/31/26 14:30	22300	454	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.5	154.
03/31/26 15:00	22300	455	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.6	156.
03/31/26 15:30	22400	452	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	156.
03/31/26 16:00	22500	450	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	152.
03/31/26 16:30	22400	453	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.7	153.
03/31/26 17:00	21900	452	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	155.
03/31/26 17:30	21600	451	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	149.
03/31/26 18:00	21800	448	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	151.
03/31/26 18:30	22100	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	149.
03/31/26 19:00	22500	447	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	149.
03/31/26 19:30	22700	448	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	148.
03/31/26 20:00	22900	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	151.
03/31/26 20:30	23100	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	153.
03/31/26 21:00	23200	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	151.
03/31/26 21:30	23400	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	149.
03/31/26 22:00	M	M	M	M	M	M	M	M	M	M	15.7	151.
03/31/26 22:30	M	M	M	M	M	M	M	M	M	M	16.3	145.
03/31/26 23:00	M	M	M	M	M	M	M	M	M	M	15.7	151.
03/31/26 23:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	16.9	145.
04/01/26 00:00	23700	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.	146.

Daily Processed Summary (Average, Maximum Value)

Average	22600	449	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	152
Maximum Value	23700	455	2.25	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal


FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data



Appendix B
Wind Roses – Q1 2026

FTIR FNorth Wind Roses




Frequency of counts by wind direction (%)

FTIR FNorth Wind Roses




Frequency of counts by wind direction (%)

FTIR FNorth Wind Roses




FTIR FPC Wind Roses



Frequency of counts by wind direction (%)

FTIR FPC Wind Roses



Frequency of counts by wind direction (%)

FTIR FPC Wind Roses

