



Formosa Plastics®

Formosa Plastics Corporation, Texas
201 Formosa Drive • P.O. Box 700
Point Comfort, TX 77978
Telephone: (361) 987-7000

January 31, 2026

Electronic Delivery: TCEQR14AIR@tceq.texas.gov

Air Section Manager, Region 14
Texas Commission on Environmental Quality
500 N. Shoreline Blvd., Suite 500
Corpus Christi, Texas 78401

RE: Formosa Plastics Corporation, Texas
Regulated Entity Number: RN100218973
Customer Reference Number: CN600130017
TCEQ Air Quality Account Number: CB-0038-Q
Fourth Quarter 2025 FTIR Report

Dear Air Section Manager:

By letter dated January 10, 1996, Formosa Plastics Corporation, Texas (FPC-TX) is required to submit written reports summarizing the FTIR data as specified by Item 5, Section (c). The enclosed quarter report includes FTIR data from the fourth quarter of 2025.

By letter dated November 25, 1997, FPC-TX was asked to submit chemical-specific polar plots of 30-minute average concentrations versus wind direction for days when a trigger level was exceeded. Enclosed are chemical-specific polar plots for those days in which an exceedance occurred. Additionally, FPC-TX was asked to submit an electronic copy of the FTIR Quarterly report. This electronic submittal contains the fourth quarter 2025 validated data for the Point Comfort and North sites.

During the fourth quarter of 2025, there was no instance of the Formosa Point Comfort Ambient Air Monitoring Station FTIR detecting compounds at levels exceeding their respective 30-minute alarm thresholds. An exceedance is determined by Spectrum Environmental Solutions (SES) through validation of the FTIR data.

In addition, the North FTIR quarterly report is attached. The North FTIR and associated equipment were installed as a Supplemental Environmental Project (SEP) as required by TCEQ Docket No. 2000-1144-AIR-E. This report includes FTIR data from October 1, 2025 through December 31, 2025.

During the fourth quarter of 2025, there were two instances of the North Ambient Air Monitoring Station FTIR detecting compounds at levels exceeding their respective 30-minute alarm thresholds.

Special Condition No. 49 of the Formosa Plastics Corporation, Texas, EDC Cracking, VCM & PVC Processing Facility permit (7699 and PSDTX226M7) and special condition No. 46 of the Formosa Plastics Corporation, Texas, EDC Plant permit (19199 and PSDTX1238) require submittal of quarterly reports summarizing the FTIR data. Additionally, the North FTIR SEP is referenced in special condition No. 36 of the Formosa Plastics Corporation, Texas, Specialty PVC Plant permit (76305 and PSDTX1058).

Should you have any questions please contact Clint Hurley by e-mail at ClintonH@ftpc.fpcusa.com.

Sincerely,

Mike Rivet
Digitally signed by Mike Rivet
Date: 2026.01.30 16:10:22 -06'00'

Mike Rivet
Assistant Vice President/General Manager
Formosa Plastics Corporation, Texas

FTIR Ambient Air Monitoring System Quarterly Report – Q4 2025

Formosa Plastics Corporation (FPC-TX)

Date Prepared:

01/29/2026

Prepared by:

Spectrum Environmental Solutions
2340 W Braker Ln Suite A
Austin, TX 78758



TABLE OF CONTENTS

1	Executive Summary	1-1
2	Ambient Air Monitoring System Description	2-1
3	Tier 2 Concentration Exceedance Information.....	3-1
4	Quality Assurance/Quality Control (QA/QC) Results.....	4-5
4.1	Data Completeness	4-5
4.2	Gas Challenges	4-6
4.3	Method Detection Limits (MDLs).....	4-9
5	Summary of FTIR Downtime	5-1

TABLES

Table 2-1.	Summary of the Formosa Point Comfort Community Ambient Air Monitoring Network.....	2-1
Table 2-2.	Formosa AAMS Concentration Thresholds	2-3
Table 3-1.	Tier 2 concentration exceedance information – Q4 2025	3-2
Table 3-2.	Event canister data from North for the 10/08 Tier 2 Ethylene exceedance at North FTIR	3-3
Table 3-3.	Event canister data from North for the 10/08 Tier 2 Ethylene exceedance at North FTIR	3-4
Table 4-1.	Data Completeness – Q4 2025.....	4-5
Table 4-2.	FTIR Gas Challenge Expected Spike Concentrations – Q4 2025	4-6
Table 4-3.	PC FTIR Gas Challenge Recoveries – Q4 2025	4-7
Table 4-4.	North FTIR Gas Challenge Recoveries – Q4 2025.....	4-8
Table 4-5.	Method Detection Limits – Q4 2025.....	4-9
Table 5-1.	Summary of Missing or Invalid Data – Q4 2025.....	5-1

FIGURES

Figure 2-1.	Aerial Image of the Formosa Point Comfort Community Ambient Air Monitoring Network..	2-2
Figure 3-1.	Wind rose for Tier 2 Ethylene exceedance event at North FTIR (October 8 th 8:35 PM – 8:50 PM)	3-3
Figure 3-2.	Polar plot for Tier 2 Ethylene exceedance event at North FTIR (October 8 th 8:35 PM – 8:50 PM)	3-3
Figure 3-3.	Wind rose for Tier 2 Ethylene exceedance event at North FTIR (October 9 th 7:55 PM – 8:20 PM)	3-4
Figure 3-4 .	Polar plot for Tier 2 Ethylene exceedance event at North FTIR (October 9 th 7:55 PM – 8:20 PM)	3-4

APPENDICES

Appendix A – Monitoring Data – Q4 2025
Appendix B – Wind Roses – Q4 2025

1 Executive Summary

This quarterly report presents validated data from the Formosa Plastics FTIR Ambient Air Monitoring System in Point Comfort, Texas that were collected from October 1, 2025 through December 31, 2025 (Q4 2025). This program was implemented to satisfy the ambient air monitoring requirements of TCEQ Permit Numbers 7699/PSDTX226M7 and TCEQ Permit Numbers 19199/PSDTX1238.

Over 300,000 rolling 30-minute average validated concentration results were generated between the two FTIR monitoring sites during Q4 2025. Quarterly data completeness for PC FTIR was 99.1% and data completeness for North FTIR was 96.8%, both meeting the permitted data completeness criterion of at least 75%. In Q4, there were two exceedance events for the TCEQ Tier 2 rolling 30-minute average threshold levels, both of which occurred at the North FTIR site. Event canisters were collected and analyzed in response to each exceedance event.

The remainder of this report is divided into the sections and appendices listed in the table below, and this table describes the content provided in each section or appendix.

Report Section/Appendix	Reporting Contents
Section 2 – Ambient Air Monitoring System Description	• Target compounds and monitoring frequency • Air monitoring locations • Air monitoring methodology • Concentration notification/action levels
Section 3 – Tier 2 Concentration Exceedance Information	• Summary of data for any compounds that exceeded their Tier 2 rolling 30-minute average trigger levels • Data for any event canisters triggered due to an exceedance of the Tier 2 FTIR trigger level • Wind roses and chemical-specific polar plots for any periods when FTIR Tier 2 trigger levels were exceeded
Section 4 - Quality Assurance/Quality Control (QA/QC) Results	• Data completeness results • Gas challenge matrix spike results • Method detection limit results
Section 5 - Summary of FTIR Downtime	• Information on periods of FTIR downtime including causes and actions taken
Appendix A – Monitoring Data	• 30-minute block average concentrations with 30-minute block average wind direction data • 24-hour daily average concentrations with 24-hour average wind directions for each calendar day
Appendix B – Wind Roses	• Quarterly wind roses for each site • Daily wind roses for each site

2 Ambient Air Monitoring System Description

As a part of Formosa's air permits with the TCEQ, Formosa is required to operate and maintain a community ambient air monitoring network. This air monitoring network employs two different air monitoring techniques: open-path Fourier Transform Infrared (FTIR) monitoring and canister sampling.

A summary description of the air monitoring network is provided in Table 2-1 and lists the name and location of each monitoring site, the types of monitoring instrumentation utilized, and the frequency of monitoring. The first two sites listed in this table (i.e., PC FTIR and North FTIR) make up the FTIR Ambient Air Monitoring System. The report presents validated FTIR and meteorological data collected at these two FTIR sites. Routine air monitoring data collected from the canister monitoring sites (Sites 3-7) are presented in a separate report.

Table 2-1. Summary of the Formosa Point Comfort Community Ambient Air Monitoring Network

Site Number	Site Name	Type of Monitor(s)	Location	Monitoring Frequency
1	PC FTIR	FTIR Meteorological	Formosa Guesthouse in Point Comfort near the intersection of Pease St. and Clark St.	5-minute and 30-minute average data
2	North FTIR	FTIR Meteorological	FM1593 approximately 3 miles North of FM1593/SH35 intersection	5-minute and 30-minute average data
3	PC Plant	Canister	Formosa Parking Lot South of Formosa Plant Gate 1 on FM1593	Every Other Day
4	City Hall	Canister	City Hall at 102 Jones Street	Every Sixth Day
5	City Park	Canister	On the Northeast side of the City Park on Lamar Street	Every Sixth Day
6	Formosa Training/Development Center (FTDC)	Canister	FTDC on Lamar Street	Every Sixth Day
7	North	Canister	FM1593 approximately 3 miles North of FM1593/SH35 intersection	Once Every Month

The open-path FTIR monitors operate by projecting a beam of infrared light through open air to retroreflectors that reflect the light back to the monitor where spectral absorption characteristics are measured. The unique spectral absorption characteristics of each gas are used to calculate and record the concentrations of each gas present in the beam. The measurement represents an average concentration over the length of the beam path. An aerial image of the Formosa Point Comfort Community Ambient Air Monitoring Network is provided in Figure 2-1 and includes the locations of the canister samplers, the FTIR systems, and the retroreflectors.



Figure 2-1. Aerial Image of the Formosa Point Comfort Community Ambient Air Monitoring Network

Each FTIR system allows for the continuous and simultaneous measurement of the seven target compounds listed in Table 2-2. Concentrations are measured as 5-minute averages, and rolling 30-minute averages are calculated from these 5-minute average concentrations. An automated notification is sent to Formosa whenever a measured 5-minute average concentration of a given compound exceeds the Tier 1 concentration threshold levels listed in Table 2-2. If a rolling 30-minute average concentration of a compound exceeds its associated Tier 2 concentration threshold level then an automated notification is also sent to Formosa, and a one-hour event Summa canister sample is automatically activated.

Table 2-2. Formosa AAMS Concentration Thresholds

Compound	Tier 1: Preliminary Notification 5-Minute Concentration Threshold (ppb)	Tier 2: Canister Activation Rolling 30-Minute Concentration Threshold (ppb)
1,3-Butadiene	40	25
Benzene	120	60
Ethylene	500	500
Ethylene oxide	70	NA
Vinyl chloride	25	25
Ethylene Dichloride	100	50
Hydrogen chloride	14	NA

NA Not applicable. No concentration threshold is provided for the given compound in the permits

A comprehensive description of the system design and measurement approach for the FTIR air monitoring system is provided in this measurement program's Quality Assurance Project Plan (QAPP). All 5-minute concentration(s) contributing to a 30-minute rolling average exceedance are spectrally reviewed and validated.

3 Tier 2 Concentration Exceedance Information

There were two Tier 2 concentration threshold exceedance events during Q4 2025. Concentrations of ethylene exceeded its respective threshold concentration on October 8th, 2025 and October 9th, 2025 at the North monitoring site.

Table 3-1 lists all 30-minute average concentration exceedances of the Tier 2 concentration threshold levels. It provides information on where the exceedance was measured (i.e., Site Name), the date and time of the exceedance, the compound, the measured 30-minute concentration, the corresponding Tier 2 threshold concentration, and the concurrent 30-minute average wind speed and wind direction during the measurement exceedance period. Event canisters were triggered at the North site in response to both exceedance events.

For these exceedance events, the following information is provided: the concentration results from the triggered canister, a wind rose for the period corresponding with the measured exceedances, and a chemical-specific polar plot showing the average 30-minute concentration of the target compound measured during the exceedance period as a function of wind direction.

See Figure 2-1 for a depiction of the North canister site relative to the North FTIR path where the exceedances were measured.

Table 3-1. Tier 2 concentration exceedance information – Q4 2025

Site Name	Date Time ^a	Compound	Measured 30-Minute Concentration (ppb)	<u>Tier 2: Canister Activation</u> Rolling 30-Minute Concentration Threshold (ppb)	30- Minute Wind Speed (mph)	30- Minute Wind Direction (degrees)
North FTIR	10/08/25 08:35 PM	Ethylene	562.2	500	6.0	116
North FTIR	10/08/25 08:40 PM	Ethylene	669.6	500	6.2	114
North FTIR	10/08/25 08:45 PM	Ethylene	662.7	500	6.1	113
North FTIR	10/08/25 08:50 PM	Ethylene	561.3	500	5.8	113
North FTIR	10/09/25 07:55 PM	Ethylene	526.5	500	8.0	110
North FTIR	10/09/25 08:00 PM	Ethylene	582.9	500	8.2	109
North FTIR	10/09/25 08:05 PM	Ethylene	613.3	500	8.2	108
North FTIR	10/09/25 08:10 PM	Ethylene	568.4	500	8.1	108
North FTIR	10/09/25 08:15 PM	Ethylene	582.3	500	7.8	108
North FTIR	10/09/25 08:20 PM	Ethylene	568.2	500	7.8	106

^a the listed time corresponds to the end of the 30-minute averaging period (e.g., 8:35 PM means the 30-minute sample was collected from 8:05 – 8:35 PM)

Table 3-2. Event canister data from North for the 10/08 Tier 2 Ethylene exceedance at North FTIR

Compound	Measured 60-Minute Concentration (ppb)
1,3-Butadiene	<0.07
Benzene	0.10
Ethylene	16.5
Vinyl chloride	<0.07
Ethylene dichloride	0.04




Figure 3-1. Wind rose for Tier 2 Ethylene exceedance event at North FTIR (October 8th 8:35 PM – 8:50 PM)




Figure 3-2. Polar plot for Tier 2 Ethylene exceedance event at North FTIR (October 8th 8:35 PM – 8:50 PM)

Table 3-3. Event canister data from North for the 10/08 Tier 2 Ethylene exceedance at North FTIR

Compound	Measured 60-Minute Concentration (ppb)
1,3-Butadiene	<0.07
Benzene	0.08
Ethylene	460
Vinyl chloride	<0.07
Ethylene dichloride	0.04




Figure 3-3. Wind rose for Tier 2 Ethylene exceedance event at North FTIR (October 9th 7:55 PM – 8:20 PM)




Figure 3-4 . Polar plot for Tier 2 Ethylene exceedance event at North FTIR (October 9th 7:55 PM – 8:20 PM)

4 Quality Assurance/Quality Control (QA/QC) Results

The quality of the data should be evaluated and controlled to help ensure they meet measurement performance criteria established in the QAPP. Data quality is primarily assessed through the:

- Calculation of data completeness rates,
- Evaluation of results from gas challenges, and
- Determination of method detection limits (MDLs).

4.1 Data Completeness

Data completeness is a measure of the amount of valid data obtained from a measurement system. Due to the nature of open-path FTIR devices, adverse atmospheric conditions such as fog, high humidity, rain, particulate matter, haze, and other conditions can affect a monitor's ability to provide reliable data. Since these conditions are uncontrollable, it is not possible to mitigate their effects. Data invalidated due to adverse atmospheric conditions or periods of maintenance are excluded from data completeness calculations. Significant periods of missing or invalid data are listed in Section 5.

Per permit requirements, the FTIR monitoring system must operate with at least 75% data completeness. The quarterly data completeness rate was 99.1% and 96.8% for the PC FTIR and North FTIR sites, respectively, meeting this program's stated data completeness requirement.

Data completeness rates for each site for each month during the quarterly reporting period are provided in Table 4-1.

Table 4-1. Data Completeness – Q4 2025

Site Name	Data Completeness (%)			
	October	November	December	Q4
PC FTIR	99.0	99.1	99.1	99.1
North FTIR	98.3	96.4	95.8	96.8

4.2 Gas Challenges

Gas challenges are performed against the open-path FTIR instrument with gases containing the target compounds to help confirm accurate and precise measurements are being collected. A gas challenge test is conducted by measuring a known concentration in an enclosed cell placed into the normal measurement path, over a fixed path length, and at a known temperature and pressure. The expected spike concentrations are calculated by multiplying the certified cylinder concentrations by the ratio of the calibration cell path length to the open path length. This would be the molecular density (concentration by volume) if the molecules in the cell were instead evenly distributed across the entire beam path. Gas challenges serve as a quality assurance check in the presence of all the spectral interferences present in the normal measurement path. The collected measurements are compared to reference spectra, and if concentration values are within acceptable criteria, the measurement method can be verified.

All target compounds are listed in Table 4-2 along with their expected spike concentrations for each set of gas cylinders that were installed at the time of the challenges. A blend of all target volatile organic compounds (VOCs) at known concentrations are contained within a single gas cylinder located at each site, but due to its corrosive nature, hydrogen chloride (HCl) gas was included in a separate cylinder and tested independently of the other gases. The expected concentrations for each site are summarized in Table 4-2.

Table 4-2. FTIR Gas Challenge Expected Spike Concentrations – Q4 2025

Compound	Expected Spike Concentration (ppb)	
	PC FTIR	North FTIR
1,3-Butadiene	34	39
Benzene	106	123
Ethylene	39	46
Ethylene oxide	68	77
Vinyl chloride	24	28
Ethylene dichloride	96	111
Hydrogen chloride	13	16

Analyte spike recovery is expressed as a percentage and calculated by taking the ratio of the actual spike concentration, which is the average of equilibrium points during the run, to the expected spike concentration. Per the QAPP, this project's stated accuracy objective for gas challenge recoveries is $\pm 30\%$ (i.e., 70% - 130%). All of the gas challenges performed for the quarter resulted in acceptable recoveries. The Q4 2025 gas challenge recovery statistics for PC FTIR and North FTIR are presented in Tables 4-3 and Table 4-4, respectively.

Table 4-3. PC FTIR Gas Challenge Recoveries – Q4 2025

Date	Target Compound Recovery (%)						
	Ethylene dichloride	1,3-Butadiene	Benzene	Ethylene	Ethylene oxide	Vinyl chloride	Hydrogen chloride
10/03/2025	98.1	107.3	101.4	101.2	100.0	112.3	113.8
10/12/2025	103.8	92.4	108.3	103.0	108.6	110.0	115.3
10/17/2025	108.3	108.7	95.5	104.3	99.9	85.4	109.3
10/24/2025	100.5	100.1	103.9	104.4	106.9	111.6	106.0
11/02/2025	77.7	104.9	103.0	101.9	90.6	109.3	102.0
11/09/2025	90.4	100.4	98.2	99.5	103.5	94.7	102.8
11/16/2025	92.6	96.6	97.0	103.8	103.8	90.2	102.5
11/23/2025	89.4	101.1	96.1	93.9	106.0	114.6	116.2
11/30/2025	107.8	99.5	102.3	104.6	104.6	94.3	100.8
12/07/2025	90.8	107.7	111.5	102.8	101.3	100.9	96.0
12/15/2025	109.6	105.4	103.3	97.5	96.2	87.0	NA
12/24/2025	88.2	100.4	104.6	104.0	108.4	103.4	NA
Q4 2025 Average	96.4	102.0	102.1	101.7	102.5	101.1	106.5

NA Gas challenge for associated compound(s) not performed due to gas solenoid error

Table 4-4. North FTIR Gas Challenge Recoveries – Q4 2025

Date	Target Compound Recovery (%)						
	Ethylene dichloride	1,3-Butadiene	Benzene	Ethylene	Ethylene oxide	Vinyl chloride	Hydrogen chloride
10/07/2025	112.0	117.7	118.9	109.4	119.5	120.8	76.6
10/12/2025	89.1	100.7	112.7	110.0	93.9	126.5	106.4
10/26/2025	82.1	91.7	113.7	113.5	86.5	102.4	93.1
11/02/2025	90.9	105.5	95.9	108.0	90.0	104.7	90.9
11/09/2025	119.2	106.6	81.5	107.0	91.9	129.9	93.9
11/16/2025	101.5	102.2	84.8	118.9	106.6	110.8	97.6
11/23/2025	113.5	91.4	77.3	93.8	92.4	103.8	85.2
11/30/2025	101.8	111.5	99.5	113.3	97.5	126.6	105.5
12/15/2025	112.0	109.8	88.5	106.7	102.7	112.6	94.1
12/22/2025	125.3	82.2	88.5	76.6	86.9	88.2	79.4
12/28/2025	106.4	111.3	90.2	121.5	104.6	109.0	81.1
Q4 2025 Average	104.9	102.8	95.6	107.2	97.5	112.3	91.3

4.3 Method Detection Limits (MDLs)

This program's QAPP provides target method detection limit (MDL) values for each compound of interest. Table 4-5 includes these target values as well as the median MDLs achieved during Q4 2025 for each site

Table 4-5. Method Detection Limits – Q4 2025

Compound	QAPP target 5-Min MDL (ppb)	PC FTIR	North FTIR
		5-Min MDL (ppb)	5-Min MDL (ppb)
1,3-Butadiene	10	4.7	6.8
Benzene	35	19.6	33.4
Ethylene	4	2.2	3.5
Ethylene oxide	20	14.6	16.9
Vinyl chloride	8	5.1	7.6
Ethylene dichloride	30	20.9	40.3
Hydrogen chloride	4	2.7	3.2

5 Summary of FTIR Downtime

Table 5-1 provides a list of periods during this quarter that resulted in instrument downtime or invalid data lasting for more than six hours. For each of these periods, this table presents the impacted site, the event time period, the cause of the missing or invalid data, and how the issue was resolved.

Table 5-1. Summary of Missing or Invalid Data – Q4 2025

Site	Event Time Period	Downtime Cause/Event Description	Resolution
FNorth	11/28 17:15 - 11/29 10:40	Google drive error	Software updated
FNorth	12/03 12:55 - 12/04 08:05	Low signal strength due to atmospheric interference	Self-clearing
FNorth	12/06 23:00 - 12/07 15:50	Low signal strength due to atmospheric interference	Self-clearing
FNorth	12/10 05:10 - 12/10 14:25	Low signal strength due to atmospheric interference	Self-clearing
FNorth	12/12 00:05 - 12/12 10:10	Low signal strength due to atmospheric interference	Self-clearing
FNorth	12/17 01:15 - 12/17 12:50	Low signal strength due to atmospheric interference	Self-clearing
FNorth	12/21 21:45 - 12/22 10:40	Low signal strength due to atmospheric interference	Self-clearing
FNorth	12/23 20:55 - 12/24 09:15	Low signal strength due to atmospheric interference	Self-clearing
FPC	12/03 17:55 - 12/04 05:10	Low signal strength due to atmospheric interference	Self-clearing
FPC	12/06 21:00 - 12/07 10:50	Low signal strength due to atmospheric interference	Self-clearing
FPC	12/12 03:25 - 12/12 09:40	Low signal strength due to atmospheric interference	Self-clearing
FPC	12/20 21:45 - 12/21 04:05	Low signal strength due to atmospheric interference	Self-clearing
FPC	12/21 20:05 - 12/22 10:40	Low signal strength due to atmospheric interference	Self-clearing
FPC	12/22 17:45 - 12/23 09:25	Low signal strength due to atmospheric interference	Self-clearing
FPC	12/23 21:15 - 12/24 09:40	Low signal strength due to atmospheric interference	Self-clearing
FPC	12/24 23:15 - 12/25 09:35	Low signal strength due to atmospheric interference	Self-clearing
FPC	12/25 19:25 - 12/26 05:20	Low signal strength due to atmospheric interference	Self-clearing

Appendix A
Monitoring Data – Q4 2025

Open Path FTIR Daily (24-hour) Averages

Site: Formosa Point Comfort AAMS

Date	Capture%	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)	Met Capture%
10/01/25	100	22400	405	2.38	BDL	BDL	1.06	BDL	BDL	BDL	BDL	0.837	216	100
10/02/25	100	23700	402	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.15	170	100
10/03/25	93.6	23500	399	2.37	BDL	BDL	0.896	BDL	BDL	BDL	BDL	2.88	84.5	100
10/04/25	100	22500	402	2.37	BDL	BDL	5.56	BDL	BDL	BDL	BDL	3.45	80.6	100
10/05/25	100	23700	397	2.34	BDL	BDL	4.5	0.0908	BDL	BDL	BDL	3.14	91.7	100
10/06/25	100	25000	394	2.26	BDL	BDL	0.447	BDL	BDL	BDL	BDL	2.97	133	100
10/07/25	100	27200	392	2.21	BDL	BDL	0.172	BDL	BDL	BDL	BDL	1.79	132	100
10/08/25	97.9	25000	395	2.31	BDL	BDL	17.4	BDL	BDL	BDL	BDL	2.83	99.1	100
10/09/25	100	24400	398	2.35	BDL	BDL	22.3	BDL	BDL	BDL	BDL	3.58	87.2	100
10/10/25	100	20900	396	2.37	BDL	BDL	4.25	BDL	BDL	BDL	BDL	2.03	94.9	100
10/11/25	100	18700	393	2.39	BDL	BDL	20.7	BDL	BDL	BDL	BDL	1.82	129	100
10/12/25	93.8	18700	386	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	137	100
10/13/25	100	19900	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	122	100
10/14/25	97.9	20200	395	2.34	BDL	BDL	0.911	BDL	BDL	BDL	BDL	3.48	117	100
10/15/25	100	20000	396	2.39	BDL	BDL	0.126	0.229	BDL	BDL	BDL	0.352	87.6	100
10/16/25	100	20800	397	2.41	BDL	BDL	4.16	BDL	BDL	BDL	BDL	3.17	117	100
10/17/25	91.7	24600	393	2.28	BDL	BDL	4.94	BDL	BDL	BDL	BDL	3.9	128	100
10/18/25	100	26000	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	188	100
10/19/25	100	24300	392	2.27	BDL	BDL	0.626	BDL	BDL	BDL	BDL	1.78	80.4	100
10/20/25	97.9	23400	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.73	141	100
10/21/25	100	26400	394	2.21	BDL	BDL	0.0323	BDL	BDL	BDL	BDL	2.84	190	100
10/22/25	100	20900	399	2.35	BDL	BDL	1.54	BDL	BDL	BDL	BDL	4.39	82.2	100
10/23/25	100	23600	394	2.31	BDL	BDL	0.158	BDL	BDL	BDL	BDL	4.28	125	100
10/24/25	95.7	24600	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	126	100
10/25/25	100	22100	394	2.19	BDL	BDL	2.9	BDL	BDL	BDL	BDL	3.98	123	100
10/26/25	100	22000	401	2.25	BDL	BDL	7.34	BDL	BDL	BDL	BDL	1.33	82.8	100
10/27/25	100	24700	398	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	147	100
10/28/25	100	24000	398	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.03	177	100
10/29/25	100	6880	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	335	100
10/30/25	100	7020	391	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.56	313	100
10/31/25	100	9370	396	2.39	BDL	BDL	6.25	BDL	BDL	BDL	BDL	0.97	154	100

Daily Processed Summary (Average, Maximum Value)

Average	99	21500	395	2.3	BDL	BDL	3.43	0.0103	BDL	BDL	BDL	2.1	119	100
Maximum Value	100	27200	405	2.41	BDL	BDL	22.3	0.229	BDL	BDL	BDL	-	-	100

BDL = Below Detection Limit

Blank = Not Available

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/01/25 00:30	24900	400	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.548	151.
10/01/25 01:00	25300	399	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.689	171.
10/01/25 01:30	25700	398	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.591	235.
10/01/25 02:00	25600	399	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.314	247.
10/01/25 02:30	25900	407	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.951	341.
10/01/25 03:00	25800	415	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.03	336.
10/01/25 03:30	25000	413	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.05	350.
10/01/25 04:00	24700	409	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.907	333.
10/01/25 04:30	24700	406	2.64	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.23	328.
10/01/25 05:00	24000	408	2.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.81	332.
10/01/25 05:30	22900	407	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.26	14.9
10/01/25 06:00	22600	411	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.53	18.1
10/01/25 06:30	22000	407	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.45	23.3
10/01/25 07:00	21900	408	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.85	21.9
10/01/25 07:30	21600	413	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.52	20.6
10/01/25 08:00	21300	411	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	20.7
10/01/25 08:30	22000	409	2.57	BDL	BDL	17.4	BDL	BDL	BDL	BDL	2.48	24.4
10/01/25 09:00	22700	411	2.51	BDL	BDL	11.5	BDL	BDL	BDL	BDL	2.72	23.4
10/01/25 09:30	23400	413	2.52	BDL	BDL	22.	BDL	BDL	BDL	BDL	2.81	19.2
10/01/25 10:00	23400	409	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.47	9.98
10/01/25 10:30	23800	409	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	317.
10/01/25 11:00	23700	409	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	315.
10/01/25 11:30	23200	409	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	293.
10/01/25 12:00	22300	408	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	281.
10/01/25 12:30	21700	406	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	279.
10/01/25 13:00	21400	406	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	275.
10/01/25 13:30	21100	406	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	273.
10/01/25 14:00	18200	408	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.90	273.
10/01/25 14:30	17900	408	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	252.
10/01/25 15:00	18900	407	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.62	214.
10/01/25 15:30	19300	407	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	189.
10/01/25 16:00	19100	407	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	202.
10/01/25 16:30	18600	405	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	168.
10/01/25 17:00	18500	406	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.06	158.
10/01/25 17:30	18100	404	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	165.
10/01/25 18:00	18800	403	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	164.
10/01/25 18:30	20000	401	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	170.
10/01/25 19:00	20500	401	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	170.
10/01/25 19:30	21300	399	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	176.
10/01/25 20:00	22100	399	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	174.
10/01/25 20:30	22800	399	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	169.
10/01/25 21:00	23500	398	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.35	171.
10/01/25 21:30	23500	397	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	174.
10/01/25 22:00	23600	397	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	177.
10/01/25 22:30	24200	397	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.77	172.
10/01/25 23:00	24700	398	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.75	171.
10/01/25 23:30	24700	398	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.45	171.
10/02/25 00:00	24700	397	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.09	163.

Daily Processed Summary (Average, Maximum Value)

Average	22400	405	2.38	BDL	BDL	1.06	BDL	BDL	BDL	BDL	0.837	216
Maximum Value	25900	415	2.74	-	-	22	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/02/25 00:30	24600	396	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	161.
10/02/25 01:00	24700	396	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.8	158.
10/02/25 01:30	24900	396	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.95	166.
10/02/25 02:00	25100	397	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.43	155.
10/02/25 02:30	25200	397	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.22	135.
10/02/25 03:00	25300	396	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.589	130.
10/02/25 03:30	25400	396	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.57	144.
10/02/25 04:00	25500	395	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.624	197.
10/02/25 04:30	25800	395	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.676	146.
10/02/25 05:00	25800	396	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.583	198.
10/02/25 05:30	26100	395	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.591	229.
10/02/25 06:00	26600	410	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.17	350.
10/02/25 06:30	25700	417	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.30	3.25
10/02/25 07:00	25300	422	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.38	2.29
10/02/25 07:30	24500	422	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.59	11.0
10/02/25 08:00	24200	419	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.12	11.0
10/02/25 08:30	24700	413	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.70	13.6
10/02/25 09:00	25600	409	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.71	359.
10/02/25 09:30	26000	411	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.19	356.
10/02/25 10:00	26300	410	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.72	331.
10/02/25 10:30	26500	408	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	326.
10/02/25 11:00	26000	404	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	318.
10/02/25 11:30	25900	403	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	297.
10/02/25 12:00	25200	406	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	300.
10/02/25 12:30	24500	405	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.54	284.
10/02/25 13:00	23600	401	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	269.
10/02/25 13:30	23200	402	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	263.
10/02/25 14:00	22000	405	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.95	210.
10/02/25 14:30	19800	404	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	157.
10/02/25 15:00	19500	404	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.8	174.
10/02/25 15:30	19100	404	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	159.
10/02/25 16:00	19300	405	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	169.
10/02/25 16:30	21000	404	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	164.
10/02/25 17:00	20500	400	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	140.
10/02/25 17:30	19600	400	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	141.
10/02/25 18:00	20200	400	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	142.
10/02/25 18:30	20000	399	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	142.
10/02/25 19:00	20200	399	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	138.
10/02/25 19:30	21400	397	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	139.
10/02/25 20:00	22000	397	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	164.
10/02/25 20:30	22900	396	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	156.
10/02/25 21:00	23500	396	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.13	159.
10/02/25 21:30	23800	396	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.50	153.
10/02/25 22:00	23900	396	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.32	179.
10/02/25 22:30	23600	395	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.84	154.
10/02/25 23:00	24000	397	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.26	142.
10/02/25 23:30	24200	397	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.58	124.
10/03/25 00:00	23700	397	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.71	162.

Daily Processed Summary (Average, Maximum Value)

Average	23700	402	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.15	170
Maximum Value	26600	422	2.53	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/03/25 00:30	23800	396	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.82	149.
10/03/25 01:00	23900	396	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.03	197.
10/03/25 01:30	24500	395	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.877	192.
10/03/25 02:00	24700	395	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.891	190.
10/03/25 02:30	24400	394	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.612	171.
10/03/25 03:00	24300	394	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.650	157.
10/03/25 03:30	25100	403	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.28	9.50
10/03/25 04:00	24500	407	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.64	29.7
10/03/25 04:30	24100	407	2.57	BDL	BDL	11.	BDL	BDL	BDL	BDL	0.843	52.9
10/03/25 05:00	23500	410	2.53	BDL	BDL	14.4	BDL	BDL	BDL	BDL	0.878	41.8
10/03/25 05:30	23100	410	2.47	BDL	BDL	10.4	BDL	BDL	BDL	BDL	1.27	355.
10/03/25 06:00	22800	410	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.83	16.7
10/03/25 06:30	22500	406	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.33	17.6
10/03/25 07:00	22100	405	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.56	14.4
10/03/25 07:30	21800	405	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	19.3
10/03/25 08:00	21900	404	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	24.6
10/03/25 08:30	22200	406	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.28	21.8
10/03/25 09:00	22800	406	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	18.4
10/03/25 09:30	23200	407	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.79	17.4
10/03/25 10:00	23700	408	2.47	BDL	BDL	3.61	BDL	BDL	BDL	BDL	5.31	21.4
10/03/25 10:30	24700	406	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	20.9
10/03/25 11:00	24800	404	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.15	28.5
10/03/25 11:30	24400	402	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	25.
10/03/25 12:00	23800	402	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.70	25.5
10/03/25 12:30	23200	403	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	22.0
10/03/25 13:00	24700	399	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	61.9
10/03/25 13:30	23200	400	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	83.8
10/03/25 14:00	23000	401	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.28	58.8
10/03/25 14:30	M	M	M	M	M	M	M	M	M	M	7.47	118.
10/03/25 15:00	M	M	M	M	M	M	M	M	M	M	6.4	143.
10/03/25 15:30	M	M	M	M	M	M	M	M	M	M	7.31	115.
10/03/25 16:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	6.92	117.
10/03/25 16:30	23800	395	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.00	117.
10/03/25 17:00	24000	396	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.18	113.
10/03/25 17:30	23900	395	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	118.
10/03/25 18:00	23600	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.84	117.
10/03/25 18:30	23900	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.66	114.
10/03/25 19:00	23600	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.08	112.
10/03/25 19:30	22300	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	107.
10/03/25 20:00	22800	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	106.
10/03/25 20:30	23300	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.11	102.
10/03/25 21:00	23500	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.09	96.4
10/03/25 21:30	23500	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	99.
10/03/25 22:00	23300	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	96.7
10/03/25 22:30	23300	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.24	93.1
10/03/25 23:00	23500	395	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	88.8
10/03/25 23:30	23500	394	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	93.2
10/04/25 00:00	23600	408	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	87.4

Daily Processed Summary (Average, Maximum Value)

Average	23500	399	2.37	BDL	BDL	0.896	BDL	BDL	BDL	BDL	2.88	84.5
Maximum Value	25100	410	2.63	-	-	14.4	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/04/25 00:30	23400	407	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	93.2
10/04/25 01:00	23300	415	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	97.1
10/04/25 01:30	23100	413	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	95.4
10/04/25 02:00	23100	416	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	90.6
10/04/25 02:30	22900	416	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	85.4
10/04/25 03:00	22600	416	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	86.5
10/04/25 03:30	22500	415	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.08	80.8
10/04/25 04:00	22600	401	2.42	BDL	BDL	9.24	BDL	BDL	BDL	BDL	1.60	63.7
10/04/25 04:30	22200	399	2.41	BDL	BDL	27.1	BDL	BDL	BDL	BDL	2.21	27.3
10/04/25 05:00	21900	403	2.47	BDL	BDL	15.7	BDL	BDL	BDL	BDL	1.95	16.
10/04/25 05:30	21700	402	2.53	BDL	BDL	12.6	BDL	BDL	BDL	BDL	2.52	22.2
10/04/25 06:00	22100	405	2.49	BDL	BDL	16.6	BDL	BDL	BDL	BDL	2.51	35.8
10/04/25 06:30	22200	413	2.5	BDL	BDL	20.5	BDL	BDL	BDL	BDL	2.59	45.2
10/04/25 07:00	22100	412	2.56	BDL	BDL	27.8	BDL	BDL	BDL	BDL	2.63	40.2
10/04/25 07:30	22800	409	2.54	BDL	BDL	54.2	BDL	BDL	BDL	BDL	3.55	29.1
10/04/25 08:00	22400	402	2.55	BDL	BDL	24.3	BDL	BDL	BDL	BDL	3.83	20.7
10/04/25 08:30	22000	403	2.57	BDL	BDL	9.74	BDL	BDL	BDL	BDL	4.40	16.4
10/04/25 09:00	22400	411	2.58	BDL	BDL	21.0	BDL	BDL	BDL	BDL	4.35	25.7
10/04/25 09:30	22800	421	2.52	BDL	BDL	18.4	BDL	BDL	BDL	BDL	3.19	44.8
10/04/25 10:00	23100	411	2.46	BDL	BDL	9.67	BDL	BDL	BDL	BDL	3.45	57.1
10/04/25 10:30	23100	401	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	66.2
10/04/25 11:00	23100	399	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	51.9
10/04/25 11:30	22600	400	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	62.
10/04/25 12:00	21400	400	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	84.1
10/04/25 12:30	20200	399	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	68.8
10/04/25 13:00	19700	403	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.40	74.6
10/04/25 13:30	20200	400	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.8	87.9
10/04/25 14:00	19900	399	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	78.5
10/04/25 14:30	19100	402	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	70.9
10/04/25 15:00	18600	399	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	95.8
10/04/25 15:30	20100	399	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	102.
10/04/25 16:00	23000	397	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	121.
10/04/25 16:30	21800	396	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	104.
10/04/25 17:00	21900	395	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.99	109.
10/04/25 17:30	23200	393	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	111.
10/04/25 18:00	23700	393	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	101.
10/04/25 18:30	22900	393	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	99.3
10/04/25 19:00	23500	392	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	99.9
10/04/25 19:30	24000	392	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	99.1
10/04/25 20:00	24200	391	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	98.1
10/04/25 20:30	24100	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.27	100.
10/04/25 21:00	23900	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	103.
10/04/25 21:30	23800	393	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	94.2
10/04/25 22:00	23900	399	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	90.4
10/04/25 22:30	24200	403	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	80.4
10/04/25 23:00	24100	399	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.55	78.3
10/04/25 23:30	23900	404	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	79.6
10/05/25 00:00	23900	405	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	83.4

Daily Processed Summary (Average, Maximum Value)

Average	22500	402	2.37	BDL	BDL	5.56	BDL	BDL	BDL	BDL	3.45	80.6
Maximum Value	24200	421	2.58	-	-	54.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/05/25 00:30	23700	408	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.	82.7
10/05/25 01:00	23800	405	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.27	80.5
10/05/25 01:30	24000	394	2.31	BDL	BDL	BDL	4.36	BDL	BDL	BDL	3.00	73.7
10/05/25 02:00	24100	395	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	71.3
10/05/25 02:30	23800	396	2.39	BDL	BDL	7.81	BDL	BDL	BDL	BDL	2.57	56.1
10/05/25 03:00	23800	394	2.43	BDL	BDL	7.46	BDL	BDL	BDL	BDL	2.53	60.2
10/05/25 03:30	23600	397	2.44	BDL	BDL	8.27	BDL	BDL	BDL	BDL	2.53	42.0
10/05/25 04:00	23500	396	2.43	BDL	BDL	9.6	BDL	BDL	BDL	BDL	2.52	42.5
10/05/25 04:30	23400	397	2.42	BDL	BDL	7.75	BDL	BDL	BDL	BDL	2.44	47.6
10/05/25 05:00	23700	404	2.43	BDL	BDL	17.7	BDL	BDL	BDL	BDL	2.47	40.6
10/05/25 05:30	23700	405	2.43	BDL	BDL	21.5	BDL	BDL	BDL	BDL	2.59	48.7
10/05/25 06:00	23700	411	2.42	BDL	BDL	28.1	BDL	BDL	BDL	BDL	2.79	39.9
10/05/25 06:30	23600	408	2.47	BDL	BDL	32.8	BDL	BDL	BDL	BDL	2.96	27.6
10/05/25 07:00	23500	407	2.47	BDL	BDL	24.6	BDL	BDL	BDL	BDL	3.89	24.1
10/05/25 07:30	22900	399	2.51	BDL	BDL	5.12	BDL	BDL	BDL	BDL	3.28	18.1
10/05/25 08:00	22900	399	2.58	BDL	BDL	9.41	BDL	BDL	BDL	BDL	3.84	23.1
10/05/25 08:30	23200	414	2.57	BDL	BDL	27.1	BDL	BDL	BDL	BDL	3.35	47.4
10/05/25 09:00	23400	402	2.52	BDL	BDL	8.85	BDL	BDL	BDL	BDL	3.32	66.4
10/05/25 09:30	23800	400	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	66.1
10/05/25 10:00	24300	398	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.80	65.2
10/05/25 10:30	24500	396	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	56.6
10/05/25 11:00	24400	396	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	56.8
10/05/25 11:30	24100	400	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.19	79.7
10/05/25 12:00	23600	396	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	78.5
10/05/25 12:30	22600	398	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	87.2
10/05/25 13:00	22100	399	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.25	75.9
10/05/25 13:30	21000	400	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	99.6
10/05/25 14:00	20000	401	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.65	62.9
10/05/25 14:30	20000	402	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.52	82.7
10/05/25 15:00	23900	399	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	156.
10/05/25 15:30	24500	395	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	157.
10/05/25 16:00	25600	394	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	152.
10/05/25 16:30	25400	393	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.50	142.
10/05/25 17:00	25100	392	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	126.
10/05/25 17:30	24800	392	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.16	123.
10/05/25 18:00	24700	392	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	117.
10/05/25 18:30	24200	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	123.
10/05/25 19:00	22800	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	120.
10/05/25 19:30	22100	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	113.
10/05/25 20:00	22700	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.59	113.
10/05/25 20:30	23300	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	112.
10/05/25 21:00	24100	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	107.
10/05/25 21:30	25200	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.24	101.
10/05/25 22:00	25300	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.45	100.
10/05/25 22:30	24700	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.35	103.
10/05/25 23:00	24500	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	102.
10/05/25 23:30	24600	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	103.
10/06/25 00:00	24600	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	103.

Daily Processed Summary (Average, Maximum Value)

Average	23700	397	2.34	BDL	BDL	4.5	0.0908	BDL	BDL	BDL	3.14	91.7
Maximum Value	25600	414	2.58	-	-	32.8	4.36	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/06/25 00:30	24800	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	103.
10/06/25 01:00	24900	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.9	106.
10/06/25 01:30	25100	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	101.
10/06/25 02:00	25000	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	122.
10/06/25 02:30	25400	388	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	118.
10/06/25 03:00	25300	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.05	108.
10/06/25 03:30	25100	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.15	102.
10/06/25 04:00	25100	392	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.913	79.3
10/06/25 04:30	25100	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.05	152.
10/06/25 05:00	25200	394	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.08	150.
10/06/25 05:30	25300	394	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.75	99.
10/06/25 06:00	25300	397	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	93.1
10/06/25 06:30	25300	400	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.969	77.2
10/06/25 07:00	25100	403	2.59	BDL	BDL	7.74	BDL	BDL	BDL	BDL	0.662	52.2
10/06/25 07:30	24600	407	2.52	BDL	BDL	13.7	BDL	BDL	BDL	BDL	0.980	71.6
10/06/25 08:00	24700	413	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.9	84.4
10/06/25 08:30	25000	419	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	77.1
10/06/25 09:00	25600	413	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.54	85.5
10/06/25 09:30	25900	407	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	92.9
10/06/25 10:00	25600	398	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.69	128.
10/06/25 10:30	23300	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	139.
10/06/25 11:00	24300	396	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.62	128.
10/06/25 11:30	24000	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	164.
10/06/25 12:00	22800	398	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	148.
10/06/25 12:30	23400	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	162.
10/06/25 13:00	23600	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	176.
10/06/25 13:30	23900	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.10	179.
10/06/25 14:00	24300	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	161.
10/06/25 14:30	24700	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	152.
10/06/25 15:00	24300	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	153.
10/06/25 15:30	23700	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.5	159.
10/06/25 16:00	24400	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	155.
10/06/25 16:30	24600	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	136.
10/06/25 17:00	24100	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	145.
10/06/25 17:30	25200	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	142.
10/06/25 18:00	25300	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	135.
10/06/25 18:30	25300	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	130.
10/06/25 19:00	25100	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.29	138.
10/06/25 19:30	24900	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.89	137.
10/06/25 20:00	25200	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	141.
10/06/25 20:30	25600	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	121.
10/06/25 21:00	25400	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	136.
10/06/25 21:30	25800	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	130.
10/06/25 22:00	26200	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	132.
10/06/25 22:30	26300	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	132.
10/06/25 23:00	27000	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.90	138.
10/06/25 23:30	27300	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	135.
10/07/25 00:00	27600	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	130.

Daily Processed Summary (Average, Maximum Value)

Average	25000	394	2.26	BDL	BDL	0.447	BDL	BDL	BDL	BDL	2.97	133
Maximum Value	27600	419	2.59	-	-	13.7	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/07/25 00:30	27400	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.4	149.
10/07/25 01:00	27300	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.1	130.
10/07/25 01:30	27600	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.19	133.
10/07/25 02:00	27500	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.48	113.
10/07/25 02:30	27600	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.22	101.
10/07/25 03:00	27700	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.14	161.
10/07/25 03:30	27900	386	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.79	124.
10/07/25 04:00	27900	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.59	98.8
10/07/25 04:30	28000	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.41	127.
10/07/25 05:00	27800	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.70	151.
10/07/25 05:30	27400	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.31	149.
10/07/25 06:00	27000	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.10	141.
10/07/25 06:30	26900	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.33	156.
10/07/25 07:00	26900	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.581	212.
10/07/25 07:30	27000	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.537	47.6
10/07/25 08:00	26200	402	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.41	7.89
10/07/25 08:30	26400	410	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.05	26.3
10/07/25 09:00	27500	408	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.32	18.7
10/07/25 09:30	27900	405	2.41	BDL	BDL	8.28	BDL	BDL	BDL	BDL	2.52	29.6
10/07/25 10:00	27600	402	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.00	60.7
10/07/25 10:30	27200	397	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.18	122.
10/07/25 11:00	27100	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.14	336.
10/07/25 11:30	27200	400	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	300.
10/07/25 12:00	27400	402	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	281.
10/07/25 12:30	27500	399	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.31	292.
10/07/25 13:00	27500	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.24	288.
10/07/25 13:30	26200	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.20	267.
10/07/25 14:00	25700	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	243.
10/07/25 14:30	24300	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	158.
10/07/25 15:00	25800	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	166.
10/07/25 15:30	26700	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	140.
10/07/25 16:00	27100	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	130.
10/07/25 16:30	26500	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	128.
10/07/25 17:00	27200	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	136.
10/07/25 17:30	27200	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	139.
10/07/25 18:00	27000	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	145.
10/07/25 18:30	27000	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	127.
10/07/25 19:00	27500	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.52	122.
10/07/25 19:30	27600	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	113.
10/07/25 20:00	27700	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	114.
10/07/25 20:30	27600	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.83	119.
10/07/25 21:00	27800	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	121.
10/07/25 21:30	28000	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.89	118.
10/07/25 22:00	27900	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.71	126.
10/07/25 22:30	27700	387	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.45	121.
10/07/25 23:00	27900	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.12	101.
10/07/25 23:30	27500	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.29	99.2
10/08/25 00:00	27400	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.46	104.

Daily Processed Summary (Average, Maximum Value)

Average	27200	392	2.21	BDL	BDL	0.172	BDL	BDL	BDL	BDL	1.79	132
Maximum Value	28000	410	2.52	-	-	8.28	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/08/25 00:30	27500	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.22	91.7
10/08/25 01:00	27300	389	2.2	BDL	BDL	2.73	BDL	BDL	BDL	BDL	1.58	50.7
10/08/25 01:30	26400	398	2.38	BDL	BDL	4.04	BDL	BDL	BDL	BDL	3.31	19.5
10/08/25 02:00	25700	394	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.48	24.6
10/08/25 02:30	25800	392	2.34	BDL	BDL	11.0	BDL	BDL	BDL	BDL	0.543	23.
10/08/25 03:00	25500	392	2.35	BDL	BDL	37.8	BDL	BDL	BDL	BDL	0.456	13.3
10/08/25 03:30	24700	392	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.60	13.9
10/08/25 04:00	24500	394	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	18.9
10/08/25 04:30	24900	392	2.38	BDL	BDL	6.5	BDL	BDL	BDL	BDL	2.24	16.4
10/08/25 05:00	25300	390	2.33	BDL	BDL	22.6	BDL	BDL	BDL	BDL	1.65	38.5
10/08/25 05:30	25600	392	2.36	BDL	BDL	50.1	BDL	BDL	BDL	BDL	1.37	59.1
10/08/25 06:00	25500	395	2.36	BDL	BDL	65.8	BDL	BDL	BDL	BDL	2.73	25.5
10/08/25 06:30	25400	398	2.37	BDL	BDL	125.	BDL	BDL	BDL	BDL	2.77	29.8
10/08/25 07:00	25600	406	2.41	BDL	BDL	188.	BDL	BDL	BDL	BDL	2.40	36.8
10/08/25 07:30	25400	404	2.45	BDL	BDL	186.	BDL	BDL	BDL	BDL	2.57	36.5
10/08/25 08:00	25500	395	2.43	BDL	BDL	13.7	BDL	BDL	BDL	BDL	2.45	47.6
10/08/25 08:30	25800	396	2.4	BDL	BDL	9.52	BDL	BDL	BDL	BDL	3.02	59.3
10/08/25 09:00	26200	398	2.35	BDL	BDL	10.6	BDL	BDL	BDL	BDL	3.25	62.2
10/08/25 09:30	26500	402	2.35	BDL	BDL	30.8	BDL	BDL	BDL	BDL	2.98	59.7
10/08/25 10:00	25800	405	2.36	BDL	BDL	33.4	BDL	BDL	BDL	BDL	3.39	52.3
10/08/25 10:30	25200	402	2.32	BDL	BDL	15.8	BDL	BDL	BDL	BDL	3.69	46.6
10/08/25 11:00	25100	403	2.32	BDL	BDL	6.54	BDL	BDL	BDL	BDL	3.61	51.2
10/08/25 11:30	24700	404	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	62.7
10/08/25 12:00	23100	402	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	80.
10/08/25 12:30	22600	403	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.62	84.8
10/08/25 13:00	20600	401	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	90.7
10/08/25 13:30	20600	402	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	90.7
10/08/25 14:00	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	4.06	107.
10/08/25 14:30	24500	400	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.25	155.
10/08/25 15:00	22800	399	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	139.
10/08/25 15:30	23100	398	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.29	149.
10/08/25 16:00	22900	396	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	144.
10/08/25 16:30	23700	394	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	141.
10/08/25 17:00	24400	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	132.
10/08/25 17:30	24100	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.71	130.
10/08/25 18:00	23300	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.04	120.
10/08/25 18:30	24400	394	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.73	122.
10/08/25 19:00	25200	393	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.53	124.
10/08/25 19:30	25800	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	118.
10/08/25 20:00	25900	391	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	123.
10/08/25 20:30	25700	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.5	118.
10/08/25 21:00	25500	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	113.
10/08/25 21:30	25500	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.08	110.
10/08/25 22:00	25800	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.56	116.
10/08/25 22:30	25800	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.33	109.
10/08/25 23:00	25700	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.35	99.5
10/08/25 23:30	26200	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.66	101.
10/09/25 00:00	25900	396	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	85.7

Daily Processed Summary (Average, Maximum Value)

Average	25000	395	2.31	BDL	BDL	17.4	BDL	BDL	BDL	BDL	2.83	99.1
Maximum Value	27500	406	2.45	-	-	188	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/09/25 00:30	25600	397	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.84	77.3
10/09/25 01:00	25500	395	2.38	BDL	BDL	27.1	BDL	BDL	BDL	BDL	0.821	339.
10/09/25 01:30	25000	397	2.37	BDL	BDL	84.8	BDL	BDL	BDL	BDL	0.0962	23.8
10/09/25 02:00	25000	393	2.38	BDL	BDL	21.0	BDL	BDL	BDL	BDL	0.999	54.6
10/09/25 02:30	24500	391	2.39	BDL	BDL	9.18	BDL	BDL	BDL	BDL	1.8	46.1
10/09/25 03:00	24100	399	2.43	BDL	BDL	42.5	BDL	BDL	BDL	BDL	2.18	20.3
10/09/25 03:30	24200	399	2.48	BDL	BDL	256.	BDL	BDL	BDL	BDL	2.29	22.7
10/09/25 04:00	24100	402	2.46	BDL	BDL	189.	BDL	BDL	BDL	BDL	2.48	29.7
10/09/25 04:30	24000	407	2.48	BDL	BDL	299.	BDL	BDL	BDL	BDL	2.82	32.4
10/09/25 05:00	24100	406	2.44	BDL	BDL	51.8	BDL	BDL	BDL	BDL	2.86	42.6
10/09/25 05:30	24100	408	2.52	BDL	BDL	19.5	BDL	BDL	BDL	BDL	3.18	55.6
10/09/25 06:00	24400	401	2.56	BDL	BDL	9.55	BDL	BDL	BDL	BDL	3.85	61.1
10/09/25 06:30	24800	405	2.59	BDL	BDL	13.9	BDL	BDL	BDL	BDL	3.86	59.2
10/09/25 07:00	24700	402	2.57	BDL	BDL	12.6	BDL	BDL	BDL	BDL	3.8	59.
10/09/25 07:30	24500	401	2.45	BDL	BDL	11.9	BDL	BDL	BDL	BDL	3.67	63.7
10/09/25 08:00	24400	400	2.45	BDL	BDL	11.	BDL	BDL	BDL	BDL	4.26	63.6
10/09/25 08:30	24100	397	2.41	BDL	BDL	4.41	BDL	BDL	BDL	BDL	4.25	63.3
10/09/25 09:00	24000	401	2.41	BDL	BDL	3.27	BDL	BDL	BDL	BDL	4.49	63.5
10/09/25 09:30	24100	401	2.42	BDL	BDL	4.35	BDL	BDL	BDL	BDL	4.41	55.6
10/09/25 10:00	24300	400	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.24	67.7
10/09/25 10:30	24500	400	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	54.6
10/09/25 11:00	24500	400	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	62.2
10/09/25 11:30	24300	400	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	65.9
10/09/25 12:00	24000	400	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	88.6
10/09/25 12:30	23600	401	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.69	77.9
10/09/25 13:00	22700	400	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	74.0
10/09/25 13:30	22100	402	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	76.3
10/09/25 14:00	21200	402	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	79.
10/09/25 14:30	21200	403	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.5	82.1
10/09/25 15:00	22300	399	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.75	79.5
10/09/25 15:30	25900	398	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	131.
10/09/25 16:00	25500	397	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.62	117.
10/09/25 16:30	25400	398	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	119.
10/09/25 17:00	25900	397	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.09	120.
10/09/25 17:30	26000	396	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.96	117.
10/09/25 18:00	25900	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.21	118.
10/09/25 18:30	25700	395	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.16	115.
10/09/25 19:00	25300	393	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	116.
10/09/25 19:30	24600	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.36	114.
10/09/25 20:00	24700	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.79	109.
10/09/25 20:30	24900	391	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	107.
10/09/25 21:00	24900	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	102.
10/09/25 21:30	25000	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.18	98.1
10/09/25 22:00	24700	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	96.6
10/09/25 22:30	24400	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	101.
10/09/25 23:00	24300	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.49	107.
10/09/25 23:30	24400	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.95	101.
10/10/25 00:00	24500	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.84	95.4

Daily Processed Summary (Average, Maximum Value)

Average	24400	398	2.35	BDL	BDL	22.3	BDL	BDL	BDL	BDL	3.58	87.2
Maximum Value	26000	408	2.59	-	-	299	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/10/25 00:30	24100	391	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.44	94.4
10/10/25 01:00	23900	392	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.99	97.2
10/10/25 01:30	24000	400	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.3	91.6
10/10/25 02:00	24100	409	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	91.9
10/10/25 02:30	23700	406	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.58	94.1
10/10/25 03:00	23400	397	2.41	BDL	BDL	10.4	BDL	BDL	BDL	BDL	1.53	53.1
10/10/25 03:30	23000	397	2.41	BDL	BDL	19.6	BDL	BDL	BDL	BDL	1.96	23.5
10/10/25 04:00	23200	397	2.43	BDL	BDL	34.3	BDL	BDL	BDL	BDL	1.99	23.8
10/10/25 04:30	23100	400	2.48	BDL	BDL	22.9	BDL	BDL	BDL	BDL	2.68	27.6
10/10/25 05:00	22700	405	2.51	BDL	BDL	25.2	BDL	BDL	BDL	BDL	3.36	29.7
10/10/25 05:30	21600	411	2.6	BDL	BDL	33.7	BDL	BDL	BDL	BDL	3.23	42.6
10/10/25 06:00	21400	407	2.64	BDL	BDL	21.4	BDL	BDL	BDL	BDL	3.56	58.2
10/10/25 06:30	21000	399	2.62	BDL	BDL	3.08	BDL	BDL	BDL	BDL	4.11	67.
10/10/25 07:00	20600	400	2.58	BDL	BDL	11.7	BDL	BDL	BDL	BDL	3.89	65.7
10/10/25 07:30	20000	402	2.56	BDL	BDL	15.8	BDL	BDL	BDL	BDL	3.77	64.
10/10/25 08:00	19100	397	2.53	BDL	BDL	5.92	BDL	BDL	BDL	BDL	4.37	66.4
10/10/25 08:30	18500	398	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	66.
10/10/25 09:00	18200	399	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	63.4
10/10/25 09:30	18300	399	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	58.3
10/10/25 10:00	18600	397	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	59.8
10/10/25 10:30	18700	398	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	51.8
10/10/25 11:00	18400	398	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.25	58.9
10/10/25 11:30	17600	399	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	85.
10/10/25 12:00	17200	398	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	62.3
10/10/25 12:30	16900	400	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	75.5
10/10/25 13:00	15900	398	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	81.9
10/10/25 13:30	14800	400	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	88.
10/10/25 14:00	14400	400	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.42	55.0
10/10/25 14:30	15100	402	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.12	22.8
10/10/25 15:00	20100	398	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	162.
10/10/25 15:30	20400	397	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.99	209.
10/10/25 16:00	21600	395	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	230.
10/10/25 16:30	21500	394	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	185.
10/10/25 17:00	21800	394	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	176.
10/10/25 17:30	22300	394	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	170.
10/10/25 18:00	22400	393	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	147.
10/10/25 18:30	22700	393	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	136.
10/10/25 19:00	22400	391	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	140.
10/10/25 19:30	22500	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.32	140.
10/10/25 20:00	22600	389	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.32	136.
10/10/25 20:30	22800	388	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.85	134.
10/10/25 21:00	22900	388	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.88	146.
10/10/25 21:30	23200	388	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	112.
10/10/25 22:00	22500	388	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	119.
10/10/25 22:30	22100	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	131.
10/10/25 23:00	22000	386	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.79	107.
10/10/25 23:30	21600	386	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.02	50.9
10/11/25 00:00	22500	387	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.84	315.

Daily Processed Summary (Average, Maximum Value)

Average	20900	396	2.37	BDL	BDL	4.25	BDL	BDL	BDL	BDL	2.03	94.9
Maximum Value	24100	411	2.64	-	-	34.3	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/11/25 00:30	22500	388	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.25	346.
10/11/25 01:00	23100	388	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.46	11.8
10/11/25 01:30	23300	390	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.02	350.
10/11/25 02:00	22800	391	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.02	334.
10/11/25 02:30	22100	390	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.39	339.
10/11/25 03:00	23300	386	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.989	351.
10/11/25 03:30	22700	391	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.539	17.9
10/11/25 04:00	22500	390	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.86	17.0
10/11/25 04:30	22000	390	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.97	29.7
10/11/25 05:00	21900	388	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.14	9.76
10/11/25 05:30	20400	391	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.39	4.89
10/11/25 06:00	17800	393	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.51	9.35
10/11/25 06:30	17300	393	2.51	BDL	BDL	6.06	BDL	BDL	BDL	BDL	0.907	41.5
10/11/25 07:00	16800	396	2.64	BDL	BDL	28.9	BDL	BDL	BDL	BDL	0.299	147.
10/11/25 07:30	15800	392	2.74	BDL	BDL	32.3	BDL	BDL	BDL	BDL	1.44	30.4
10/11/25 08:00	15900	397	2.84	BDL	BDL	98.8	BDL	BDL	BDL	BDL	1.59	23.1
10/11/25 08:30	16400	403	2.87	BDL	BDL	218.	BDL	BDL	BDL	BDL	1.76	27.5
10/11/25 09:00	17900	407	2.8	BDL	BDL	187.	BDL	BDL	BDL	BDL	2.07	8.79
10/11/25 09:30	18700	409	2.79	BDL	BDL	298.	BDL	BDL	BDL	BDL	2.07	344.
10/11/25 10:00	18700	407	2.66	BDL	BDL	123.	BDL	BDL	BDL	BDL	2.02	55.1
10/11/25 10:30	18500	405	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.17	59.8
10/11/25 11:00	17100	399	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.73	83.9
10/11/25 11:30	15300	398	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.29	78.4
10/11/25 12:00	14800	398	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.57	119.
10/11/25 12:30	16900	397	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.81	200.
10/11/25 13:00	17200	397	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.62	228.
10/11/25 13:30	17400	396	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	203.
10/11/25 14:00	16800	395	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.6	199.
10/11/25 14:30	16600	396	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	176.
10/11/25 15:00	16900	394	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	180.
10/11/25 15:30	16600	395	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	181.
10/11/25 16:00	18000	393	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	164.
10/11/25 16:30	18100	392	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	129.
10/11/25 17:00	17600	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.46	129.
10/11/25 17:30	17300	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	134.
10/11/25 18:00	18700	391	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.04	140.
10/11/25 18:30	19400	391	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	133.
10/11/25 19:00	19900	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.8	131.
10/11/25 19:30	20400	387	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	118.
10/11/25 20:00	20000	387	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	115.
10/11/25 20:30	19100	386	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	118.
10/11/25 21:00	18200	386	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.4	122.
10/11/25 21:30	17400	385	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	121.
10/11/25 22:00	17600	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	123.
10/11/25 22:30	17800	385	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.69	123.
10/11/25 23:00	17800	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	123.
10/11/25 23:30	17900	385	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.50	123.
10/12/25 00:00	18100	384	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	128.

Daily Processed Summary (Average, Maximum Value)

Average	18700	393	2.39	BDL	BDL	20.7	BDL	BDL	BDL	BDL	1.82	129
Maximum Value	23300	409	2.87	-	-	298	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/12/25 00:30	18200	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.51	126.
10/12/25 01:00	18200	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	130.
10/12/25 01:30	17900	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	139.
10/12/25 02:00	17900	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	135.
10/12/25 02:30	18000	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.4	136.
10/12/25 03:00	18100	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.23	159.
10/12/25 03:30	18400	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	151.
10/12/25 04:00	18800	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.22	149.
10/12/25 04:30	18900	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	140.
10/12/25 05:00	19100	381	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.97	132.
10/12/25 05:30	19300	381	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.59	114.
10/12/25 06:00	19300	380	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.7	134.
10/12/25 06:30	19300	380	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.33	138.
10/12/25 07:00	19300	381	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.17	115.
10/12/25 07:30	18900	384	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	103.
10/12/25 08:00	19000	389	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.73	103.
10/12/25 08:30	19500	394	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.45	101.
10/12/25 09:00	20300	396	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.9	124.
10/12/25 09:30	20200	397	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.92	140.
10/12/25 10:00	19100	392	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	147.
10/12/25 10:30	18300	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.3	142.
10/12/25 11:00	18400	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	132.
10/12/25 11:30	18300	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	143.
10/12/25 12:00	17900	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	140.
10/12/25 12:30	17700	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	138.
10/12/25 13:00	17500	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.47	143.
10/12/25 13:30	17900	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	155.
10/12/25 14:00	17900	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	145.
10/12/25 14:30	18000	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	139.
10/12/25 15:00	17900	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.66	135.
10/12/25 15:30	17900	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.37	143.
10/12/25 16:00	17800	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.95	136.
10/12/25 16:30	17800	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	138.
10/12/25 17:00	18100	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.78	143.
10/12/25 17:30	18100	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	140.
10/12/25 18:00	18100	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	137.
10/12/25 18:30	18700	388	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.39	138.
10/12/25 19:00	M	M	M	M	M	M	M	M	M	M	4.41	136.
10/12/25 19:30	M	M	M	M	M	M	M	M	M	M	3.66	131.
10/12/25 20:00	M	M	M	M	M	M	M	M	M	M	2.7	123.
10/12/25 20:30	19100	384	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.64	124.
10/12/25 21:00	18800	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	129.
10/12/25 21:30	19300	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.3	115.
10/12/25 22:00	19300	382	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.90	121.
10/12/25 22:30	19500	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	124.
10/12/25 23:00	19500	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.36	154.
10/12/25 23:30	19800	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.24	133.
10/13/25 00:00	20300	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.18	153.

Daily Processed Summary (Average, Maximum Value)

Average	18700	386	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	137
Maximum Value	20300	397	2.58	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/13/25 00:30	20100	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.48	149.
10/13/25 01:00	19500	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.98	116.
10/13/25 01:30	19300	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.27	106.
10/13/25 02:00	18800	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.63	118.
10/13/25 02:30	18800	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.53	117.
10/13/25 03:00	19100	384	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.6	150.
10/13/25 03:30	19300	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.	131.
10/13/25 04:00	19400	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.75	112.
10/13/25 04:30	19200	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.13	113.
10/13/25 05:00	18900	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.89	120.
10/13/25 05:30	18800	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.08	113.
10/13/25 06:00	18700	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.94	117.
10/13/25 06:30	18700	388	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	104.
10/13/25 07:00	19200	390	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.89	100.
10/13/25 07:30	19900	390	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.36	103.
10/13/25 08:00	19900	391	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	104.
10/13/25 08:30	19800	394	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.65	102.
10/13/25 09:00	20300	401	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.37	94.5
10/13/25 09:30	20500	397	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	87.2
10/13/25 10:00	21100	395	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	92.8
10/13/25 10:30	20600	392	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	104.
10/13/25 11:00	19200	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.04	127.
10/13/25 11:30	20000	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	115.
10/13/25 12:00	19700	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	128.
10/13/25 12:30	19400	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.64	121.
10/13/25 13:00	18400	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.19	133.
10/13/25 13:30	18000	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	131.
10/13/25 14:00	18100	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.99	145.
10/13/25 14:30	19200	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	130.
10/13/25 15:00	19300	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	139.
10/13/25 15:30	19400	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	139.
10/13/25 16:00	20000	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	141.
10/13/25 16:30	20100	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	129.
10/13/25 17:00	20400	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.37	138.
10/13/25 17:30	20600	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.35	137.
10/13/25 18:00	20600	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	131.
10/13/25 18:30	20500	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	126.
10/13/25 19:00	20600	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.11	120.
10/13/25 19:30	20900	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	113.
10/13/25 20:00	20700	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	116.
10/13/25 20:30	21100	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	117.
10/13/25 21:00	21200	382	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	110.
10/13/25 21:30	21000	382	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	113.
10/13/25 22:00	21100	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.02	108.
10/13/25 22:30	21200	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	107.
10/13/25 23:00	21500	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	98.1
10/13/25 23:30	21700	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.95	96.8
10/14/25 00:00	22000	384	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	92.8

Daily Processed Summary (Average, Maximum Value)

Average	19900	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	122
Maximum Value	22000	401	2.68	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/14/25 00:30	21700	393	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	88.9
10/14/25 01:00	21100	401	2.47	BDL	BDL	4.66	BDL	BDL	BDL	BDL	4.44	90.8
10/14/25 01:30	20600	405	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.99	87.7
10/14/25 02:00	20400	403	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.94	84.8
10/14/25 02:30	20300	399	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.18	76.0
10/14/25 03:00	20100	391	2.48	BDL	BDL	3.53	BDL	BDL	BDL	BDL	1.68	69.4
10/14/25 03:30	19500	401	2.44	BDL	BDL	4.73	BDL	BDL	BDL	BDL	2.41	85.6
10/14/25 04:00	19400	399	2.42	BDL	BDL	3.61	BDL	BDL	BDL	BDL	2.3	82.4
10/14/25 04:30	19300	401	2.41	BDL	BDL	4.47	BDL	BDL	BDL	BDL	2.76	83.1
10/14/25 05:00	19400	402	2.42	BDL	BDL	3.76	BDL	BDL	BDL	BDL	2.38	82.9
10/14/25 05:30	19400	403	2.45	BDL	BDL	4.56	BDL	BDL	BDL	BDL	2.75	83.2
10/14/25 06:00	19700	398	2.4	BDL	BDL	4.71	BDL	BDL	BDL	BDL	2.43	82.5
10/14/25 06:30	19600	402	2.43	BDL	BDL	2.74	BDL	BDL	BDL	BDL	2.7	86.
10/14/25 07:00	19700	404	2.46	BDL	BDL	2.01	BDL	BDL	BDL	BDL	3.27	83.4
10/14/25 07:30	20400	390	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.37	69.1
10/14/25 08:00	20300	390	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.99	67.2
10/14/25 08:30	20000	391	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.1	68.2
10/14/25 09:00	19600	392	2.35	BDL	BDL	4.03	BDL	BDL	BDL	BDL	3.53	69.8
10/14/25 09:30	19900	392	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	70.
10/14/25 10:00	20200	393	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	78.5
10/14/25 10:30	20200	392	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	83.1
10/14/25 11:00	20000	391	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	95.4
10/14/25 11:30	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	5.84	111.
10/14/25 12:00	19600	398	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.80	122.
10/14/25 12:30	20100	399	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	108.
10/14/25 13:00	19800	398	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	114.
10/14/25 13:30	19400	398	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	119.
10/14/25 14:00	19600	399	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	121.
10/14/25 14:30	19800	398	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.12	129.
10/14/25 15:00	19900	397	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.	144.
10/14/25 15:30	19900	397	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.04	145.
10/14/25 16:00	19900	397	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.53	143.
10/14/25 16:30	20200	396	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	147.
10/14/25 17:00	20000	395	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.79	153.
10/14/25 17:30	19900	395	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.31	160.
10/14/25 18:00	19700	394	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.12	148.
10/14/25 18:30	19800	394	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.98	144.
10/14/25 19:00	20100	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.56	143.
10/14/25 19:30	20100	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	142.
10/14/25 20:00	20600	391	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	139.
10/14/25 20:30	20800	391	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	134.
10/14/25 21:00	21200	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.27	125.
10/14/25 21:30	21400	389	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.68	129.
10/14/25 22:00	21200	390	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.884	161.
10/14/25 22:30	20900	388	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.13	148.
10/14/25 23:00	21100	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.44	146.
10/14/25 23:30	21400	388	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.03	145.
10/15/25 00:00	21600	387	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.442	195.

Daily Processed Summary (Average, Maximum Value)

Average	20200	395	2.34	BDL	BDL	0.911	BDL	BDL	BDL	BDL	3.48	117
Maximum Value	21700	405	2.53	-	-	4.73	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/15/25 00:30	21600	387	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.882	147.
10/15/25 01:00	21700	388	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.523	170.
10/15/25 01:30	22400	390	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.850	318.
10/15/25 02:00	22900	397	2.51	BDL	BDL	2.82	BDL	BDL	BDL	BDL	1.24	343.
10/15/25 02:30	22700	394	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.906	350.
10/15/25 03:00	22000	392	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.37	9.28
10/15/25 03:30	21800	393	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.18	11.6
10/15/25 04:00	21600	391	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.15	17.9
10/15/25 04:30	21100	394	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.37	11.
10/15/25 05:00	20600	395	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.31	8.90
10/15/25 05:30	20300	395	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.69	9.85
10/15/25 06:00	20000	396	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.47	10.1
10/15/25 06:30	19900	395	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.96	13.6
10/15/25 07:00	19600	395	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.38	17.3
10/15/25 07:30	19500	394	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	17.7
10/15/25 08:00	19500	393	2.55	BDL	BDL	3.24	6.39	BDL	BDL	BDL	3.18	26.4
10/15/25 08:30	19600	394	2.51	BDL	BDL	BDL	4.6	BDL	BDL	BDL	3.71	23.5
10/15/25 09:00	19900	397	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	19.1
10/15/25 09:30	20600	398	2.76	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	19.0
10/15/25 10:00	21600	400	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	331.
10/15/25 10:30	22200	400	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.48	325.
10/15/25 11:00	21800	400	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.13	325.
10/15/25 11:30	20800	401	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	324.
10/15/25 12:00	19900	403	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.5	311.
10/15/25 12:30	18400	406	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.40	302.
10/15/25 13:00	17500	408	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	282.
10/15/25 13:30	17200	405	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	278.
10/15/25 14:00	17000	403	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	251.
10/15/25 14:30	16700	402	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.75	235.
10/15/25 15:00	16800	402	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	247.
10/15/25 15:30	17200	402	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	223.
10/15/25 16:00	17700	401	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.59	169.
10/15/25 16:30	17300	401	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	162.
10/15/25 17:00	17500	401	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	161.
10/15/25 17:30	18900	400	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	141.
10/15/25 18:00	19700	397	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	149.
10/15/25 18:30	19200	396	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.4	143.
10/15/25 19:00	20300	395	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	144.
10/15/25 19:30	20400	393	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	130.
10/15/25 20:00	20600	393	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	123.
10/15/25 20:30	20900	393	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.8	114.
10/15/25 21:00	20800	393	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	109.
10/15/25 21:30	20800	393	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.27	109.
10/15/25 22:00	20700	393	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	109.
10/15/25 22:30	20900	393	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.08	102.
10/15/25 23:00	21200	393	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	100.
10/15/25 23:30	20700	394	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.50	100.
10/16/25 00:00	20200	393	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.95	91.1

Daily Processed Summary (Average, Maximum Value)

Average	20000	396	2.39	BDL	BDL	0.126	0.229	BDL	BDL	BDL	0.352	87.6
Maximum Value	22900	408	2.76	-	-	3.24	6.39	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/16/25 00:30	20300	393	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	91.1
10/16/25 01:00	20300	393	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	96.2
10/16/25 01:30	20400	394	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.68	98.2
10/16/25 02:00	21000	394	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.56	96.8
10/16/25 02:30	21200	399	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.80	88.7
10/16/25 03:00	21200	413	2.62	BDL	BDL	2.47	BDL	BDL	BDL	BDL	2.65	81.6
10/16/25 03:30	20800	404	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.41	78.6
10/16/25 04:00	20400	410	2.68	BDL	BDL	2.50	BDL	BDL	BDL	BDL	2.09	70.5
10/16/25 04:30	20200	400	2.56	BDL	BDL	27.1	BDL	BDL	BDL	BDL	0.903	13.0
10/16/25 05:00	19700	397	2.49	BDL	BDL	30.2	BDL	BDL	BDL	BDL	1.42	2.56
10/16/25 05:30	19700	399	2.53	BDL	BDL	73.6	BDL	BDL	BDL	BDL	0.653	323.
10/16/25 06:00	19900	404	2.54	BDL	BDL	47.3	BDL	BDL	BDL	BDL	0.497	44.6
10/16/25 06:30	20700	405	2.6	BDL	BDL	8.85	BDL	BDL	BDL	BDL	1.5	70.3
10/16/25 07:00	20700	414	2.6	BDL	BDL	3.07	BDL	BDL	BDL	BDL	1.76	76.5
10/16/25 07:30	20800	409	2.65	BDL	BDL	1.68	BDL	BDL	BDL	BDL	1.60	63.9
10/16/25 08:00	21000	410	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.61	73.3
10/16/25 08:30	20600	417	2.69	BDL	BDL	3.04	BDL	BDL	BDL	BDL	2.73	80.7
10/16/25 09:00	20700	401	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.91	91.2
10/16/25 09:30	21000	400	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	82.7
10/16/25 10:00	21700	401	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.78	82.2
10/16/25 10:30	22300	402	2.64	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.70	81.6
10/16/25 11:00	22500	399	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	95.8
10/16/25 11:30	22600	397	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	100.
10/16/25 12:00	22400	396	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	115.
10/16/25 12:30	20900	395	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	139.
10/16/25 13:00	20500	396	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	144.
10/16/25 13:30	21000	397	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	132.
10/16/25 14:00	20500	397	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.09	135.
10/16/25 14:30	20700	397	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	143.
10/16/25 15:00	19900	397	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	141.
10/16/25 15:30	20900	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	136.
10/16/25 16:00	21000	394	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	130.
10/16/25 16:30	21000	396	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	127.
10/16/25 17:00	20700	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	132.
10/16/25 17:30	20700	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	134.
10/16/25 18:00	20600	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	141.
10/16/25 18:30	20600	394	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.64	140.
10/16/25 19:00	20800	393	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.4	138.
10/16/25 19:30	21200	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	133.
10/16/25 20:00	21400	391	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.94	119.
10/16/25 20:30	21400	391	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.30	118.
10/16/25 21:00	21400	390	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.8	111.
10/16/25 21:30	21000	390	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	115.
10/16/25 22:00	20700	390	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.52	94.8
10/16/25 22:30	20200	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.66	101.
10/16/25 23:00	20000	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.53	109.
10/16/25 23:30	20100	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.31	128.
10/17/25 00:00	20600	388	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.51	121.

Daily Processed Summary (Average, Maximum Value)

Average	20800	397	2.41	BDL	BDL	4.16	BDL	BDL	BDL	BDL	3.17	117
Maximum Value	22600	417	2.69	-	-	73.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/17/25 00:30	21600	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.58	122.
10/17/25 01:00	21700	388	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	120.
10/17/25 01:30	21600	388	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.76	143.
10/17/25 02:00	MAL	MAL	MAL	MAL	MAL	MAL	MAL	MAL	MAL	MAL	3.63	149.
10/17/25 02:30	22900	389	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	153.
10/17/25 03:00	23700	388	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.2	149.
10/17/25 03:30	24800	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	165.
10/17/25 04:00	25400	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	165.
10/17/25 04:30	25500	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	179.
10/17/25 05:00	25300	387	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.79	197.
10/17/25 05:30	25300	388	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.638	318.
10/17/25 06:00	25300	393	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.35	334.
10/17/25 06:30	23600	396	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.11	358.
10/17/25 07:00	22500	396	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.994	14.
10/17/25 07:30	22000	401	2.54	BDL	BDL	11.1	BDL	BDL	BDL	BDL	1.16	82.6
10/17/25 08:00	21400	404	2.64	BDL	BDL	11.9	BDL	BDL	BDL	BDL	1.09	69.5
10/17/25 08:30	22200	405	2.65	BDL	BDL	8.36	BDL	BDL	BDL	BDL	0.907	42.5
10/17/25 09:00	22600	407	2.67	BDL	BDL	57.	BDL	BDL	BDL	BDL	1.23	34.2
10/17/25 09:30	23200	410	2.61	BDL	BDL	114.	BDL	BDL	BDL	BDL	1.40	39.2
10/17/25 10:00	24100	409	2.55	BDL	BDL	15.	BDL	BDL	BDL	BDL	1.80	107.
10/17/25 10:30	25600	401	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	91.7
10/17/25 11:00	25900	401	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.8	102.
10/17/25 11:30	24500	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	135.
10/17/25 12:00	25300	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.63	139.
10/17/25 12:30	25700	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.9	129.
10/17/25 13:00	25500	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.09	136.
10/17/25 13:30	24800	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.71	133.
10/17/25 14:00	24200	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.46	131.
10/17/25 14:30	22900	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.40	139.
10/17/25 15:00	23100	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	142.
10/17/25 15:30	22400	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.21	138.
10/17/25 16:00	24000	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.17	134.
10/17/25 16:30	M	M	M	M	M	M	M	M	M	M	8.07	137.
10/17/25 17:00	M	M	M	M	M	M	M	M	M	M	7.69	118.
10/17/25 17:30	M	M	M	M	M	M	M	M	M	M	8.23	123.
10/17/25 18:00	25800	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.21	122.
10/17/25 18:30	25700	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.00	119.
10/17/25 19:00	25500	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.85	119.
10/17/25 19:30	25800	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.80	117.
10/17/25 20:00	26100	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	118.
10/17/25 20:30	25300	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.60	115.
10/17/25 21:00	25200	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	117.
10/17/25 21:30	26300	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	122.
10/17/25 22:00	26700	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.30	120.
10/17/25 22:30	27600	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	118.
10/17/25 23:00	27600	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	132.
10/17/25 23:30	27500	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	133.
10/18/25 00:00	27300	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	137.

Daily Processed Summary (Average, Maximum Value)

Average	24600	393	2.28	BDL	BDL	4.94	BDL	BDL	BDL	BDL	3.9	128
Maximum Value	27600	410	2.67	-	-	114	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/18/25 00:30	27200	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	137.
10/18/25 01:00	27500	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.19	153.
10/18/25 01:30	27200	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.72	153.
10/18/25 02:00	27700	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.84	139.
10/18/25 02:30	27900	384	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.83	117.
10/18/25 03:00	27400	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.60	170.
10/18/25 03:30	27500	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.51	150.
10/18/25 04:00	28000	382	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	139.
10/18/25 04:30	28300	382	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.54	152.
10/18/25 05:00	28600	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.38	143.
10/18/25 05:30	28300	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.60	135.
10/18/25 06:00	28000	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.01	138.
10/18/25 06:30	27900	385	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.21	121.
10/18/25 07:00	28100	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.04	154.
10/18/25 07:30	28100	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.40	162.
10/18/25 08:00	27900	385	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.68	174.
10/18/25 08:30	28000	388	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.78	194.
10/18/25 09:00	28200	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	213.
10/18/25 09:30	28200	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.35	215.
10/18/25 10:00	28300	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	234.
10/18/25 10:30	27700	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.85	262.
10/18/25 11:00	27400	396	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.24	256.
10/18/25 11:30	26700	395	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	235.
10/18/25 12:00	25400	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	223.
10/18/25 12:30	24500	397	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	226.
10/18/25 13:00	23500	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	230.
10/18/25 13:30	22600	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.24	209.
10/18/25 14:00	21900	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	210.
10/18/25 14:30	21100	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	224.
10/18/25 15:00	20700	398	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	201.
10/18/25 15:30	20300	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	204.
10/18/25 16:00	19900	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	218.
10/18/25 16:30	22800	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	187.
10/18/25 17:00	23200	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	177.
10/18/25 17:30	23100	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	182.
10/18/25 18:00	23800	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.54	167.
10/18/25 18:30	24500	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.9	162.
10/18/25 19:00	25300	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	160.
10/18/25 19:30	25800	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	165.
10/18/25 20:00	25800	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.41	175.
10/18/25 20:30	25500	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.25	180.
10/18/25 21:00	25400	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	181.
10/18/25 21:30	26100	388	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	187.
10/18/25 22:00	26600	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.25	190.
10/18/25 22:30	27100	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	190.
10/18/25 23:00	27400	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.55	187.
10/18/25 23:30	27400	386	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.70	192.
10/19/25 00:00	27600	386	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	195.

Daily Processed Summary (Average, Maximum Value)

Average	26000	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	188
Maximum Value	28600	398	2.27	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/19/25 00:30	27900	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.89	197.
10/19/25 01:00	28300	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	201.
10/19/25 01:30	28700	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	203.
10/19/25 02:00	28900	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.69	213.
10/19/25 02:30	29100	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.34	228.
10/19/25 03:00	29100	381	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.29	233.
10/19/25 03:30	29200	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.1	259.
10/19/25 04:00	28800	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	303.
10/19/25 04:30	28300	382	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.83	302.
10/19/25 05:00	28100	379	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	282.
10/19/25 05:30	28100	383	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	273.
10/19/25 06:00	27900	384	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.35	271.
10/19/25 06:30	27600	383	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	277.
10/19/25 07:00	27500	380	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.56	292.
10/19/25 07:30	27400	380	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	298.
10/19/25 08:00	26800	381	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	322.
10/19/25 08:30	25800	387	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.91	338.
10/19/25 09:00	24300	393	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.38	0.0667
10/19/25 09:30	22400	396	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	16.
10/19/25 10:00	21300	396	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.07	18.5
10/19/25 10:30	20500	397	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	15.3
10/19/25 11:00	20200	400	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.96	23.
10/19/25 11:30	20600	402	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.71	23.4
10/19/25 12:00	21300	404	2.34	BDL	BDL	1.90	BDL	BDL	BDL	BDL	7.08	26.5
10/19/25 12:30	21700	410	2.34	BDL	BDL	11.1	BDL	BDL	BDL	BDL	5.92	32.9
10/19/25 13:00	21400	410	2.32	BDL	BDL	8.36	BDL	BDL	BDL	BDL	4.79	41.3
10/19/25 13:30	20700	406	2.28	BDL	BDL	3.26	BDL	BDL	BDL	BDL	5.39	37.3
10/19/25 14:00	19800	409	2.29	BDL	BDL	5.44	BDL	BDL	BDL	BDL	4.62	47.3
10/19/25 14:30	18700	405	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	66.8
10/19/25 15:00	18000	405	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.04	82.5
10/19/25 15:30	17400	405	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	73.
10/19/25 16:00	24100	401	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.97	141.
10/19/25 16:30	25300	399	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	130.
10/19/25 17:00	24800	398	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.56	129.
10/19/25 17:30	24700	397	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	125.
10/19/25 18:00	23900	395	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	121.
10/19/25 18:30	23500	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	118.
10/19/25 19:00	23900	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.46	113.
10/19/25 19:30	24200	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	109.
10/19/25 20:00	24200	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	106.
10/19/25 20:30	24200	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	108.
10/19/25 21:00	24000	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.70	111.
10/19/25 21:30	23600	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.35	110.
10/19/25 22:00	22800	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	110.
10/19/25 22:30	21800	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	115.
10/19/25 23:00	21900	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	117.
10/19/25 23:30	22100	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	118.
10/20/25 00:00	21600	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	120.

Daily Processed Summary (Average, Maximum Value)

Average	24300	392	2.27	BDL	BDL	0.626	BDL	BDL	BDL	BDL	1.78	80.4
Maximum Value	29200	410	2.54	-	-	11.1	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/20/25 00:30	20900	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	111.
10/20/25 01:00	20300	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.32	114.
10/20/25 01:30	20500	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	122.
10/20/25 02:00	20100	388	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.31	112.
10/20/25 02:30	19500	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.8	112.
10/20/25 03:00	19600	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	101.
10/20/25 03:30	19700	386	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	102.
10/20/25 04:00	20600	394	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	89.
10/20/25 04:30	19400	395	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.37	86.5
10/20/25 05:00	19000	394	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.55	87.8
10/20/25 05:30	19000	392	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	87.3
10/20/25 06:00	19400	393	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	85.5
10/20/25 06:30	19500	392	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.73	89.9
10/20/25 07:00	19800	392	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	94.6
10/20/25 07:30	20200	392	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.67	99.5
10/20/25 08:00	20500	393	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	99.8
10/20/25 08:30	20800	394	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.7	106.
10/20/25 09:00	21100	395	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.23	123.
10/20/25 09:30	22300	395	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.71	103.
10/20/25 10:00	23200	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	139.
10/20/25 10:30	23000	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.85	143.
10/20/25 11:00	23200	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.14	141.
10/20/25 11:30	23500	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.40	143.
10/20/25 12:00	23600	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.36	144.
10/20/25 12:30	23700	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.63	142.
10/20/25 13:00	23900	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.66	142.
10/20/25 13:30	24100	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.73	146.
10/20/25 14:00	24100	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.97	142.
10/20/25 14:30	24200	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	143.
10/20/25 15:00	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	9.45	144.
10/20/25 15:30	24700	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	145.
10/20/25 16:00	25300	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.99	147.
10/20/25 16:30	25400	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	141.
10/20/25 17:00	25700	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.70	141.
10/20/25 17:30	26400	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	141.
10/20/25 18:00	26800	395	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.97	158.
10/20/25 18:30	26800	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.30	159.
10/20/25 19:00	27100	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	160.
10/20/25 19:30	27200	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.61	163.
10/20/25 20:00	27300	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	163.
10/20/25 20:30	27500	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.14	161.
10/20/25 21:00	27600	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	164.
10/20/25 21:30	27400	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.21	160.
10/20/25 22:00	27500	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	162.
10/20/25 22:30	27500	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	166.
10/20/25 23:00	27500	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	169.
10/20/25 23:30	27400	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	169.
10/21/25 00:00	27300	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	171.

Daily Processed Summary (Average, Maximum Value)

Average	23400	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.73	141
Maximum Value	27600	397	2.46	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/21/25 00:30	27300	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.26	171.
10/21/25 01:00	27200	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	177.
10/21/25 01:30	27100	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.43	183.
10/21/25 02:00	27400	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.19	185.
10/21/25 02:30	27400	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	182.
10/21/25 03:00	27500	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.50	181.
10/21/25 03:30	27600	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.6	181.
10/21/25 04:00	27500	389	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.3	181.
10/21/25 04:30	27500	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	187.
10/21/25 05:00	27500	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.54	175.
10/21/25 05:30	27700	389	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.65	168.
10/21/25 06:00	27600	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.68	170.
10/21/25 06:30	27700	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.20	154.
10/21/25 07:00	27800	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.21	171.
10/21/25 07:30	27700	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.6	169.
10/21/25 08:00	27700	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.86	166.
10/21/25 08:30	28000	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.61	174.
10/21/25 09:00	28300	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.7	202.
10/21/25 09:30	28700	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.31	203.
10/21/25 10:00	28700	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	218.
10/21/25 10:30	28400	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	234.
10/21/25 11:00	27900	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	239.
10/21/25 11:30	25800	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	225.
10/21/25 12:00	25000	400	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	239.
10/21/25 12:30	23300	400	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	228.
10/21/25 13:00	23800	401	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	230.
10/21/25 13:30	24100	401	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	241.
10/21/25 14:00	23900	401	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	219.
10/21/25 14:30	23700	401	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	203.
10/21/25 15:00	22800	401	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	204.
10/21/25 15:30	22700	402	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.86	216.
10/21/25 16:00	23300	403	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.98	231.
10/21/25 16:30	24000	401	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	165.
10/21/25 17:00	23300	399	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	164.
10/21/25 17:30	23300	399	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	156.
10/21/25 18:00	24700	396	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	162.
10/21/25 18:30	24800	395	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	168.
10/21/25 19:00	25500	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	172.
10/21/25 19:30	27100	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	185.
10/21/25 20:00	27900	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	195.
10/21/25 20:30	28100	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	201.
10/21/25 21:00	28200	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.32	344.
10/21/25 21:30	28000	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.807	7.19
10/21/25 22:00	27900	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.08	178.
10/21/25 22:30	27400	392	2.23	BDL	BDL	1.55	BDL	BDL	BDL	BDL	1.44	181.
10/21/25 23:00	27900	392	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.18	224.
10/21/25 23:30	26800	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.68	7.05
10/22/25 00:00	22600	396	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	20.

Daily Processed Summary (Average, Maximum Value)

Average	26400	394	2.21	BDL	BDL	0.0323	BDL	BDL	BDL	BDL	2.84	190
Maximum Value	28700	403	2.28	-	-	1.55	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/22/25 00:30	23300	399	2.37	BDL	BDL	4.34	BDL	BDL	BDL	BDL	5.15	25.5
10/22/25 01:00	24700	404	2.44	BDL	BDL	10.0	BDL	BDL	BDL	BDL	3.83	53.2
10/22/25 01:30	24800	399	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	62.4
10/22/25 02:00	24700	403	2.4	BDL	BDL	4.56	BDL	BDL	BDL	BDL	3.95	64.8
10/22/25 02:30	24000	401	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	63.
10/22/25 03:00	23700	401	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.1	63.7
10/22/25 03:30	23300	398	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.27	63.4
10/22/25 04:00	23100	398	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	62.2
10/22/25 04:30	22800	398	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	65.8
10/22/25 05:00	22000	398	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	60.4
10/22/25 05:30	21300	398	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.69	60.5
10/22/25 06:00	20900	398	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	59.8
10/22/25 06:30	20200	398	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	58.9
10/22/25 07:00	19900	400	2.43	BDL	BDL	1.31	BDL	BDL	BDL	BDL	3.32	53.7
10/22/25 07:30	19600	410	2.47	BDL	BDL	18.4	BDL	BDL	BDL	BDL	3.45	31.6
10/22/25 08:00	18800	407	2.5	BDL	BDL	15.9	BDL	BDL	BDL	BDL	3.52	36.9
10/22/25 08:30	18600	407	2.51	BDL	BDL	14.0	BDL	BDL	BDL	BDL	2.85	60.0
10/22/25 09:00	18000	403	2.46	BDL	BDL	5.38	BDL	BDL	BDL	BDL	3.66	63.7
10/22/25 09:30	18000	400	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	66.4
10/22/25 10:00	18500	399	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	67.5
10/22/25 10:30	18900	402	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.63	73.5
10/22/25 11:00	19400	404	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	82.1
10/22/25 11:30	19900	400	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	82.8
10/22/25 12:00	20500	397	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	91.7
10/22/25 12:30	20400	397	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	92.
10/22/25 13:00	20400	399	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.47	89.0
10/22/25 13:30	20400	398	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	93.3
10/22/25 14:00	20600	399	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	86.5
10/22/25 14:30	20700	400	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	72.1
10/22/25 15:00	20900	400	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	79.7
10/22/25 15:30	20900	399	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.40	97.8
10/22/25 16:00	20700	398	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	104.
10/22/25 16:30	20600	397	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.51	114.
10/22/25 17:00	20800	395	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	118.
10/22/25 17:30	20900	395	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	118.
10/22/25 18:00	21000	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	112.
10/22/25 18:30	21300	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	113.
10/22/25 19:00	21300	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	102.
10/22/25 19:30	21100	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.61	98.1
10/22/25 20:00	20900	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	95.7
10/22/25 20:30	20500	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	93.3
10/22/25 21:00	20100	393	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.63	86.7
10/22/25 21:30	20200	400	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	82.9
10/22/25 22:00	20200	397	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	78.4
10/22/25 22:30	20000	399	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	79.4
10/22/25 23:00	20000	401	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	83.6
10/22/25 23:30	20300	402	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.77	83.4
10/23/25 00:00	20400	406	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	82.8

Daily Processed Summary (Average, Maximum Value)

Average	20900	399	2.35	BDL	BDL	1.54	BDL	BDL	BDL	BDL	4.39	82.2
Maximum Value	24800	410	2.55	-	-	18.4	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/23/25 00:30	20700	402	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.6	82.7
10/23/25 01:00	20900	394	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	92.1
10/23/25 01:30	21200	392	2.33	BDL	BDL	7.58	BDL	BDL	BDL	BDL	3.37	89.2
10/23/25 02:00	21300	391	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	90.6
10/23/25 02:30	21700	390	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	88.6
10/23/25 03:00	22200	392	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.81	82.9
10/23/25 03:30	22000	391	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	91.7
10/23/25 04:00	22100	390	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	90.7
10/23/25 04:30	22600	393	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.58	81.9
10/23/25 05:00	22800	398	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.7	84.3
10/23/25 05:30	22900	406	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.1	83.4
10/23/25 06:00	22700	396	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.91	90.6
10/23/25 06:30	22500	391	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	92.3
10/23/25 07:00	22700	391	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	95.5
10/23/25 07:30	22900	397	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.40	97.8
10/23/25 08:00	22800	398	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.51	91.2
10/23/25 08:30	22900	402	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.24	82.4
10/23/25 09:00	23700	403	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.31	96.3
10/23/25 09:30	25100	402	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	110.
10/23/25 10:00	25500	396	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.10	128.
10/23/25 10:30	24700	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	137.
10/23/25 11:00	24200	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.31	138.
10/23/25 11:30	23100	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	140.
10/23/25 12:00	24000	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.35	149.
10/23/25 12:30	24100	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.62	151.
10/23/25 13:00	23700	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.63	129.
10/23/25 13:30	23400	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	142.
10/23/25 14:00	23800	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.72	144.
10/23/25 14:30	24100	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.75	150.
10/23/25 15:00	23400	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.75	153.
10/23/25 15:30	23700	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	166.
10/23/25 16:00	23300	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.20	150.
10/23/25 16:30	23600	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.3	134.
10/23/25 17:00	24000	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	131.
10/23/25 17:30	24200	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	134.
10/23/25 18:00	24700	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	135.
10/23/25 18:30	24800	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.8	139.
10/23/25 19:00	24900	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.3	130.
10/23/25 19:30	24600	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.52	134.
10/23/25 20:00	24500	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	121.
10/23/25 20:30	24600	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	122.
10/23/25 21:00	24300	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	115.
10/23/25 21:30	24300	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.38	112.
10/23/25 22:00	24800	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.30	111.
10/23/25 22:30	25200	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	120.
10/23/25 23:00	24600	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	127.
10/23/25 23:30	25300	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.	122.
10/24/25 00:00	25400	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	109.

Daily Processed Summary (Average, Maximum Value)

Average	23600	394	2.31	BDL	BDL	0.158	BDL	BDL	BDL	BDL	4.28	125
Maximum Value	25500	406	2.59	-	-	7.58	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/24/25 00:30	25100	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	103.
10/24/25 01:00	23700	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	137.
10/24/25 01:30	23700	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.00	134.
10/24/25 02:00	23500	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	128.
10/24/25 02:30	23200	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.60	117.
10/24/25 03:00	23400	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.24	96.2
10/24/25 03:30	23700	391	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.71	92.9
10/24/25 04:00	23800	389	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	110.
10/24/25 04:30	23500	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	117.
10/24/25 05:00	23300	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	114.
10/24/25 05:30	24100	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	108.
10/24/25 06:00	22100	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.97	115.
10/24/25 06:30	23700	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	112.
10/24/25 07:00	24600	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	101.
10/24/25 07:30	24700	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.19	95.6
10/24/25 08:00	24700	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	96.1
10/24/25 08:30	24800	394	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.02	88.8
10/24/25 09:00	25100	399	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	97.8
10/24/25 09:30	25600	395	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	95.5
10/24/25 10:00	23800	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.9	118.
10/24/25 10:30	24700	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	110.
10/24/25 11:00	23900	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	121.
10/24/25 11:30	24300	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.54	130.
10/24/25 12:00	24500	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.52	123.
10/24/25 12:30	23800	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.23	134.
10/24/25 13:00	24200	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	123.
10/24/25 13:30	23700	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.74	131.
10/24/25 14:00	24300	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.86	129.
10/24/25 14:30	24100	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.83	137.
10/24/25 15:00	M	M	M	M	M	M	M	M	M	M	9.08	135.
10/24/25 15:30	M	M	M	M	M	M	M	M	M	M	9.69	135.
10/24/25 16:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	9.39	133.
10/24/25 16:30	25800	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	135.
10/24/25 17:00	25700	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.81	124.
10/24/25 17:30	24800	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.62	129.
10/24/25 18:00	25400	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.61	123.
10/24/25 18:30	25100	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	125.
10/24/25 19:00	25500	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	129.
10/24/25 19:30	25600	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.95	133.
10/24/25 20:00	25200	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	133.
10/24/25 20:30	25300	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.11	129.
10/24/25 21:00	25800	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.60	129.
10/24/25 21:30	26000	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	132.
10/24/25 22:00	26100	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	140.
10/24/25 22:30	25600	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.68	140.
10/24/25 23:00	26000	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.68	139.
10/24/25 23:30	25900	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.02	139.
10/25/25 00:00	25100	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.78	141.

Daily Processed Summary (Average, Maximum Value)

Average	24600	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	126
Maximum Value	26100	399	2.35	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/25/25 00:30	25300	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.97	143.
10/25/25 01:00	25800	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.33	145.
10/25/25 01:30	25800	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.48	150.
10/25/25 02:00	24900	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	162.
10/25/25 02:30	24900	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	165.
10/25/25 03:00	24800	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	164.
10/25/25 03:30	25600	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	163.
10/25/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.50	353.
10/25/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.66	19.5
10/25/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.25	24.3
10/25/25 05:30	18000	362	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.8	19.2
10/25/25 06:00	18000	378	2.18	BDL	BDL	6.16	BDL	BDL	BDL	BDL	6.39	29.5
10/25/25 06:30	18300	401	2.31	BDL	BDL	16.8	BDL	BDL	BDL	BDL	4.85	47.2
10/25/25 07:00	18400	394	2.26	BDL	BDL	24.1	BDL	BDL	BDL	BDL	4.13	48.4
10/25/25 07:30	18600	398	2.27	BDL	BDL	20.1	BDL	BDL	BDL	BDL	3.38	67.1
10/25/25 08:00	18500	399	2.28	BDL	BDL	11.	BDL	BDL	BDL	BDL	2.3	65.1
10/25/25 08:30	18300	397	2.24	BDL	BDL	31.6	BDL	BDL	BDL	BDL	2.93	26.7
10/25/25 09:00	18200	396	2.22	BDL	BDL	17.0	BDL	BDL	BDL	BDL	3.12	26.3
10/25/25 09:30	19400	396	2.21	BDL	BDL	3.58	BDL	BDL	BDL	BDL	3.88	110.
10/25/25 10:00	20100	398	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	41.4
10/25/25 10:30	20200	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	114.
10/25/25 11:00	20600	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	114.
10/25/25 11:30	20700	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	118.
10/25/25 12:00	20800	397	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	115.
10/25/25 12:30	20300	399	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	109.
10/25/25 13:00	20000	398	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.60	113.
10/25/25 13:30	20500	397	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	128.
10/25/25 14:00	20400	396	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.36	130.
10/25/25 14:30	20600	397	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.26	130.
10/25/25 15:00	21200	398	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.72	133.
10/25/25 15:30	21800	397	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	130.
10/25/25 16:00	22100	397	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	127.
10/25/25 16:30	22200	397	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.2	125.
10/25/25 17:00	21800	397	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	126.
10/25/25 17:30	23600	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	138.
10/25/25 18:00	23700	394	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	102.
10/25/25 18:30	23100	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	109.
10/25/25 19:00	23700	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	138.
10/25/25 19:30	24100	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	140.
10/25/25 20:00	25000	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	140.
10/25/25 20:30	25400	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	144.
10/25/25 21:00	25900	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.90	150.
10/25/25 21:30	26400	396	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	153.
10/25/25 22:00	26600	396	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	153.
10/25/25 22:30	26700	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	165.
10/25/25 23:00	19800	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	175.
10/25/25 23:30	20200	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.52	174.
10/26/25 00:00	22000	394	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	164.

Daily Processed Summary (Average, Maximum Value)

Average	22100	394	2.19	BDL	BDL	2.9	BDL	BDL	BDL	BDL	3.98	123
Maximum Value	26700	401	2.31	-	-	31.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/26/25 00:30	22500	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.17	311.
10/26/25 01:00	23000	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.26	269.
10/26/25 01:30	23300	395	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.04	312.
10/26/25 02:00	23100	402	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.55	21.3
10/26/25 02:30	20900	400	2.24	BDL	BDL	11.1	BDL	BDL	BDL	BDL	5.78	28.6
10/26/25 03:00	20200	400	2.28	BDL	BDL	43.4	BDL	BDL	BDL	BDL	4.29	22.2
10/26/25 03:30	19900	404	2.29	BDL	BDL	83.2	BDL	BDL	BDL	BDL	3.60	37.3
10/26/25 04:00	19400	398	2.31	BDL	BDL	25.9	BDL	BDL	BDL	BDL	3.25	55.1
10/26/25 04:30	19100	397	2.3	BDL	BDL	2.35	BDL	BDL	BDL	BDL	4.01	67.
10/26/25 05:00	19100	399	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	81.6
10/26/25 05:30	19200	399	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.45	82.1
10/26/25 06:00	19500	400	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	82.6
10/26/25 06:30	19400	395	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	88.5
10/26/25 07:00	19500	400	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.52	81.6
10/26/25 07:30	19700	398	2.28	BDL	BDL	3.16	BDL	BDL	BDL	BDL	2.87	65.0
10/26/25 08:00	19700	402	2.32	BDL	BDL	12.2	BDL	BDL	BDL	BDL	2.23	46.2
10/26/25 08:30	20100	403	2.33	BDL	BDL	29.9	BDL	BDL	BDL	BDL	2.61	28.9
10/26/25 09:00	20600	405	2.33	BDL	BDL	46.3	BDL	BDL	BDL	BDL	3.27	26.9
10/26/25 09:30	21200	404	2.32	BDL	BDL	13.3	BDL	BDL	BDL	BDL	2.28	49.9
10/26/25 10:00	22200	404	2.32	BDL	BDL	10.1	BDL	BDL	BDL	BDL	2.33	54.3
10/26/25 10:30	22700	403	2.31	BDL	BDL	1.5	BDL	BDL	BDL	BDL	2.27	74.3
10/26/25 11:00	22900	401	2.31	BDL	BDL	25.3	BDL	BDL	BDL	BDL	2.15	29.3
10/26/25 11:30	23100	403	2.33	BDL	BDL	9.20	BDL	BDL	BDL	BDL	2.18	76.7
10/26/25 12:00	23500	400	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	94.7
10/26/25 12:30	23200	400	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	99.5
10/26/25 13:00	22300	400	2.21	BDL	BDL	3.43	BDL	BDL	BDL	BDL	1.27	96.4
10/26/25 13:30	23600	405	2.29	BDL	BDL	15.9	BDL	BDL	BDL	BDL	4.55	276.
10/26/25 14:00	23000	403	2.25	BDL	BDL	9.42	BDL	BDL	BDL	BDL	4.78	264.
10/26/25 14:30	22500	403	2.23	BDL	BDL	6.70	BDL	BDL	BDL	BDL	3.81	270.
10/26/25 15:00	21900	404	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.76	259.
10/26/25 15:30	21200	405	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	275.
10/26/25 16:00	21700	404	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.07	253.
10/26/25 16:30	22300	403	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.75	175.
10/26/25 17:00	22000	404	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	167.
10/26/25 17:30	22200	403	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.60	143.
10/26/25 18:00	22500	401	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.51	173.
10/26/25 18:30	22600	400	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.2	177.
10/26/25 19:00	22900	400	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.28	169.
10/26/25 19:30	23300	399	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.09	142.
10/26/25 20:00	23800	398	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.25	114.
10/26/25 20:30	23500	398	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.4	102.
10/26/25 21:00	23300	398	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.79	126.
10/26/25 21:30	23100	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.44	105.
10/26/25 22:00	23300	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	103.
10/26/25 22:30	23700	398	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.06	97.1
10/26/25 23:00	23800	402	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.69	110.
10/26/25 23:30	24500	404	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	102.
10/27/25 00:00	24500	406	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.66	120.

Daily Processed Summary (Average, Maximum Value)

Average	22000	401	2.25	BDL	BDL	7.34	BDL	BDL	BDL	BDL	1.33	82.8
Maximum Value	24500	406	2.33	-	-	83.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/27/25 00:30	24900	401	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.6	120.
10/27/25 01:00	24700	399	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.47	122.
10/27/25 01:30	24500	397	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.36	129.
10/27/25 02:00	24400	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.75	130.
10/27/25 02:30	24300	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	125.
10/27/25 03:00	24300	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	128.
10/27/25 03:30	24200	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.01	121.
10/27/25 04:00	24000	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	132.
10/27/25 04:30	23900	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.47	139.
10/27/25 05:00	24000	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.3	156.
10/27/25 05:30	24100	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.65	146.
10/27/25 06:00	24200	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.05	157.
10/27/25 06:30	24300	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.31	165.
10/27/25 07:00	24400	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.3	177.
10/27/25 07:30	24200	397	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.09	175.
10/27/25 08:00	24300	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.999	141.
10/27/25 08:30	24400	401	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.36	109.
10/27/25 09:00	25100	403	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.03	129.
10/27/25 09:30	25300	401	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	164.
10/27/25 10:00	24600	400	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	169.
10/27/25 10:30	25000	400	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	191.
10/27/25 11:00	25000	401	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	212.
10/27/25 11:30	25100	401	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	210.
10/27/25 12:00	24600	402	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	209.
10/27/25 12:30	24000	403	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	223.
10/27/25 13:00	23800	402	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	237.
10/27/25 13:30	23000	404	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	197.
10/27/25 14:00	22900	404	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	174.
10/27/25 14:30	22600	405	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.59	144.
10/27/25 15:00	22900	405	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.27	145.
10/27/25 15:30	22500	404	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.63	144.
10/27/25 16:00	23400	403	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.01	141.
10/27/25 16:30	25300	401	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.42	145.
10/27/25 17:00	25700	400	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	142.
10/27/25 17:30	26200	399	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	137.
10/27/25 18:00	26100	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.27	138.
10/27/25 18:30	26200	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	141.
10/27/25 19:00	26100	396	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	142.
10/27/25 19:30	26200	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	139.
10/27/25 20:00	26200	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	137.
10/27/25 20:30	26000	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.8	135.
10/27/25 21:00	25700	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.19	137.
10/27/25 21:30	25800	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.93	136.
10/27/25 22:00	25500	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	136.
10/27/25 22:30	25700	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.54	139.
10/27/25 23:00	25600	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.09	140.
10/27/25 23:30	25800	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	139.
10/28/25 00:00	25800	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.8	155.

Daily Processed Summary (Average, Maximum Value)

Average	24700	398	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	147
Maximum Value	26200	405	2.24	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/28/25 00:30	25800	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	164.
10/28/25 01:00	26000	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	160.
10/28/25 01:30	26000	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	161.
10/28/25 02:00	26200	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	165.
10/28/25 02:30	26100	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.56	169.
10/28/25 03:00	26000	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.00	167.
10/28/25 03:30	25900	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	171.
10/28/25 04:00	26200	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	167.
10/28/25 04:30	26300	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.32	162.
10/28/25 05:00	26400	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	164.
10/28/25 05:30	26300	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	165.
10/28/25 06:00	26200	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	165.
10/28/25 06:30	26100	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.1	161.
10/28/25 07:00	25900	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	158.
10/28/25 07:30	25900	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.50	169.
10/28/25 08:00	26100	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	168.
10/28/25 08:30	26000	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	170.
10/28/25 09:00	26400	398	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	173.
10/28/25 09:30	26400	399	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.1	189.
10/28/25 10:00	26200	399	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	172.
10/28/25 10:30	26000	398	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.90	180.
10/28/25 11:00	25100	399	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.70	197.
10/28/25 11:30	25200	400	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	205.
10/28/25 12:00	24900	400	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	202.
10/28/25 12:30	24900	401	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.64	202.
10/28/25 13:00	25100	401	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	195.
10/28/25 13:30	25200	402	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	199.
10/28/25 14:00	25500	402	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	198.
10/28/25 14:30	25800	401	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	198.
10/28/25 15:00	25200	402	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	210.
10/28/25 15:30	24300	402	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	205.
10/28/25 16:00	24600	401	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	208.
10/28/25 16:30	24500	401	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	208.
10/28/25 17:00	24500	401	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	200.
10/28/25 17:30	25000	401	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	200.
10/28/25 18:00	25500	400	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	196.
10/28/25 18:30	25800	399	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	195.
10/28/25 19:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.	359.
10/28/25 19:30	23400	394	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	15.6
10/28/25 20:00	21300	402	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	12.8
10/28/25 20:30	19700	403	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.83	11.7
10/28/25 21:00	18500	402	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.8	14.9
10/28/25 21:30	17900	402	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	14.3
10/28/25 22:00	17100	402	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.38	13.7
10/28/25 22:30	16200	401	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.51	15.9
10/28/25 23:00	15000	399	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.02	15.0
10/28/25 23:30	14600	398	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.77	14.
10/29/25 00:00	14400	397	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.8	14.7

Daily Processed Summary (Average, Maximum Value)

Average	24000	398	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.03	177
Maximum Value	26400	403	2.35	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/29/25 00:30	11300	392	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	14.1
10/29/25 01:00	10300	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	13.6
10/29/25 01:30	9900	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	11.8
10/29/25 02:00	9260	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	11.9
10/29/25 02:30	8780	389	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.19	13.9
10/29/25 03:00	9330	388	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	6.33
10/29/25 03:30	7890	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.21	11.0
10/29/25 04:00	7270	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.98	12.7
10/29/25 04:30	7270	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.35	13.5
10/29/25 05:00	7960	386	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.6	6.60
10/29/25 05:30	8420	385	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	345.
10/29/25 06:00	8530	386	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	336.
10/29/25 06:30	8770	385	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	332.
10/29/25 07:00	8730	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	326.
10/29/25 07:30	8840	385	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.91	322.
10/29/25 08:00	8950	385	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	316.
10/29/25 08:30	8860	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.85	312.
10/29/25 09:00	8830	389	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.78	318.
10/29/25 09:30	8320	390	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.46	324.
10/29/25 10:00	7350	391	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	329.
10/29/25 10:30	6670	391	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	330.
10/29/25 11:00	5930	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	335.
10/29/25 11:30	5450	392	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	334.
10/29/25 12:00	5210	393	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	335.
10/29/25 12:30	5110	393	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	333.
10/29/25 13:00	5330	394	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	330.
10/29/25 13:30	4980	394	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	332.
10/29/25 14:00	5010	394	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	329.
10/29/25 14:30	5040	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	323.
10/29/25 15:00	4730	396	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	331.
10/29/25 15:30	4810	395	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	328.
10/29/25 16:00	4620	395	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	324.
10/29/25 16:30	4650	394	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	325.
10/29/25 17:00	4660	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	325.
10/29/25 17:30	4760	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	326.
10/29/25 18:00	5230	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.88	324.
10/29/25 18:30	5230	391	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.46	322.
10/29/25 19:00	5520	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.05	315.
10/29/25 19:30	5720	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.85	323.
10/29/25 20:00	6070	388	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	326.
10/29/25 20:30	5990	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.6	327.
10/29/25 21:00	6050	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	325.
10/29/25 21:30	6110	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.38	342.
10/29/25 22:00	6510	385	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	336.
10/29/25 22:30	6670	383	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.53	330.
10/29/25 23:00	6610	384	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.45	322.
10/29/25 23:30	6350	385	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	317.
10/30/25 00:00	6600	386	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.75	316.

Daily Processed Summary (Average, Maximum Value)

Average	6880	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	335
Maximum Value	11300	396	2.33	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/30/25 00:30	6720	385	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	312.
10/30/25 01:00	6660	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	311.
10/30/25 01:30	6460	387	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	300.
10/30/25 02:00	6420	386	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	311.
10/30/25 02:30	6490	386	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	311.
10/30/25 03:00	6520	385	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.87	316.
10/30/25 03:30	6690	384	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.81	332.
10/30/25 04:00	6630	384	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.60	336.
10/30/25 04:30	6620	384	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	332.
10/30/25 05:00	6390	384	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.18	343.
10/30/25 05:30	5860	383	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.87	343.
10/30/25 06:00	5860	383	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	336.
10/30/25 06:30	6420	383	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.60	329.
10/30/25 07:00	6580	384	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.06	332.
10/30/25 07:30	6270	385	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.61	337.
10/30/25 08:00	6350	383	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.04	356.
10/30/25 08:30	6200	382	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.96	354.
10/30/25 09:00	6430	389	2.93	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.50	338.
10/30/25 09:30	6590	393	3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	344.
10/30/25 10:00	6690	396	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	352.
10/30/25 10:30	7120	394	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	335.
10/30/25 11:00	7380	397	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.60	329.
10/30/25 11:30	7400	398	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	322.
10/30/25 12:00	6950	398	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	323.
10/30/25 12:30	6630	397	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	327.
10/30/25 13:00	6380	399	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	345.
10/30/25 13:30	6610	400	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.43	303.
10/30/25 14:00	6480	400	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	274.
10/30/25 14:30	5930	400	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.08	286.
10/30/25 15:00	5740	401	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.89	293.
10/30/25 15:30	5590	401	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.55	275.
10/30/25 16:00	5310	400	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	286.
10/30/25 16:30	5150	400	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.97	284.
10/30/25 17:00	5210	398	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	293.
10/30/25 17:30	5450	398	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.71	280.
10/30/25 18:00	5100	399	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.22	263.
10/30/25 18:30	5200	397	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.507	319.
10/30/25 19:00	5380	397	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.342	201.
10/30/25 19:30	5460	394	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.191	260.
10/30/25 20:00	8960	395	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.97	186.
10/30/25 20:30	10300	391	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.90	204.
10/30/25 21:00	10700	393	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.83	205.
10/30/25 21:30	10900	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.74	206.
10/30/25 22:00	10600	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.51	229.
10/30/25 22:30	10600	388	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.48	229.
10/30/25 23:00	10600	389	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.909	205.
10/30/25 23:30	10300	387	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.840	181.
10/31/25 00:00	10600	386	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.629	230.

Daily Processed Summary (Average, Maximum Value)

Average	7020	391	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.56	313
Maximum Value	10900	401	3	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/31/25 00:30	10900	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.720	272.
10/31/25 01:00	11900	384	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.967	340.
10/31/25 01:30	11300	387	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.64	15.4
10/31/25 02:00	9820	386	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.55	7.69
10/31/25 02:30	9190	386	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.08	360.
10/31/25 03:00	8820	387	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.77	10.4
10/31/25 03:30	8470	386	2.45	BDL	BDL	3.68	BDL	BDL	BDL	BDL	1.48	33.2
10/31/25 04:00	8330	384	2.42	BDL	BDL	4.33	BDL	BDL	BDL	BDL	1.23	26.4
10/31/25 04:30	8010	384	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.24	13.0
10/31/25 05:00	8310	387	2.45	BDL	BDL	4.26	BDL	BDL	BDL	BDL	0.581	31.2
10/31/25 05:30	7800	391	2.63	BDL	BDL	22.7	BDL	BDL	BDL	BDL	0.892	67.6
10/31/25 06:00	7640	394	2.57	BDL	BDL	42.8	BDL	BDL	BDL	BDL	1.43	40.4
10/31/25 06:30	7610	399	2.55	BDL	BDL	73.2	BDL	BDL	BDL	BDL	1.25	57.4
10/31/25 07:00	7530	395	2.52	BDL	BDL	11.3	BDL	BDL	BDL	BDL	0.996	98.2
10/31/25 07:30	7700	394	2.47	BDL	BDL	45.6	BDL	BDL	BDL	BDL	1.34	36.4
10/31/25 08:00	7640	393	2.44	BDL	BDL	21.7	BDL	BDL	BDL	BDL	1.28	16.3
10/31/25 08:30	7870	393	2.54	BDL	BDL	20.	BDL	BDL	BDL	BDL	1.62	26.1
10/31/25 09:00	8950	404	2.54	BDL	BDL	26.9	BDL	BDL	BDL	BDL	1.86	10.8
10/31/25 09:30	9540	411	2.67	BDL	BDL	21.6	BDL	BDL	BDL	BDL	1.52	53.6
10/31/25 10:00	9600	416	2.71	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.21	84.9
10/31/25 10:30	9420	404	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	96.
10/31/25 11:00	8480	401	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	99.2
10/31/25 11:30	7510	402	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.29	81.6
10/31/25 12:00	7110	402	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	105.
10/31/25 12:30	8530	406	2.37	BDL	BDL	1.71	BDL	BDL	BDL	BDL	1.98	253.
10/31/25 13:00	9550	405	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	269.
10/31/25 13:30	8640	402	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	265.
10/31/25 14:00	9010	402	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	269.
10/31/25 14:30	8570	401	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	262.
10/31/25 15:00	8080	401	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	244.
10/31/25 15:30	7940	401	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	191.
10/31/25 16:00	7940	402	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.35	185.
10/31/25 16:30	7380	402	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	176.
10/31/25 17:00	7370	398	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	152.
10/31/25 17:30	7860	398	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.36	156.
10/31/25 18:00	8540	397	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.20	144.
10/31/25 18:30	9020	397	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	141.
10/31/25 19:00	9430	396	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	146.
10/31/25 19:30	10600	396	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.71	148.
10/31/25 20:00	11300	394	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	149.
10/31/25 20:30	11800	393	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	153.
10/31/25 21:00	12300	394	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	147.
10/31/25 21:30	12300	393	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.45	154.
10/31/25 22:00	12700	394	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.6	143.
10/31/25 22:30	12300	393	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	148.
10/31/25 23:00	12200	391	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.56	145.
10/31/25 23:30	13400	390	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.17	132.
11/01/25 00:00	13600	392	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.54	120.

Daily Processed Summary (Average, Maximum Value)

Average	9370	396	2.39	BDL	BDL	6.25	BDL	BDL	BDL	BDL	0.97	154
Maximum Value	13600	416	2.71	-	-	73.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR Daily (24-hour) Averages

Site: Formosa Point Comfort AAMS

Date	Capture%	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)	Met Capture%
11/01/25	100	15700	399	2.4	BDL	BDL	1.75	BDL	BDL	BDL	BDL	3.41	96.3	100
11/02/25	96.2	12500	396	2.4	BDL	BDL	2.27	BDL	BDL	BDL	BDL	2.81	21.5	92.6
11/03/25	100	12400	396	2.42	BDL	BDL	1.52	0.0573	BDL	BDL	BDL	2.28	127	100
11/04/25	100	14800	395	2.34	BDL	BDL	BDL	BDL	BDL	BDL	0.502	3.31	122	100
11/05/25	100	17800	396	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	149	100
11/06/25	100	18400	397	2.27	BDL	BDL	0.0746	BDL	BDL	BDL	BDL	2.8	145	100
11/07/25	100	21600	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	195	100
11/08/25	100	23900	393	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.22	189	100
11/09/25	94.7	7700	393	2.28	BDL	BDL	0.339	BDL	BDL	BDL	BDL	7.45	19.2	100
11/10/25	100	3830	382	2.31	BDL	BDL	0.248	BDL	BDL	BDL	BDL	4.44	16.4	100
11/11/25	100	10000	391	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	148	100
11/12/25	100	17500	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	161	100
11/13/25	100	20300	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	145	100
11/14/25	100	19800	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.1	151	100
11/15/25	100	20400	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.24	169	100
11/16/25	95.7	23200	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	183	100
11/17/25	100	25100	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	151	100
11/18/25	100	24600	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	146	100
11/19/25	100	26500	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6	139	100
11/20/25	100	24400	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	146	100
11/21/25	100	25500	379	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	172	100
11/22/25	100	22700	387	2.28	BDL	BDL	1.28	BDL	BDL	BDL	BDL	1.91	58.5	100
11/23/25	91.7	18100	393	2.45	BDL	BDL	4.71	BDL	BDL	BDL	BDL	4.94	92	100
11/24/25	100	24100	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	176	100
11/25/25	97.9	24000	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.999	311	100
11/26/25	100	12000	397	2.4	BDL	BDL	3.51	BDL	BDL	BDL	BDL	6.01	29	100
11/27/25	100	8830	395	2.42	BDL	BDL	7.94	BDL	BDL	BDL	BDL	3.91	67.5	100
11/28/25	100	11600	388	2.31	BDL	BDL	0.111	BDL	BDL	BDL	BDL	6.05	109	100
11/29/25	100	19700	382	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	156	100
11/30/25	95.7	12000	381	2.34	BDL	BDL	0.25	BDL	BDL	BDL	BDL	6.73	18.9	100

Daily Processed Summary (Average, Maximum Value)

Average	99.1	18000	389	2.28	BDL	BDL	0.8	0.00191	BDL	BDL	0.0167	2.57	128	99.8
Maximum Value	100	26500	399	2.45	BDL	BDL	7.94	0.0573	BDL	BDL	0.502	-	-	100

BDL = Below Detection Limit

Blank = Not Available

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/01/25 00:30	13600	391	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.27	118.
11/01/25 01:00	13800	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.40	101.
11/01/25 01:30	14500	390	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	102.
11/01/25 02:00	14700	393	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.59	101.
11/01/25 02:30	14700	394	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	99.3
11/01/25 03:00	14400	397	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	95.4
11/01/25 03:30	14000	397	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	97.1
11/01/25 04:00	14100	395	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.8	103.
11/01/25 04:30	14300	396	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.59	99.4
11/01/25 05:00	14600	395	2.53	BDL	BDL	1.33	BDL	BDL	BDL	BDL	2.59	105.
11/01/25 05:30	14500	399	2.72	BDL	BDL	2.53	BDL	BDL	BDL	BDL	2.52	96.2
11/01/25 06:00	14400	401	2.85	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.10	96.3
11/01/25 06:30	14300	401	2.81	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.07	88.7
11/01/25 07:00	14600	402	2.88	BDL	BDL	3.95	BDL	BDL	BDL	BDL	1.59	87.1
11/01/25 07:30	14500	405	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.89	97.2
11/01/25 08:00	14200	403	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.44	95.8
11/01/25 08:30	14200	402	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	90.7
11/01/25 09:00	15100	406	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.91	93.
11/01/25 09:30	16000	404	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.6	85.4
11/01/25 10:00	17000	403	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	89.3
11/01/25 10:30	17500	404	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.8	87.4
11/01/25 11:00	17600	404	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	103.
11/01/25 11:30	16300	403	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.63	119.
11/01/25 12:00	15400	404	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	116.
11/01/25 12:30	15300	403	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	140.
11/01/25 13:00	15200	403	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	140.
11/01/25 13:30	15300	402	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	147.
11/01/25 14:00	15000	400	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	126.
11/01/25 14:30	14800	400	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	119.
11/01/25 15:00	15400	400	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	142.
11/01/25 15:30	15600	400	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	140.
11/01/25 16:00	15800	400	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.66	126.
11/01/25 16:30	15900	398	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.04	122.
11/01/25 17:00	16300	398	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	110.
11/01/25 17:30	16800	397	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	106.
11/01/25 18:00	17800	397	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	101.
11/01/25 18:30	17500	395	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.59	94.3
11/01/25 19:00	17800	397	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	85.2
11/01/25 19:30	17800	396	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	64.4
11/01/25 20:00	16600	395	2.34	BDL	BDL	1.11	BDL	BDL	BDL	BDL	4.27	52.8
11/01/25 20:30	15900	395	2.31	BDL	BDL	7.6	BDL	BDL	BDL	BDL	7.75	45.9
11/01/25 21:00	17100	405	2.4	BDL	BDL	7.30	BDL	BDL	BDL	BDL	4.83	54.1
11/01/25 21:30	17600	395	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.50	104.
11/01/25 22:00	17700	396	2.44	BDL	BDL	3.77	BDL	BDL	BDL	BDL	2.82	60.1
11/01/25 22:30	17800	397	2.42	BDL	BDL	17.8	BDL	BDL	BDL	BDL	5.36	23.7
11/01/25 23:00	16400	397	2.4	BDL	BDL	6.28	BDL	BDL	BDL	BDL	6.33	21.4
11/01/25 23:30	16100	407	2.46	BDL	BDL	19.3	BDL	BDL	BDL	BDL	4.39	33.8
11/02/25 00:00	16100	401	2.42	BDL	BDL	13.1	BDL	BDL	BDL	BDL	7.	31.2

Daily Processed Summary (Average, Maximum Value)

Average	15700	399	2.4	BDL	BDL	1.75	BDL	BDL	BDL	BDL	3.41	96.3
Maximum Value	17800	407	2.88	-	-	19.3	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCI (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/02/25 00:30	16200	412	2.51	BDL	BDL	15.0	BDL	BDL	BDL	BDL	5.44	45.9
11/02/25 01:00	15500	409	2.49	BDL	BDL	25.1	BDL	BDL	BDL	BDL	INS	INS
11/02/25 01:00	15000	395	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	INS	INS
11/02/25 01:30	15300	401	2.46	BDL	BDL	10.1	BDL	BDL	BDL	BDL	4.04	20.6
11/02/25 01:30	14300	391	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	20.6
11/02/25 01:00	15500	409	2.49	BDL	BDL	25.1	BDL	BDL	BDL	BDL	INS	INS
11/02/25 01:00	15000	395	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	INS	INS
11/02/25 01:30	15300	401	2.46	BDL	BDL	10.1	BDL	BDL	BDL	BDL	4.04	20.6
11/02/25 01:30	14300	391	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	20.6
11/02/25 02:00	14100	388	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.03	359.
11/02/25 02:30	14400	389	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.35	0.774
11/02/25 03:00	14000	390	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.03	15.2
11/02/25 03:30	13800	389	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.28	4.06
11/02/25 04:00	13400	389	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.83	11.4
11/02/25 04:30	13200	390	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	8.02
11/02/25 05:00	13000	390	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	11.2
11/02/25 05:30	12900	390	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.43	13.6
11/02/25 06:00	12700	391	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	17.2
11/02/25 06:30	12600	393	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	14.7
11/02/25 07:00	12600	391	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	13.4
11/02/25 07:30	12600	390	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	14.6
11/02/25 08:00	12900	393	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	16.1
11/02/25 08:30	13400	396	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	16.9
11/02/25 09:00	13600	398	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	15.2
11/02/25 09:30	13600	400	2.44	BDL	BDL	3.68	BDL	BDL	BDL	BDL	5.89	20.9
11/02/25 10:00	13500	402	2.45	BDL	BDL	7.41	BDL	BDL	BDL	BDL	6.15	22.4
11/02/25 10:30	13000	403	2.47	BDL	BDL	7.38	BDL	BDL	BDL	BDL	5.14	24.1
11/02/25 11:00	11600	402	2.44	BDL	BDL	3.98	BDL	BDL	BDL	BDL	3.9	48.
11/02/25 11:30	11200	402	2.41	BDL	BDL	3.54	BDL	BDL	BDL	BDL	4.01	31.6
11/02/25 12:00	10500	403	2.39	BDL	BDL	1.22	BDL	BDL	BDL	BDL	3.83	39.8
11/02/25 12:30	10200	403	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	40.2
11/02/25 13:00	9900	403	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.03	50.8
11/02/25 13:30	10400	404	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.08	43.7
11/02/25 14:00	10100	403	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	5.35
11/02/25 14:30	9750	406	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.45	360.
11/02/25 15:00	9770	403	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	3.42
11/02/25 15:30	9600	400	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	6.07
11/02/25 16:00	9430	399	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.7	335.
11/02/25 16:30	9410	399	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.32	333.
11/02/25 17:00	9480	400	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.39	358.
11/02/25 17:30	9650	398	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.58	339.
11/02/25 18:00	9440	395	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.14	44.1
11/02/25 18:30	10500	393	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.38	121.
11/02/25 19:00	12200	392	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.80	140.
11/02/25 19:30	12400	391	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.2	144.
11/02/25 20:00	11700	390	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	134.
11/02/25 20:30	M	M	M	M	M	M	M	M	M	M	2.27	133.
11/02/25 21:00	M	M	M	M	M	M	M	M	M	M	1.74	134.
11/02/25 21:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	1.70	124.
11/02/25 22:00	10700	390	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.06	202.
11/02/25 22:30	10900	389	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.88	224.
11/02/25 23:00	13100	389	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.355	241.
11/02/25 23:30	13700	390	2.4	BDL	BDL	1.2	BDL	BDL	BDL	BDL	0.533	21.2
11/03/25 00:00	13800	389	2.42	BDL	BDL	1.9	BDL	BDL	BDL	BDL	0.336	342.

Daily Processed Summary (Average, Maximum Value)

Average	12500	396	2.4	BDL	BDL	2.27	BDL	BDL	BDL	BDL	2.81	21.5
Maximum Value	16200	412	2.51	-	-	25.1	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/03/25 00:30	14400	390	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.454	96.6
11/03/25 01:00	14000	389	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.698	9.49
11/03/25 01:30	14800	391	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.800	7.20
11/03/25 02:00	14400	390	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.94	18.2
11/03/25 02:30	13400	387	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.692	58.6
11/03/25 03:00	12500	390	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.50	107.
11/03/25 03:30	11700	396	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.01	87.5
11/03/25 04:00	10900	388	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	90.8
11/03/25 04:30	11200	391	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.2	51.9
11/03/25 05:00	11800	398	2.59	BDL	BDL	3.95	BDL	BDL	BDL	BDL	1.62	350.
11/03/25 05:30	10800	396	2.6	BDL	BDL	9.81	BDL	BDL	BDL	BDL	1.16	347.
11/03/25 06:00	10700	396	2.61	BDL	BDL	10.9	BDL	BDL	BDL	BDL	0.996	359.
11/03/25 06:30	10800	399	2.65	BDL	BDL	11.1	BDL	BDL	BDL	BDL	0.615	345.
11/03/25 07:00	11000	399	2.7	BDL	BDL	19.7	BDL	BDL	BDL	BDL	0.74	352.
11/03/25 07:30	11300	404	2.79	BDL	BDL	12.7	BDL	BDL	BDL	BDL	0.509	341.
11/03/25 08:00	12300	412	2.79	BDL	BDL	4.8	BDL	BDL	BDL	BDL	1.72	83.5
11/03/25 08:30	12600	415	2.86	BDL	BDL	BDL	2.75	BDL	BDL	BDL	2.3	87.6
11/03/25 09:00	12600	407	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.28	92.6
11/03/25 09:30	12400	404	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	87.6
11/03/25 10:00	11800	401	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.08	105.
11/03/25 10:30	10700	400	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.08	125.
11/03/25 11:00	10000	401	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.83	153.
11/03/25 11:30	10200	401	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.2	156.
11/03/25 12:00	10000	400	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.48	175.
11/03/25 12:30	9630	401	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	178.
11/03/25 13:00	9630	400	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.08	176.
11/03/25 13:30	9660	399	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	167.
11/03/25 14:00	9730	399	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	151.
11/03/25 14:30	9970	400	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	152.
11/03/25 15:00	10100	399	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	146.
11/03/25 15:30	10300	400	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	143.
11/03/25 16:00	10700	398	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	149.
11/03/25 16:30	11500	398	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.10	135.
11/03/25 17:00	12100	397	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	138.
11/03/25 17:30	12200	395	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	140.
11/03/25 18:00	13100	394	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	131.
11/03/25 18:30	13700	391	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.75	128.
11/03/25 19:00	14300	390	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.00	141.
11/03/25 19:30	14800	389	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.28	135.
11/03/25 20:00	14900	390	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.69	125.
11/03/25 20:30	15100	391	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.89	124.
11/03/25 21:00	15100	391	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.84	122.
11/03/25 21:30	15200	390	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.99	106.
11/03/25 22:00	15000	390	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.69	104.
11/03/25 22:30	15000	390	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	92.3
11/03/25 23:00	15900	392	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	89.9
11/03/25 23:30	16000	392	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.44	90.9
11/04/25 00:00	15900	394	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.5	94.3

Daily Processed Summary (Average, Maximum Value)

Average	12400	396	2.42	BDL	BDL	1.52	0.0573	BDL	BDL	BDL	2.28	127
Maximum Value	16000	415	2.86	-	-	19.7	2.75	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/04/25 00:30	15800	392	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	91.8
11/04/25 01:00	15700	392	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	90.8
11/04/25 01:30	15100	392	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.31	88.1
11/04/25 02:00	14100	391	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	97.3
11/04/25 02:30	13800	391	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.96	98.3
11/04/25 03:00	13500	392	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.58	96.4
11/04/25 03:30	13600	394	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.58	85.8
11/04/25 04:00	13000	396	2.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	85.0
11/04/25 04:30	12700	393	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	84.5
11/04/25 05:00	12400	394	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.73	90.2
11/04/25 05:30	12100	394	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.84	92.5
11/04/25 06:00	11800	396	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.	93.6
11/04/25 06:30	11500	395	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.30	91.7
11/04/25 07:00	11600	398	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.19	90.5
11/04/25 07:30	11500	402	2.58	BDL	BDL	BDL	BDL	BDL	BDL	24.1	2.88	91.1
11/04/25 08:00	12000	405	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	91.3
11/04/25 08:30	12900	402	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	93.4
11/04/25 09:00	13800	397	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.06	86.6
11/04/25 09:30	14200	395	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.44	90.8
11/04/25 10:00	14500	398	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	105.
11/04/25 10:30	14600	397	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	130.
11/04/25 11:00	14800	396	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	154.
11/04/25 11:30	14900	397	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.39	158.
11/04/25 12:00	15100	397	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	163.
11/04/25 12:30	15100	398	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	153.
11/04/25 13:00	15100	399	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.12	153.
11/04/25 13:30	15200	397	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.15	140.
11/04/25 14:00	15300	398	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	138.
11/04/25 14:30	15100	397	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.60	144.
11/04/25 15:00	15200	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.08	141.
11/04/25 15:30	15300	396	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.32	139.
11/04/25 16:00	15200	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.16	132.
11/04/25 16:30	15300	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	134.
11/04/25 17:00	15300	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	126.
11/04/25 17:30	15300	394	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	122.
11/04/25 18:00	16100	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.54	123.
11/04/25 18:30	16400	394	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.40	180.
11/04/25 19:00	16700	392	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	126.
11/04/25 19:30	17100	391	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.71	125.
11/04/25 20:00	16900	392	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.63	116.
11/04/25 20:30	16500	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.05	131.
11/04/25 21:00	16600	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	111.
11/04/25 21:30	16600	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.3	106.
11/04/25 22:00	16600	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.47	134.
11/04/25 22:30	16800	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.18	115.
11/04/25 23:00	16700	389	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.85	120.
11/04/25 23:30	16800	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.00	108.
11/05/25 00:00	16700	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.98	132.

Daily Processed Summary (Average, Maximum Value)

Average	14800	395	2.34	BDL	BDL	BDL	BDL	BDL	BDL	0.502	3.31	122
Maximum Value	17100	405	2.74	-	-	-	-	-	-	24.1	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/05/25 00:30	16900	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.98	152.
11/05/25 01:00	16500	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.32	144.
11/05/25 01:30	16400	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.33	168.
11/05/25 02:00	16600	390	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.39	157.
11/05/25 02:30	16700	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.97	165.
11/05/25 03:00	16700	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.44	155.
11/05/25 03:30	16900	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	159.
11/05/25 04:00	16900	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.	165.
11/05/25 04:30	16900	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	162.
11/05/25 05:00	16900	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.58	165.
11/05/25 05:30	16900	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.858	186.
11/05/25 06:00	17100	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.55	160.
11/05/25 06:30	17200	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.19	269.
11/05/25 07:00	17700	394	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.387	31.9
11/05/25 07:30	17300	394	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.09	328.
11/05/25 08:00	17800	399	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.44	330.
11/05/25 08:30	18200	406	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.07	316.
11/05/25 09:00	18400	407	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.41	308.
11/05/25 09:30	18400	404	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	295.
11/05/25 10:00	18300	404	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	291.
11/05/25 10:30	18500	405	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.92	306.
11/05/25 11:00	18100	407	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.44	293.
11/05/25 11:30	17400	404	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	245.
11/05/25 12:00	17300	403	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.78	217.
11/05/25 12:30	17300	403	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	168.
11/05/25 13:00	17200	403	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	143.
11/05/25 13:30	17100	403	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	140.
11/05/25 14:00	17300	401	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	139.
11/05/25 14:30	17300	400	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	136.
11/05/25 15:00	17200	399	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	139.
11/05/25 15:30	17600	398	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	144.
11/05/25 16:00	17800	399	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.93	138.
11/05/25 16:30	17700	399	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	131.
11/05/25 17:00	18000	398	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	127.
11/05/25 17:30	18300	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	123.
11/05/25 18:00	18600	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.7	122.
11/05/25 18:30	18700	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	126.
11/05/25 19:00	19200	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.25	135.
11/05/25 19:30	19100	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.64	125.
11/05/25 20:00	19300	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	131.
11/05/25 20:30	19100	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	144.
11/05/25 21:00	18800	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.91	157.
11/05/25 21:30	18700	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.16	146.
11/05/25 22:00	19000	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.03	137.
11/05/25 22:30	18800	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.12	135.
11/05/25 23:00	18200	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.31	144.
11/05/25 23:30	18100	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.32	143.
11/06/25 00:00	18200	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.81	131.

Daily Processed Summary (Average, Maximum Value)

Average	17800	396	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	149
Maximum Value	19300	407	2.55	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/06/25 00:30	18100	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.31	138.
11/06/25 01:00	18100	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.64	139.
11/06/25 01:30	18100	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.51	134.
11/06/25 02:00	18100	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.23	124.
11/06/25 02:30	18000	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.09	121.
11/06/25 03:00	18100	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.92	114.
11/06/25 03:30	18400	396	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.6	94.2
11/06/25 04:00	18400	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.51	104.
11/06/25 04:30	18400	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	116.
11/06/25 05:00	18400	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.95	107.
11/06/25 05:30	18400	393	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.33	106.
11/06/25 06:00	18500	394	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.24	105.
11/06/25 06:30	18700	396	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.59	96.4
11/06/25 07:00	18400	396	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.72	95.4
11/06/25 07:30	18300	398	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	92.5
11/06/25 08:00	19100	404	2.55	BDL	BDL	3.58	BDL	BDL	BDL	BDL	0.0844	86.0
11/06/25 08:30	20200	412	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.07	266.
11/06/25 09:00	19900	418	2.8	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.11	294.
11/06/25 09:30	20000	415	2.78	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	285.
11/06/25 10:00	20200	412	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	278.
11/06/25 10:30	19800	409	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.16	264.
11/06/25 11:00	18400	402	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.14	207.
11/06/25 11:30	16500	401	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.68	184.
11/06/25 12:00	15800	402	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	149.
11/06/25 12:30	17000	403	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	145.
11/06/25 13:00	17200	403	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	154.
11/06/25 13:30	17200	402	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	144.
11/06/25 14:00	17400	402	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	138.
11/06/25 14:30	17500	400	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.74	153.
11/06/25 15:00	17600	398	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	152.
11/06/25 15:30	17600	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	142.
11/06/25 16:00	17500	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.19	132.
11/06/25 16:30	18000	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.83	130.
11/06/25 17:00	18200	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	131.
11/06/25 17:30	18200	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	135.
11/06/25 18:00	18600	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.64	140.
11/06/25 18:30	18500	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	138.
11/06/25 19:00	18800	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	138.
11/06/25 19:30	18900	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.50	145.
11/06/25 20:00	18600	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.50	146.
11/06/25 20:30	19200	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	152.
11/06/25 21:00	19000	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	160.
11/06/25 21:30	19100	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.27	169.
11/06/25 22:00	19300	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	168.
11/06/25 22:30	19200	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	171.
11/06/25 23:00	19400	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	167.
11/06/25 23:30	19700	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.80	168.
11/07/25 00:00	19600	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	173.

Daily Processed Summary (Average, Maximum Value)

Average	18400	397	2.27	BDL	BDL	0.0746	BDL	BDL	BDL	BDL	2.8	145
Maximum Value	20200	418	2.8	-	-	3.58	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/07/25 00:30	19700	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.47	173.
11/07/25 01:00	19900	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	175.
11/07/25 01:30	19900	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	177.
11/07/25 02:00	19900	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	186.
11/07/25 02:30	20000	391	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	178.
11/07/25 03:00	20100	393	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.61	190.
11/07/25 03:30	20300	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	193.
11/07/25 04:00	20500	391	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.92	195.
11/07/25 04:30	20700	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.8	207.
11/07/25 05:00	20700	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	210.
11/07/25 05:30	20800	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.16	205.
11/07/25 06:00	20900	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.48	216.
11/07/25 06:30	21000	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.41	191.
11/07/25 07:00	21000	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.29	212.
11/07/25 07:30	21300	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.63	252.
11/07/25 08:00	21300	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.29	247.
11/07/25 08:30	21700	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	236.
11/07/25 09:00	21900	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	246.
11/07/25 09:30	21700	398	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	249.
11/07/25 10:00	21400	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.39	210.
11/07/25 10:30	20900	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.08	212.
11/07/25 11:00	20400	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.79	209.
11/07/25 11:30	19800	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.95	212.
11/07/25 12:00	20300	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	208.
11/07/25 12:30	20800	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	207.
11/07/25 13:00	20900	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.12	196.
11/07/25 13:30	20800	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	201.
11/07/25 14:00	21200	397	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.66	206.
11/07/25 14:30	21100	398	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	195.
11/07/25 15:00	21100	397	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	207.
11/07/25 15:30	21000	397	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	206.
11/07/25 16:00	21200	396	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	195.
11/07/25 16:30	21600	396	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.4	195.
11/07/25 17:00	22100	395	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	177.
11/07/25 17:30	22400	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.04	172.
11/07/25 18:00	23000	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	173.
11/07/25 18:30	23300	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	175.
11/07/25 19:00	23600	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	173.
11/07/25 19:30	23800	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.92	171.
11/07/25 20:00	23800	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	170.
11/07/25 20:30	23700	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.	167.
11/07/25 21:00	23800	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.70	167.
11/07/25 21:30	23900	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.35	174.
11/07/25 22:00	24000	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	168.
11/07/25 22:30	23900	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	179.
11/07/25 23:00	23900	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	181.
11/07/25 23:30	23900	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.89	186.
11/08/25 00:00	23900	391	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	186.

Daily Processed Summary (Average, Maximum Value)

Average	21600	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	195
Maximum Value	24000	398	2.28	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/08/25 00:30	24000	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.55	194.
11/08/25 01:00	24000	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.99	205.
11/08/25 01:30	23900	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.95	216.
11/08/25 02:00	23800	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.65	235.
11/08/25 02:30	24100	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.04	280.
11/08/25 03:00	24200	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.91	296.
11/08/25 03:30	23800	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.52	306.
11/08/25 04:00	23300	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.4	339.
11/08/25 04:30	22800	376	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.855	4.79
11/08/25 05:00	22300	362	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.261	355.
11/08/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.668	135.
11/08/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.02	169.
11/08/25 06:30	22100	373	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.833	224.
11/08/25 07:00	22300	389	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.870	196.
11/08/25 07:30	22600	391	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.38	195.
11/08/25 08:00	23200	394	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.58	218.
11/08/25 08:30	23700	397	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	252.
11/08/25 09:00	23600	397	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	284.
11/08/25 09:30	23500	399	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.81	286.
11/08/25 10:00	23800	402	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	252.
11/08/25 10:30	24100	404	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.82	287.
11/08/25 11:00	24000	401	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.66	261.
11/08/25 11:30	23900	401	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.90	222.
11/08/25 12:00	23700	401	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	213.
11/08/25 12:30	23500	400	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	209.
11/08/25 13:00	23400	402	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.79	207.
11/08/25 13:30	23400	401	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	211.
11/08/25 14:00	22900	401	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	202.
11/08/25 14:30	23200	401	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.37	186.
11/08/25 15:00	24200	400	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	154.
11/08/25 15:30	24500	399	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.61	147.
11/08/25 16:00	24300	398	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	155.
11/08/25 16:30	23700	397	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.66	166.
11/08/25 17:00	23500	397	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.54	167.
11/08/25 17:30	24000	396	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	168.
11/08/25 18:00	24400	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	165.
11/08/25 18:30	25100	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	159.
11/08/25 19:00	25300	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.11	158.
11/08/25 19:30	25200	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	159.
11/08/25 20:00	25100	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.80	165.
11/08/25 20:30	25100	392	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	172.
11/08/25 21:00	25100	391	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	160.
11/08/25 21:30	25100	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.39	157.
11/08/25 22:00	25100	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.6	131.
11/08/25 22:30	24800	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.7	112.
11/08/25 23:00	24500	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	98.8
11/08/25 23:30	24500	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.81	110.
11/09/25 00:00	24500	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.59	118.

Daily Processed Summary (Average, Maximum Value)

Average	23900	393	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.22	189
Maximum Value	25300	404	2.36	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/09/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.97	99.8
11/09/25 01:00	23500	376	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.48	98.3
11/09/25 01:30	22500	392	2.35	BDL	BDL	12.2	BDL	BDL	BDL	BDL	0.686	30.6
11/09/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.18	10.3
11/09/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.23	20.0
11/09/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.49	17.2
11/09/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.1	17.0
11/09/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.25	14.2
11/09/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.36	13.8
11/09/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.89	9.77
11/09/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.66	14.2
11/09/25 06:00	14900	397	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.18	16.5
11/09/25 06:30	12800	396	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.80	17.3
11/09/25 07:00	11600	393	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.38	17.5
11/09/25 07:30	10300	392	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.65	17.8
11/09/25 08:00	9040	392	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.9	19.5
11/09/25 08:30	7770	392	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	23.1
11/09/25 09:00	7220	394	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	25.9
11/09/25 09:30	6750	396	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	26.9
11/09/25 10:00	6330	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	25.
11/09/25 10:30	6120	397	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	25.4
11/09/25 11:00	6100	396	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	23.3
11/09/25 11:30	5730	396	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	21.9
11/09/25 12:00	5800	399	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	25.5
11/09/25 12:30	5690	400	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	26.9
11/09/25 13:00	5480	396	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	19.
11/09/25 13:30	5530	398	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.33	14.4
11/09/25 14:00	5810	398	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.95	12.2
11/09/25 14:30	5380	398	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	15.7
11/09/25 15:00	5240	398	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.73	17.7
11/09/25 15:30	5490	397	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.39	14.4
11/09/25 16:00	5240	395	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	19.3
11/09/25 16:30	5370	394	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.17	18.7
11/09/25 17:00	5420	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	16.4
11/09/25 17:30	5580	391	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	16.0
11/09/25 18:00	6030	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	14.3
11/09/25 18:30	5710	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	13.9
11/09/25 19:00	6290	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.51	12.5
11/09/25 19:30	6240	388	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	12.7
11/09/25 20:00	6120	388	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	12.3
11/09/25 20:30	6070	388	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	14.
11/09/25 21:00	6210	385	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.15	13.6
11/09/25 21:30	6290	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	12.3
11/09/25 22:00	5880	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.45	17.0
11/09/25 22:30	M	M	M	M	M	M	M	M	M	M	9.12	17.3
11/09/25 23:00	M	M	M	M	M	M	M	M	M	M	8.43	15.8
11/09/25 23:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	7.65	16.5
11/10/25 00:00	5810	384	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	15.7

Daily Processed Summary (Average, Maximum Value)

Average	7700	393	2.28	BDL	BDL	0.339	BDL	BDL	BDL	BDL	7.45	19.2
Maximum Value	23500	400	2.4	-	-	12.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/10/25 00:30	5620	384	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	16.0
11/10/25 01:00	5850	384	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	13.6
11/10/25 01:30	5960	384	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	13.3
11/10/25 02:00	5790	383	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.99	14.9
11/10/25 02:30	5600	383	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	16.1
11/10/25 03:00	5600	382	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	15.3
11/10/25 03:30	5580	382	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	15.2
11/10/25 04:00	5220	381	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	15.5
11/10/25 04:30	5020	379	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	16.
11/10/25 05:00	4720	377	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.50	16.0
11/10/25 05:30	4380	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.20	16.
11/10/25 06:00	4040	376	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	15.9
11/10/25 06:30	4090	376	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	18.8
11/10/25 07:00	4210	377	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	17.8
11/10/25 07:30	4170	377	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	17.
11/10/25 08:00	4040	379	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	18.1
11/10/25 08:30	3910	382	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.44	21.8
11/10/25 09:00	3830	383	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.27	21.2
11/10/25 09:30	3500	384	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	26.3
11/10/25 10:00	3280	383	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	19.5
11/10/25 10:30	3180	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	19.8
11/10/25 11:00	3060	386	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	18.6
11/10/25 11:30	3430	388	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	349.
11/10/25 12:00	3200	390	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	341.
11/10/25 12:30	3030	391	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	348.
11/10/25 13:00	2880	391	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	356.
11/10/25 13:30	3020	390	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.11	340.
11/10/25 14:00	3030	389	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	0.316
11/10/25 14:30	2960	390	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	341.
11/10/25 15:00	2860	388	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.50	348.
11/10/25 15:30	2860	386	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	337.
11/10/25 16:00	2750	386	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	354.
11/10/25 16:30	2650	386	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	12.8
11/10/25 17:00	2640	386	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	19.1
11/10/25 17:30	2690	383	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.00	21.4
11/10/25 18:00	2990	380	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.75	15.9
11/10/25 18:30	3090	380	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.61	12.3
11/10/25 19:00	2990	381	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	15.2
11/10/25 19:30	3130	381	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.61	12.5
11/10/25 20:00	3240	379	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.51	18.8
11/10/25 20:30	3250	377	2.29	BDL	BDL	1.08	BDL	BDL	BDL	BDL	1.77	112.
11/10/25 21:00	3220	378	2.33	BDL	BDL	4.96	BDL	BDL	BDL	BDL	1.42	70.5
11/10/25 21:30	3320	373	2.37	BDL	BDL	5.86	BDL	BDL	BDL	BDL	1.27	82.3
11/10/25 22:00	3200	372	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.31	91.1
11/10/25 22:30	3630	376	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	95.1
11/10/25 23:00	4330	375	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	92.4
11/10/25 23:30	4300	375	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	90.2
11/11/25 00:00	4450	378	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	104.

Daily Processed Summary (Average, Maximum Value)

Average	3830	382	2.31	BDL	BDL	0.248	BDL	BDL	BDL	BDL	4.44	16.4
Maximum Value	5960	391	2.53	-	-	5.86	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/11/25 00:30	5020	378	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	97.8
11/11/25 01:00	4660	381	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	94.8
11/11/25 01:30	5050	381	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	96.2
11/11/25 02:00	5770	385	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.73	107.
11/11/25 02:30	5800	381	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.50	96.6
11/11/25 03:00	5990	383	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	91.8
11/11/25 03:30	5760	385	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.48	97.2
11/11/25 04:00	5190	384	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.59	91.4
11/11/25 04:30	4640	384	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	97.5
11/11/25 05:00	4620	386	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	94.5
11/11/25 05:30	4500	390	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	97.5
11/11/25 06:00	5000	396	2.78	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.4	91.4
11/11/25 06:30	5050	393	2.83	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	91.4
11/11/25 07:00	4850	395	2.82	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	89.1
11/11/25 07:30	4750	390	2.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	89.4
11/11/25 08:00	5080	393	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	81.4
11/11/25 08:30	5750	400	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	84.9
11/11/25 09:00	6870	397	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	86.7
11/11/25 09:30	7560	394	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	87.6
11/11/25 10:00	8570	394	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.51	109.
11/11/25 10:30	9420	396	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	134.
11/11/25 11:00	9890	400	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	154.
11/11/25 11:30	10400	400	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.71	151.
11/11/25 12:00	10900	399	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.49	158.
11/11/25 12:30	11300	399	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	154.
11/11/25 13:00	11700	398	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.21	161.
11/11/25 13:30	12000	397	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.5	163.
11/11/25 14:00	12500	401	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.56	170.
11/11/25 14:30	12900	402	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.42	166.
11/11/25 15:00	13100	403	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.91	168.
11/11/25 15:30	13200	398	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	171.
11/11/25 16:00	13400	398	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.77	166.
11/11/25 16:30	13800	397	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.69	163.
11/11/25 17:00	14200	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	163.
11/11/25 17:30	13600	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	171.
11/11/25 18:00	13600	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.40	173.
11/11/25 18:30	13600	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	171.
11/11/25 19:00	13600	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	173.
11/11/25 19:30	13900	385	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	184.
11/11/25 20:00	14100	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.52	184.
11/11/25 20:30	14200	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	180.
11/11/25 21:00	14300	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	180.
11/11/25 21:30	14400	386	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	179.
11/11/25 22:00	14600	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	173.
11/11/25 22:30	15200	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	172.
11/11/25 23:00	15200	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.50	171.
11/11/25 23:30	15300	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	171.
11/12/25 00:00	15200	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	179.

Daily Processed Summary (Average, Maximum Value)

Average	10000	391	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	148
Maximum Value	15300	403	2.83	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/12/25 00:30	15500	386	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	181.
11/12/25 01:00	15700	384	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	184.
11/12/25 01:30	15800	385	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.65	192.
11/12/25 02:00	15900	384	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.68	208.
11/12/25 02:30	15800	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.40	188.
11/12/25 03:00	15800	383	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.43	193.
11/12/25 03:30	15900	381	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.0648	304.
11/12/25 04:00	15700	383	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.83	324.
11/12/25 04:30	15800	384	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.618	353.
11/12/25 05:00	15700	381	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.633	125.
11/12/25 05:30	15700	379	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.927	160.
11/12/25 06:00	15700	381	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.993	148.
11/12/25 06:30	15700	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.03	143.
11/12/25 07:00	16000	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.33	140.
11/12/25 07:30	16300	385	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.01	141.
11/12/25 08:00	16800	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.68	157.
11/12/25 08:30	17500	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	166.
11/12/25 09:00	17400	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	177.
11/12/25 09:30	17500	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	173.
11/12/25 10:00	17300	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	192.
11/12/25 10:30	16700	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	193.
11/12/25 11:00	16800	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.90	186.
11/12/25 11:30	16600	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.15	179.
11/12/25 12:00	16700	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.80	182.
11/12/25 12:30	16900	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	185.
11/12/25 13:00	17100	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.3	166.
11/12/25 13:30	17000	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.40	168.
11/12/25 14:00	17100	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.4	162.
11/12/25 14:30	17000	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	160.
11/12/25 15:00	16400	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.13	168.
11/12/25 15:30	16900	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.66	163.
11/12/25 16:00	17300	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	162.
11/12/25 16:30	18600	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.54	141.
11/12/25 17:00	18800	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.09	143.
11/12/25 17:30	18900	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.40	142.
11/12/25 18:00	19000	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	145.
11/12/25 18:30	19300	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	138.
11/12/25 19:00	19600	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	129.
11/12/25 19:30	19800	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.41	127.
11/12/25 20:00	19700	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.40	133.
11/12/25 20:30	19600	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.11	137.
11/12/25 21:00	19500	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	140.
11/12/25 21:30	19600	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	138.
11/12/25 22:00	19800	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	143.
11/12/25 22:30	19900	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	141.
11/12/25 23:00	20000	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	143.
11/12/25 23:30	20000	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	143.
11/13/25 00:00	20200	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.52	145.

Daily Processed Summary (Average, Maximum Value)

Average	17500	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	161
Maximum Value	20200	397	2.27	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/13/25 00:30	20100	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	162.
11/13/25 01:00	19800	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	164.
11/13/25 01:30	19800	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	164.
11/13/25 02:00	19600	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	165.
11/13/25 02:30	19700	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	157.
11/13/25 03:00	19800	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.73	140.
11/13/25 03:30	19600	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.69	127.
11/13/25 04:00	19600	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.39	136.
11/13/25 04:30	19600	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.99	143.
11/13/25 05:00	19800	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	141.
11/13/25 05:30	20100	390	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.44	197.
11/13/25 06:00	20400	391	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.269	135.
11/13/25 06:30	20600	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.918	180.
11/13/25 07:00	20800	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.33	147.
11/13/25 07:30	21000	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.98	131.
11/13/25 08:00	21200	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.89	151.
11/13/25 08:30	21200	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	158.
11/13/25 09:00	21100	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.99	160.
11/13/25 09:30	21400	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	161.
11/13/25 10:00	20800	397	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	152.
11/13/25 10:30	20200	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.08	143.
11/13/25 11:00	20000	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	145.
11/13/25 11:30	20000	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.22	146.
11/13/25 12:00	20200	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.84	140.
11/13/25 12:30	20200	398	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	144.
11/13/25 13:00	20200	398	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.36	140.
11/13/25 13:30	20100	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.07	143.
11/13/25 14:00	20000	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.6	141.
11/13/25 14:30	19900	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	138.
11/13/25 15:00	20000	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.42	140.
11/13/25 15:30	19900	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.82	138.
11/13/25 16:00	19900	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.72	137.
11/13/25 16:30	20100	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	140.
11/13/25 17:00	20100	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.99	138.
11/13/25 17:30	20400	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	137.
11/13/25 18:00	20400	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	139.
11/13/25 18:30	20600	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	137.
11/13/25 19:00	20700	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.54	136.
11/13/25 19:30	20600	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	132.
11/13/25 20:00	20700	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.62	129.
11/13/25 20:30	20700	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	132.
11/13/25 21:00	20700	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.29	144.
11/13/25 21:30	20500	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.04	146.
11/13/25 22:00	20200	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.07	157.
11/13/25 22:30	20100	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.48	157.
11/13/25 23:00	20200	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	147.
11/13/25 23:30	20100	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	141.
11/14/25 00:00	20100	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	148.

Daily Processed Summary (Average, Maximum Value)

Average	20300	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	145
Maximum Value	21400	398	2.25	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/14/25 00:30	20000	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.5	165.
11/14/25 01:00	19900	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.54	161.
11/14/25 01:30	19900	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.79	165.
11/14/25 02:00	19900	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	163.
11/14/25 02:30	20000	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.11	164.
11/14/25 03:00	19900	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.51	165.
11/14/25 03:30	20000	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	166.
11/14/25 04:00	20100	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	166.
11/14/25 04:30	20100	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.31	168.
11/14/25 05:00	20000	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	167.
11/14/25 05:30	19700	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	168.
11/14/25 06:00	19700	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	161.
11/14/25 06:30	19700	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	153.
11/14/25 07:00	19900	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.59	142.
11/14/25 07:30	20100	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.52	144.
11/14/25 08:00	20300	390	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.59	149.
11/14/25 08:30	20600	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.00	159.
11/14/25 09:00	20500	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	168.
11/14/25 09:30	20500	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	171.
11/14/25 10:00	19900	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.30	169.
11/14/25 10:30	19300	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	182.
11/14/25 11:00	18800	398	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	165.
11/14/25 11:30	18800	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.42	154.
11/14/25 12:00	18500	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	147.
11/14/25 12:30	18400	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	161.
11/14/25 13:00	18700	399	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.9	143.
11/14/25 13:30	18800	398	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.72	143.
11/14/25 14:00	19000	398	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.58	142.
11/14/25 14:30	19000	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.13	143.
11/14/25 15:00	19100	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.33	132.
11/14/25 15:30	19100	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.54	127.
11/14/25 16:00	19200	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.20	126.
11/14/25 16:30	20000	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.83	132.
11/14/25 17:00	20800	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.71	133.
11/14/25 17:30	21000	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	131.
11/14/25 18:00	21100	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	142.
11/14/25 18:30	21100	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.48	147.
11/14/25 19:00	20900	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.15	144.
11/14/25 19:30	21300	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	145.
11/14/25 20:00	21000	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	144.
11/14/25 20:30	20700	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	142.
11/14/25 21:00	20300	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	139.
11/14/25 21:30	19900	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.39	138.
11/14/25 22:00	19700	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	152.
11/14/25 22:30	19500	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	152.
11/14/25 23:00	19000	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	168.
11/14/25 23:30	19000	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	172.
11/15/25 00:00	18700	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	173.

Daily Processed Summary (Average, Maximum Value)

Average	19800	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.1	151
Maximum Value	21300	399	2.24	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/15/25 00:30	18700	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	168.
11/15/25 01:00	18800	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	167.
11/15/25 01:30	18700	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	168.
11/15/25 02:00	18500	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.01	165.
11/15/25 02:30	18500	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	172.
11/15/25 03:00	18500	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	173.
11/15/25 03:30	18600	389	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	176.
11/15/25 04:00	18500	390	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	178.
11/15/25 04:30	18700	390	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	180.
11/15/25 05:00	18900	391	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	170.
11/15/25 05:30	19000	391	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	177.
11/15/25 06:00	19200	390	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.26	172.
11/15/25 06:30	19500	391	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.05	175.
11/15/25 07:00	19600	390	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.13	171.
11/15/25 07:30	20000	391	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.47	167.
11/15/25 08:00	20600	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.38	166.
11/15/25 08:30	21100	396	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	171.
11/15/25 09:00	21100	398	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	171.
11/15/25 09:30	21200	397	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	194.
11/15/25 10:00	21000	396	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.80	192.
11/15/25 10:30	20700	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	204.
11/15/25 11:00	20600	398	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	202.
11/15/25 11:30	20100	398	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.77	206.
11/15/25 12:00	19400	399	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.45	189.
11/15/25 12:30	18600	399	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	195.
11/15/25 13:00	19100	399	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.1	161.
11/15/25 13:30	19100	400	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	159.
11/15/25 14:00	19700	400	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	156.
11/15/25 14:30	19300	399	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.92	151.
11/15/25 15:00	19700	398	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.32	159.
11/15/25 15:30	19800	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.4	160.
11/15/25 16:00	19800	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.40	160.
11/15/25 16:30	20100	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	158.
11/15/25 17:00	21000	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	163.
11/15/25 17:30	21600	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	161.
11/15/25 18:00	21900	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	162.
11/15/25 18:30	22000	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.24	155.
11/15/25 19:00	22100	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	161.
11/15/25 19:30	22300	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	162.
11/15/25 20:00	22600	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	161.
11/15/25 20:30	22700	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	164.
11/15/25 21:00	22800	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.24	165.
11/15/25 21:30	22900	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.09	166.
11/15/25 22:00	23000	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.29	162.
11/15/25 22:30	22900	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.6	166.
11/15/25 23:00	22800	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	161.
11/15/25 23:30	23000	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	164.
11/16/25 00:00	23200	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	171.

Daily Processed Summary (Average, Maximum Value)

Average	20400	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.24	169
Maximum Value	23200	400	2.32	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/16/25 00:30	23400	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	178.
11/16/25 01:00	23200	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	185.
11/16/25 01:30	22800	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.25	188.
11/16/25 02:00	22700	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.8	188.
11/16/25 02:30	22700	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	197.
11/16/25 03:00	22700	388	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	197.
11/16/25 03:30	22700	388	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	197.
11/16/25 04:00	22700	388	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.25	198.
11/16/25 04:30	22700	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	192.
11/16/25 05:00	22700	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	194.
11/16/25 05:30	22700	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.67	193.
11/16/25 06:00	22800	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.01	184.
11/16/25 06:30	22700	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	173.
11/16/25 07:00	22800	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.80	163.
11/16/25 07:30	22900	388	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.42	167.
11/16/25 08:00	23300	389	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.89	176.
11/16/25 08:30	23700	392	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	188.
11/16/25 09:00	24000	393	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.69	211.
11/16/25 09:30	24300	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	203.
11/16/25 10:00	24100	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	196.
11/16/25 10:30	23300	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	208.
11/16/25 11:00	22900	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	211.
11/16/25 11:30	22500	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	223.
11/16/25 12:00	22400	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	213.
11/16/25 12:30	22300	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.43	210.
11/16/25 13:00	21900	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	201.
11/16/25 13:30	21600	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.8	222.
11/16/25 14:00	21700	398	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	196.
11/16/25 14:30	21400	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	186.
11/16/25 15:00	21900	397	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.83	161.
11/16/25 15:30	22200	396	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	167.
11/16/25 16:00	22000	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	168.
11/16/25 16:30	22000	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.9	173.
11/16/25 17:00	23300	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.85	173.
11/16/25 17:30	24200	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	168.
11/16/25 18:00	24700	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	173.
11/16/25 18:30	24700	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.70	171.
11/16/25 19:00	24700	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.54	163.
11/16/25 19:30	24900	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.54	163.
11/16/25 20:00	24900	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	161.
11/16/25 20:30	24600	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	160.
11/16/25 21:00	24700	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.52	154.
11/16/25 21:30	M	M	M	M	M	M	M	M	M	M	4.73	161.
11/16/25 22:00	M	M	M	M	M	M	M	M	M	M	4.47	164.
11/16/25 22:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	3.65	166.
11/16/25 23:00	24600	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	169.
11/16/25 23:30	24600	381	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	161.
11/17/25 00:00	24600	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	168.

Daily Processed Summary (Average, Maximum Value)

Average	23200	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	183
Maximum Value	24900	398	2.27	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/17/25 00:30	24700	379	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	170.
11/17/25 01:00	24800	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.00	168.
11/17/25 01:30	24800	375	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	166.
11/17/25 02:00	25000	374	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	162.
11/17/25 02:30	25100	374	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	163.
11/17/25 03:00	25100	372	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	169.
11/17/25 03:30	24900	368	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	172.
11/17/25 04:00	24800	367	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.37	182.
11/17/25 04:30	24600	360	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.03	178.
11/17/25 05:00	24400	352	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.33	170.
11/17/25 05:30	24200	345	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.81	178.
11/17/25 06:00	23900	339	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.70	169.
11/17/25 06:30	23900	332	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.51	151.
11/17/25 07:00	24200	342	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	158.
11/17/25 07:30	24900	367	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	155.
11/17/25 08:00	25500	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.89	155.
11/17/25 08:30	25900	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	151.
11/17/25 09:00	26000	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	162.
11/17/25 09:30	26000	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.92	162.
11/17/25 10:00	25600	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	150.
11/17/25 10:30	25200	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.71	158.
11/17/25 11:00	25100	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	154.
11/17/25 11:30	25200	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	143.
11/17/25 12:00	25200	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.99	141.
11/17/25 12:30	25300	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.92	135.
11/17/25 13:00	25500	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.8	131.
11/17/25 13:30	25700	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	133.
11/17/25 14:00	25800	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	142.
11/17/25 14:30	25800	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.63	143.
11/17/25 15:00	25400	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	140.
11/17/25 15:30	25400	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.53	143.
11/17/25 16:00	25300	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.62	141.
11/17/25 16:30	25300	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.42	143.
11/17/25 17:00	25400	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.99	141.
11/17/25 17:30	25200	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.78	141.
11/17/25 18:00	25100	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	144.
11/17/25 18:30	25100	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	152.
11/17/25 19:00	25100	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	161.
11/17/25 19:30	25100	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	149.
11/17/25 20:00	25300	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	146.
11/17/25 20:30	25300	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	149.
11/17/25 21:00	25100	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	160.
11/17/25 21:30	25000	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	161.
11/17/25 22:00	25100	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.77	160.
11/17/25 22:30	25100	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.30	162.
11/17/25 23:00	25200	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	161.
11/17/25 23:30	25200	381	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	161.
11/18/25 00:00	25100	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	165.

Daily Processed Summary (Average, Maximum Value)

Average	25100	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	151
Maximum Value	26000	393	2.21	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/18/25 00:30	25100	379	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	161.
11/18/25 01:00	25000	378	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	160.
11/18/25 01:30	24900	378	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	164.
11/18/25 02:00	24800	379	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	160.
11/18/25 02:30	24700	381	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.25	151.
11/18/25 03:00	24600	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	145.
11/18/25 03:30	24400	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.	161.
11/18/25 04:00	24400	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	165.
11/18/25 04:30	24200	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.15	164.
11/18/25 05:00	24100	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	158.
11/18/25 05:30	23900	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	159.
11/18/25 06:00	24000	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	161.
11/18/25 06:30	24000	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.47	160.
11/18/25 07:00	24100	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.74	166.
11/18/25 07:30	24200	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	162.
11/18/25 08:00	24400	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	162.
11/18/25 08:30	24900	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	164.
11/18/25 09:00	24700	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	161.
11/18/25 09:30	24600	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.95	153.
11/18/25 10:00	24100	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	153.
11/18/25 10:30	23500	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.66	168.
11/18/25 11:00	23700	396	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.8	141.
11/18/25 11:30	23500	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.83	144.
11/18/25 12:00	23600	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	137.
11/18/25 12:30	23800	396	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.31	139.
11/18/25 13:00	23700	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.38	137.
11/18/25 13:30	23800	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	149.
11/18/25 14:00	23800	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.17	147.
11/18/25 14:30	23700	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	145.
11/18/25 15:00	23600	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	137.
11/18/25 15:30	24000	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	140.
11/18/25 16:00	24000	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	141.
11/18/25 16:30	24300	392	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.88	140.
11/18/25 17:00	24400	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	139.
11/18/25 17:30	24700	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	138.
11/18/25 18:00	25100	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.4	135.
11/18/25 18:30	25400	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	134.
11/18/25 19:00	25500	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	134.
11/18/25 19:30	25500	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.73	135.
11/18/25 20:00	25600	375	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.81	138.
11/18/25 20:30	25700	375	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	139.
11/18/25 21:00	25800	373	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	136.
11/18/25 21:30	25800	368	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.3	135.
11/18/25 22:00	25900	364	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	136.
11/18/25 22:30	25900	361	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	133.
11/18/25 23:00	25900	359	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	126.
11/18/25 23:30	25800	354	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	132.
11/19/25 00:00	26000	355	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	145.

Daily Processed Summary (Average, Maximum Value)

Average	24600	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	146
Maximum Value	26000	396	2.2	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/19/25 00:30	26100	360	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.5	145.
11/19/25 01:00	26100	365	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	155.
11/19/25 01:30	26200	366	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	160.
11/19/25 02:00	26200	366	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.6	160.
11/19/25 02:30	26300	365	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	148.
11/19/25 03:00	26200	362	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	144.
11/19/25 03:30	26300	359	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	148.
11/19/25 04:00	26600	366	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.78	152.
11/19/25 04:30	26600	369	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	148.
11/19/25 05:00	26500	367	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	141.
11/19/25 05:30	26400	363	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	140.
11/19/25 06:00	26300	360	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.10	138.
11/19/25 06:30	26100	355	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	135.
11/19/25 07:00	26000	348	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.50	117.
11/19/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.04	118.
11/19/25 08:00	26400	357	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.81	127.
11/19/25 08:30	27000	372	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	133.
11/19/25 09:00	27300	382	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.93	131.
11/19/25 09:30	27300	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.85	138.
11/19/25 10:00	27000	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.92	146.
11/19/25 10:30	27000	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	138.
11/19/25 11:00	27200	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	133.
11/19/25 11:30	26900	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	145.
11/19/25 12:00	26700	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	146.
11/19/25 12:30	26600	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.66	143.
11/19/25 13:00	26500	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	141.
11/19/25 13:30	26500	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.04	143.
11/19/25 14:00	26500	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	144.
11/19/25 14:30	26300	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.14	141.
11/19/25 15:00	26200	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.68	142.
11/19/25 15:30	26400	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.28	141.
11/19/25 16:00	26600	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	141.
11/19/25 16:30	26700	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.61	141.
11/19/25 17:00	26600	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	139.
11/19/25 17:30	26800	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.04	136.
11/19/25 18:00	26800	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	132.
11/19/25 18:30	26700	378	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	128.
11/19/25 19:00	26600	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	124.
11/19/25 19:30	26600	373	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	122.
11/19/25 20:00	26500	374	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	126.
11/19/25 20:30	26500	375	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	128.
11/19/25 21:00	26300	375	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	127.
11/19/25 21:30	26100	374	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	131.
11/19/25 22:00	26000	374	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	135.
11/19/25 22:30	25900	376	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	138.
11/19/25 23:00	25800	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.41	139.
11/19/25 23:30	25800	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	144.
11/20/25 00:00	25800	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.73	137.

Daily Processed Summary (Average, Maximum Value)

Average	26500	376	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6	139
Maximum Value	27300	391	2.19	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/20/25 00:30	25900	374	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.98	133.
11/20/25 01:00	25800	374	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	139.
11/20/25 01:30	25700	374	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	149.
11/20/25 02:00	25700	371	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	153.
11/20/25 02:30	25600	373	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	152.
11/20/25 03:00	25400	373	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.28	147.
11/20/25 03:30	25300	370	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	136.
11/20/25 04:00	25100	367	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	121.
11/20/25 04:30	25000	365	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.32	119.
11/20/25 05:00	24400	363	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.35	97.9
11/20/25 05:30	24200	339	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	110.
11/20/25 06:00	24500	348	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.92	118.
11/20/25 06:30	24900	368	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	126.
11/20/25 07:00	24900	374	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	133.
11/20/25 07:30	25000	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	129.
11/20/25 08:00	25300	380	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	136.
11/20/25 08:30	25500	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.4	142.
11/20/25 09:00	25100	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	141.
11/20/25 09:30	25100	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.85	150.
11/20/25 10:00	24400	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	162.
11/20/25 10:30	23800	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	161.
11/20/25 11:00	23100	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.84	156.
11/20/25 11:30	23000	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.39	164.
11/20/25 12:00	23100	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.18	159.
11/20/25 12:30	23400	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	148.
11/20/25 13:00	23700	394	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.63	141.
11/20/25 13:30	23700	393	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.58	139.
11/20/25 14:00	23400	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	143.
11/20/25 14:30	23400	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.37	145.
11/20/25 15:00	23500	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	149.
11/20/25 15:30	23200	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.15	163.
11/20/25 16:00	23200	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.33	163.
11/20/25 16:30	23400	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.26	162.
11/20/25 17:00	23600	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.1	157.
11/20/25 17:30	24000	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.20	143.
11/20/25 18:00	24200	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	150.
11/20/25 18:30	24200	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	146.
11/20/25 19:00	24300	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	135.
11/20/25 19:30	24500	383	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	136.
11/20/25 20:00	24700	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.32	139.
11/20/25 20:30	24800	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.87	138.
11/20/25 21:00	24800	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	142.
11/20/25 21:30	24600	383	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.4	143.
11/20/25 22:00	24500	384	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	154.
11/20/25 22:30	24500	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	153.
11/20/25 23:00	24600	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	147.
11/20/25 23:30	24600	382	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	149.
11/21/25 00:00	24700	383	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.41	147.

Daily Processed Summary (Average, Maximum Value)

Average	24400	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	146
Maximum Value	25900	394	2.2	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/21/25 00:30	24800	382	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	149.
11/21/25 01:00	24800	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	149.
11/21/25 01:30	24900	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.73	156.
11/21/25 02:00	25000	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.46	158.
11/21/25 02:30	25200	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	157.
11/21/25 03:00	25400	382	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	162.
11/21/25 03:30	25400	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	159.
11/21/25 04:00	25600	379	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	163.
11/21/25 04:30	25700	378	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	162.
11/21/25 05:00	25700	374	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.80	159.
11/21/25 05:30	25800	372	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.37	159.
11/21/25 06:00	25900	369	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	158.
11/21/25 06:30	25900	366	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	152.
11/21/25 07:00	25800	361	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	154.
11/21/25 07:30	25900	365	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	156.
11/21/25 08:00	26200	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	153.
11/21/25 08:30	26500	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.70	155.
11/21/25 09:00	26500	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	162.
11/21/25 09:30	26400	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	174.
11/21/25 10:00	26000	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.79	187.
11/21/25 10:30	24900	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	200.
11/21/25 11:00	24200	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	198.
11/21/25 11:30	24200	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.88	200.
11/21/25 12:00	24200	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	197.
11/21/25 12:30	24200	394	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	203.
11/21/25 13:00	24300	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	200.
11/21/25 13:30	24500	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.63	196.
11/21/25 14:00	24600	394	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.31	188.
11/21/25 14:30	24900	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.60	181.
11/21/25 15:00	24700	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.31	172.
11/21/25 15:30	24600	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	172.
11/21/25 16:00	24700	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.85	174.
11/21/25 16:30	24600	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	172.
11/21/25 17:00	24700	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	177.
11/21/25 17:30	25200	390	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.16	175.
11/21/25 18:00	25500	387	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.20	172.
11/21/25 18:30	26100	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	164.
11/21/25 19:00	26400	379	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	162.
11/21/25 19:30	26600	375	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.00	161.
11/21/25 20:00	26600	371	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.53	159.
11/21/25 20:30	26600	366	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.37	169.
11/21/25 21:00	26600	361	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.37	168.
11/21/25 21:30	26500	357	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	161.
11/21/25 22:00	26400	357	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.99	160.
11/21/25 22:30	26400	357	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	156.
11/21/25 23:00	26300	353	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	173.
11/21/25 23:30	26300	351	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	176.
11/22/25 00:00	26000	348	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.88	192.

Daily Processed Summary (Average, Maximum Value)

Average	25500	379	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	172
Maximum Value	26600	395	2.2	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/22/25 00:30	26100	350	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.54	185.
11/22/25 01:00	26100	349	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.894	214.
11/22/25 01:30	26000	346	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.691	226.
11/22/25 02:00	25800	338	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.206	51.4
11/22/25 02:30	25800	337	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.15	177.
11/22/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.983	202.
11/22/25 03:30	25900	342	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.964	182.
11/22/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.7	130.
11/22/25 04:30	25400	338	2.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.12	154.
11/22/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.84	146.
11/22/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.48	152.
11/22/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.17	177.
11/22/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.52	173.
11/22/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.78	166.
11/22/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.33	173.
11/22/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.86	173.
11/22/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.02	172.
11/22/25 09:00	27400	384	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.9	203.
11/22/25 09:30	25400	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	338.
11/22/25 10:00	23500	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.07	25.1
11/22/25 10:30	23700	386	2.25	BDL	BDL	10.0	BDL	BDL	BDL	BDL	5.05	25.9
11/22/25 11:00	23300	398	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	20.9
11/22/25 11:30	22700	397	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.32	21.1
11/22/25 12:00	23300	405	2.28	BDL	BDL	6.10	BDL	BDL	BDL	BDL	4.3	20.4
11/22/25 12:30	23700	406	2.28	BDL	BDL	3.61	BDL	BDL	BDL	BDL	4.1	12.6
11/22/25 13:00	23600	402	2.27	BDL	BDL	1.87	BDL	BDL	BDL	BDL	2.64	21.3
11/22/25 13:30	23300	398	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.4	9.68
11/22/25 14:00	23100	399	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	17.5
11/22/25 14:30	23000	398	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	21.5
11/22/25 15:00	22700	399	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.31	19.3
11/22/25 15:30	22300	401	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	25.7
11/22/25 16:00	22100	400	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	26.0
11/22/25 16:30	22000	399	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	16.8
11/22/25 17:00	22100	399	2.3	BDL	BDL	2.07	BDL	BDL	BDL	BDL	3.15	41.2
11/22/25 17:30	23800	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.47	104.
11/22/25 18:00	23400	394	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.69	84.9
11/22/25 18:30	23500	397	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	84.7
11/22/25 19:00	22900	393	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	74.5
11/22/25 19:30	23100	395	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	93.1
11/22/25 20:00	23400	393	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	88.4
11/22/25 20:30	22400	390	2.32	BDL	BDL	13.6	BDL	BDL	BDL	BDL	3.16	58.6
11/22/25 21:00	18200	398	2.4	BDL	BDL	11.5	BDL	BDL	BDL	BDL	3.66	61.8
11/22/25 21:30	17900	400	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	67.6
11/22/25 22:00	17000	404	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	75.8
11/22/25 22:30	17100	404	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	77.5
11/22/25 23:00	17100	406	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	74.8
11/22/25 23:30	16800	405	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	75.7
11/23/25 00:00	16900	402	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	72.2

Daily Processed Summary (Average, Maximum Value)

Average	22700	387	2.28	BDL	BDL	1.28	BDL	BDL	BDL	BDL	1.91	58.5
Maximum Value	27400	406	2.57	-	-	13.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/23/25 00:30	16900	402	2.45	BDL	BDL	6.92	BDL	BDL	BDL	BDL	3.35	67.5
11/23/25 01:00	16300	400	2.47	BDL	BDL	18.4	BDL	BDL	BDL	BDL	2.95	66.
11/23/25 01:30	15600	400	2.47	BDL	BDL	14.2	BDL	BDL	BDL	BDL	3.93	69.5
11/23/25 02:00	15800	401	2.53	BDL	BDL	13.3	BDL	BDL	BDL	BDL	4.13	64.6
11/23/25 02:30	15100	401	2.54	BDL	BDL	13.9	BDL	BDL	BDL	BDL	4.32	61.6
11/23/25 03:00	15200	403	2.67	BDL	BDL	14.	BDL	BDL	BDL	BDL	3.88	64.1
11/23/25 03:30	14900	402	2.72	BDL	BDL	11.6	BDL	BDL	BDL	BDL	4.19	65.1
11/23/25 04:00	14600	402	2.71	BDL	BDL	10.2	BDL	BDL	BDL	BDL	4.07	65.0
11/23/25 04:30	14200	407	2.59	BDL	BDL	15.5	BDL	BDL	BDL	BDL	4.71	60.2
11/23/25 05:00	13800	409	2.56	BDL	BDL	17.8	BDL	BDL	BDL	BDL	4.89	57.1
11/23/25 05:30	13600	402	2.54	BDL	BDL	11.6	BDL	BDL	BDL	BDL	5.66	67.4
11/23/25 06:00	13400	398	2.54	BDL	BDL	11.2	BDL	BDL	BDL	BDL	4.99	68.9
11/23/25 06:30	13200	399	2.55	BDL	BDL	14.2	BDL	BDL	BDL	BDL	4.17	66.5
11/23/25 07:00	13200	398	2.55	BDL	BDL	12.	BDL	BDL	BDL	BDL	4.68	67.2
11/23/25 07:30	13600	399	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	68.7
11/23/25 08:00	13200	398	2.55	BDL	BDL	11.8	BDL	BDL	BDL	BDL	4.89	64.4
11/23/25 08:30	13300	399	2.55	BDL	BDL	10.8	BDL	BDL	BDL	BDL	4.58	67.3
11/23/25 09:00	13500	403	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.27	76.1
11/23/25 09:30	13800	405	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	81.3
11/23/25 10:00	14500	406	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	81.9
11/23/25 10:30	15300	403	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	77.7
11/23/25 11:00	16100	398	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.98	84.7
11/23/25 11:30	17000	396	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.4	85.8
11/23/25 12:00	17700	398	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.20	87.6
11/23/25 12:30	18400	397	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.03	88.7
11/23/25 13:00	19100	400	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	77.3
11/23/25 13:30	19600	395	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	89.6
11/23/25 14:00	19900	392	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	89.
11/23/25 14:30	20100	392	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.43	95.7
11/23/25 15:00	20400	393	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	96.5
11/23/25 15:30	20900	395	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	98.
11/23/25 16:00	21300	394	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.90	104.
11/23/25 16:30	21800	392	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	107.
11/23/25 17:00	22500	392	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	104.
11/23/25 17:30	22700	388	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	109.
11/23/25 18:00	23000	384	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	109.
11/23/25 18:30	23300	381	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	112.
11/23/25 19:00	23700	377	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	109.
11/23/25 19:30	24100	376	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	112.
11/23/25 20:00	24500	374	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.04	119.
11/23/25 20:30	24600	365	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	121.
11/23/25 21:00	24500	359	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.30	120.
11/23/25 21:30	24900	362	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	129.
11/23/25 22:00	M	M	M	M	M	M	M	M	M	M	5.47	129.
11/23/25 22:30	M	M	M	M	M	M	M	M	M	M	5.26	132.
11/23/25 23:00	M	M	M	M	M	M	M	M	M	M	5.7	135.
11/23/25 23:30	M	M	M	M	M	M	M	M	M	M	5.50	138.
11/24/25 00:00	24600	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.48	131.

Daily Processed Summary (Average, Maximum Value)

Average	18100	393	2.45	BDL	BDL	4.71	BDL	BDL	BDL	BDL	4.94	92
Maximum Value	24900	409	2.72	-	-	18.4	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/24/25 00:30	24800	375	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	139.
11/24/25 01:00	24900	376	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	131.
11/24/25 01:30	24800	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	132.
11/24/25 02:00	24800	376	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	138.
11/24/25 02:30	24800	375	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	149.
11/24/25 03:00	24800	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	157.
11/24/25 03:30	24800	375	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	145.
11/24/25 04:00	24600	378	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	151.
11/24/25 04:30	23900	384	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.1	161.
11/24/25 05:00	23600	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.5	163.
11/24/25 05:30	23600	383	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.41	162.
11/24/25 06:00	24000	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.63	162.
11/24/25 06:30	24000	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	166.
11/24/25 07:00	24100	381	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	159.
11/24/25 07:30	24100	383	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	162.
11/24/25 08:00	24200	383	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.3	161.
11/24/25 08:30	24400	386	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.92	156.
11/24/25 09:00	24900	386	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	163.
11/24/25 09:30	25000	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.25	168.
11/24/25 10:00	24800	387	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.72	176.
11/24/25 10:30	24200	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	183.
11/24/25 11:00	23800	390	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	187.
11/24/25 11:30	23300	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	195.
11/24/25 12:00	22900	392	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	202.
11/24/25 12:30	21900	393	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	200.
11/24/25 13:00	21400	395	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	198.
11/24/25 13:30	22500	394	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	202.
11/24/25 14:00	23000	393	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.57	198.
11/24/25 14:30	22600	392	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.82	199.
11/24/25 15:00	22900	393	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.44	194.
11/24/25 15:30	23600	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	178.
11/24/25 16:00	24000	391	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.25	178.
11/24/25 16:30	24300	390	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.43	176.
11/24/25 17:00	24500	388	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.4	176.
11/24/25 17:30	24600	386	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	170.
11/24/25 18:00	24600	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.21	171.
11/24/25 18:30	24500	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	169.
11/24/25 19:00	24200	385	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.6	171.
11/24/25 19:30	24000	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	176.
11/24/25 20:00	24200	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.54	194.
11/24/25 20:30	24300	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.99	181.
11/24/25 21:00	23900	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.86	307.
11/24/25 21:30	24500	381	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.95	212.
11/24/25 22:00	25000	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	201.
11/24/25 22:30	24800	379	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	198.
11/24/25 23:00	25100	379	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.65	196.
11/24/25 23:30	24900	377	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.77	204.
11/25/25 00:00	25000	377	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	200.

Daily Processed Summary (Average, Maximum Value)

Average	24100	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	176
Maximum Value	25100	395	2.26	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/25/25 00:30	24900	375	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.03	199.
11/25/25 01:00	25000	376	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	192.
11/25/25 01:30	25000	377	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.25	229.
11/25/25 02:00	25100	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.74	219.
11/25/25 02:30	25000	377	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.41	231.
11/25/25 03:00	24900	373	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.18	229.
11/25/25 03:30	24800	371	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.76	231.
11/25/25 04:00	24700	363	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.498	152.
11/25/25 04:30	24700	365	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.63	274.
11/25/25 05:00	24800	371	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.25	291.
11/25/25 05:30	24500	370	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.75	274.
11/25/25 06:00	24400	370	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	272.
11/25/25 06:30	23900	365	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.39	143.
11/25/25 07:00	23600	359	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.13	218.
11/25/25 07:30	23800	368	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	270.
11/25/25 08:00	24200	384	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	273.
11/25/25 08:30	24500	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	281.
11/25/25 09:00	24800	394	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	305.
11/25/25 09:30	25000	397	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.89	316.
11/25/25 10:00	25400	400	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	308.
11/25/25 10:30	25100	398	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	323.
11/25/25 11:00	24900	400	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	320.
11/25/25 11:30	24700	400	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	326.
11/25/25 12:00	24400	401	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	313.
11/25/25 12:30	24100	402	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	323.
11/25/25 13:00	23900	401	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	326.
11/25/25 13:30	23400	399	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.18	331.
11/25/25 14:00	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	4.26	329.
11/25/25 14:30	21700	405	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	326.
11/25/25 15:00	21800	404	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.79	324.
11/25/25 15:30	21300	405	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.08	344.
11/25/25 16:00	19400	404	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.47	43.2
11/25/25 16:30	19800	405	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.61	55.8
11/25/25 17:00	24500	400	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.71	153.
11/25/25 17:30	24200	399	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.333	255.
11/25/25 18:00	24700	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.67	143.
11/25/25 18:30	24400	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.689	103.
11/25/25 19:00	24800	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.84	123.
11/25/25 19:30	24900	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.10	137.
11/25/25 20:00	24900	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.21	113.
11/25/25 20:30	25000	382	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.12	79.6
11/25/25 21:00	24600	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.796	96.
11/25/25 21:30	23300	383	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.45	102.
11/25/25 22:00	20600	404	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.93	89.7
11/25/25 22:30	21500	399	2.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.89	82.2
11/25/25 23:00	23500	384	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	83.8
11/25/25 23:30	24100	374	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	81.2
11/26/25 00:00	23500	377	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.75	42.

Daily Processed Summary (Average, Maximum Value)

Average	24000	387	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.999	311
Maximum Value	25400	405	2.7	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/26/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.54	20.7
11/26/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.69	49.7
11/26/25 01:30	18800	405	2.51	BDL	BDL	8.44	BDL	BDL	BDL	BDL	4.44	56.2
11/26/25 02:00	17100	401	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	63.6
11/26/25 02:30	15700	411	2.44	BDL	BDL	22.1	BDL	BDL	BDL	BDL	5.25	38.2
11/26/25 03:00	15300	400	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	18.3
11/26/25 03:30	14900	395	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	21.8
11/26/25 04:00	14400	393	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.74	24.3
11/26/25 04:30	13600	396	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.51	24.3
11/26/25 05:00	13200	397	2.37	BDL	BDL	2.17	BDL	BDL	BDL	BDL	7.92	25.6
11/26/25 05:30	12800	395	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.02	24.8
11/26/25 06:00	12500	395	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.26	23.9
11/26/25 06:30	12300	394	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	23.6
11/26/25 07:00	12500	394	2.38	BDL	BDL	3.11	BDL	BDL	BDL	BDL	7.32	25.5
11/26/25 07:30	12300	393	2.37	BDL	BDL	2.61	BDL	BDL	BDL	BDL	7.3	25.5
11/26/25 08:00	12200	393	2.36	BDL	BDL	3.64	BDL	BDL	BDL	BDL	8.04	24.4
11/26/25 08:30	12000	393	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	24.4
11/26/25 09:00	12100	395	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	26.5
11/26/25 09:30	12000	395	2.38	BDL	BDL	2.66	BDL	BDL	BDL	BDL	9.88	29.0
11/26/25 10:00	12100	397	2.41	BDL	BDL	12.5	BDL	BDL	BDL	BDL	8.07	33.8
11/26/25 10:30	12100	398	2.4	BDL	BDL	8.19	BDL	BDL	BDL	BDL	7.78	32.1
11/26/25 11:00	12000	402	2.4	BDL	BDL	12.5	BDL	BDL	BDL	BDL	7.55	38.8
11/26/25 11:30	12000	400	2.4	BDL	BDL	11.4	BDL	BDL	BDL	BDL	7.19	36.5
11/26/25 12:00	12100	399	2.39	BDL	BDL	11.2	BDL	BDL	BDL	BDL	6.32	36.0
11/26/25 12:30	12200	398	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.46	24.8
11/26/25 13:00	12200	398	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.38	24.
11/26/25 13:30	11900	400	2.37	BDL	BDL	4.61	BDL	BDL	BDL	BDL	6.86	28.4
11/26/25 14:00	11800	399	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	21.5
11/26/25 14:30	11500	399	2.34	BDL	BDL	5.73	BDL	BDL	BDL	BDL	5.63	29.
11/26/25 15:00	11300	399	2.35	BDL	BDL	6.45	BDL	BDL	BDL	BDL	5.23	32.0
11/26/25 15:30	11200	400	2.36	BDL	BDL	7.09	BDL	BDL	BDL	BDL	6.04	27.6
11/26/25 16:00	11300	398	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	25.5
11/26/25 16:30	11100	398	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	21.8
11/26/25 17:00	10900	396	2.34	BDL	BDL	3.67	BDL	BDL	BDL	BDL	6.01	21.5
11/26/25 17:30	11200	395	2.34	BDL	BDL	4.12	BDL	BDL	BDL	BDL	3.90	15.3
11/26/25 18:00	11500	393	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.77	4.24
11/26/25 18:30	11200	392	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.11	11.3
11/26/25 19:00	10900	393	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	18.7
11/26/25 19:30	10800	396	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	20.1
11/26/25 20:00	10700	396	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.27	17.6
11/26/25 20:30	10500	392	2.36	BDL	BDL	9.58	BDL	BDL	BDL	BDL	2.89	28.7
11/26/25 21:00	10600	395	2.39	BDL	BDL	4.48	BDL	BDL	BDL	BDL	2.99	24.4
11/26/25 21:30	10600	396	2.41	BDL	BDL	7.5	BDL	BDL	BDL	BDL	3.60	21.7
11/26/25 22:00	9880	396	2.48	BDL	BDL	6.46	BDL	BDL	BDL	BDL	2.62	45.9
11/26/25 22:30	9400	394	2.57	BDL	BDL	1.20	BDL	BDL	BDL	BDL	3.59	62.2
11/26/25 23:00	9260	391	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	65.7
11/26/25 23:30	8930	393	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	67.1
11/27/25 00:00	8740	393	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	64.5

Daily Processed Summary (Average, Maximum Value)

Average	12000	397	2.4	BDL	BDL	3.51	BDL	BDL	BDL	BDL	6.01	29
Maximum Value	18800	411	2.57	-	-	22.1	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/27/25 00:30	8540	393	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	63.1
11/27/25 01:00	8170	393	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.10	63.7
11/27/25 01:30	7970	399	2.51	BDL	BDL	4.48	BDL	BDL	BDL	BDL	3.8	61.4
11/27/25 02:00	8170	399	2.52	BDL	BDL	9.30	BDL	BDL	BDL	BDL	3.51	59.1
11/27/25 02:30	8440	403	2.65	BDL	BDL	17.0	BDL	BDL	BDL	BDL	4.10	53.5
11/27/25 03:00	8520	404	2.58	BDL	BDL	40.8	BDL	BDL	BDL	BDL	4.93	35.7
11/27/25 03:30	8510	403	2.49	BDL	BDL	46.4	BDL	BDL	BDL	BDL	4.12	33.2
11/27/25 04:00	8250	405	2.48	BDL	BDL	26.6	BDL	BDL	BDL	BDL	3.85	47.2
11/27/25 04:30	8100	404	2.49	BDL	BDL	24.6	BDL	BDL	BDL	BDL	3.43	48.4
11/27/25 05:00	7870	403	2.52	BDL	BDL	13.3	BDL	BDL	BDL	BDL	3.41	56.5
11/27/25 05:30	7480	398	2.51	BDL	BDL	10.8	BDL	BDL	BDL	BDL	3.62	59.7
11/27/25 06:00	7540	397	2.54	BDL	BDL	2.41	BDL	BDL	BDL	BDL	4.29	61.3
11/27/25 06:30	7330	401	2.59	BDL	BDL	7.29	BDL	BDL	BDL	BDL	4.43	58.8
11/27/25 07:00	7150	399	2.57	BDL	BDL	10.9	BDL	BDL	BDL	BDL	4.62	60.2
11/27/25 07:30	7210	403	2.57	BDL	BDL	27.6	BDL	BDL	BDL	BDL	4.1	45.8
11/27/25 08:00	7530	405	2.56	BDL	BDL	37.	BDL	BDL	BDL	BDL	5.42	32.7
11/27/25 08:30	7640	403	2.56	BDL	BDL	36.8	BDL	BDL	BDL	BDL	5.55	34.5
11/27/25 09:00	8050	406	2.52	BDL	BDL	29.8	BDL	BDL	BDL	BDL	5.34	47.6
11/27/25 09:30	8560	402	2.44	BDL	BDL	15.2	BDL	BDL	BDL	BDL	4.94	53.3
11/27/25 10:00	8890	397	2.44	BDL	BDL	11.8	BDL	BDL	BDL	BDL	4.24	56.1
11/27/25 10:30	9330	399	2.46	BDL	BDL	9.25	BDL	BDL	BDL	BDL	3.66	56.
11/27/25 11:00	9530	396	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	59.9
11/27/25 11:30	9740	393	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	57.1
11/27/25 12:00	10000	394	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.18	57.1
11/27/25 12:30	10200	395	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	65.9
11/27/25 13:00	10300	395	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.48	82.6
11/27/25 13:30	10200	396	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.08	77.
11/27/25 14:00	10200	397	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.55	78.
11/27/25 14:30	9990	397	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	77.0
11/27/25 15:00	9900	395	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.8	68.9
11/27/25 15:30	9830	393	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	64.6
11/27/25 16:00	9680	393	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	75.
11/27/25 16:30	9440	393	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	63.7
11/27/25 17:00	8850	389	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	71.6
11/27/25 17:30	10500	386	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.11	104.
11/27/25 18:00	10800	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	93.4
11/27/25 18:30	10500	384	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.04	92.5
11/27/25 19:00	10300	383	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.50	93.9
11/27/25 19:30	9890	386	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.59	86.1
11/27/25 20:00	8770	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	88.9
11/27/25 20:30	8450	384	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	95.0
11/27/25 21:00	8510	383	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	94.7
11/27/25 21:30	8610	388	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	87.5
11/27/25 22:00	8390	388	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	88.1
11/27/25 22:30	8290	388	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	92.4
11/27/25 23:00	8360	386	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	94.1
11/27/25 23:30	8250	394	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.65	90.
11/28/25 00:00	7290	399	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.72	78.9

Daily Processed Summary (Average, Maximum Value)

Average	8830	395	2.42	BDL	BDL	7.94	BDL	BDL	BDL	BDL	3.91	67.5
Maximum Value	10800	406	2.65	-	-	46.4	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/28/25 00:30	7390	389	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.77	70.9
11/28/25 01:00	7790	389	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	66.5
11/28/25 01:30	7800	388	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	69.1
11/28/25 02:00	7600	387	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	70.7
11/28/25 02:30	7010	388	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.88	72.6
11/28/25 03:00	6870	388	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	74.1
11/28/25 03:30	7110	386	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	60.6
11/28/25 04:00	7570	385	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	61.6
11/28/25 04:30	7780	386	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.82	61.9
11/28/25 05:00	7980	385	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.47	63.2
11/28/25 05:30	8280	386	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	60.4
11/28/25 06:00	8820	387	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.35	63.0
11/28/25 06:30	9180	386	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	57.2
11/28/25 07:00	9250	387	2.42	BDL	BDL	5.31	BDL	BDL	BDL	BDL	4.39	61.
11/28/25 07:30	9310	388	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.25	61.6
11/28/25 08:00	9520	388	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	62.3
11/28/25 08:30	9830	389	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	70.7
11/28/25 09:00	9860	393	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	78.1
11/28/25 09:30	10300	392	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	74.0
11/28/25 10:00	10500	394	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	75.6
11/28/25 10:30	11200	396	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	85.2
11/28/25 11:00	11900	391	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	101.
11/28/25 11:30	12500	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.56	121.
11/28/25 12:00	12700	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.24	125.
11/28/25 12:30	12800	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	129.
11/28/25 13:00	13100	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.27	120.
11/28/25 13:30	13500	392	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.03	120.
11/28/25 14:00	13600	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.29	124.
11/28/25 14:30	13500	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.34	119.
11/28/25 15:00	13300	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	118.
11/28/25 15:30	13800	389	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.46	118.
11/28/25 16:00	13900	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	124.
11/28/25 16:30	14000	387	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.47	116.
11/28/25 17:00	13900	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.63	117.
11/28/25 17:30	14100	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	118.
11/28/25 18:00	13700	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	117.
11/28/25 18:30	13900	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	119.
11/28/25 19:00	14400	386	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.3	122.
11/28/25 19:30	14300	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	129.
11/28/25 20:00	14700	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.44	131.
11/28/25 20:30	14900	387	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.53	128.
11/28/25 21:00	14500	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	128.
11/28/25 21:30	14500	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.66	127.
11/28/25 22:00	15000	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.41	130.
11/28/25 22:30	15400	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	130.
11/28/25 23:00	15400	387	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	134.
11/28/25 23:30	15400	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.88	134.
11/29/25 00:00	15400	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.14	136.

Daily Processed Summary (Average, Maximum Value)

Average	11600	388	2.31	BDL	BDL	0.111	BDL	BDL	BDL	BDL	6.05	109
Maximum Value	15400	396	2.47	-	-	5.31	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/29/25 00:30	15500	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	132.
11/29/25 01:00	15600	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	132.
11/29/25 01:30	15700	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.84	137.
11/29/25 02:00	15400	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	139.
11/29/25 02:30	15900	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.37	139.
11/29/25 03:00	15900	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	144.
11/29/25 03:30	16200	385	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	140.
11/29/25 04:00	16700	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	142.
11/29/25 04:30	17300	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	149.
11/29/25 05:00	17400	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.14	146.
11/29/25 05:30	17700	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.38	143.
11/29/25 06:00	17900	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.14	143.
11/29/25 06:30	18500	381	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.10	153.
11/29/25 07:00	18600	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.87	159.
11/29/25 07:30	18900	382	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	161.
11/29/25 08:00	19700	375	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	166.
11/29/25 08:30	19900	372	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	153.
11/29/25 09:00	20400	371	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.53	157.
11/29/25 09:30	20400	375	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	147.
11/29/25 10:00	20800	378	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.24	151.
11/29/25 10:30	21200	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.14	148.
11/29/25 11:00	20500	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	163.
11/29/25 11:30	20100	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.41	169.
11/29/25 12:00	19900	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	167.
11/29/25 12:30	19800	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.62	167.
11/29/25 13:00	19900	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.01	168.
11/29/25 13:30	20300	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.30	170.
11/29/25 14:00	20600	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.65	172.
11/29/25 14:30	20900	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.1	167.
11/29/25 15:00	20900	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	170.
11/29/25 15:30	20900	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.04	163.
11/29/25 16:00	21000	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.59	168.
11/29/25 16:30	20800	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	171.
11/29/25 17:00	21000	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.77	167.
11/29/25 17:30	21000	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.60	163.
11/29/25 18:00	21100	381	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	162.
11/29/25 18:30	21300	381	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	158.
11/29/25 19:00	21300	381	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.74	160.
11/29/25 19:30	21300	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	160.
11/29/25 20:00	21300	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	156.
11/29/25 20:30	21400	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.1	138.
11/29/25 21:00	21700	378	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	150.
11/29/25 21:30	21800	376	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	169.
11/29/25 22:00	21800	376	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	160.
11/29/25 22:30	21700	377	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	162.
11/29/25 23:00	21800	376	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.35	159.
11/29/25 23:30	21800	376	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	167.
11/30/25 00:00	22100	376	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.77	170.

Daily Processed Summary (Average, Maximum Value)

Average	19700	382	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	156
Maximum Value	22100	390	2.21	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/30/25 00:30	22200	375	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	175.
11/30/25 01:00	22200	372	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	175.
11/30/25 01:30	22300	372	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	196.
11/30/25 02:00	22100	370	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.95	204.
11/30/25 02:30	22000	368	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	198.
11/30/25 03:00	22000	371	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.56	197.
11/30/25 03:30	21900	371	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.15	244.
11/30/25 04:00	20500	372	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	337.
11/30/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.8	16.2
11/30/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.45	19.5
11/30/25 05:30	14100	364	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.20	15.5
11/30/25 06:00	13400	381	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	18.
11/30/25 06:30	12800	384	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	20.2
11/30/25 07:00	12600	385	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	19.2
11/30/25 07:30	12300	386	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	20.8
11/30/25 08:00	12100	384	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.79	17.4
11/30/25 08:30	11700	385	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.6	17.3
11/30/25 09:00	10800	378	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.91	19.4
11/30/25 09:30	10400	382	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.47	17.1
11/30/25 10:00	9970	383	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	16.2
11/30/25 10:30	9630	385	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	17.7
11/30/25 11:00	9290	385	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.24	14.4
11/30/25 11:30	8890	384	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	17.2
11/30/25 12:00	8670	384	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	18.8
11/30/25 12:30	8820	384	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	21.7
11/30/25 13:00	8720	385	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	19.1
11/30/25 13:30	8860	385	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	18.0
11/30/25 14:00	9030	388	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.52	22.
11/30/25 14:30	8980	387	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.82	25.9
11/30/25 15:00	8780	385	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.82	20.9
11/30/25 15:30	8890	385	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	18.9
11/30/25 16:00	8890	384	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.12	18.0
11/30/25 16:30	8840	384	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.71	19.4
11/30/25 17:00	8910	384	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.9	20.6
11/30/25 17:30	9090	385	2.33	BDL	BDL	2.48	BDL	BDL	BDL	BDL	7.64	23.2
11/30/25 18:00	9240	386	2.33	BDL	BDL	3.35	BDL	BDL	BDL	BDL	6.68	20.6
11/30/25 18:30	9060	383	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	17.0
11/30/25 19:00	8980	383	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.89	21.1
11/30/25 19:30	8850	384	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	21.3
11/30/25 20:00	8850	384	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	18.5
11/30/25 20:30	8890	384	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	17.
11/30/25 21:00	8930	383	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	14.4
11/30/25 21:30	8810	382	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.04	14.4
11/30/25 22:00	8870	383	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	17.6
11/30/25 22:30	9150	385	2.51	BDL	BDL	0.96	BDL	BDL	BDL	BDL	7.2	23.
11/30/25 23:00	9440	385	2.55	BDL	BDL	4.20	BDL	BDL	BDL	BDL	6.74	21.5
11/30/25 23:30	M	M	M	M	M	M	M	M	M	M	5.52	17.4
12/01/25 00:00	M	M	M	M	M	M	M	M	M	M	6.00	23.7

Daily Processed Summary (Average, Maximum Value)

Average	12000	381	2.34	BDL	BDL	0.25	BDL	BDL	BDL	BDL	6.73	18.9
Maximum Value	22300	388	2.55	-	-	4.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR Daily (24-hour) Averages

Site: Formosa Point Comfort AAMS

Date	Capture%	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)	Met Capture%
12/01/25	100	9690	374	2.35	BDL	BDL	0.72	BDL	BDL	BDL	BDL	5.26	13.3	100
12/02/25	100	7440	385	2.41	BDL	BDL	0.034	BDL	BDL	BDL	BDL	3.63	18.3	100
12/03/25	100	12900	394	2.52	BDL	BDL	7.29	BDL	BDL	BDL	BDL	2.73	77	100
12/04/25	100	11500	381	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	12.4	100
12/05/25	100	9200	384	2.38	BDL	BDL	2.56	BDL	BDL	BDL	BDL	2.69	15.6	100
12/06/25	100	12900	392	2.44	BDL	BDL	2.14	BDL	BDL	BDL	BDL	1.25	118	100
12/07/25	91.3	13300	395	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.67	348	100
12/08/25	100	7720	385	2.42	BDL	BDL	1.54	BDL	BDL	BDL	BDL	4.42	13.6	100
12/09/25	100	10100	391	2.48	BDL	BDL	1.86	BDL	BDL	BDL	BDL	2.86	125	100
12/10/25	100	14500	393	2.35	BDL	BDL	1.36	BDL	BDL	BDL	BDL	0.435	268	100
12/11/25	100	11700	390	2.4	BDL	BDL	1.38	BDL	BDL	BDL	BDL	2.97	76	100
12/12/25	100	20400	386	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.95	137	100
12/13/25	100	20800	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.19	142	100
12/14/25	100	10800	384	2.37	BDL	BDL	0.26	BDL	BDL	BDL	BDL	7.66	20	100
12/15/25	95.7	6770	377	2.35	BDL	BDL	0.837	BDL	BDL	BDL	BDL	1.28	21.4	100
12/16/25	95.7	12100	388	2.39	BDL	BDL	3	BDL	BDL	BDL	BDL	4.49	89.6	100
12/17/25	100	18100	374	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	123	100
12/18/25	100	16500	385	2.31	BDL	BDL	0.0955	BDL	BDL	BDL	BDL	0.592	314	100
12/19/25	100	8490	386	2.31	BDL	BDL	0.176	BDL	BDL	BDL	BDL	2.53	95.8	100
12/20/25	100	19800	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	183	100
12/21/25	100	22500	380	2.23	BDL	BDL	0.0988	BDL	BDL	BDL	BDL	1.55	202	100
12/22/25	100	24300	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	144	100
12/23/25	100	22500	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.5	126	100
12/24/25	96	22600	381	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	125	100
12/25/25	100	23700	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.63	148	100
12/26/25	97.3	23200	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.97	193	100
12/27/25	100	23000	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	172	100
12/28/25	100	22300	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.7	171	100
12/29/25	100	4420	381	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.96	12.3	100
12/30/25	95.8	3820	380	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	4.75	100
12/31/25	100	5880	382	2.79	BDL	BDL	0.289	BDL	BDL	BDL	BDL	1.43	191	100

Daily Processed Summary (Average, Maximum Value)

Average	99.1	14600	385	2.34	BDL	BDL	0.763	BDL	BDL	BDL	BDL	1.4	88.4	100
Maximum Value	100	24300	395	2.79	BDL	BDL	7.29	BDL	BDL	BDL	BDL	-	-	100

BDL = Below Detection Limit

Blank = Not Available

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/01/25 00:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	7.35	18.7
12/01/25 01:00	9400	384	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.30	19.1
12/01/25 01:30	9540	384	2.37	BDL	BDL	0.866	BDL	BDL	BDL	BDL	6.42	18.8
12/01/25 02:00	9800	388	2.39	BDL	BDL	11.6	BDL	BDL	BDL	BDL	6.16	27.
12/01/25 02:30	9630	386	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.09	19.5
12/01/25 03:00	9690	386	2.36	BDL	BDL	1.54	BDL	BDL	BDL	BDL	6.52	22.4
12/01/25 03:30	9690	380	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	17.9
12/01/25 04:00	9690	382	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	18.3
12/01/25 04:30	9610	385	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	23.3
12/01/25 05:00	9530	386	2.38	BDL	BDL	9.29	BDL	BDL	BDL	BDL	5.54	24.8
12/01/25 05:30	9400	384	2.36	BDL	BDL	1.19	BDL	BDL	BDL	BDL	6.27	20.3
12/01/25 06:00	9210	383	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	12.6
12/01/25 06:30	9480	370	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	12.6
12/01/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.37	357.
12/01/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.66	13.5
12/01/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.72	15.2
12/01/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.33	8.99
12/01/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.82	13.9
12/01/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.23	12.4
12/01/25 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.97	15.2
12/01/25 10:30	9640	354	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	7.46
12/01/25 11:00	9780	376	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	12.8
12/01/25 11:30	9680	377	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.8	15.7
12/01/25 12:00	9770	374	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	6.68
12/01/25 12:30	9760	378	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	11.6
12/01/25 13:00	9660	379	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	11.9
12/01/25 13:30	9810	381	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.48	7.94
12/01/25 14:00	9780	381	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	7.76
12/01/25 14:30	9750	382	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	5.84
12/01/25 15:00	9710	380	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	5.95
12/01/25 15:30	9700	380	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	3.51
12/01/25 16:00	9650	381	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.36	10.7
12/01/25 16:30	9700	380	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	18.9
12/01/25 17:00	9840	371	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	14.4
12/01/25 17:30	9930	364	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.99	12.4
12/01/25 18:00	10100	356	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	1.52
12/01/25 18:30	10200	351	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	3.32
12/01/25 19:00	10200	358	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	6.4
12/01/25 19:30	10000	370	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.16	10.1
12/01/25 20:00	9910	355	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	9.
12/01/25 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.44	12.1
12/01/25 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.52	12.7
12/01/25 21:30	9420	327	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.88	12.8
12/01/25 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.14	9.94
12/01/25 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.65	10.9
12/01/25 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.97	11.1
12/01/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.92	9.63
12/02/25 00:00	8960	374	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	9.31

Daily Processed Summary (Average, Maximum Value)

Average	9690	374	2.35	BDL	BDL	0.72	BDL	BDL	BDL	BDL	5.26	13.3
Maximum Value	10200	388	2.39	-	-	11.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/02/25 00:30	8840	378	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	4.06
12/02/25 01:00	8660	380	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	6.44
12/02/25 01:30	8500	381	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	7.26
12/02/25 02:00	8380	381	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	13.4
12/02/25 02:30	8300	381	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	10.8
12/02/25 03:00	8120	381	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.56	15.5
12/02/25 03:30	7830	383	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	14.1
12/02/25 04:00	7610	383	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	13.2
12/02/25 04:30	7370	384	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	10.2
12/02/25 05:00	7290	383	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	11.
12/02/25 05:30	7380	383	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.29	13.6
12/02/25 06:00	7440	381	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.08	14.5
12/02/25 06:30	7210	381	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	14.0
12/02/25 07:00	6890	381	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.6	10.8
12/02/25 07:30	6770	380	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.4	14.5
12/02/25 08:00	6820	380	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.18	14.9
12/02/25 08:30	6760	382	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.11	13.0
12/02/25 09:00	6630	382	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	13.5
12/02/25 09:30	6620	384	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	17.5
12/02/25 10:00	6520	386	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.90	17.2
12/02/25 10:30	6290	385	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.63	21.4
12/02/25 11:00	6500	386	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	22.5
12/02/25 11:30	6610	386	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	16.8
12/02/25 12:00	6660	388	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	7.22
12/02/25 12:30	6730	388	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	10.6
12/02/25 13:00	6970	390	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	354.
12/02/25 13:30	6940	391	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.07	339.
12/02/25 14:00	7040	393	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	340.
12/02/25 14:30	7030	391	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	358.
12/02/25 15:00	7080	389	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	3.58
12/02/25 15:30	7200	389	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.27	5.38
12/02/25 16:00	7300	389	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	17.4
12/02/25 16:30	7360	389	2.34	BDL	BDL	1.63	BDL	BDL	BDL	BDL	3.26	25.4
12/02/25 17:00	7570	387	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.44	42.5
12/02/25 17:30	7760	389	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.95	54.5
12/02/25 18:00	7700	388	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.23	80.8
12/02/25 18:30	7850	386	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.85	94.6
12/02/25 19:00	7890	389	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.61	79.6
12/02/25 19:30	7890	391	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.10	92.7
12/02/25 20:00	7830	390	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.86	88.9
12/02/25 20:30	7780	387	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.67	102.
12/02/25 21:00	7750	384	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.60	112.
12/02/25 21:30	7580	381	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.40	120.
12/02/25 22:00	7620	382	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.31	138.
12/02/25 22:30	7710	382	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.407	92.7
12/02/25 23:00	7930	383	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	97.7
12/02/25 23:30	8290	383	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.82	63.4
12/03/25 00:00	8240	383	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.68	107.

Daily Processed Summary (Average, Maximum Value)

Average	7440	385	2.41	BDL	BDL	0.034	BDL	BDL	BDL	BDL	3.63	18.3
Maximum Value	8840	393	2.59	-	-	1.63	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/03/25 00:30	8370	384	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.07	60.2
12/03/25 01:00	8530	386	2.54	BDL	BDL	27.7	BDL	BDL	BDL	BDL	1.53	15.1
12/03/25 01:30	8640	389	2.61	BDL	BDL	30.2	BDL	BDL	BDL	BDL	0.748	2.69
12/03/25 02:00	8540	391	2.56	BDL	BDL	25.5	BDL	BDL	BDL	BDL	2.23	11.3
12/03/25 02:30	8250	391	2.58	BDL	BDL	0.919	BDL	BDL	BDL	BDL	2.93	20.9
12/03/25 03:00	7840	390	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	18.4
12/03/25 03:30	8140	391	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.31	13.6
12/03/25 04:00	8290	391	2.6	BDL	BDL	7.28	BDL	BDL	BDL	BDL	4.00	24.2
12/03/25 04:30	8440	402	2.67	BDL	BDL	77.6	BDL	BDL	BDL	BDL	3.03	34.4
12/03/25 05:00	8640	404	2.67	BDL	BDL	50.1	BDL	BDL	BDL	BDL	2.31	43.6
12/03/25 05:30	9050	392	2.48	BDL	BDL	1.86	BDL	BDL	BDL	BDL	3.61	67.6
12/03/25 06:00	9850	390	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.7	65.8
12/03/25 06:30	9770	396	2.55	BDL	BDL	11.8	BDL	BDL	BDL	BDL	2.31	57.5
12/03/25 07:00	10100	395	2.56	BDL	BDL	4.15	BDL	BDL	BDL	BDL	3.33	65.1
12/03/25 07:30	10600	403	2.62	BDL	BDL	2.11	BDL	BDL	BDL	BDL	4.35	75.6
12/03/25 08:00	11100	403	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	74.9
12/03/25 08:30	11800	399	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	64.6
12/03/25 09:00	12100	395	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.91	37.2
12/03/25 09:30	12300	395	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.46	42.1
12/03/25 10:00	12800	402	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.45	76.6
12/03/25 10:30	13200	404	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	74.8
12/03/25 11:00	13700	403	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	79.9
12/03/25 11:30	14000	402	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	79.1
12/03/25 12:00	14800	400	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	83.6
12/03/25 12:30	16200	392	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	87.3
12/03/25 13:00	17200	390	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	85.0
12/03/25 13:30	18200	388	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	88.8
12/03/25 14:00	19100	393	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	84.1
12/03/25 14:30	19400	391	2.39	BDL	BDL	2.16	BDL	BDL	BDL	BDL	2.15	57.
12/03/25 15:00	19500	391	2.43	BDL	BDL	6.37	BDL	BDL	BDL	BDL	2.5	61.4
12/03/25 15:30	19700	395	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	76.9
12/03/25 16:00	20000	397	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	83.4
12/03/25 16:30	20200	384	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	82.1
12/03/25 17:00	20400	368	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	89.4
12/03/25 17:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.51	96.4
12/03/25 18:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.63	102.
12/03/25 18:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.55	104.
12/03/25 19:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.30	102.
12/03/25 19:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.22	114.
12/03/25 20:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.95	113.
12/03/25 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.68	130.
12/03/25 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.15	145.
12/03/25 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.31	118.
12/03/25 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.972	177.
12/03/25 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.63	118.
12/03/25 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.978	98.9
12/03/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.49	330.
12/04/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.78	304.

Daily Processed Summary (Average, Maximum Value)

Average	12900	394	2.52	BDL	BDL	7.29	BDL	BDL	BDL	BDL	2.73	77
Maximum Value	20400	404	2.67	-	-	77.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/04/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.36	331.
12/04/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.98	317.
12/04/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.19	341.
12/04/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.13	7.54
12/04/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.48	21.4
12/04/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.21	28.0
12/04/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.26	21.5
12/04/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.57	19.
12/04/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.78	18.
12/04/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.50	18.4
12/04/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.85	16.6
12/04/25 06:00	15900	345	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	13.1
12/04/25 06:30	15900	366	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	18.0
12/04/25 07:00	15800	374	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	18.1
12/04/25 07:30	15500	375	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.12	19.9
12/04/25 08:00	15000	374	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.31	15.8
12/04/25 08:30	14200	373	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	15.6
12/04/25 09:00	13600	379	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	19.5
12/04/25 09:30	13100	383	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	11.6
12/04/25 10:00	12800	382	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	11.9
12/04/25 10:30	12400	384	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.7	13.8
12/04/25 11:00	12300	385	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.9	11.6
12/04/25 11:30	12100	383	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	9.95
12/04/25 12:00	11900	382	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	12.1
12/04/25 12:30	11700	384	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.8	13.8
12/04/25 13:00	11600	384	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.26	13.
12/04/25 13:30	11200	384	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	4.71
12/04/25 14:00	10900	382	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	11.6
12/04/25 14:30	10700	383	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	8.33
12/04/25 15:00	10500	384	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	12.8
12/04/25 15:30	10500	384	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	12.6
12/04/25 16:00	10400	384	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	15.2
12/04/25 16:30	10200	383	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.2	14.6
12/04/25 17:00	10300	384	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	11.
12/04/25 17:30	10300	384	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	6.25
12/04/25 18:00	10300	385	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	7.43
12/04/25 18:30	10200	384	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.4	10.8
12/04/25 19:00	10100	384	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	10.6
12/04/25 19:30	9930	383	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	10.6
12/04/25 20:00	10100	384	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.74	2.07
12/04/25 20:30	9780	385	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	9.52
12/04/25 21:00	9660	384	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	14.3
12/04/25 21:30	9540	383	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	19.2
12/04/25 22:00	9290	381	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.08	15.4
12/04/25 22:30	9290	382	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	16.4
12/04/25 23:00	9240	381	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	13.9
12/04/25 23:30	9190	382	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.31	11.9
12/05/25 00:00	9070	383	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	12.6

Daily Processed Summary (Average, Maximum Value)

Average	11500	381	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	12.4
Maximum Value	15900	385	2.48	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/05/25 00:30	8960	383	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.6	11.8
12/05/25 01:00	8730	382	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	8.74
12/05/25 01:30	8850	381	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	355.
12/05/25 02:00	8660	382	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	359.
12/05/25 02:30	8390	382	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	12.1
12/05/25 03:00	8310	381	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	11.3
12/05/25 03:30	8440	381	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.77	9.97
12/05/25 04:00	8500	381	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	10.7
12/05/25 04:30	8560	382	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	19.3
12/05/25 05:00	8450	382	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.80	14.0
12/05/25 05:30	8490	382	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	19.5
12/05/25 06:00	8520	382	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	20.3
12/05/25 06:30	8480	383	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.99	18.8
12/05/25 07:00	8530	382	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	20.1
12/05/25 07:30	8630	382	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	11.2
12/05/25 08:00	8610	383	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	16.6
12/05/25 08:30	8570	384	2.41	BDL	BDL	7.13	BDL	BDL	BDL	BDL	3.76	23.2
12/05/25 09:00	8480	385	2.41	BDL	BDL	7.22	BDL	BDL	BDL	BDL	3.73	31.3
12/05/25 09:30	8350	387	2.45	BDL	BDL	10.2	BDL	BDL	BDL	BDL	4.6	41.9
12/05/25 10:00	8330	383	2.38	BDL	BDL	4.09	BDL	BDL	BDL	BDL	5.47	15.0
12/05/25 10:30	8340	382	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	11.8
12/05/25 11:00	8450	385	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	9.11
12/05/25 11:30	8550	386	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.45	359.
12/05/25 12:00	8610	386	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	337.
12/05/25 12:30	8920	388	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	332.
12/05/25 13:00	9010	387	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.43	335.
12/05/25 13:30	8950	387	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.04	132.
12/05/25 14:00	9240	387	2.38	BDL	BDL	3.9	BDL	BDL	BDL	BDL	2.39	349.
12/05/25 14:30	9300	385	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.82	9.09
12/05/25 15:00	9520	384	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.74	359.
12/05/25 15:30	9570	383	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.38	356.
12/05/25 16:00	9580	385	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.01	7.18
12/05/25 16:30	9720	387	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.09	28.1
12/05/25 17:00	9740	387	2.38	BDL	BDL	3.48	BDL	BDL	BDL	BDL	1.79	24.9
12/05/25 17:30	9730	386	2.38	BDL	BDL	4.22	BDL	BDL	BDL	BDL	1.6	104.
12/05/25 18:00	9720	386	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.33	116.
12/05/25 18:30	9890	386	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	106.
12/05/25 19:00	9870	385	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	108.
12/05/25 19:30	9960	386	2.38	BDL	BDL	32.8	BDL	BDL	BDL	BDL	1.15	12.8
12/05/25 20:00	9990	385	2.38	BDL	BDL	41.3	BDL	BDL	BDL	BDL	2.11	115.
12/05/25 20:30	10000	384	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.76	152.
12/05/25 21:00	10100	385	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.08	132.
12/05/25 21:30	10400	385	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.04	119.
12/05/25 22:00	10400	387	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.477	274.
12/05/25 22:30	10600	386	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	309.
12/05/25 23:00	10900	386	2.44	BDL	BDL	2.92	BDL	BDL	BDL	BDL	1.55	335.
12/05/25 23:30	11000	387	2.45	BDL	BDL	3.07	BDL	BDL	BDL	BDL	3.41	326.
12/06/25 00:00	10900	388	2.42	BDL	BDL	2.38	BDL	BDL	BDL	BDL	3.11	329.

Daily Processed Summary (Average, Maximum Value)

Average	9200	384	2.38	BDL	BDL	2.56	BDL	BDL	BDL	BDL	2.69	15.6
Maximum Value	11000	388	2.45	-	-	41.3	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/06/25 00:30	10800	388	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	331.
12/06/25 01:00	10800	388	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.21	342.
12/06/25 01:30	10800	388	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.52	4.97
12/06/25 02:00	10900	388	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.802	42.9
12/06/25 02:30	11200	388	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.06	1.65
12/06/25 03:00	11400	387	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.26	356.
12/06/25 03:30	11500	385	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.65	351.
12/06/25 04:00	11300	379	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.97	354.
12/06/25 04:30	11200	383	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.40	4.28
12/06/25 05:00	11200	382	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.18	22.0
12/06/25 05:30	11100	380	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.69	9.90
12/06/25 06:00	11100	383	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	3.06
12/06/25 06:30	11200	387	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.44	18.4
12/06/25 07:00	11300	390	2.49	BDL	BDL	5.58	BDL	BDL	BDL	BDL	1.13	83.3
12/06/25 07:30	11700	390	2.52	BDL	BDL	16.7	BDL	BDL	BDL	BDL	0.602	314.
12/06/25 08:00	11800	391	2.5	BDL	BDL	50.1	BDL	BDL	BDL	BDL	0.442	53.5
12/06/25 08:30	11700	391	2.46	BDL	BDL	1.52	BDL	BDL	BDL	BDL	2.32	112.
12/06/25 09:00	11800	389	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	140.
12/06/25 09:30	12000	390	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.73	116.
12/06/25 10:00	12200	392	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.10	136.
12/06/25 10:30	12500	396	2.46	BDL	BDL	9.17	BDL	BDL	BDL	BDL	0.905	332.
12/06/25 11:00	12900	399	2.48	BDL	BDL	6.91	BDL	BDL	BDL	BDL	1.92	142.
12/06/25 11:30	12600	397	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.65	134.
12/06/25 12:00	13100	401	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.80	288.
12/06/25 12:30	13600	405	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.45	292.
12/06/25 13:00	12900	405	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	283.
12/06/25 13:30	12500	400	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	192.
12/06/25 14:00	12200	398	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.28	155.
12/06/25 14:30	12500	398	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	136.
12/06/25 15:00	13000	396	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	133.
12/06/25 15:30	14000	395	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	129.
12/06/25 16:00	14900	396	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	133.
12/06/25 16:30	15400	396	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	123.
12/06/25 17:00	15700	395	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	135.
12/06/25 17:30	15900	394	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	131.
12/06/25 18:00	16100	393	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	130.
12/06/25 18:30	16200	394	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.78	135.
12/06/25 19:00	16300	395	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.49	136.
12/06/25 19:30	15900	393	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.99	125.
12/06/25 20:00	15900	393	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.01	131.
12/06/25 20:30	15800	392	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.55	132.
12/06/25 21:00	16100	374	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	121.
12/06/25 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.65	121.
12/06/25 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.40	117.
12/06/25 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.50	107.
12/06/25 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.68	111.
12/06/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.09	76.9
12/07/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.04	325.

Daily Processed Summary (Average, Maximum Value)

Average	12900	392	2.44	BDL	BDL	2.14	BDL	BDL	BDL	BDL	1.25	118
Maximum Value	16300	405	2.52	-	-	50.1	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/07/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.505	4.26
12/07/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.64	93.5
12/07/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.00	98.5
12/07/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.66	92.3
12/07/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.578	78.9
12/07/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.451	334.
12/07/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.98	329.
12/07/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.37	341.
12/07/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.72	348.
12/07/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.32	352.
12/07/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.85	345.
12/07/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.99	349.
12/07/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.03	338.
12/07/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.30	0.142
12/07/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.23	0.837
12/07/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.39	331.
12/07/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.91	301.
12/07/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.7	324.
12/07/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.65	313.
12/07/25 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.35	270.
12/07/25 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.06	281.
12/07/25 11:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.81	276.
12/07/25 11:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.76	291.
12/07/25 12:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.43	315.
12/07/25 12:30	19900	402	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.87	311.
12/07/25 13:00	20300	402	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	299.
12/07/25 13:30	20400	405	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.73	301.
12/07/25 14:00	20000	406	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.89	311.
12/07/25 14:30	M	M	M	M	M	M	M	M	M	M	3.93	296.
12/07/25 15:00	M	M	M	M	M	M	M	M	M	M	4.4	276.
12/07/25 15:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	4.38	277.
12/07/25 16:00	17200	400	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	292.
12/07/25 16:30	16800	401	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	318.
12/07/25 17:00	14600	401	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	0.381
12/07/25 17:30	11600	400	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.48	15.2
12/07/25 18:00	11000	398	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.82	16.3
12/07/25 18:30	10700	396	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.84	14.5
12/07/25 19:00	10600	394	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.18	12.6
12/07/25 19:30	10700	392	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.15	8.05
12/07/25 20:00	10800	391	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	5.87
12/07/25 20:30	10900	390	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.60	353.
12/07/25 21:00	10700	389	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.4	3.27
12/07/25 21:30	10700	389	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	6.17
12/07/25 22:00	10600	389	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	4.64
12/07/25 22:30	10500	388	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.40	3.26
12/07/25 23:00	10500	389	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	5.62
12/07/25 23:30	10200	388	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	7.63
12/08/25 00:00	9670	387	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	7.4

Daily Processed Summary (Average, Maximum Value)

Average	13300	395	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.67	348
Maximum Value	20400	406	2.6	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/08/25 00:30	9250	386	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	10.2
12/08/25 01:00	9140	385	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	8.82
12/08/25 01:30	8890	385	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	9.81
12/08/25 02:00	8870	384	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	9.40
12/08/25 02:30	8940	384	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	5.14
12/08/25 03:00	8710	384	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	0.946
12/08/25 03:30	8390	383	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.54	358.
12/08/25 04:00	8030	380	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	6.13
12/08/25 04:30	7760	379	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	10.4
12/08/25 05:00	7570	378	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	13.2
12/08/25 05:30	7490	379	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.10	11.5
12/08/25 06:00	7410	380	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	13.7
12/08/25 06:30	7420	378	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.70	11.3
12/08/25 07:00	7310	378	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	13.5
12/08/25 07:30	7180	377	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.75	14.7
12/08/25 08:00	7130	377	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.99	10.9
12/08/25 08:30	7220	379	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	15.
12/08/25 09:00	7020	380	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.6	20.4
12/08/25 09:30	7160	382	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.78	21.1
12/08/25 10:00	7360	385	2.4	BDL	BDL	2.67	BDL	BDL	BDL	BDL	8.07	25.5
12/08/25 10:30	7410	385	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.75	20.9
12/08/25 11:00	7620	386	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.95	20.4
12/08/25 11:30	7790	388	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	18.0
12/08/25 12:00	7900	389	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	11.4
12/08/25 12:30	7860	389	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	16.2
12/08/25 13:00	7810	391	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	0.314
12/08/25 13:30	7860	392	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	11.2
12/08/25 14:00	7710	391	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.51	0.490
12/08/25 14:30	7570	390	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	5.03
12/08/25 15:00	7560	392	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	355.
12/08/25 15:30	7330	391	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	18.1
12/08/25 16:00	7220	390	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.99	11.9
12/08/25 16:30	7330	391	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	11.4
12/08/25 17:00	7480	391	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	18.6
12/08/25 17:30	7610	389	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	10.3
12/08/25 18:00	7610	388	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	9.17
12/08/25 18:30	7500	386	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	14.
12/08/25 19:00	7540	385	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.99	13.
12/08/25 19:30	7610	385	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.73	29.8
12/08/25 20:00	7620	386	2.39	BDL	BDL	4.07	BDL	BDL	BDL	BDL	1.58	54.8
12/08/25 20:30	7720	387	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.621	128.
12/08/25 21:00	7710	387	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.246	134.
12/08/25 21:30	7320	385	2.42	BDL	BDL	12.6	BDL	BDL	BDL	BDL	1.45	25.3
12/08/25 22:00	7270	384	2.44	BDL	BDL	16.1	BDL	BDL	BDL	BDL	1.44	35.3
12/08/25 22:30	7550	385	2.43	BDL	BDL	13.4	BDL	BDL	BDL	BDL	2.00	32.4
12/08/25 23:00	7560	386	2.55	BDL	BDL	7.04	BDL	BDL	BDL	BDL	0.447	58.5
12/08/25 23:30	7540	386	2.6	BDL	BDL	3.71	BDL	BDL	BDL	BDL	0.307	191.
12/09/25 00:00	7560	384	2.55	BDL	BDL	14.4	BDL	BDL	BDL	BDL	1.21	40.8

Daily Processed Summary (Average, Maximum Value)

Average	7720	385	2.42	BDL	BDL	1.54	BDL	BDL	BDL	BDL	4.42	13.6
Maximum Value	9250	392	2.6	-	-	16.1	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/09/25 00:30	7610	384	2.46	BDL	BDL	19.6	BDL	BDL	BDL	BDL	1.08	55.2
12/09/25 01:00	7540	384	2.49	BDL	BDL	16.4	BDL	BDL	BDL	BDL	1.00	55.3
12/09/25 01:30	7530	382	2.48	BDL	BDL	14.1	BDL	BDL	BDL	BDL	1.23	22.1
12/09/25 02:00	7650	383	2.5	BDL	BDL	13.7	BDL	BDL	BDL	BDL	1.28	45.9
12/09/25 02:30	7800	384	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.27	69.4
12/09/25 03:00	8010	388	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.44	80.6
12/09/25 03:30	7620	396	2.73	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	86.9
12/09/25 04:00	7660	391	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.45	87.1
12/09/25 04:30	7740	397	2.79	BDL	BDL	1.68	BDL	BDL	BDL	BDL	3.52	81.6
12/09/25 05:00	7910	399	2.79	BDL	BDL	3.6	BDL	BDL	BDL	BDL	3.64	83.1
12/09/25 05:30	8010	396	2.78	BDL	BDL	3.64	BDL	BDL	BDL	BDL	3.48	82.7
12/09/25 06:00	8100	394	2.76	BDL	BDL	3.85	BDL	BDL	BDL	BDL	3.05	82.6
12/09/25 06:30	8030	387	2.76	BDL	BDL	1.98	BDL	BDL	BDL	BDL	3.41	87.8
12/09/25 07:00	8230	389	2.85	BDL	BDL	5.04	BDL	BDL	BDL	BDL	2.83	80.4
12/09/25 07:30	8250	388	2.78	BDL	BDL	5.93	BDL	BDL	BDL	BDL	2.61	82.3
12/09/25 08:00	8240	387	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.94	87.9
12/09/25 08:30	8800	389	2.64	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.22	80.9
12/09/25 09:00	9490	395	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.39	89.1
12/09/25 09:30	10300	394	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	90.4
12/09/25 10:00	11100	393	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.72	92.3
12/09/25 10:30	11600	393	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.11	98.4
12/09/25 11:00	11700	394	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	114.
12/09/25 11:30	11300	395	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	125.
12/09/25 12:00	10400	395	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	139.
12/09/25 12:30	9200	395	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	155.
12/09/25 13:00	8590	394	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	171.
12/09/25 13:30	7690	395	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	143.
12/09/25 14:00	8940	395	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	142.
12/09/25 14:30	9950	394	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	139.
12/09/25 15:00	10400	394	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	139.
12/09/25 15:30	11300	395	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.40	129.
12/09/25 16:00	11700	394	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	130.
12/09/25 16:30	11900	392	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	139.
12/09/25 17:00	12200	393	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	145.
12/09/25 17:30	12300	392	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	144.
12/09/25 18:00	12400	392	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.76	143.
12/09/25 18:30	12500	390	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	145.
12/09/25 19:00	12200	389	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	168.
12/09/25 19:30	11700	389	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	179.
12/09/25 20:00	11900	389	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.3	178.
12/09/25 20:30	11900	388	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.11	176.
12/09/25 21:00	11800	386	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.49	141.
12/09/25 21:30	11900	385	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.60	134.
12/09/25 22:00	11900	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.84	147.
12/09/25 22:30	12100	386	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.81	159.
12/09/25 23:00	12500	387	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.11	162.
12/09/25 23:30	13000	387	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	170.
12/10/25 00:00	13500	388	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	168.

Daily Processed Summary (Average, Maximum Value)

Average	10100	391	2.48	BDL	BDL	1.86	BDL	BDL	BDL	BDL	2.86	125
Maximum Value	13500	399	2.85	-	-	19.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/10/25 00:30	13600	388	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	172.
12/10/25 01:00	13600	389	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	178.
12/10/25 01:30	13900	389	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	182.
12/10/25 02:00	14300	389	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	189.
12/10/25 02:30	14700	389	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	197.
12/10/25 03:00	14800	389	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.44	206.
12/10/25 03:30	14600	386	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.53	204.
12/10/25 04:00	14600	385	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.83	205.
12/10/25 04:30	14600	385	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.89	203.
12/10/25 05:00	14600	385	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	208.
12/10/25 05:30	14500	382	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.970	195.
12/10/25 06:00	14300	378	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.04	194.
12/10/25 06:30	14300	380	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.743	237.
12/10/25 07:00	14000	358	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.571	286.
12/10/25 07:30	14100	367	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.599	205.
12/10/25 08:00	14100	389	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.755	287.
12/10/25 08:30	14500	396	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.99	327.
12/10/25 09:00	15000	399	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	314.
12/10/25 09:30	15400	399	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	326.
12/10/25 10:00	15900	399	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.43	308.
12/10/25 10:30	16500	399	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	257.
12/10/25 11:00	16600	401	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	247.
12/10/25 11:30	16700	400	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.90	214.
12/10/25 12:00	16400	400	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	230.
12/10/25 12:30	16400	403	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.53	240.
12/10/25 13:00	16300	403	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	243.
12/10/25 13:30	16200	404	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	224.
12/10/25 14:00	16100	404	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	229.
12/10/25 14:30	16200	404	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.2	246.
12/10/25 15:00	15600	405	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.61	331.
12/10/25 15:30	15000	402	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	343.
12/10/25 16:00	14600	401	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.68	342.
12/10/25 16:30	15600	401	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.758	102.
12/10/25 17:00	17000	399	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.35	134.
12/10/25 17:30	17200	398	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.8	144.
12/10/25 18:00	16700	396	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.92	154.
12/10/25 18:30	16500	392	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.32	122.
12/10/25 19:00	16400	393	2.37	BDL	BDL	1.60	BDL	BDL	BDL	BDL	1.05	2.65
12/10/25 19:30	14500	392	2.34	BDL	BDL	6.50	BDL	BDL	BDL	BDL	3.56	18.2
12/10/25 20:00	12300	399	2.45	BDL	BDL	21.	BDL	BDL	BDL	BDL	3.88	33.3
12/10/25 20:30	11200	397	2.47	BDL	BDL	22.1	BDL	BDL	BDL	BDL	6.45	33.7
12/10/25 21:00	11100	397	2.41	BDL	BDL	11.9	BDL	BDL	BDL	BDL	4.60	26.5
12/10/25 21:30	11100	394	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	21.5
12/10/25 22:00	10900	395	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	21.6
12/10/25 22:30	10900	397	2.47	BDL	BDL	1.95	BDL	BDL	BDL	BDL	4.69	22.8
12/10/25 23:00	10800	394	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	13.8
12/10/25 23:30	10600	389	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	9.60
12/11/25 00:00	10500	388	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.01	19.2

Daily Processed Summary (Average, Maximum Value)

Average	14500	393	2.35	BDL	BDL	1.36	BDL	BDL	BDL	BDL	0.435	268
Maximum Value	17200	405	2.52	-	-	22.1	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/11/25 00:30	10200	387	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	17.5
12/11/25 01:00	9840	386	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	15.7
12/11/25 01:30	9510	387	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	16.5
12/11/25 02:00	9440	391	2.44	BDL	BDL	3.24	BDL	BDL	BDL	BDL	5.87	17.3
12/11/25 02:30	9400	393	2.42	BDL	BDL	9.55	BDL	BDL	BDL	BDL	5.15	22.1
12/11/25 03:00	9160	392	2.45	BDL	BDL	10.6	BDL	BDL	BDL	BDL	2.17	14.6
12/11/25 03:30	8910	386	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	13.5
12/11/25 04:00	8610	385	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.80	15.
12/11/25 04:30	8450	388	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	14.3
12/11/25 05:00	8310	387	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.70	18.2
12/11/25 05:30	8180	387	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.	18.3
12/11/25 06:00	8180	388	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	13.5
12/11/25 06:30	8150	387	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.49	13.2
12/11/25 07:00	8090	387	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.75	13.6
12/11/25 07:30	8040	388	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.8	16.5
12/11/25 08:00	7890	394	2.54	BDL	BDL	12.2	BDL	BDL	BDL	BDL	2.91	30.6
12/11/25 08:30	7670	406	2.6	BDL	BDL	20.7	BDL	BDL	BDL	BDL	2.74	46.7
12/11/25 09:00	7630	397	2.58	BDL	BDL	7.17	BDL	BDL	BDL	BDL	3.88	64.2
12/11/25 09:30	8020	395	2.52	BDL	BDL	2.81	BDL	BDL	BDL	BDL	3.78	65.1
12/11/25 10:00	7620	397	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	72.1
12/11/25 10:30	7980	400	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.59	77.9
12/11/25 11:00	9030	400	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	82.2
12/11/25 11:30	9730	399	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	91.8
12/11/25 12:00	10700	397	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	91.3
12/11/25 12:30	11600	396	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	111.
12/11/25 13:00	12100	395	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	121.
12/11/25 13:30	12500	393	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.08	125.
12/11/25 14:00	12900	394	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	127.
12/11/25 14:30	13300	393	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	123.
12/11/25 15:00	13600	392	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	119.
12/11/25 15:30	14100	391	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	121.
12/11/25 16:00	14500	391	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	124.
12/11/25 16:30	14800	390	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	124.
12/11/25 17:00	14900	389	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.	117.
12/11/25 17:30	15000	388	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	114.
12/11/25 18:00	15100	387	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.27	104.
12/11/25 18:30	15100	386	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.5	98.9
12/11/25 19:00	15200	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	97.6
12/11/25 19:30	15300	386	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.27	93.4
12/11/25 20:00	15400	386	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	91.9
12/11/25 20:30	15300	386	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.11	88.7
12/11/25 21:00	15300	386	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.82	92.3
12/11/25 21:30	15200	387	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	91.8
12/11/25 22:00	15200	387	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	94.
12/11/25 22:30	15500	386	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.94	103.
12/11/25 23:00	16000	384	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	101.
12/11/25 23:30	16300	384	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.46	104.
12/12/25 00:00	16800	381	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	132.

Daily Processed Summary (Average, Maximum Value)

Average	11700	390	2.4	BDL	BDL	1.38	BDL	BDL	BDL	BDL	2.97	76
Maximum Value	16800	406	2.6	-	-	20.7	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/12/25 00:30	16900	377	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	137.
12/12/25 01:00	17200	362	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	145.
12/12/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.96	168.
12/12/25 02:00	18100	354	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	170.
12/12/25 02:30	19000	376	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.07	189.
12/12/25 03:00	19000	377	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.03	199.
12/12/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.14	212.
12/12/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.01	193.
12/12/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.42	201.
12/12/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.229	130.
12/12/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.723	145.
12/12/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.20	147.
12/12/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.67	151.
12/12/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.03	149.
12/12/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.29	295.
12/12/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.791	341.
12/12/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.02	349.
12/12/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.85	42.8
12/12/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.494	13.4
12/12/25 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.37	307.
12/12/25 10:30	20400	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.24	306.
12/12/25 11:00	20600	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	295.
12/12/25 11:30	20800	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	298.
12/12/25 12:00	21200	395	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	297.
12/12/25 12:30	21700	398	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	228.
12/12/25 13:00	21400	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	175.
12/12/25 13:30	21400	396	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	166.
12/12/25 14:00	21400	396	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	155.
12/12/25 14:30	21100	397	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	145.
12/12/25 15:00	20800	397	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.37	145.
12/12/25 15:30	20800	396	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	143.
12/12/25 16:00	21200	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	137.
12/12/25 16:30	21300	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	136.
12/12/25 17:00	21200	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.02	135.
12/12/25 17:30	21500	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.50	126.
12/12/25 18:00	21300	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	109.
12/12/25 18:30	21100	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.24	113.
12/12/25 19:00	20800	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.33	103.
12/12/25 19:30	20500	384	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	97.8
12/12/25 20:00	20400	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	96.5
12/12/25 20:30	20300	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	96.1
12/12/25 21:00	20100	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	94.3
12/12/25 21:30	19800	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	91.
12/12/25 22:00	20000	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.84	100.
12/12/25 22:30	20300	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	103.
12/12/25 23:00	20300	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	97.8
12/12/25 23:30	20100	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	97.8
12/13/25 00:00	20100	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	92.2

Daily Processed Summary (Average, Maximum Value)

Average	20400	386	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.95	137
Maximum Value	21700	398	2.31	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/13/25 00:30	20300	382	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	102.
12/13/25 01:00	20400	381	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	105.
12/13/25 01:30	21300	381	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.99	117.
12/13/25 02:00	21700	382	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	119.
12/13/25 02:30	21900	382	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	120.
12/13/25 03:00	22200	382	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	120.
12/13/25 03:30	22100	382	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	123.
12/13/25 04:00	22000	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	117.
12/13/25 04:30	22200	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	114.
12/13/25 05:00	22000	381	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	108.
12/13/25 05:30	22100	376	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	118.
12/13/25 06:00	21700	370	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	135.
12/13/25 06:30	21500	363	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.27	140.
12/13/25 07:00	20900	372	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	134.
12/13/25 07:30	20400	378	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	139.
12/13/25 08:00	20100	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	154.
12/13/25 08:30	20500	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	138.
12/13/25 09:00	20300	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	145.
12/13/25 09:30	20400	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	154.
12/13/25 10:00	20500	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	149.
12/13/25 10:30	21600	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	165.
12/13/25 11:00	22100	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	146.
12/13/25 11:30	22300	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.00	181.
12/13/25 12:00	22200	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	182.
12/13/25 12:30	22100	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	177.
12/13/25 13:00	21300	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	174.
12/13/25 13:30	20900	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	163.
12/13/25 14:00	19400	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.86	160.
12/13/25 14:30	18900	392	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.48	159.
12/13/25 15:00	20200	393	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	160.
12/13/25 15:30	21100	393	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.1	154.
12/13/25 16:00	21400	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	145.
12/13/25 16:30	20200	391	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.82	160.
12/13/25 17:00	19300	390	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	164.
12/13/25 17:30	19700	389	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	150.
12/13/25 18:00	20600	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	134.
12/13/25 18:30	20200	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	132.
12/13/25 19:00	19800	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	129.
12/13/25 19:30	19700	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	130.
12/13/25 20:00	19800	384	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	142.
12/13/25 20:30	20200	382	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	130.
12/13/25 21:00	20400	378	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	135.
12/13/25 21:30	20400	371	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	128.
12/13/25 22:00	20200	365	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	118.
12/13/25 22:30	20300	366	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	118.
12/13/25 23:00	20300	368	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.91	115.
12/13/25 23:30	20000	343	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.13	98.9
12/14/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.42	96.6

Daily Processed Summary (Average, Maximum Value)

Average	20800	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.19	142
Maximum Value	22300	394	2.21	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/14/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.42	88.6
12/14/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.928	62.2
12/14/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.485	79.1
12/14/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.04	2.3
12/14/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.39	6.32
12/14/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.03	19.8
12/14/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.81	10.8
12/14/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.41	22.1
12/14/25 04:30	19200	361	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.31	19.6
12/14/25 05:00	19700	387	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.9	20.6
12/14/25 05:30	19700	395	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.53	22.5
12/14/25 06:00	19400	394	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.41	24.
12/14/25 06:30	19100	395	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.85	24.1
12/14/25 07:00	18500	392	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.91	22.6
12/14/25 07:30	17800	391	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	22.8
12/14/25 08:00	17000	395	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	25.7
12/14/25 08:30	15300	394	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	26.3
12/14/25 09:00	13200	391	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	25.8
12/14/25 09:30	12800	393	2.39	BDL	BDL	10.4	BDL	BDL	BDL	BDL	11.6	32.4
12/14/25 10:00	13000	392	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	28.2
12/14/25 10:30	12200	391	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	24.5
12/14/25 11:00	11300	389	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	21.1
12/14/25 11:30	10600	390	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	19.2
12/14/25 12:00	10000	390	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	16.1
12/14/25 12:30	9920	389	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	19.8
12/14/25 13:00	9660	389	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	18.3
12/14/25 13:30	9290	388	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	15.6
12/14/25 14:00	8920	386	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.52	14.4
12/14/25 14:30	8650	384	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.84	15.3
12/14/25 15:00	8550	384	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	15.8
12/14/25 15:30	8500	385	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	18.1
12/14/25 16:00	8430	384	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	20.1
12/14/25 16:30	8380	382	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	18.9
12/14/25 17:00	8240	380	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	17.9
12/14/25 17:30	8040	380	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.19	16.4
12/14/25 18:00	7640	380	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.83	15.7
12/14/25 18:30	7330	379	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.56	14.7
12/14/25 19:00	7200	377	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.85	12.7
12/14/25 19:30	6960	376	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.80	13.7
12/14/25 20:00	6740	375	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	12.6
12/14/25 20:30	6690	375	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	14.7
12/14/25 21:00	6530	374	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	15.7
12/14/25 21:30	6310	374	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	16.2
12/14/25 22:00	6200	374	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	15.5
12/14/25 22:30	6000	373	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	15.2
12/14/25 23:00	5900	373	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.19	16.
12/14/25 23:30	5740	372	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	15.1
12/15/25 00:00	5780	372	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.29	13.9

Daily Processed Summary (Average, Maximum Value)

Average	10800	384	2.37	BDL	BDL	0.26	BDL	BDL	BDL	BDL	7.66	20
Maximum Value	19700	395	2.5	-	-	10.4	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/15/25 00:30	5880	372	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	12.5
12/15/25 01:00	6000	372	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	4.32
12/15/25 01:30	6060	371	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.99	355.
12/15/25 02:00	6020	371	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.07	352.
12/15/25 02:30	5940	371	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.28	10.8
12/15/25 03:00	5860	371	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.31	14.6
12/15/25 03:30	5730	371	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.08	11.3
12/15/25 04:00	5760	370	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	9.69
12/15/25 04:30	5720	371	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.73	9.29
12/15/25 05:00	5590	370	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.31	15.0
12/15/25 05:30	5480	370	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	11.9
12/15/25 06:00	5430	370	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.39	17.6
12/15/25 06:30	5380	371	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	9.08
12/15/25 07:00	5380	370	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.15	9.89
12/15/25 07:30	5340	371	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.29	12.3
12/15/25 08:00	5230	372	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	13.2
12/15/25 08:30	5040	376	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	13.3
12/15/25 09:00	4810	381	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	16.4
12/15/25 09:30	4790	382	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.73	16.8
12/15/25 10:00	4770	382	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.27	13.7
12/15/25 10:30	5030	382	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	6.91
12/15/25 11:00	5280	384	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.55	0.348
12/15/25 11:30	5630	386	2.37	BDL	BDL	3.08	BDL	BDL	BDL	BDL	3.33	357.
12/15/25 12:00	6040	390	2.38	BDL	BDL	6.13	BDL	BDL	BDL	BDL	3.17	18.5
12/15/25 12:30	6360	391	2.37	BDL	BDL	9.14	BDL	BDL	BDL	BDL	2.76	28.5
12/15/25 13:00	M	M	M	M	M	M	M	M	M	M	1.29	160.
12/15/25 13:30	M	M	M	M	M	M	M	M	M	M	4.27	290.
12/15/25 14:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	4.06	264.
12/15/25 14:30	6790	385	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.67	236.
12/15/25 15:00	7390	384	2.33	BDL	BDL	1.39	BDL	BDL	BDL	BDL	3.54	205.
12/15/25 15:30	7530	383	2.34	BDL	BDL	5.93	BDL	BDL	BDL	BDL	3.92	172.
12/15/25 16:00	7600	383	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	161.
12/15/25 16:30	7650	384	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.83	162.
12/15/25 17:00	7680	383	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	155.
12/15/25 17:30	7850	382	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.8	169.
12/15/25 18:00	7840	381	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.7	172.
12/15/25 18:30	8190	379	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.91	163.
12/15/25 19:00	8600	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.80	162.
12/15/25 19:30	8940	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.33	172.
12/15/25 20:00	9100	377	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.34	159.
12/15/25 20:30	9100	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.66	155.
12/15/25 21:00	9040	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.15	149.
12/15/25 21:30	8910	377	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.72	102.
12/15/25 22:00	8890	377	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.09	118.
12/15/25 22:30	8730	377	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.36	115.
12/15/25 23:00	8660	376	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.76	109.
12/15/25 23:30	8820	377	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.08	80.5
12/16/25 00:00	8910	377	2.35	BDL	BDL	12.0	BDL	BDL	BDL	BDL	0.800	328.

Daily Processed Summary (Average, Maximum Value)

Average	6770	377	2.35	BDL	BDL	0.837	BDL	BDL	BDL	BDL	1.28	21.4
Maximum Value	9100	391	2.46	-	-	12	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/16/25 00:30	8930	378	2.35	BDL	BDL	11.6	BDL	BDL	BDL	BDL	0.983	356.
12/16/25 01:00	8810	379	2.53	BDL	BDL	19.2	BDL	BDL	BDL	BDL	1.22	60.8
12/16/25 01:30	8910	384	2.77	BDL	BDL	14.4	BDL	BDL	BDL	BDL	1.85	74.6
12/16/25 02:00	8530	385	2.68	BDL	BDL	5.16	BDL	BDL	BDL	BDL	2.56	77.5
12/16/25 02:30	8460	383	2.58	BDL	BDL	1.59	BDL	BDL	BDL	BDL	2.05	72.9
12/16/25 03:00	8550	386	2.58	BDL	BDL	3.90	BDL	BDL	BDL	BDL	1.8	63.6
12/16/25 03:30	8680	387	2.55	BDL	BDL	8.17	BDL	BDL	BDL	BDL	2.44	77.4
12/16/25 04:00	8960	386	2.57	BDL	BDL	2.65	BDL	BDL	BDL	BDL	2.10	67.1
12/16/25 04:30	9180	379	2.41	BDL	BDL	2.96	BDL	BDL	BDL	BDL	2.28	46.8
12/16/25 05:00	9170	383	2.38	BDL	BDL	54.3	BDL	BDL	BDL	BDL	1.7	16.2
12/16/25 05:30	9210	382	2.37	BDL	BDL	11.	BDL	BDL	BDL	BDL	2.51	59.2
12/16/25 06:00	9790	384	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	66.2
12/16/25 06:30	9980	389	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.25	67.1
12/16/25 07:00	10300	389	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.84	71.7
12/16/25 07:30	10300	391	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	71.7
12/16/25 08:00	10500	389	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.11	75.5
12/16/25 08:30	10400	391	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	83.4
12/16/25 09:00	10800	394	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.15	81.6
12/16/25 09:30	11100	392	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	78.7
12/16/25 10:00	11300	388	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	83.4
12/16/25 10:30	11500	386	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	86.8
12/16/25 11:00	12000	389	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.	86.1
12/16/25 11:30	12500	392	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	101.
12/16/25 12:00	12600	391	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	96.6
12/16/25 12:30	13100	392	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	111.
12/16/25 13:00	13400	393	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	117.
12/16/25 13:30	13600	391	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	120.
12/16/25 14:00	M	M	M	M	M	M	M	M	M	M	6.69	119.
12/16/25 14:30	M	M	M	M	M	M	M	M	M	M	6.48	113.
12/16/25 15:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	5.97	105.
12/16/25 15:30	14100	389	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	97.4
12/16/25 16:00	14200	389	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	101.
12/16/25 16:30	14300	387	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	107.
12/16/25 17:00	14300	388	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	104.
12/16/25 17:30	14300	388	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	101.
12/16/25 18:00	14400	388	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.27	105.
12/16/25 18:30	14400	388	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	100.
12/16/25 19:00	14500	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	99.2
12/16/25 19:30	14500	387	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	89.2
12/16/25 20:00	14600	388	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	87.7
12/16/25 20:30	14700	389	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.34	88.5
12/16/25 21:00	14900	391	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	86.7
12/16/25 21:30	15000	395	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	81.7
12/16/25 22:00	15000	394	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	78.2
12/16/25 22:30	15400	391	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	65.1
12/16/25 23:00	15200	389	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	67.9
12/16/25 23:30	15400	397	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	78.1
12/17/25 00:00	15900	393	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.40	73.6

Daily Processed Summary (Average, Maximum Value)

Average	12100	388	2.39	BDL	BDL	3	BDL	BDL	BDL	BDL	4.49	89.6
Maximum Value	15900	397	2.77	-	-	54.3	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/17/25 00:30	15900	393	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.45	72.7
12/17/25 01:00	15600	390	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.07	103.
12/17/25 01:30	15900	387	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	96.1
12/17/25 02:00	16300	385	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.92	99.5
12/17/25 02:30	16400	384	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.14	101.
12/17/25 03:00	16500	380	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	94.0
12/17/25 03:30	16700	361	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	89.8
12/17/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.69	120.
12/17/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.09	117.
12/17/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.45	93.7
12/17/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.47	112.
12/17/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.26	138.
12/17/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.44	131.
12/17/25 07:00	17800	362	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	117.
12/17/25 07:30	17500	348	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.91	118.
12/17/25 08:00	17100	327	2.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.30	116.
12/17/25 08:30	17500	348	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.37	128.
12/17/25 09:00	17400	351	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	127.
12/17/25 09:30	17800	370	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	122.
12/17/25 10:00	18100	352	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	108.
12/17/25 10:30	17600	322	2.09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	119.
12/17/25 11:00	18400	350	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	127.
12/17/25 11:30	18900	374	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.69	132.
12/17/25 12:00	18700	382	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	137.
12/17/25 12:30	18800	385	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	149.
12/17/25 13:00	18800	384	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	180.
12/17/25 13:30	18800	385	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.49	153.
12/17/25 14:00	18900	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.79	160.
12/17/25 14:30	19200	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.	145.
12/17/25 15:00	19300	380	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	149.
12/17/25 15:30	19500	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.54	172.
12/17/25 16:00	19500	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.37	169.
12/17/25 16:30	19700	385	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.77	172.
12/17/25 17:00	19600	384	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.55	113.
12/17/25 17:30	19600	382	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.05	340.
12/17/25 18:00	19400	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.11	296.
12/17/25 18:30	19200	379	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.744	73.2
12/17/25 19:00	19000	378	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.708	57.9
12/17/25 19:30	18900	384	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.96	113.
12/17/25 20:00	18900	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.	115.
12/17/25 20:30	18900	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.23	105.
12/17/25 21:00	18900	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.20	101.
12/17/25 21:30	18600	370	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.63	99.7
12/17/25 22:00	18400	373	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	103.
12/17/25 22:30	17800	377	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	96.7
12/17/25 23:00	17400	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	91.
12/17/25 23:30	17300	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	98.3
12/18/25 00:00	17300	375	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	98.9

Daily Processed Summary (Average, Maximum Value)

Average	18100	374	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	123
Maximum Value	19700	393	2.52	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/18/25 00:30	17300	368	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	102.
12/18/25 01:00	17400	366	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.30	108.
12/18/25 01:30	17500	366	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.06	107.
12/18/25 02:00	17700	360	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	119.
12/18/25 02:30	17900	354	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	124.
12/18/25 03:00	18100	356	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	125.
12/18/25 03:30	18300	360	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	136.
12/18/25 04:00	18400	366	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.68	154.
12/18/25 04:30	18500	367	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.78	155.
12/18/25 05:00	18600	364	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.36	165.
12/18/25 05:30	18900	359	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.04	184.
12/18/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.22	200.
12/18/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.48	170.
12/18/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.22	173.
12/18/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.76	207.
12/18/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.48	203.
12/18/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.09	221.
12/18/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.97	227.
12/18/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.17	259.
12/18/25 10:00	19600	382	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	260.
12/18/25 10:30	19700	390	2.32	BDL	BDL	2.24	BDL	BDL	BDL	BDL	2.97	234.
12/18/25 11:00	19900	393	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	233.
12/18/25 11:30	20000	397	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	249.
12/18/25 12:00	20200	398	2.37	BDL	BDL	1.58	BDL	BDL	BDL	BDL	3.7	219.
12/18/25 12:30	20200	399	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.09	272.
12/18/25 13:00	20300	400	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.61	241.
12/18/25 13:30	20500	400	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.84	212.
12/18/25 14:00	20500	397	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	247.
12/18/25 14:30	20500	397	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	261.
12/18/25 15:00	20100	398	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	266.
12/18/25 15:30	19800	399	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	270.
12/18/25 16:00	19600	397	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	277.
12/18/25 16:30	19700	398	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.73	274.
12/18/25 17:00	19900	400	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	289.
12/18/25 17:30	19800	396	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.09	333.
12/18/25 18:00	17800	396	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	9.23
12/18/25 18:30	16700	394	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.50	9.92
12/18/25 19:00	15000	392	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	6.94
12/18/25 19:30	12900	393	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	10.5
12/18/25 20:00	11500	392	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	14.5
12/18/25 20:30	10700	391	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	14.9
12/18/25 21:00	9810	390	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.04	15.8
12/18/25 21:30	9510	387	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	15.7
12/18/25 22:00	8910	387	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	13.3
12/18/25 22:30	8080	388	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	17.0
12/18/25 23:00	7530	387	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	15.6
12/18/25 23:30	7050	384	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.30	15.6
12/19/25 00:00	6590	385	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	14.7

Daily Processed Summary (Average, Maximum Value)

Average	16500	385	2.31	BDL	BDL	0.0955	BDL	BDL	BDL	BDL	0.592	314
Maximum Value	20500	400	2.39	-	-	2.24	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/19/25 00:30	6610	386	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	12.9
12/19/25 01:00	6690	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.89	10.3
12/19/25 01:30	6710	384	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	12.1
12/19/25 02:00	6690	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	8.88
12/19/25 02:30	6430	384	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.40	0.94
12/19/25 03:00	6450	383	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.83	11.7
12/19/25 03:30	6540	384	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.43	351.
12/19/25 04:00	6700	383	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	1.94
12/19/25 04:30	6930	382	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.82	350.
12/19/25 05:00	7820	384	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.84	342.
12/19/25 05:30	7780	385	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.36	11.1
12/19/25 06:00	6640	384	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.39	0.54
12/19/25 06:30	6350	383	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.29	21.5
12/19/25 07:00	6310	380	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.81	17.0
12/19/25 07:30	6360	382	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.05	24.1
12/19/25 08:00	6240	382	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.42	14.5
12/19/25 08:30	6500	388	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.48	19.6
12/19/25 09:00	5260	391	2.43	BDL	BDL	8.46	BDL	BDL	BDL	BDL	4.87	57.1
12/19/25 09:30	5520	387	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	59.1
12/19/25 10:00	5490	389	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	66.7
12/19/25 10:30	4780	394	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	78.8
12/19/25 11:00	5000	392	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	90.7
12/19/25 11:30	5020	392	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.95	99.6
12/19/25 12:00	5340	392	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.99	126.
12/19/25 12:30	5030	391	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	124.
12/19/25 13:00	7200	390	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.56	151.
12/19/25 13:30	8080	389	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	135.
12/19/25 14:00	8480	388	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	147.
12/19/25 14:30	8810	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.9	149.
12/19/25 15:00	9250	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	133.
12/19/25 15:30	9620	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	131.
12/19/25 16:00	9580	388	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	114.
12/19/25 16:30	9690	389	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	117.
12/19/25 17:00	9950	388	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.02	119.
12/19/25 17:30	10600	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	125.
12/19/25 18:00	10800	385	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	128.
12/19/25 18:30	11200	383	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	128.
12/19/25 19:00	11600	383	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	123.
12/19/25 19:30	11400	383	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.65	99.5
12/19/25 20:00	11500	382	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.64	108.
12/19/25 20:30	12000	381	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	109.
12/19/25 21:00	12400	382	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	97.7
12/19/25 21:30	12500	382	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.83	89.2
12/19/25 22:00	12900	382	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	96.5
12/19/25 22:30	13400	382	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	122.
12/19/25 23:00	13700	383	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	115.
12/19/25 23:30	13900	382	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	108.
12/20/25 00:00	14000	382	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	114.

Daily Processed Summary (Average, Maximum Value)

Average	8490	386	2.31	BDL	BDL	0.176	BDL	BDL	BDL	BDL	2.53	95.8
Maximum Value	14000	394	2.52	-	-	8.46	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/20/25 00:30	14500	382	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.73	125.
12/20/25 01:00	14800	382	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.99	109.
12/20/25 01:30	14800	382	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.28	121.
12/20/25 02:00	15300	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	143.
12/20/25 02:30	16200	382	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.25	157.
12/20/25 03:00	16600	383	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	160.
12/20/25 03:30	16800	383	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	166.
12/20/25 04:00	16900	382	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	165.
12/20/25 04:30	17000	382	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.35	158.
12/20/25 05:00	17200	382	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.26	156.
12/20/25 05:30	17300	381	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.25	162.
12/20/25 06:00	17500	382	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.00	171.
12/20/25 06:30	17500	381	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	165.
12/20/25 07:00	17500	378	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	160.
12/20/25 07:30	17600	375	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	160.
12/20/25 08:00	18100	381	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.44	166.
12/20/25 08:30	18700	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.6	168.
12/20/25 09:00	19900	390	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	176.
12/20/25 09:30	20400	391	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	182.
12/20/25 10:00	21000	391	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	180.
12/20/25 10:30	21600	390	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	191.
12/20/25 11:00	21900	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	202.
12/20/25 11:30	21600	391	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	201.
12/20/25 12:00	21700	392	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	209.
12/20/25 12:30	21700	393	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	212.
12/20/25 13:00	21600	394	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.42	210.
12/20/25 13:30	21500	396	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	209.
12/20/25 14:00	21700	396	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	208.
12/20/25 14:30	21900	396	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.31	201.
12/20/25 15:00	22300	395	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	201.
12/20/25 15:30	22600	393	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.1	199.
12/20/25 16:00	23100	393	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	193.
12/20/25 16:30	23400	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.16	189.
12/20/25 17:00	23600	390	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.2	192.
12/20/25 17:30	23600	390	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	172.
12/20/25 18:00	23400	385	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	165.
12/20/25 18:30	23200	379	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	168.
12/20/25 19:00	22600	364	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	170.
12/20/25 19:30	22200	342	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.24	171.
12/20/25 20:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.56	172.
12/20/25 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.47	172.
12/20/25 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.22	177.
12/20/25 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.79	181.
12/20/25 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.61	177.
12/20/25 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.23	176.
12/20/25 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.22	182.
12/20/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.16	192.
12/21/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.92	200.

Daily Processed Summary (Average, Maximum Value)

Average	19800	385	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	183
Maximum Value	23600	396	2.33	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/21/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.69	200.
12/21/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.14	205.
12/21/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.5	200.
12/21/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.46	199.
12/21/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.2	203.
12/21/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.31	236.
12/21/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.02	227.
12/21/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.58	239.
12/21/25 04:30	22400	344	2.11	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.38	237.
12/21/25 05:00	22800	368	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	224.
12/21/25 05:30	22800	367	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.53	219.
12/21/25 06:00	22600	364	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.98	209.
12/21/25 06:30	22600	363	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.73	216.
12/21/25 07:00	22400	354	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.24	216.
12/21/25 07:30	21700	328	2.09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.14	221.
12/21/25 08:00	21800	342	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	236.
12/21/25 08:30	22500	373	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.93	205.
12/21/25 09:00	22900	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.04	218.
12/21/25 09:30	23100	385	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.14	210.
12/21/25 10:00	23200	388	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.44	205.
12/21/25 10:30	23300	389	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.02	195.
12/21/25 11:00	23300	391	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	182.
12/21/25 11:30	23400	390	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.09	186.
12/21/25 12:00	23200	390	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.25	209.
12/21/25 12:30	22900	389	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.6	261.
12/21/25 13:00	22500	388	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	262.
12/21/25 13:30	22300	389	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.91	261.
12/21/25 14:00	22200	393	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.75	276.
12/21/25 14:30	22200	395	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.32	279.
12/21/25 15:00	22300	397	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.8	308.
12/21/25 15:30	22100	397	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.03	317.
12/21/25 16:00	21900	394	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.97	332.
12/21/25 16:30	21400	395	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.97	355.
12/21/25 17:00	21200	394	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	18.7
12/21/25 17:30	21400	394	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.15	13.8
12/21/25 18:00	21600	396	2.44	BDL	BDL	3.16	BDL	BDL	BDL	BDL	2.16	32.1
12/21/25 18:30	22500	392	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	116.
12/21/25 19:00	22700	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.02	127.
12/21/25 19:30	23100	382	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	132.
12/21/25 20:00	23100	367	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	130.
12/21/25 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.40	124.
12/21/25 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.11	143.
12/21/25 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.97	147.
12/21/25 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.93	145.
12/21/25 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.51	146.
12/21/25 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.06	144.
12/21/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.64	154.
12/22/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.34	163.

Daily Processed Summary (Average, Maximum Value)

Average	22500	380	2.23	BDL	BDL	0.0988	BDL	BDL	BDL	BDL	1.55	202
Maximum Value	23400	397	2.44	-	-	3.16	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/22/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.84	146.
12/22/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.11	143.
12/22/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.01	139.
12/22/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.39	168.
12/22/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.528	330.
12/22/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.384	11.5
12/22/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.29	351.
12/22/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.67	23.5
12/22/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.43	21.4
12/22/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.63	63.2
12/22/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.23	95.6
12/22/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.30	96.5
12/22/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.61	109.
12/22/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.03	123.
12/22/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.58	132.
12/22/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.9	137.
12/22/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.71	128.
12/22/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.73	145.
12/22/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.27	149.
12/22/25 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.09	172.
12/22/25 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.22	167.
12/22/25 11:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.26	162.
12/22/25 11:30	24400	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	143.
12/22/25 12:00	24500	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.1	147.
12/22/25 12:30	24600	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	146.
12/22/25 13:00	24600	393	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	154.
12/22/25 13:30	24400	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.88	159.
12/22/25 14:00	23900	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.60	160.
12/22/25 14:30	24100	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	155.
12/22/25 15:00	24200	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.35	146.
12/22/25 15:30	24400	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	144.
12/22/25 16:00	24300	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	152.
12/22/25 16:30	24200	391	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.92	145.
12/22/25 17:00	24300	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	148.
12/22/25 17:30	24300	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.34	145.
12/22/25 18:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.7	149.
12/22/25 18:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.36	143.
12/22/25 19:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.65	139.
12/22/25 19:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.45	135.
12/22/25 20:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.79	141.
12/22/25 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.03	142.
12/22/25 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.53	141.
12/22/25 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.78	141.
12/22/25 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.99	137.
12/22/25 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.1	139.
12/22/25 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.05	143.
12/22/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.14	145.
12/23/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.82	142.

Daily Processed Summary (Average, Maximum Value)

Average	24300	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	144
Maximum Value	24600	393	2.22	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/23/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.78	136.
12/23/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.43	131.
12/23/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.60	135.
12/23/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.43	143.
12/23/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.38	145.
12/23/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.4	141.
12/23/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.51	149.
12/23/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.87	143.
12/23/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.17	130.
12/23/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.93	123.
12/23/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.84	122.
12/23/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.73	131.
12/23/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.59	127.
12/23/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.39	114.
12/23/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.40	101.
12/23/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.65	92.8
12/23/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.47	97.1
12/23/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.99	111.
12/23/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.03	117.
12/23/25 10:00	23700	365	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	117.
12/23/25 10:30	24200	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	130.
12/23/25 11:00	24100	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	139.
12/23/25 11:30	23800	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	137.
12/23/25 12:00	23400	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.63	146.
12/23/25 12:30	23200	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.07	143.
12/23/25 13:00	23100	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.33	134.
12/23/25 13:30	22700	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.23	150.
12/23/25 14:00	22400	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.66	147.
12/23/25 14:30	22200	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	135.
12/23/25 15:00	21900	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.59	137.
12/23/25 15:30	22000	392	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.5	135.
12/23/25 16:00	22000	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	135.
12/23/25 16:30	22100	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	134.
12/23/25 17:00	22100	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	123.
12/23/25 17:30	21900	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	120.
12/23/25 18:00	21800	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	112.
12/23/25 18:30	21900	386	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.18	108.
12/23/25 19:00	22000	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.15	98.6
12/23/25 19:30	22100	381	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.74	101.
12/23/25 20:00	21900	379	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.45	97.7
12/23/25 20:30	21900	372	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.2	101.
12/23/25 21:00	21600	342	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	98.2
12/23/25 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.17	103.
12/23/25 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.88	105.
12/23/25 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.39	103.
12/23/25 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.02	104.
12/23/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.80	105.
12/24/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.92	99.8

Daily Processed Summary (Average, Maximum Value)

Average	22500	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.5	126
Maximum Value	24200	393	2.22	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/24/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.66	101.
12/24/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.97	94.9
12/24/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.74	104.
12/24/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.15	109.
12/24/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.86	105.
12/24/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.67	96.9
12/24/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.43	108.
12/24/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.14	96.5
12/24/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.51	96.8
12/24/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.68	99.8
12/24/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.65	94.7
12/24/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.16	97.4
12/24/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.29	97.5
12/24/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.23	97.5
12/24/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.9	108.
12/24/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.86	103.
12/24/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.99	114.
12/24/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.95	120.
12/24/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.94	120.
12/24/25 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.22	133.
12/24/25 10:30	23400	379	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	119.
12/24/25 11:00	23600	385	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	124.
12/24/25 11:30	23400	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.00	164.
12/24/25 12:00	23400	387	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	127.
12/24/25 12:30	23500	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	131.
12/24/25 13:00	23400	394	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	149.
12/24/25 13:30	M	M	M	M	M	M	M	M	M	M	6.06	135.
12/24/25 14:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	6.20	129.
12/24/25 14:30	22200	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	131.
12/24/25 15:00	22100	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.54	138.
12/24/25 15:30	22500	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.01	140.
12/24/25 16:00	22800	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.20	134.
12/24/25 16:30	22700	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.99	133.
12/24/25 17:00	23000	389	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.63	135.
12/24/25 17:30	23000	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	138.
12/24/25 18:00	22800	385	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	141.
12/24/25 18:30	22600	385	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	133.
12/24/25 19:00	22500	383	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	128.
12/24/25 19:30	22400	379	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	124.
12/24/25 20:00	22300	374	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	123.
12/24/25 20:30	22100	368	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	117.
12/24/25 21:00	21900	366	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	123.
12/24/25 21:30	21900	370	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.68	137.
12/24/25 22:00	21700	367	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.20	138.
12/24/25 22:30	21600	362	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.36	150.
12/24/25 23:00	21400	356	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.1	141.
12/24/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.96	141.
12/25/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.65	143.

Daily Processed Summary (Average, Maximum Value)

Average	22600	381	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	125
Maximum Value	23600	394	2.23	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/25/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.92	151.
12/25/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.96	161.
12/25/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.84	159.
12/25/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.69	161.
12/25/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.91	172.
12/25/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.00	173.
12/25/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.03	175.
12/25/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.80	161.
12/25/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.52	155.
12/25/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.03	136.
12/25/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.07	147.
12/25/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.84	155.
12/25/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.76	138.
12/25/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.69	133.
12/25/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.31	97.5
12/25/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.72	95.7
12/25/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.32	102.
12/25/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.99	113.
12/25/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.88	116.
12/25/25 10:00	23600	365	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.45	124.
12/25/25 10:30	24000	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	136.
12/25/25 11:00	23700	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	149.
12/25/25 11:30	23600	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	151.
12/25/25 12:00	23700	390	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	138.
12/25/25 12:30	23700	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.94	133.
12/25/25 13:00	23700	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	133.
12/25/25 13:30	23700	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	131.
12/25/25 14:00	23800	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	142.
12/25/25 14:30	23900	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.55	144.
12/25/25 15:00	23800	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.91	138.
12/25/25 15:30	23900	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	139.
12/25/25 16:00	23800	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	148.
12/25/25 16:30	23700	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.34	142.
12/25/25 17:00	23500	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	144.
12/25/25 17:30	23500	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	144.
12/25/25 18:00	23500	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.15	145.
12/25/25 18:30	23400	385	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	145.
12/25/25 19:00	23500	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	150.
12/25/25 19:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.93	157.
12/25/25 20:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.99	159.
12/25/25 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.2	165.
12/25/25 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.3	166.
12/25/25 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.29	166.
12/25/25 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.62	173.
12/25/25 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.78	173.
12/25/25 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.12	173.
12/25/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.80	181.
12/26/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.26	184.

Daily Processed Summary (Average, Maximum Value)

Average	23700	388	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.63	148
Maximum Value	24000	393	2.21	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/26/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.40	189.
12/26/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.16	199.
12/26/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.62	207.
12/26/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.80	206.
12/26/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.07	206.
12/26/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.44	220.
12/26/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.48	219.
12/26/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.79	215.
12/26/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.89	204.
12/26/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.27	210.
12/26/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.37	233.
12/26/25 06:00	23300	372	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	224.
12/26/25 06:30	23400	381	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	215.
12/26/25 07:00	23500	381	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.50	214.
12/26/25 07:30	23500	381	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.96	212.
12/26/25 08:00	23600	381	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.40	207.
12/26/25 08:30	23700	384	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.82	202.
12/26/25 09:00	23800	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.31	212.
12/26/25 09:30	24000	388	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	205.
12/26/25 10:00	24100	390	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	207.
12/26/25 10:30	24100	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	208.
12/26/25 11:00	23600	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	206.
12/26/25 11:30	23500	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	209.
12/26/25 12:00	23200	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.47	206.
12/26/25 12:30	22700	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.26	209.
12/26/25 13:00	22500	394	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	204.
12/26/25 13:30	22400	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.79	208.
12/26/25 14:00	22000	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	200.
12/26/25 14:30	22100	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	199.
12/26/25 15:00	22200	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	187.
12/26/25 15:30	22300	395	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	190.
12/26/25 16:00	22500	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	194.
12/26/25 16:30	22700	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.47	177.
12/26/25 17:00	22800	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.87	173.
12/26/25 17:30	22800	391	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	177.
12/26/25 18:00	23100	388	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	177.
12/26/25 18:30	23600	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.85	175.
12/26/25 19:00	23900	385	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	175.
12/26/25 19:30	24200	384	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	168.
12/26/25 20:00	23900	380	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	164.
12/26/25 20:30	23700	378	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	162.
12/26/25 21:00	23500	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.77	164.
12/26/25 21:30	23400	382	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	166.
12/26/25 22:00	23300	381	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	170.
12/26/25 22:30	23100	382	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.00	172.
12/26/25 23:00	23000	383	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	174.
12/26/25 23:30	22800	381	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.07	173.
12/27/25 00:00	M	M	M	M	M	M	M	M	M	M	4.91	172.

Daily Processed Summary (Average, Maximum Value)

Average	23200	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.97	193
Maximum Value	24200	396	2.22	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/27/25 00:30	22800	380	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.2	176.
12/27/25 01:00	22700	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	175.
12/27/25 01:30	22700	379	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.88	176.
12/27/25 02:00	22600	376	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.7	180.
12/27/25 02:30	22700	371	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	179.
12/27/25 03:00	22700	368	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.08	178.
12/27/25 03:30	22700	371	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.10	173.
12/27/25 04:00	22600	371	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.65	172.
12/27/25 04:30	22500	368	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	168.
12/27/25 05:00	22200	359	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	166.
12/27/25 05:30	22300	361	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	172.
12/27/25 06:00	22400	366	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	173.
12/27/25 06:30	22400	370	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	173.
12/27/25 07:00	22300	364	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.13	172.
12/27/25 07:30	22300	363	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	171.
12/27/25 08:00	22500	375	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.4	169.
12/27/25 08:30	22800	387	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	169.
12/27/25 09:00	23200	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.27	168.
12/27/25 09:30	23300	390	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	166.
12/27/25 10:00	23500	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.39	175.
12/27/25 10:30	23500	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	184.
12/27/25 11:00	23400	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	183.
12/27/25 11:30	23100	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	194.
12/27/25 12:00	22900	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.42	190.
12/27/25 12:30	22800	395	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	195.
12/27/25 13:00	22400	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.25	200.
12/27/25 13:30	22300	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.67	196.
12/27/25 14:00	22400	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.59	188.
12/27/25 14:30	22500	396	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	183.
12/27/25 15:00	22700	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.51	182.
12/27/25 15:30	23100	392	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.02	170.
12/27/25 16:00	23200	393	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.64	165.
12/27/25 16:30	23600	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.16	165.
12/27/25 17:00	23600	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	167.
12/27/25 17:30	23500	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.68	166.
12/27/25 18:00	23400	390	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	163.
12/27/25 18:30	23400	388	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	157.
12/27/25 19:00	23300	389	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	155.
12/27/25 19:30	23500	389	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.15	159.
12/27/25 20:00	23400	386	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.64	160.
12/27/25 20:30	23300	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	150.
12/27/25 21:00	23500	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.78	163.
12/27/25 21:30	23600	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.	162.
12/27/25 22:00	23700	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.77	165.
12/27/25 22:30	23600	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	165.
12/27/25 23:00	23400	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	164.
12/27/25 23:30	23200	381	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.09	164.
12/28/25 00:00	23200	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.29	165.

Daily Processed Summary (Average, Maximum Value)

Average	23000	383	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	172
Maximum Value	23700	396	2.21	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/28/25 00:30	23000	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	163.
12/28/25 01:00	23200	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.21	165.
12/28/25 01:30	22600	386	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	166.
12/28/25 02:00	22200	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	165.
12/28/25 02:30	22000	385	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.50	166.
12/28/25 03:00	22000	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	164.
12/28/25 03:30	22200	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	165.
12/28/25 04:00	22400	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.75	166.
12/28/25 04:30	22500	384	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	167.
12/28/25 05:00	22600	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.04	164.
12/28/25 05:30	22700	385	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	162.
12/28/25 06:00	22900	385	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	158.
12/28/25 06:30	23200	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	149.
12/28/25 07:00	23200	381	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	151.
12/28/25 07:30	23200	378	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.19	165.
12/28/25 08:00	23300	383	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	163.
12/28/25 08:30	23400	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.80	166.
12/28/25 09:00	23800	389	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	168.
12/28/25 09:30	24200	391	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	177.
12/28/25 10:00	24100	391	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	192.
12/28/25 10:30	23700	392	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.9	195.
12/28/25 11:00	23100	393	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	196.
12/28/25 11:30	22600	394	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	196.
12/28/25 12:00	21700	395	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.83	197.
12/28/25 12:30	20500	397	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	202.
12/28/25 13:00	19700	397	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	202.
12/28/25 13:30	20100	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.21	207.
12/28/25 14:00	20100	396	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.49	212.
12/28/25 14:30	20300	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	201.
12/28/25 15:00	20200	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	190.
12/28/25 15:30	20400	395	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.00	206.
12/28/25 16:00	20600	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	193.
12/28/25 16:30	20600	397	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	189.
12/28/25 17:00	20800	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	171.
12/28/25 17:30	21900	395	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	152.
12/28/25 18:00	22600	393	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	150.
12/28/25 18:30	22700	392	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	144.
12/28/25 19:00	23000	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.10	129.
12/28/25 19:30	23000	385	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.07	106.
12/28/25 20:00	22900	385	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.61	90.6
12/28/25 20:30	23000	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	110.
12/28/25 21:00	23000	386	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.93	96.6
12/28/25 21:30	22900	384	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	99.8
12/28/25 22:00	22900	378	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	102.
12/28/25 22:30	22500	353	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.58	134.
12/28/25 23:00	22600	358	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.94	122.
12/28/25 23:30	22600	372	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	132.
12/29/25 00:00	22600	377	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.93	135.

Daily Processed Summary (Average, Maximum Value)

Average	22300	387	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.7	171
Maximum Value	24200	397	2.22	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/29/25 00:30	21400	386	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	19.1
12/29/25 01:00	11500	379	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	11.7
12/29/25 01:30	10700	383	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.59	13.5
12/29/25 02:00	8990	387	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	14.5
12/29/25 02:30	7590	386	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	16.3
12/29/25 03:00	7020	386	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	17.1
12/29/25 03:30	5930	386	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	20.6
12/29/25 04:00	5460	387	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	20.2
12/29/25 04:30	5160	387	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	20.0
12/29/25 05:00	4300	385	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	19.1
12/29/25 05:30	3880	385	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	22.1
12/29/25 06:00	3710	384	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	22.
12/29/25 06:30	3440	383	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	20.9
12/29/25 07:00	3400	384	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	21.7
12/29/25 07:30	3250	383	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	22.2
12/29/25 08:00	3220	384	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	22.2
12/29/25 08:30	3090	384	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	23.4
12/29/25 09:00	2840	384	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	23.9
12/29/25 09:30	2910	381	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	22.7
12/29/25 10:00	2910	382	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	25.
12/29/25 10:30	2950	381	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	21.7
12/29/25 11:00	2750	382	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	19.1
12/29/25 11:30	2690	381	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	18.4
12/29/25 12:00	2600	381	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	15.7
12/29/25 12:30	2610	380	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.98	17.5
12/29/25 13:00	2900	380	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	16.0
12/29/25 13:30	3140	380	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	359.
12/29/25 14:00	3180	380	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	351.
12/29/25 14:30	3030	380	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	352.
12/29/25 15:00	3260	381	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	339.
12/29/25 15:30	3320	382	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.41	346.
12/29/25 16:00	3140	381	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	347.
12/29/25 16:30	3460	379	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.29	338.
12/29/25 17:00	3780	377	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.40	338.
12/29/25 17:30	3520	376	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	349.
12/29/25 18:00	3450	376	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	345.
12/29/25 18:30	3550	376	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.31	346.
12/29/25 19:00	3540	376	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.24	346.
12/29/25 19:30	3490	376	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.9	342.
12/29/25 20:00	3570	376	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	347.
12/29/25 20:30	3550	376	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.7	353.
12/29/25 21:00	3490	377	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	1.28
12/29/25 21:30	3400	377	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.9	0.896
12/29/25 22:00	3330	377	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	0.292
12/29/25 22:30	3410	375	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	0.188
12/29/25 23:00	3440	376	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	4.75
12/29/25 23:30	3370	377	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	11.0
12/30/25 00:00	3360	378	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	9.2

Daily Processed Summary (Average, Maximum Value)

Average	4420	381	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.96	12.3
Maximum Value	21400	387	2.36	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/30/25 00:30	3340	377	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	11.3
12/30/25 01:00	3380	378	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	8.91
12/30/25 01:30	3390	378	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	13.7
12/30/25 02:00	3410	379	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	18.7
12/30/25 02:30	3380	379	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	15.9
12/30/25 03:00	3400	380	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	19.8
12/30/25 03:30	3500	381	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	19.7
12/30/25 04:00	3530	381	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.63	19.3
12/30/25 04:30	3470	381	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.78	17.2
12/30/25 05:00	3340	381	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.46	17.6
12/30/25 05:30	3410	380	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.56	16.2
12/30/25 06:00	3460	379	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.82	15.4
12/30/25 06:30	3460	379	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	14.7
12/30/25 07:00	3540	377	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.40	11.0
12/30/25 07:30	3450	378	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.04	14.3
12/30/25 08:00	3590	378	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	10.9
12/30/25 08:30	3770	379	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	5.23
12/30/25 09:00	3550	377	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	15.5
12/30/25 09:30	3520	379	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.9	15.4
12/30/25 10:00	3470	382	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.33	15.8
12/30/25 10:30	3590	386	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.48	354.
12/30/25 11:00	3660	385	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	350.
12/30/25 11:30	3640	383	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	357.
12/30/25 12:00	M	M	M	M	M	M	M	M	M	M	5.59	340.
12/30/25 12:30	M	M	M	M	M	M	M	M	M	M	5.68	339.
12/30/25 13:00	3560	387	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	346.
12/30/25 13:30	3600	388	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.43	342.
12/30/25 14:00	3480	386	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	2.71
12/30/25 14:30	3370	386	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	354.
12/30/25 15:00	3510	387	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	345.
12/30/25 15:30	3100	386	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	359.
12/30/25 16:00	3160	386	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.	347.
12/30/25 16:30	3300	386	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	1.54
12/30/25 17:00	3430	386	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.48	360.
12/30/25 17:30	3540	386	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.56	8.86
12/30/25 18:00	3860	382	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.1	9.46
12/30/25 18:30	3840	379	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.50	356.
12/30/25 19:00	4600	379	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.3	326.
12/30/25 19:30	4820	377	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.28	333.
12/30/25 20:00	4760	376	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.682	338.
12/30/25 20:30	4350	375	2.99	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.04	0.846
12/30/25 21:00	4080	375	2.8	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.20	347.
12/30/25 21:30	4280	375	2.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.888	258.
12/30/25 22:00	4240	374	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.19	313.
12/30/25 22:30	4340	373	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.307	73.
12/30/25 23:00	5410	372	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.733	342.
12/30/25 23:30	6490	376	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.921	301.
12/31/25 00:00	6140	375	2.93	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.60	299.

Daily Processed Summary (Average, Maximum Value)

Average	3820	380	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	4.75
Maximum Value	6490	388	2.99	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa Point Comfort AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/31/25 00:30	6110	374	3.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.63	330.
12/31/25 01:00	5080	373	2.8	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.5	2.89
12/31/25 01:30	4640	372	2.73	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.93	348.
12/31/25 02:00	4800	372	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.628	354.
12/31/25 02:30	4520	370	2.88	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.28	17.0
12/31/25 03:00	4310	373	3.02	BDL	BDL	7.16	BDL	BDL	BDL	BDL	1.56	17.4
12/31/25 03:30	4100	371	2.89	BDL	BDL	6.69	BDL	BDL	BDL	BDL	1.23	318.
12/31/25 04:00	4470	371	2.79	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.293	226.
12/31/25 04:30	5920	373	3.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.446	226.
12/31/25 05:00	6390	375	3.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.870	356.
12/31/25 05:30	6510	377	4.89	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.24	13.7
12/31/25 06:00	5520	375	4.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.18	354.
12/31/25 06:30	5800	374	4.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.968	337.
12/31/25 07:00	5850	376	4.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.80	343.
12/31/25 07:30	5240	377	4.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.76	341.
12/31/25 08:00	5220	379	4.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.07	357.
12/31/25 08:30	5290	380	3.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.75	321.
12/31/25 09:00	6130	386	3.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.01	317.
12/31/25 09:30	5700	388	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.32	281.
12/31/25 10:00	5680	387	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	279.
12/31/25 10:30	4600	388	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.9	228.
12/31/25 11:00	4040	388	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.95	246.
12/31/25 11:30	3470	390	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	266.
12/31/25 12:00	3560	394	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.32	290.
12/31/25 12:30	3390	394	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	285.
12/31/25 13:00	3610	395	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.45	287.
12/31/25 13:30	3660	395	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.12	277.
12/31/25 14:00	3630	395	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.40	288.
12/31/25 14:30	3980	395	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.59	249.
12/31/25 15:00	5020	391	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.78	147.
12/31/25 15:30	5030	391	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.31	152.
12/31/25 16:00	5670	388	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.30	142.
12/31/25 16:30	5690	387	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.3	145.
12/31/25 17:00	5890	387	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.56	153.
12/31/25 17:30	5910	385	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.12	166.
12/31/25 18:00	6770	385	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	178.
12/31/25 18:30	6640	385	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	180.
12/31/25 19:00	7050	385	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	179.
12/31/25 19:30	7480	381	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	170.
12/31/25 20:00	7730	382	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	183.
12/31/25 20:30	7860	378	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.63	187.
12/31/25 21:00	8330	380	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	178.
12/31/25 21:30	8710	378	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	169.
12/31/25 22:00	9040	378	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	168.
12/31/25 22:30	9160	378	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.55	172.
12/31/25 23:00	9340	379	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	179.
12/31/25 23:30	9610	379	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.66	175.
01/01/26 00:00	10000	379	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.83	169.

Daily Processed Summary (Average, Maximum Value)

Average	5880	382	2.79	BDL	BDL	0.289	BDL	BDL	BDL	BDL	1.43	191
Maximum Value	10000	395	4.89	-	-	7.16	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR Daily (24-hour) Averages

Site: Formosa North AAMS

Date	Capture%	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)	Met Capture%
10/01/25	100	21800	472	2.43	BDL	BDL	0.0475	BDL	BDL	BDL	BDL	M	M	0
10/02/25	100	23200	471	2.42	BDL	BDL	0.575	BDL	BDL	BDL	BDL	5.25	136	35.4
10/03/25	89.4	22900	460	2.44	BDL	BDL	8.08	BDL	BDL	BDL	BDL	4.76	67.8	100
10/04/25	97.9	21400	449	2.41	BDL	BDL	0.137	BDL	BDL	BDL	BDL	6.06	60.9	100
10/05/25	100	23100	446	2.39	BDL	BDL	8.16	BDL	BDL	BDL	BDL	4.85	79.1	100
10/06/25	100	24300	450	2.32	BDL	BDL	0.965	BDL	BDL	BDL	BDL	3.51	125	100
10/07/25	93.8	26200	450	2.29	BDL	BDL	10.2	BDL	BDL	BDL	BDL	3	108	100
10/08/25	100	24100	448	2.34	BDL	BDL	20.1	BDL	BDL	BDL	BDL	5.35	76.2	100
10/09/25	97.9	23800	448	2.38	BDL	BDL	39.1	BDL	BDL	BDL	BDL	6.41	72.4	100
10/10/25	100	20100	447	2.41	BDL	BDL	0.229	BDL	BDL	BDL	BDL	3.28	64.3	100
10/11/25	100	17400	445	2.39	BDL	BDL	0.122	BDL	BDL	BDL	BDL	3.4	103	100
10/12/25	93.8	17700	439	2.27	BDL	BDL	0.23	BDL	BDL	BDL	BDL	6.42	131	100
10/13/25	100	19300	439	2.35	BDL	BDL	1.14	BDL	BDL	BDL	BDL	5.41	111	100
10/14/25	97.9	19100	440	2.32	BDL	BDL	0.329	BDL	BDL	BDL	BDL	5.53	99.9	100
10/15/25	100	19000	448	2.4	BDL	BDL	0.823	BDL	BDL	BDL	BDL	1.37	51.3	100
10/16/25	100	19600	448	2.43	BDL	BDL	2.15	BDL	BDL	BDL	BDL	5.01	102	100
10/17/25	89.1	23100	448	2.34	BDL	BDL	5.84	BDL	BDL	BDL	BDL	5.95	118	100
10/18/25	100	25600	446	2.23	BDL	BDL	0.0327	BDL	BDL	BDL	BDL	6.36	183	100
10/19/25	100	23700	447	2.3	BDL	BDL	5.99	BDL	BDL	BDL	BDL	3.67	66.7	100
10/20/25	93.8	23100	446	2.38	BDL	BDL	0.722	BDL	BDL	BDL	BDL	9.43	142	100
10/21/25	100	26000	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.1	188	100
10/22/25	100	20400	439	2.34	BDL	BDL	5.61	BDL	BDL	BDL	BDL	7.42	74.4	100
10/23/25	100	22400	440	2.33	BDL	BDL	3.42	BDL	BDL	BDL	BDL	6.43	125	100
10/24/25	97.9	24300	438	2.26	BDL	BDL	7.37	BDL	BDL	BDL	BDL	9.61	120	100
10/25/25	100	22200	436	2.19	BDL	BDL	2.37	BDL	BDL	BDL	BDL	6.83	120	100
10/26/25	95.7	21300	445	2.27	BDL	BDL	6.35	BDL	BDL	BDL	BDL	3.09	59.8	100
10/27/25	100	24300	444	2.2	BDL	BDL	0.941	BDL	BDL	BDL	BDL	6.38	150	100
10/28/25	100	23800	441	2.21	BDL	BDL	0.0706	BDL	BDL	BDL	BDL	3.85	185	100
10/29/25	100	6460	427	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	325	100
10/30/25	100	6700	427	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	317	100
10/31/25	100	9070	438	2.39	BDL	BDL	0.258	BDL	BDL	BDL	BDL	1.96	113	100

Daily Processed Summary (Average, Maximum Value)

Average	98.3	20800	445	2.33	BDL	BDL	4.24	BDL	BDL	BDL	BDL	3.45	106	94.7
Maximum Value	100	26200	472	2.44	BDL	BDL	39.1	BDL	BDL	BDL	BDL	-	-	100

BDL = Below Detection Limit

Blank = Not Available

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/01/25 00:30	23900	488	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 01:00	24500	491	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 01:30	24700	492	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 02:00	24700	498	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 02:30	23800	508	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 03:00	23600	526	2.57	BDL	BDL	2.28	BDL	BDL	BDL	BDL	M	MAL
10/01/25 03:30	24000	517	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 04:00	23600	512	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 04:30	23200	521	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 05:00	23000	511	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 05:30	22800	510	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 06:00	22100	514	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 06:30	21500	512	2.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 07:00	21600	517	2.94	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 07:30	21300	515	2.96	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 08:00	21200	514	2.97	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 08:30	21700	498	2.87	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 09:00	22500	481	2.71	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 09:30	23000	468	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 10:00	23200	459	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 10:30	23200	453	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 11:00	23000	450	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 11:30	22200	446	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 12:00	23600	490	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 12:30	24000	510	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 13:00	20100	456	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 13:30	19100	446	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 14:00	18700	445	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 14:30	18500	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 15:00	18100	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 15:30	18700	448	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 16:00	19000	448	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 16:30	18800	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 17:00	18300	448	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 17:30	18200	451	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 18:00	17700	450	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 18:30	19100	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 19:00	19800	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 19:30	20400	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 20:00	21400	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 20:30	22000	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 21:00	22700	443	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 21:30	22800	444	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 22:00	22600	443	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 22:30	23400	441	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 23:00	23600	441	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/01/25 23:30	24000	442	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 00:00	24100	444	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL

Daily Processed Summary (Average, Maximum Value)

Average	21800	472	2.43	BDL	BDL	0.0475	BDL	BDL	BDL	BDL	M	M
Maximum Value	24700	526	2.97	-	-	2.28	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/02/25 00:30	23600	446	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 01:00	23800	448	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 01:30	24100	446	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 02:00	24600	448	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 02:30	24800	447	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 03:00	24800	453	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 03:30	24600	467	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 04:00	24200	477	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 04:30	24200	479	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 05:00	23600	493	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 05:30	23200	505	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 06:00	23200	503	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 06:30	23500	499	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 07:00	22800	513	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 07:30	22700	507	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 08:00	22800	506	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 08:30	23800	490	2.73	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 09:00	24900	474	2.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 09:30	25700	459	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 10:00	25600	452	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 10:30	25900	449	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 11:00	25600	445	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 11:30	25100	440	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 12:00	24300	453	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 12:30	23700	499	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 13:00	18700	446	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 13:30	21800	471	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 14:00	25900	511	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 14:30	25600	509	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 15:00	24300	513	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 15:30	22800	507	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
10/02/25 16:00	22500	514	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	176.
10/02/25 16:30	23200	510	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	166.
10/02/25 17:00	22300	476	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.09	140.
10/02/25 17:30	20200	445	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	128.
10/02/25 18:00	20000	447	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.18	128.
10/02/25 18:30	20100	448	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.24	124.
10/02/25 19:00	19700	452	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.25	127.
10/02/25 19:30	20500	451	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	132.
10/02/25 20:00	20800	447	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	134.
10/02/25 20:30	21700	447	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.3	131.
10/02/25 21:00	22400	449	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	130.
10/02/25 21:30	22700	450	2.29	BDL	BDL	3.17	BDL	BDL	BDL	BDL	4.78	130.
10/02/25 22:00	22700	451	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	157.
10/02/25 22:30	22500	454	2.34	BDL	BDL	6.16	BDL	BDL	BDL	BDL	0.388	97.8
10/02/25 23:00	22600	464	2.43	BDL	BDL	9.53	BDL	BDL	BDL	BDL	1.40	54.1
10/02/25 23:30	22700	465	2.44	BDL	BDL	8.73	BDL	BDL	BDL	BDL	1.07	89.1
10/03/25 00:00	22600	468	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.85	141.

Daily Processed Summary (Average, Maximum Value)

Average	23200	471	2.42	BDL	BDL	0.575	BDL	BDL	BDL	BDL	5.25	136
Maximum Value	25900	514	2.75	-	-	9.53	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/03/25 00:30	22400	478	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.548	59.6
10/03/25 01:00	22500	473	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.585	11.1
10/03/25 01:30	22700	479	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.33	223.
10/03/25 02:00	23300	484	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.05	316.
10/03/25 02:30	23400	491	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.77	8.57
10/03/25 03:00	23300	487	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.83	26.5
10/03/25 03:30	23100	491	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	28.5
10/03/25 04:00	22600	489	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	27.3
10/03/25 04:30	21900	504	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.47	21.7
10/03/25 05:00	21600	506	2.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.14	30.5
10/03/25 05:30	21800	492	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.45	9.72
10/03/25 06:00	21800	485	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	18.6
10/03/25 06:30	21600	478	2.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.59	9.59
10/03/25 07:00	21600	469	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	18.0
10/03/25 07:30	21700	469	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.82	21.8
10/03/25 08:00	21400	471	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	24.6
10/03/25 08:30	21900	467	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	24.3
10/03/25 09:00	22800	461	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	21.8
10/03/25 09:30	23200	457	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	29.8
10/03/25 10:00	23600	453	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	27.6
10/03/25 10:30	24700	445	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.5	31.1
10/03/25 11:00	24700	443	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.14	27.3
10/03/25 11:30	24400	442	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	17.1
10/03/25 12:00	24200	444	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	6.41
10/03/25 12:30	23100	442	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.00	30.5
10/03/25 13:00	23000	441	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.60	71.4
10/03/25 13:30	21800	442	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.33	42.2
10/03/25 14:00	L	L	L	L	L	L	L	L	L	L	6.46	69.9
10/03/25 14:30	24600	437	2.29	BDL	BDL	2.91	BDL	BDL	BDL	BDL	9.73	107.
10/03/25 15:00	24000	440	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.76	127.
10/03/25 15:30	23800	440	2.31	BDL	BDL	20.6	BDL	BDL	BDL	BDL	9.51	110.
10/03/25 16:00	23700	442	2.28	BDL	BDL	8.77	BDL	BDL	BDL	BDL	10.1	123.
10/03/25 16:30	M	M	M	M	M	M	M	M	M	M	11.2	104.
10/03/25 17:00	M	M	M	M	M	M	M	M	M	M	10.3	88.3
10/03/25 17:30	M	M	M	M	M	M	M	M	M	M	9.84	112.
10/03/25 18:00	M	M	M	M	M	M	M	M	M	M	11.0	104.
10/03/25 18:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	10.2	107.
10/03/25 19:00	23500	440	2.25	BDL	BDL	131.	BDL	BDL	BDL	BDL	9.98	110.
10/03/25 19:30	22500	440	2.23	BDL	BDL	126.	BDL	BDL	BDL	BDL	9.43	108.
10/03/25 20:00	22000	440	2.22	BDL	BDL	43.1	BDL	BDL	BDL	BDL	8.40	104.
10/03/25 20:30	22800	440	2.24	BDL	BDL	6.79	BDL	BDL	BDL	BDL	7.06	103.
10/03/25 21:00	22900	441	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	101.
10/03/25 21:30	22800	442	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	94.1
10/03/25 22:00	22900	442	2.85	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.64	92.1
10/03/25 22:30	23000	443	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.29	82.3
10/03/25 23:00	22800	446	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	72.5
10/03/25 23:30	22600	449	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.87	56.7
10/04/25 00:00	22300	456	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.91	43.

Daily Processed Summary (Average, Maximum Value)

Average	22900	460	2.44	BDL	BDL	8.08	BDL	BDL	BDL	BDL	4.76	67.8
Maximum Value	24700	506	2.85	-	-	131	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/04/25 00:30	22100	455	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	52.2
10/04/25 01:00	21800	459	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	57.1
10/04/25 01:30	21600	457	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	61.9
10/04/25 02:00	21400	460	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	57.3
10/04/25 02:30	21300	461	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	49.7
10/04/25 03:00	21200	463	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.80	51.7
10/04/25 03:30	21100	468	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.72	46.1
10/04/25 04:00	20900	470	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	35.2
10/04/25 04:30	20700	466	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	29.7
10/04/25 05:00	20300	470	2.64	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.81	31.8
10/04/25 05:30	20100	467	2.79	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	30.6
10/04/25 06:00	20100	462	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	36.9
10/04/25 06:30	20200	457	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.81	34.8
10/04/25 07:00	20100	457	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	36.1
10/04/25 07:30	20100	457	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	33.7
10/04/25 08:00	20100	458	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	28.9
10/04/25 08:30	20800	455	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	26.0
10/04/25 09:00	21900	451	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.77	28.5
10/04/25 09:30	22600	449	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.35	37.7
10/04/25 10:00	22800	446	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.84	45.7
10/04/25 10:30	23100	443	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	47.5
10/04/25 11:00	23000	441	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.99	55.6
10/04/25 11:30	22100	440	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.27	59.3
10/04/25 12:00	21700	441	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	60.7
10/04/25 12:30	20800	440	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.54	34.3
10/04/25 13:00	20200	440	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.47	34.9
10/04/25 13:30	20000	441	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	37.
10/04/25 14:00	19700	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.63	45.0
10/04/25 14:30	19100	440	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.89	55.6
10/04/25 15:00	19000	441	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	68.4
10/04/25 15:30	19200	441	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	85.5
10/04/25 16:00	19000	442	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	89.8
10/04/25 16:30	21200	441	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	92.3
10/04/25 17:00	21700	440	2.33	BDL	BDL	2.5	BDL	BDL	BDL	BDL	9.48	100.
10/04/25 17:30	22100	438	2.28	BDL	BDL	3.93	BDL	BDL	BDL	BDL	10.7	109.
10/04/25 18:00	22500	437	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.53	92.8
10/04/25 18:30	21900	438	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.27	93.2
10/04/25 19:00	21400	439	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.85	88.0
10/04/25 19:30	23200	438	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	91.8
10/04/25 20:00	23100	438	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	89.2
10/04/25 20:30	22800	439	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.04	86.4
10/04/25 21:00	23000	442	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	93.7
10/04/25 21:30	22900	444	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	81.7
10/04/25 22:00	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	5.46	75.3
10/04/25 22:30	23000	442	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.45	64.9
10/04/25 23:00	22900	445	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	65.8
10/04/25 23:30	22900	446	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	62.7
10/05/25 00:00	22900	448	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	55.5

Daily Processed Summary (Average, Maximum Value)

Average	21400	449	2.41	BDL	BDL	0.137	BDL	BDL	BDL	BDL	6.06	60.9
Maximum Value	23200	470	2.79	-	-	3.93	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/05/25 00:30	22700	453	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.99	30.1
10/05/25 01:00	22300	458	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	28.4
10/05/25 01:30	22200	459	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	38.
10/05/25 02:00	22300	460	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	35.6
10/05/25 02:30	21900	465	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.24	25.0
10/05/25 03:00	21800	461	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	27.7
10/05/25 03:30	22000	456	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.02	25.0
10/05/25 04:00	22000	457	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	28.7
10/05/25 04:30	22100	457	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.93	29.8
10/05/25 05:00	22100	456	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	32.7
10/05/25 05:30	22200	453	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.5	42.4
10/05/25 06:00	22300	453	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	28.3
10/05/25 06:30	22100	455	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	29.1
10/05/25 07:00	22100	454	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	21.1
10/05/25 07:30	22100	451	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	21.8
10/05/25 08:00	22100	448	2.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.47	29.7
10/05/25 08:30	22400	446	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.04	41.2
10/05/25 09:00	22900	443	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	50.8
10/05/25 09:30	23600	442	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.42	50.7
10/05/25 10:00	23900	440	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	58.0
10/05/25 10:30	24300	439	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.35	57.4
10/05/25 11:00	24200	438	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.81	66.5
10/05/25 11:30	23800	438	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	50.2
10/05/25 12:00	23200	439	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	80.3
10/05/25 12:30	22500	440	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	56.9
10/05/25 13:00	21600	440	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	73.1
10/05/25 13:30	20700	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	46.4
10/05/25 14:00	20400	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.83	77.9
10/05/25 14:30	19900	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	59.4
10/05/25 15:00	24100	440	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	210.
10/05/25 15:30	25400	440	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	216.
10/05/25 16:00	25400	443	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.11	186.
10/05/25 16:30	25200	445	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	147.
10/05/25 17:00	24700	442	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	133.
10/05/25 17:30	24100	438	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	128.
10/05/25 18:00	24100	437	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	131.
10/05/25 18:30	23800	439	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	131.
10/05/25 19:00	22500	439	2.26	BDL	BDL	12.1	BDL	BDL	BDL	BDL	8.98	121.
10/05/25 19:30	22000	439	2.23	BDL	BDL	85.8	BDL	BDL	BDL	BDL	7.41	113.
10/05/25 20:00	22200	439	2.22	BDL	BDL	92.	BDL	BDL	BDL	BDL	8.16	112.
10/05/25 20:30	22800	439	2.28	BDL	BDL	62.7	BDL	BDL	BDL	BDL	7.97	114.
10/05/25 21:00	24000	439	2.36	BDL	BDL	139.	BDL	BDL	BDL	BDL	8.83	106.
10/05/25 21:30	24800	439	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.57	103.
10/05/25 22:00	25100	441	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	102.
10/05/25 22:30	25000	441	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.71	100.
10/05/25 23:00	24700	441	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.	99.2
10/05/25 23:30	24800	443	2.73	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	96.5
10/06/25 00:00	24700	444	2.87	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.02	92.5

Daily Processed Summary (Average, Maximum Value)

Average	23100	446	2.39	BDL	BDL	8.16	BDL	BDL	BDL	BDL	4.85	79.1
Maximum Value	25400	465	2.87	-	-	139	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/06/25 00:30	24600	446	2.9	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	90.9
10/06/25 01:00	24700	447	2.4	BDL	BDL	14.5	BDL	BDL	BDL	BDL	5.49	101.
10/06/25 01:30	24800	447	2.47	BDL	BDL	17.6	BDL	BDL	BDL	BDL	5.86	98.2
10/06/25 02:00	24800	450	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.73	88.1
10/06/25 02:30	24600	454	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.29	66.8
10/06/25 03:00	24300	462	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.48	54.7
10/06/25 03:30	24300	463	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.46	73.9
10/06/25 04:00	24200	464	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.09	1.64
10/06/25 04:30	23700	474	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.05	302.
10/06/25 05:00	23700	475	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.47	315.
10/06/25 05:30	23800	473	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.25	8.86
10/06/25 06:00	23700	471	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.961	333.
10/06/25 06:30	23400	476	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.17	34.2
10/06/25 07:00	23100	477	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.76	7.86
10/06/25 07:30	22800	474	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	54.6
10/06/25 08:00	23100	472	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	52.4
10/06/25 08:30	23600	470	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	55.8
10/06/25 09:00	24600	462	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.20	53.7
10/06/25 09:30	25500	452	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.88	48.5
10/06/25 10:00	25900	448	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.60	65.9
10/06/25 10:30	25800	443	2.34	BDL	BDL	3.73	BDL	BDL	BDL	BDL	5.67	114.
10/06/25 11:00	25500	444	2.29	BDL	BDL	5.45	BDL	BDL	BDL	BDL	6.36	110.
10/06/25 11:30	22900	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.3	118.
10/06/25 12:00	23000	442	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.39	123.
10/06/25 12:30	22500	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	201.
10/06/25 13:00	23400	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	201.
10/06/25 13:30	23600	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	209.
10/06/25 14:00	23600	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	200.
10/06/25 14:30	23900	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	206.
10/06/25 15:00	24200	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	220.
10/06/25 15:30	23700	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.69	231.
10/06/25 16:00	23800	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.99	206.
10/06/25 16:30	24000	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.96	170.
10/06/25 17:00	23200	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	160.
10/06/25 17:30	23500	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	147.
10/06/25 18:00	23900	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	138.
10/06/25 18:30	24100	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.86	123.
10/06/25 19:00	24300	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	130.
10/06/25 19:30	24400	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.00	122.
10/06/25 20:00	24100	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	124.
10/06/25 20:30	24600	439	2.19	BDL	BDL	1.86	BDL	BDL	BDL	BDL	7.50	126.
10/06/25 21:00	24900	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.5	126.
10/06/25 21:30	25100	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.37	128.
10/06/25 22:00	25300	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.14	128.
10/06/25 22:30	25700	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	128.
10/06/25 23:00	26600	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.35	135.
10/06/25 23:30	26700	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	128.
10/07/25 00:00	26500	442	2.3	BDL	BDL	3.2	BDL	BDL	BDL	BDL	4.27	103.

Daily Processed Summary (Average, Maximum Value)

Average	24300	450	2.32	BDL	BDL	0.965	BDL	BDL	BDL	BDL	3.51	125
Maximum Value	26700	477	2.9	-	-	17.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/07/25 00:30	26200	448	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.49	71.8
10/07/25 01:00	25900	447	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.72	77.6
10/07/25 01:30	26400	444	2.26	BDL	BDL	2.57	BDL	BDL	BDL	BDL	4.54	107.
10/07/25 02:00	26600	444	2.46	BDL	BDL	5.40	BDL	BDL	BDL	BDL	3.83	96.6
10/07/25 02:30	26700	449	2.27	BDL	BDL	3.83	BDL	BDL	BDL	BDL	3.79	99.7
10/07/25 03:00	26400	453	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.622	349.
10/07/25 03:30	26900	447	2.22	BDL	BDL	2.17	BDL	BDL	BDL	BDL	1.42	86.3
10/07/25 04:00	26900	453	2.26	BDL	BDL	1.88	BDL	BDL	BDL	BDL	2.57	90.5
10/07/25 04:30	26700	457	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	73.
10/07/25 05:00	26700	458	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.43	47.9
10/07/25 05:30	26500	462	2.48	BDL	BDL	3.49	BDL	BDL	BDL	BDL	1.95	79.7
10/07/25 06:00	26400	460	2.45	BDL	BDL	4.92	BDL	BDL	BDL	BDL	2.36	93.1
10/07/25 06:30	25800	470	2.44	BDL	BDL	8.08	BDL	BDL	BDL	BDL	1.91	94.9
10/07/25 07:00	24900	485	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.41	33.1
10/07/25 07:30	23800	499	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	25.7
10/07/25 08:00	24100	493	2.8	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.5	24.4
10/07/25 08:30	24700	483	2.78	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	27.6
10/07/25 09:00	26000	467	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	21.3
10/07/25 09:30	27100	457	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	41.4
10/07/25 10:00	27400	448	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.39	38.8
10/07/25 10:30	27200	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	29.3
10/07/25 11:00	26100	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	87.7
10/07/25 11:30	25100	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	39.9
10/07/25 12:00	24800	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.60	337.
10/07/25 12:30	M	M	M	M	M	M	M	M	M	M	5.93	238.
10/07/25 13:00	M	M	M	M	M	M	M	M	M	M	5.80	228.
10/07/25 13:30	M	M	M	M	M	M	M	M	M	M	4.62	249.
10/07/25 14:00	25700	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	225.
10/07/25 14:30	25600	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.59	215.
10/07/25 15:00	25200	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.68	203.
10/07/25 15:30	25800	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.41	143.
10/07/25 16:00	26500	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.38	128.
10/07/25 16:30	24600	446	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.55	127.
10/07/25 17:00	25300	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	126.
10/07/25 17:30	26200	441	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.86	124.
10/07/25 18:00	26000	442	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.58	125.
10/07/25 18:30	26400	444	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.82	132.
10/07/25 19:00	26500	438	2.19	BDL	BDL	11.5	BDL	BDL	BDL	BDL	7.01	119.
10/07/25 19:30	27300	437	2.21	BDL	BDL	133.	BDL	BDL	BDL	BDL	7.22	111.
10/07/25 20:00	27400	437	2.22	BDL	BDL	30.4	BDL	BDL	BDL	BDL	6.37	118.
10/07/25 20:30	27200	437	2.25	BDL	BDL	187.	BDL	BDL	BDL	BDL	6.31	108.
10/07/25 21:00	27000	438	2.25	BDL	BDL	52.7	BDL	BDL	BDL	BDL	5.40	111.
10/07/25 21:30	26900	437	2.18	BDL	BDL	2.59	BDL	BDL	BDL	BDL	7.22	125.
10/07/25 22:00	26900	437	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	124.
10/07/25 22:30	27200	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.18	118.
10/07/25 23:00	27100	442	2.21	BDL	BDL	10.5	BDL	BDL	BDL	BDL	4.77	73.3
10/07/25 23:30	26400	451	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	53.8
10/08/25 00:00	26500	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	73.1

Daily Processed Summary (Average, Maximum Value)

Average	26200	450	2.29	BDL	BDL	10.2	BDL	BDL	BDL	BDL	3	108
Maximum Value	27400	499	2.8	-	-	187	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/08/25 00:30	26000	462	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	36.6
10/08/25 01:00	25500	463	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	26.3
10/08/25 01:30	25100	458	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	27.3
10/08/25 02:00	24600	457	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	32.8
10/08/25 02:30	24300	457	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	46.1
10/08/25 03:00	24200	455	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	26.9
10/08/25 03:30	23800	460	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	16.6
10/08/25 04:00	23600	457	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.14	28.2
10/08/25 04:30	23500	457	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	33.3
10/08/25 05:00	23400	457	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	39.6
10/08/25 05:30	23500	456	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	44.1
10/08/25 06:00	23300	456	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	43.7
10/08/25 06:30	23400	456	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.2	41.1
10/08/25 07:00	23600	455	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	41.6
10/08/25 07:30	23600	452	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	39.3
10/08/25 08:00	23500	454	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.06	42.4
10/08/25 08:30	24200	451	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.30	51.
10/08/25 09:00	25100	445	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	37.5
10/08/25 09:30	26000	442	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.78	33.7
10/08/25 10:00	26100	442	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.63	33.
10/08/25 10:30	25600	442	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	35.0
10/08/25 11:00	25100	444	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	45.4
10/08/25 11:30	24400	445	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.36	53.6
10/08/25 12:00	23700	443	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.34	57.2
10/08/25 12:30	22300	443	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.46	62.1
10/08/25 13:00	21700	441	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	69.3
10/08/25 13:30	21600	442	2.29	BDL	BDL	2.83	BDL	BDL	BDL	BDL	8.99	108.
10/08/25 14:00	21400	442	2.27	BDL	BDL	7.13	BDL	BDL	BDL	BDL	8.68	104.
10/08/25 14:30	22500	445	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.95	125.
10/08/25 15:00	22600	442	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.40	125.
10/08/25 15:30	22300	440	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.7	128.
10/08/25 16:00	22300	441	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	120.
10/08/25 16:30	22400	439	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	129.
10/08/25 17:00	23000	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	121.
10/08/25 17:30	23500	439	2.25	BDL	BDL	33.1	BDL	BDL	BDL	BDL	12.1	115.
10/08/25 18:00	23900	441	2.25	BDL	BDL	10.2	BDL	BDL	BDL	BDL	10.6	119.
10/08/25 18:30	24300	441	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.95	120.
10/08/25 19:00	24400	441	2.26	BDL	BDL	4.66	BDL	BDL	BDL	BDL	8.92	123.
10/08/25 19:30	25100	440	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	124.
10/08/25 20:00	25400	439	2.27	BDL	BDL	2.78	BDL	BDL	BDL	BDL	5.58	121.
10/08/25 20:30	25300	439	2.3	BDL	BDL	372.	BDL	BDL	BDL	BDL	5.91	111.
10/08/25 21:00	25300	441	2.32	BDL	BDL	379.	BDL	BDL	BDL	BDL	5.26	100.
10/08/25 21:30	25500	441	2.3	BDL	BDL	96.8	BDL	BDL	BDL	BDL	4.5	102.
10/08/25 22:00	25800	442	2.34	BDL	BDL	41.3	BDL	BDL	BDL	BDL	3.95	96.4
10/08/25 22:30	25800	444	2.34	BDL	BDL	17.2	BDL	BDL	BDL	BDL	2.6	85.5
10/08/25 23:00	25800	455	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	28.9
10/08/25 23:30	25800	454	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.18	31.1
10/09/25 00:00	25400	457	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	31.7

Daily Processed Summary (Average, Maximum Value)

Average	24100	448	2.34	BDL	BDL	20.1	BDL	BDL	BDL	BDL	5.35	76.2
Maximum Value	26100	463	2.51	-	-	379	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/09/25 00:30	25000	457	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	31.4
10/09/25 01:00	24600	459	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	27.0
10/09/25 01:30	24200	459	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	39.0
10/09/25 02:00	24000	456	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	38.9
10/09/25 02:30	23800	456	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.28	33.1
10/09/25 03:00	23500	461	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.11	31.7
10/09/25 03:30	23200	462	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	36.7
10/09/25 04:00	22900	460	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	33.3
10/09/25 04:30	22800	460	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	33.1
10/09/25 05:00	22700	457	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.7	39.9
10/09/25 05:30	22700	455	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	40.8
10/09/25 06:00	22900	455	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	39.5
10/09/25 06:30	23700	454	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	44.4
10/09/25 07:00	24100	450	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	47.6
10/09/25 07:30	24100	448	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.9	45.8
10/09/25 08:00	24000	447	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.44	47.6
10/09/25 08:30	23900	446	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.54	50.2
10/09/25 09:00	23800	445	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	49.7
10/09/25 09:30	23800	446	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	48.2
10/09/25 10:00	23900	444	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	50.6
10/09/25 10:30	24100	444	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	48.4
10/09/25 11:00	24100	443	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.97	57.9
10/09/25 11:30	24000	443	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.52	63.7
10/09/25 12:00	24000	446	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	60.7
10/09/25 12:30	23500	442	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	72.5
10/09/25 13:00	22800	443	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	68.4
10/09/25 13:30	22700	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	46.
10/09/25 14:00	21100	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.85	56.8
10/09/25 14:30	20900	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.50	71.4
10/09/25 15:00	21200	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.58	53.9
10/09/25 15:30	21900	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	64.2
10/09/25 16:00	25400	443	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.92	122.
10/09/25 16:30	25400	443	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	122.
10/09/25 17:00	25400	443	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	127.
10/09/25 17:30	25600	445	2.28	BDL	BDL	15.	BDL	BDL	BDL	BDL	11.9	123.
10/09/25 18:00	25700	444	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	121.
10/09/25 18:30	25400	443	2.27	BDL	BDL	27.7	BDL	BDL	BDL	BDL	10.2	116.
10/09/25 19:00	25100	445	2.28	BDL	BDL	193.	BDL	BDL	BDL	BDL	8.94	112.
10/09/25 19:30	24400	444	2.28	BDL	BDL	26.4	BDL	BDL	BDL	BDL	7.83	113.
10/09/25 20:00	24400	444	2.29	BDL	BDL	583.	BDL	BDL	BDL	BDL	8.16	110.
10/09/25 20:30	24500	444	2.31	BDL	BDL	438.	BDL	BDL	BDL	BDL	7.60	106.
10/09/25 21:00	24600	442	2.31	BDL	BDL	491.	BDL	BDL	BDL	BDL	7.25	107.
10/09/25 21:30	24600	443	2.31	BDL	BDL	23.9	BDL	BDL	BDL	BDL	6.26	102.
10/09/25 22:00	24500	444	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	96.2
10/09/25 22:30	23800	443	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	90.3
10/09/25 23:00	L	L	L	L	L	L	L	L	L	L	3.81	91.2
10/09/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.12	92.5
10/10/25 00:00	23500	446	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	93.

Daily Processed Summary (Average, Maximum Value)

Average	23800	448	2.38	BDL	BDL	39.1	BDL	BDL	BDL	BDL	6.41	72.4
Maximum Value	25700	462	2.69	-	-	583	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/10/25 00:30	23400	446	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	92.9
10/10/25 01:00	23300	450	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	67.2
10/10/25 01:30	22700	455	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.09	50.0
10/10/25 02:00	22400	458	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.84	56.1
10/10/25 02:30	22000	461	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	40.9
10/10/25 03:00	21700	463	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.03	34.7
10/10/25 03:30	21400	464	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.44	32.4
10/10/25 04:00	21300	463	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	33.1
10/10/25 04:30	21000	463	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	31.5
10/10/25 05:00	20800	462	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.16	29.2
10/10/25 05:30	20500	461	2.71	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.41	30.8
10/10/25 06:00	20500	455	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.31	41.2
10/10/25 06:30	20300	452	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	48.4
10/10/25 07:00	20100	452	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.72	44.2
10/10/25 07:30	19700	450	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.79	46.5
10/10/25 08:00	19200	448	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	52.7
10/10/25 08:30	19000	447	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	52.4
10/10/25 09:00	18600	444	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	48.9
10/10/25 09:30	18000	443	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	52.5
10/10/25 10:00	18000	442	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.68	53.4
10/10/25 10:30	18200	441	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.84	45.6
10/10/25 11:00	18100	438	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	58.7
10/10/25 11:30	16800	436	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	63.1
10/10/25 12:00	16300	434	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.01	51.6
10/10/25 12:30	16000	434	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.12	60.9
10/10/25 13:00	15300	436	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.27	37.8
10/10/25 13:30	14800	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.90	60.7
10/10/25 14:00	14600	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	85.7
10/10/25 14:30	14300	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.98	95.4
10/10/25 15:00	18700	438	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.40	220.
10/10/25 15:30	20600	439	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	226.
10/10/25 16:00	21400	440	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.51	228.
10/10/25 16:30	21400	441	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	218.
10/10/25 17:00	22100	441	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	220.
10/10/25 17:30	22100	441	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	202.
10/10/25 18:00	21400	441	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	167.
10/10/25 18:30	19700	441	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	120.
10/10/25 19:00	21200	441	2.3	BDL	BDL	11.	BDL	BDL	BDL	BDL	5.72	114.
10/10/25 19:30	21900	443	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	137.
10/10/25 20:00	21800	443	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.27	155.
10/10/25 20:30	21700	444	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.81	131.
10/10/25 21:00	21600	443	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.12	131.
10/10/25 21:30	21900	446	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.59	110.
10/10/25 22:00	21800	449	2.91	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.38	98.7
10/10/25 22:30	21800	454	2.72	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.49	103.
10/10/25 23:00	21500	452	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.49	65.4
10/10/25 23:30	21000	458	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.19	5.82
10/11/25 00:00	20900	461	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	17.5

Daily Processed Summary (Average, Maximum Value)

Average	20100	447	2.41	BDL	BDL	0.229	BDL	BDL	BDL	BDL	3.28	64.3
Maximum Value	23400	464	2.91	-	-	11	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/11/25 00:30	20800	463	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	346.
10/11/25 01:00	21500	461	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.65	1.49
10/11/25 01:30	20600	461	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.45	40.9
10/11/25 02:00	20000	464	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.19	353.
10/11/25 02:30	20400	457	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.56	349.
10/11/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.51	345.
10/11/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.47	352.
10/11/25 04:00	21000	457	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	357.
10/11/25 04:30	20900	457	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	5.83
10/11/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.94	20.2
10/11/25 05:30	19100	463	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	15.2
10/11/25 06:00	17700	467	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.46	16.1
10/11/25 06:30	16400	467	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.79	32.2
10/11/25 07:00	15700	463	2.86	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	44.8
10/11/25 07:30	15400	461	2.9	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	44.7
10/11/25 08:00	15200	462	2.89	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	23.2
10/11/25 08:30	15300	458	2.84	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	35.0
10/11/25 09:00	16200	453	2.81	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.41	42.4
10/11/25 09:30	17500	448	2.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.5	40.5
10/11/25 10:00	18400	444	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.15	55.5
10/11/25 10:30	18500	439	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	56.7
10/11/25 11:00	17300	436	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	36.8
10/11/25 11:30	14000	433	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	63.8
10/11/25 12:00	14200	433	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	52.3
10/11/25 12:30	14500	432	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	65.8
10/11/25 13:00	14500	432	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	99.3
10/11/25 13:30	16500	434	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.76	180.
10/11/25 14:00	17300	434	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.63	212.
10/11/25 14:30	16700	435	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	204.
10/11/25 15:00	17200	438	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.41	205.
10/11/25 15:30	16900	441	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.08	189.
10/11/25 16:00	17600	443	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	167.
10/11/25 16:30	17700	443	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	136.
10/11/25 17:00	17400	438	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	133.
10/11/25 17:30	17100	438	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	127.
10/11/25 18:00	18100	436	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.76	124.
10/11/25 18:30	18800	437	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.42	127.
10/11/25 19:00	19100	438	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	125.
10/11/25 19:30	19100	435	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.37	126.
10/11/25 20:00	18700	435	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.66	126.
10/11/25 20:30	17300	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.34	124.
10/11/25 21:00	16000	434	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.38	124.
10/11/25 21:30	15800	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.61	124.
10/11/25 22:00	15700	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.47	121.
10/11/25 22:30	15700	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	124.
10/11/25 23:00	16200	434	2.19	BDL	BDL	2.73	BDL	BDL	BDL	BDL	7.43	120.
10/11/25 23:30	16300	435	2.2	BDL	BDL	2.78	BDL	BDL	BDL	BDL	7.86	123.
10/12/25 00:00	16500	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.61	129.

Daily Processed Summary (Average, Maximum Value)

Average	17400	445	2.39	BDL	BDL	0.122	BDL	BDL	BDL	BDL	3.4	103
Maximum Value	21500	467	2.9	-	-	2.78	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/12/25 00:30	16900	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	130.
10/12/25 01:00	17200	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	131.
10/12/25 01:30	17200	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	130.
10/12/25 02:00	17100	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.1	128.
10/12/25 02:30	17300	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	127.
10/12/25 03:00	17700	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	137.
10/12/25 03:30	18100	436	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	156.
10/12/25 04:00	18000	439	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.46	142.
10/12/25 04:30	17600	444	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.53	55.2
10/12/25 05:00	17700	443	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.83	102.
10/12/25 05:30	17300	448	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	46.3
10/12/25 06:00	16800	459	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.9	54.3
10/12/25 06:30	16500	469	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	35.4
10/12/25 07:00	16700	463	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.44	49.7
10/12/25 07:30	17000	458	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.48	62.4
10/12/25 08:00	16900	463	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.35	55.9
10/12/25 08:30	17500	460	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.73	73.5
10/12/25 09:00	19000	451	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	96.2
10/12/25 09:30	20000	445	2.47	BDL	BDL	6.28	BDL	BDL	BDL	BDL	2.5	104.
10/12/25 10:00	19000	436	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	123.
10/12/25 10:30	18100	434	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.56	135.
10/12/25 11:00	18000	433	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.5	129.
10/12/25 11:30	17600	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.31	134.
10/12/25 12:00	17500	434	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.73	136.
10/12/25 12:30	17600	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	140.
10/12/25 13:00	17600	434	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	140.
10/12/25 13:30	17400	434	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	154.
10/12/25 14:00	17700	434	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	152.
10/12/25 14:30	17600	434	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	146.
10/12/25 15:00	17600	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	142.
10/12/25 15:30	17500	433	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	144.
10/12/25 16:00	17500	433	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	137.
10/12/25 16:30	17800	434	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	145.
10/12/25 17:00	17800	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	130.
10/12/25 17:30	M	M	M	M	M	M	M	M	M	M	11.2	140.
10/12/25 18:00	M	M	M	M	M	M	M	M	M	M	10.7	141.
10/12/25 18:30	M	M	M	M	M	M	M	M	M	M	9.54	137.
10/12/25 19:00	17600	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.85	122.
10/12/25 19:30	17800	434	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.19	124.
10/12/25 20:00	17900	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.34	125.
10/12/25 20:30	18000	434	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.95	127.
10/12/25 21:00	18000	434	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.66	126.
10/12/25 21:30	18200	434	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	128.
10/12/25 22:00	18200	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	123.
10/12/25 22:30	18400	433	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	118.
10/12/25 23:00	18600	433	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	146.
10/12/25 23:30	18600	432	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	120.
10/13/25 00:00	18500	432	2.22	BDL	BDL	4.07	BDL	BDL	BDL	BDL	4.98	118.

Daily Processed Summary (Average, Maximum Value)

Average	17700	439	2.27	BDL	BDL	0.23	BDL	BDL	BDL	BDL	6.42	131
Maximum Value	20000	469	2.58	-	-	6.28	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/13/25 00:30	18600	433	2.34	BDL	BDL	5.70	BDL	BDL	BDL	BDL	4.55	113.
10/13/25 01:00	18600	434	2.34	BDL	BDL	16.7	BDL	BDL	BDL	BDL	4.14	108.
10/13/25 01:30	18600	435	2.7	BDL	BDL	12.7	BDL	BDL	BDL	BDL	5.09	93.8
10/13/25 02:00	18300	438	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.4	99.7
10/13/25 02:30	17800	439	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.16	59.8
10/13/25 03:00	18100	441	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.26	100.
10/13/25 03:30	18300	439	2.38	BDL	BDL	4.88	BDL	BDL	BDL	BDL	1.62	104.
10/13/25 04:00	18100	441	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.12	116.
10/13/25 04:30	18100	447	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.31	41.3
10/13/25 05:00	17900	448	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.66	78.2
10/13/25 05:30	18000	452	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	68.8
10/13/25 06:00	17800	458	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.24	63.5
10/13/25 06:30	17900	457	2.76	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.45	78.
10/13/25 07:00	18000	456	2.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.36	62.7
10/13/25 07:30	18000	458	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.76	60.8
10/13/25 08:00	18000	460	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.72	62.1
10/13/25 08:30	18100	456	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.10	72.2
10/13/25 09:00	19300	448	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	76.5
10/13/25 09:30	20500	442	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	71.2
10/13/25 10:00	20800	436	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	88.
10/13/25 10:30	20200	434	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	93.8
10/13/25 11:00	19700	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	110.
10/13/25 11:30	19400	434	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.8	139.
10/13/25 12:00	19000	432	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.41	127.
10/13/25 12:30	18900	431	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.50	119.
10/13/25 13:00	18600	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.02	119.
10/13/25 13:30	18200	432	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.68	134.
10/13/25 14:00	18100	431	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.05	129.
10/13/25 14:30	18100	432	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	123.
10/13/25 15:00	18600	431	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.24	130.
10/13/25 15:30	18600	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.66	134.
10/13/25 16:00	19000	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.29	130.
10/13/25 16:30	19500	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	120.
10/13/25 17:00	19500	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	124.
10/13/25 17:30	19700	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	124.
10/13/25 18:00	20000	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	119.
10/13/25 18:30	20100	431	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.67	125.
10/13/25 19:00	20100	433	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	126.
10/13/25 19:30	20700	434	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.00	117.
10/13/25 20:00	20800	435	2.21	BDL	BDL	6.4	BDL	BDL	BDL	BDL	6.88	116.
10/13/25 20:30	20800	436	2.29	BDL	BDL	8.42	BDL	BDL	BDL	BDL	6.15	103.
10/13/25 21:00	21000	435	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	97.0
10/13/25 21:30	21200	434	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	101.
10/13/25 22:00	21400	435	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	94.8
10/13/25 22:30	21400	436	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	90.6
10/13/25 23:00	21400	435	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.58	96.2
10/13/25 23:30	21400	436	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.92	74.5
10/14/25 00:00	20600	439	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	72.

Daily Processed Summary (Average, Maximum Value)

Average	19300	439	2.35	BDL	BDL	1.14	BDL	BDL	BDL	BDL	5.41	111
Maximum Value	21400	460	2.76	-	-	16.7	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/14/25 00:30	19900	440	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.47	61.5
10/14/25 01:00	19500	439	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.34	64.5
10/14/25 01:30	19000	440	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	58.3
10/14/25 02:00	18500	439	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	59.1
10/14/25 02:30	18200	439	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.4	52.8
10/14/25 03:00	17900	440	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	57.4
10/14/25 03:30	17800	439	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	60.6
10/14/25 04:00	17600	439	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	56.2
10/14/25 04:30	17600	439	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	53.2
10/14/25 05:00	17600	440	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	55.4
10/14/25 05:30	17500	441	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	56.1
10/14/25 06:00	17500	442	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.63	53.9
10/14/25 06:30	17500	442	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	59.5
10/14/25 07:00	17700	444	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	56.2
10/14/25 07:30	17800	441	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	51.9
10/14/25 08:00	17900	440	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	51.6
10/14/25 08:30	18200	439	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.37	51.5
10/14/25 09:00	18800	435	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	50.1
10/14/25 09:30	19300	432	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.46	52.3
10/14/25 10:00	19600	431	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.12	57.9
10/14/25 10:30	19700	430	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	75.0
10/14/25 11:00	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	9.07	91.5
10/14/25 11:30	19800	441	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	86.7
10/14/25 12:00	19400	442	2.3	BDL	BDL	9.06	BDL	BDL	BDL	BDL	8.68	98.8
10/14/25 12:30	19200	442	2.3	BDL	BDL	4.35	BDL	BDL	BDL	BDL	9.24	119.
10/14/25 13:00	19200	442	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.41	122.
10/14/25 13:30	19700	443	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	118.
10/14/25 14:00	19800	443	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	126.
10/14/25 14:30	19600	442	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	128.
10/14/25 15:00	19500	441	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.71	129.
10/14/25 15:30	19200	441	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	125.
10/14/25 16:00	19300	441	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.89	122.
10/14/25 16:30	19600	443	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.1	136.
10/14/25 17:00	19700	444	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	148.
10/14/25 17:30	19700	444	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.82	146.
10/14/25 18:00	19500	442	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	146.
10/14/25 18:30	19400	439	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.77	144.
10/14/25 19:00	19500	440	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.95	140.
10/14/25 19:30	19700	439	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.18	135.
10/14/25 20:00	19800	438	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	131.
10/14/25 20:30	19900	437	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	127.
10/14/25 21:00	20000	438	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	122.
10/14/25 21:30	20000	437	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	128.
10/14/25 22:00	20100	437	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.28	121.
10/14/25 22:30	20000	440	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.34	155.
10/14/25 23:00	19900	441	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.51	148.
10/14/25 23:30	19800	444	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.614	91.8
10/15/25 00:00	19800	443	2.3	BDL	BDL	2.05	BDL	BDL	BDL	BDL	1.33	61.9

Daily Processed Summary (Average, Maximum Value)

Average	19100	440	2.32	BDL	BDL	0.329	BDL	BDL	BDL	BDL	5.53	99.9
Maximum Value	20100	444	2.49	-	-	9.06	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/15/25 00:30	19700	447	2.44	BDL	BDL	1.89	BDL	BDL	BDL	BDL	1.68	84.1
10/15/25 01:00	19300	455	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.723	24.8
10/15/25 01:30	19200	457	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.70	346.
10/15/25 02:00	19500	452	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.05	22.1
10/15/25 02:30	19500	451	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	359.
10/15/25 03:00	19700	455	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	5.12
10/15/25 03:30	19700	455	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	359.
10/15/25 04:00	19600	457	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	6.49
10/15/25 04:30	19500	456	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	6.80
10/15/25 05:00	19000	462	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	8.78
10/15/25 05:30	19000	460	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.55	6.75
10/15/25 06:00	18900	462	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	8.11
10/15/25 06:30	18700	463	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	13.6
10/15/25 07:00	18200	465	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.53	26.6
10/15/25 07:30	18000	459	2.82	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.69	31.7
10/15/25 08:00	17900	452	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	30.9
10/15/25 08:30	18500	447	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	20.9
10/15/25 09:00	19400	446	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.10	21.7
10/15/25 09:30	20400	442	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.26	12.4
10/15/25 10:00	21100	440	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	353.
10/15/25 10:30	21200	440	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.35	347.
10/15/25 11:00	20700	440	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	321.
10/15/25 11:30	20200	440	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	305.
10/15/25 12:00	19400	439	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.2	309.
10/15/25 12:30	17100	441	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.39	301.
10/15/25 13:00	17200	442	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	302.
10/15/25 13:30	16200	441	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	309.
10/15/25 14:00	16900	443	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.20	321.
10/15/25 14:30	16800	444	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	280.
10/15/25 15:00	17100	445	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	226.
10/15/25 15:30	17000	447	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.8	224.
10/15/25 16:00	17300	448	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	168.
10/15/25 16:30	17300	451	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	183.
10/15/25 17:00	17300	449	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.55	202.
10/15/25 17:30	17800	449	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.76	129.
10/15/25 18:00	18200	447	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.49	132.
10/15/25 18:30	19300	448	2.29	BDL	BDL	1.53	BDL	BDL	BDL	BDL	10.8	152.
10/15/25 19:00	19500	445	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.59	130.
10/15/25 19:30	19700	444	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.50	128.
10/15/25 20:00	19500	442	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.45	124.
10/15/25 20:30	19800	440	2.29	BDL	BDL	13.8	BDL	BDL	BDL	BDL	6.05	118.
10/15/25 21:00	20200	440	2.33	BDL	BDL	11.	BDL	BDL	BDL	BDL	5.37	111.
10/15/25 21:30	20400	442	2.6	BDL	BDL	11.3	BDL	BDL	BDL	BDL	5.17	92.2
10/15/25 22:00	20500	442	2.72	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	89.2
10/15/25 22:30	20400	442	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.54	84.1
10/15/25 23:00	20400	442	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	82.2
10/15/25 23:30	19900	444	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.3	72.6
10/16/25 00:00	19300	444	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	70.1

Daily Processed Summary (Average, Maximum Value)

Average	19000	448	2.4	BDL	BDL	0.823	BDL	BDL	BDL	BDL	1.37	51.3
Maximum Value	21200	465	2.82	-	-	13.8	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/16/25 00:30	19100	445	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.63	73.9
10/16/25 01:00	18800	450	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.50	59.3
10/16/25 01:30	18600	451	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	65.8
10/16/25 02:00	18500	447	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	61.4
10/16/25 02:30	18200	448	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	53.8
10/16/25 03:00	18000	449	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.41	46.8
10/16/25 03:30	18100	453	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	44.3
10/16/25 04:00	18000	456	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	40.6
10/16/25 04:30	17700	460	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.08	9.2
10/16/25 05:00	17600	459	2.64	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.46	321.
10/16/25 05:30	17600	460	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.60	19.
10/16/25 06:00	17700	460	2.64	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.78	48.7
10/16/25 06:30	17800	460	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.98	50.8
10/16/25 07:00	18400	458	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.89	44.1
10/16/25 07:30	18900	458	2.64	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.	38.8
10/16/25 08:00	19200	459	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.59	31.5
10/16/25 08:30	19500	457	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.55	64.2
10/16/25 09:00	19900	454	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.28	69.4
10/16/25 09:30	20600	453	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.82	69.5
10/16/25 10:00	21200	452	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.44	63.3
10/16/25 10:30	21900	450	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.64	72.6
10/16/25 11:00	22200	449	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	72.5
10/16/25 11:30	22200	446	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.90	85.1
10/16/25 12:00	21900	445	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	100.
10/16/25 12:30	20800	444	2.25	BDL	BDL	9.19	BDL	BDL	BDL	BDL	8.08	116.
10/16/25 13:00	19800	443	2.24	BDL	BDL	2.42	BDL	BDL	BDL	BDL	8.77	121.
10/16/25 13:30	19200	445	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	124.
10/16/25 14:00	20500	444	2.26	BDL	BDL	14.1	BDL	BDL	BDL	BDL	8.84	108.
10/16/25 14:30	20300	444	2.25	BDL	BDL	6.92	BDL	BDL	BDL	BDL	8.09	124.
10/16/25 15:00	18800	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.99	138.
10/16/25 15:30	20300	446	2.25	BDL	BDL	1.85	BDL	BDL	BDL	BDL	11.5	127.
10/16/25 16:00	20700	444	2.26	BDL	BDL	4.17	BDL	BDL	BDL	BDL	10.9	117.
10/16/25 16:30	20600	444	2.26	BDL	BDL	23.2	BDL	BDL	BDL	BDL	11.	108.
10/16/25 17:00	20300	444	2.27	BDL	BDL	9.82	BDL	BDL	BDL	BDL	9.5	121.
10/16/25 17:30	19800	444	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	131.
10/16/25 18:00	19700	445	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.89	135.
10/16/25 18:30	19900	446	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	128.
10/16/25 19:00	19900	443	2.23	BDL	BDL	2.56	BDL	BDL	BDL	BDL	9.37	123.
10/16/25 19:30	20200	442	2.24	BDL	BDL	1.49	BDL	BDL	BDL	BDL	8.56	123.
10/16/25 20:00	20100	442	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.47	121.
10/16/25 20:30	20100	442	2.25	BDL	BDL	8.13	BDL	BDL	BDL	BDL	6.47	114.
10/16/25 21:00	20300	443	2.27	BDL	BDL	11.4	BDL	BDL	BDL	BDL	5.80	115.
10/16/25 21:30	20300	443	2.35	BDL	BDL	7.74	BDL	BDL	BDL	BDL	4.93	108.
10/16/25 22:00	20000	442	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	99.
10/16/25 22:30	19600	441	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.98	98.9
10/16/25 23:00	19300	442	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	95.5
10/16/25 23:30	19200	442	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	95.4
10/17/25 00:00	19000	446	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.36	90.0

Daily Processed Summary (Average, Maximum Value)

Average	19600	448	2.43	BDL	BDL	2.15	BDL	BDL	BDL	BDL	5.01	102
Maximum Value	22200	460	2.68	-	-	23.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/17/25 00:30	19400	445	2.4	BDL	BDL	3.59	BDL	BDL	BDL	BDL	4.57	96.7
10/17/25 01:00	20200	442	2.6	BDL	BDL	6.66	BDL	BDL	BDL	BDL	5.87	107.
10/17/25 01:30	20400	443	2.36	BDL	BDL	3.75	BDL	BDL	BDL	BDL	5.11	114.
10/17/25 02:00	21500	444	2.24	BDL	BDL	10.8	BDL	BDL	BDL	BDL	5.19	137.
10/17/25 02:30	22800	447	2.25	BDL	BDL	10.0	BDL	BDL	BDL	BDL	5.57	149.
10/17/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.84	158.
10/17/25 03:30	23000	450	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.28	153.
10/17/25 04:00	21700	457	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.47	56.8
10/17/25 04:30	22400	452	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.36	178.
10/17/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.23	5.53
10/17/25 05:30	20400	465	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	17.1
10/17/25 06:00	20100	463	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.03	9.73
10/17/25 06:30	19900	464	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	25.5
10/17/25 07:00	19300	465	2.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	35.5
10/17/25 07:30	19100	465	2.73	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.72	30.2
10/17/25 08:00	18900	462	2.73	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	39.9
10/17/25 08:30	19600	459	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	39.2
10/17/25 09:00	20600	457	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.19	26.6
10/17/25 09:30	21700	455	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	34.4
10/17/25 10:00	L	L	L	L	L	L	L	L	L	L	2.28	35.1
10/17/25 10:30	L	L	L	L	L	L	L	L	L	L	5.83	71.5
10/17/25 11:00	M	M	M	M	M	M	M	M	M	M	7.04	79.6
10/17/25 11:30	L	L	L	L	L	L	L	L	L	L	7.61	128.
10/17/25 12:00	L	L	L	L	L	L	L	L	L	L	7.36	125.
10/17/25 12:30	24600	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	137.
10/17/25 13:00	24300	445	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.12	129.
10/17/25 13:30	23700	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.64	126.
10/17/25 14:00	23200	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	143.
10/17/25 14:30	22000	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	140.
10/17/25 15:00	22000	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	145.
10/17/25 15:30	21800	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	140.
10/17/25 16:00	22100	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	144.
10/17/25 16:30	23700	448	2.2	BDL	BDL	22.9	BDL	BDL	BDL	BDL	12.3	131.
10/17/25 17:00	24300	444	2.21	BDL	BDL	12.2	BDL	BDL	BDL	BDL	12.6	122.
10/17/25 17:30	25000	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	122.
10/17/25 18:00	25300	443	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	118.
10/17/25 18:30	25400	442	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	120.
10/17/25 19:00	25600	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	122.
10/17/25 19:30	26000	441	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	118.
10/17/25 20:00	26000	441	2.25	BDL	BDL	4.75	BDL	BDL	BDL	BDL	7.57	120.
10/17/25 20:30	25600	441	2.24	BDL	BDL	17.6	BDL	BDL	BDL	BDL	7.4	116.
10/17/25 21:00	25300	441	2.25	BDL	BDL	147.	BDL	BDL	BDL	BDL	6.76	116.
10/17/25 21:30	25900	441	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.98	119.
10/17/25 22:00	26400	441	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	120.
10/17/25 22:30	26900	441	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.18	124.
10/17/25 23:00	27300	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.8	125.
10/17/25 23:30	27300	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	122.
10/18/25 00:00	27300	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.7	122.

Daily Processed Summary (Average, Maximum Value)

Average	23100	448	2.34	BDL	BDL	5.84	BDL	BDL	BDL	BDL	5.95	118
Maximum Value	27300	465	2.73	-	-	147	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/18/25 00:30	27200	441	2.22	BDL	BDL	1.57	BDL	BDL	BDL	BDL	7.13	124.
10/18/25 01:00	26900	441	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.58	129.
10/18/25 01:30	27200	442	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.32	144.
10/18/25 02:00	27700	443	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	141.
10/18/25 02:30	27100	444	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.48	91.2
10/18/25 03:00	26400	449	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.03	3.76
10/18/25 03:30	26300	451	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.26	48.1
10/18/25 04:00	26600	448	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.94	360.
10/18/25 04:30	27600	443	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.00	133.
10/18/25 05:00	27900	443	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	137.
10/18/25 05:30	27200	453	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	92.7
10/18/25 06:00	26400	457	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.95	26.3
10/18/25 06:30	26900	451	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.21	89.7
10/18/25 07:00	27000	454	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.01	82.2
10/18/25 07:30	27700	445	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	178.
10/18/25 08:00	27700	443	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	179.
10/18/25 08:30	27600	445	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	186.
10/18/25 09:00	28100	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.40	204.
10/18/25 09:30	28000	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.14	211.
10/18/25 10:00	27800	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.13	215.
10/18/25 10:30	27400	447	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	245.
10/18/25 11:00	27400	448	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	241.
10/18/25 11:30	26600	447	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.86	226.
10/18/25 12:00	25600	448	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.44	211.
10/18/25 12:30	24800	449	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.70	208.
10/18/25 13:00	23900	450	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.22	205.
10/18/25 13:30	22900	449	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	192.
10/18/25 14:00	22200	452	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	201.
10/18/25 14:30	21100	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	204.
10/18/25 15:00	20700	452	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	198.
10/18/25 15:30	20400	451	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	199.
10/18/25 16:00	19900	449	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	198.
10/18/25 16:30	21500	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	189.
10/18/25 17:00	23200	447	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	170.
10/18/25 17:30	23000	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	185.
10/18/25 18:00	23600	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	166.
10/18/25 18:30	24100	448	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	162.
10/18/25 19:00	25000	451	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	160.
10/18/25 19:30	25600	445	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	169.
10/18/25 20:00	25000	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	180.
10/18/25 20:30	25400	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.46	177.
10/18/25 21:00	25000	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.10	181.
10/18/25 21:30	25600	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.08	183.
10/18/25 22:00	26300	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	187.
10/18/25 22:30	26700	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	185.
10/18/25 23:00	27200	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	186.
10/18/25 23:30	27300	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	184.
10/19/25 00:00	27500	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	187.

Daily Processed Summary (Average, Maximum Value)

Average	25600	446	2.23	BDL	BDL	0.0327	BDL	BDL	BDL	BDL	6.36	183
Maximum Value	28100	457	2.32	-	-	1.57	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/19/25 00:30	27800	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.8	189.
10/19/25 01:00	28300	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	192.
10/19/25 01:30	28700	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.36	198.
10/19/25 02:00	28700	442	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	211.
10/19/25 02:30	28800	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	217.
10/19/25 03:00	28900	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	223.
10/19/25 03:30	28900	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.97	262.
10/19/25 04:00	27900	448	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	299.
10/19/25 04:30	27100	448	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	294.
10/19/25 05:00	27000	447	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.2	283.
10/19/25 05:30	27400	444	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	267.
10/19/25 06:00	27700	443	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.91	266.
10/19/25 06:30	27200	445	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.82	285.
10/19/25 07:00	26800	441	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.32	300.
10/19/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.11	266.
10/19/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.60	343.
10/19/25 08:30	25600	452	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	347.
10/19/25 09:00	23300	448	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.37	346.
10/19/25 09:30	21900	446	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	8.89
10/19/25 10:00	20400	446	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	7.40
10/19/25 10:30	20100	447	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	15.6
10/19/25 11:00	20200	448	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	17.2
10/19/25 11:30	20500	450	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	25.
10/19/25 12:00	21100	452	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	26.5
10/19/25 12:30	21400	451	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	37.4
10/19/25 13:00	21100	452	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	36.5
10/19/25 13:30	20900	454	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	39.7
10/19/25 14:00	20000	452	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	44.9
10/19/25 14:30	18900	451	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	59.1
10/19/25 15:00	17900	453	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.	54.7
10/19/25 15:30	16400	452	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.3	51.5
10/19/25 16:00	17200	453	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.06	80.1
10/19/25 16:30	23700	454	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	126.
10/19/25 17:00	23800	452	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	128.
10/19/25 17:30	24200	452	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	125.
10/19/25 18:00	23600	450	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	126.
10/19/25 18:30	23200	448	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	120.
10/19/25 19:00	23900	447	2.3	BDL	BDL	6.89	BDL	BDL	BDL	BDL	9.84	118.
10/19/25 19:30	23900	445	2.27	BDL	BDL	50.5	BDL	BDL	BDL	BDL	8.87	107.
10/19/25 20:00	23700	445	2.25	BDL	BDL	23.0	BDL	BDL	BDL	BDL	9.9	106.
10/19/25 20:30	23700	445	2.25	BDL	BDL	18.4	BDL	BDL	BDL	BDL	8.96	103.
10/19/25 21:00	23900	444	2.26	BDL	BDL	55.6	BDL	BDL	BDL	BDL	7.60	105.
10/19/25 21:30	23800	443	2.49	BDL	BDL	39.8	BDL	BDL	BDL	BDL	6.14	97.4
10/19/25 22:00	23200	442	2.5	BDL	BDL	45.4	BDL	BDL	BDL	BDL	5.78	103.
10/19/25 22:30	22100	442	2.27	BDL	BDL	13.5	BDL	BDL	BDL	BDL	6.4	113.
10/19/25 23:00	21900	443	2.32	BDL	BDL	12.2	BDL	BDL	BDL	BDL	5.88	112.
10/19/25 23:30	21600	443	2.41	BDL	BDL	10.2	BDL	BDL	BDL	BDL	5.23	105.
10/20/25 00:00	21400	442	2.76	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	103.

Daily Processed Summary (Average, Maximum Value)

Average	23700	447	2.3	BDL	BDL	5.99	BDL	BDL	BDL	BDL	3.67	66.7
Maximum Value	28900	454	2.76	-	-	55.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/20/25 00:30	21100	442	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	97.8
10/20/25 01:00	21000	442	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	90.7
10/20/25 01:30	20500	442	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.9	107.
10/20/25 02:00	20000	442	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	106.
10/20/25 02:30	20100	443	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.08	96.2
10/20/25 03:00	21300	444	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	94.2
10/20/25 03:30	21500	447	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.35	79.4
10/20/25 04:00	19400	453	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	75.0
10/20/25 04:30	18100	451	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.11	78.4
10/20/25 05:00	17800	449	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	79.4
10/20/25 05:30	17800	449	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.87	81.5
10/20/25 06:00	18000	449	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	82.8
10/20/25 06:30	18000	453	2.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	93.2
10/20/25 07:00	18100	453	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.85	111.
10/20/25 07:30	18200	453	2.78	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.89	72.5
10/20/25 08:00	18400	453	2.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.25	68.3
10/20/25 08:30	19400	453	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.77	72.2
10/20/25 09:00	20200	455	2.85	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.82	83.
10/20/25 09:30	21500	452	2.73	BDL	BDL	20.8	BDL	BDL	BDL	BDL	5.82	93.1
10/20/25 10:00	22800	447	2.53	BDL	BDL	11.7	BDL	BDL	BDL	BDL	6.92	112.
10/20/25 10:30	22800	446	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	146.
10/20/25 11:00	23200	450	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	152.
10/20/25 11:30	23300	447	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	147.
10/20/25 12:00	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	13.7	143.
10/20/25 12:30	23400	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	138.
10/20/25 13:00	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	14.8	143.
10/20/25 13:30	23900	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	140.
10/20/25 14:00	M	M	M	M	M	M	M	M	M	M	14.2	145.
10/20/25 14:30	24000	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	143.
10/20/25 15:00	24100	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	152.
10/20/25 15:30	24500	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	146.
10/20/25 16:00	25000	447	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	148.
10/20/25 16:30	25100	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	146.
10/20/25 17:00	25400	443	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	145.
10/20/25 17:30	25900	442	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	143.
10/20/25 18:00	26400	444	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	155.
10/20/25 18:30	26900	446	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	160.
10/20/25 19:00	27000	447	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	164.
10/20/25 19:30	27200	446	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	162.
10/20/25 20:00	27400	447	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	160.
10/20/25 20:30	27500	445	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	160.
10/20/25 21:00	27700	447	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	159.
10/20/25 21:30	27400	450	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	155.
10/20/25 22:00	27400	444	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	165.
10/20/25 22:30	27200	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	169.
10/20/25 23:00	27300	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	170.
10/20/25 23:30	27200	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	176.
10/21/25 00:00	27000	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	178.

Daily Processed Summary (Average, Maximum Value)

Average	23100	446	2.38	BDL	BDL	0.722	BDL	BDL	BDL	BDL	9.43	142
Maximum Value	27700	455	2.85	-	-	20.8	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/21/25 00:30	27100	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.86	179.
10/21/25 01:00	27000	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.03	177.
10/21/25 01:30	26900	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.91	180.
10/21/25 02:00	27100	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	183.
10/21/25 02:30	27100	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.09	180.
10/21/25 03:00	27200	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	176.
10/21/25 03:30	27300	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	179.
10/21/25 04:00	27300	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	181.
10/21/25 04:30	27300	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.1	182.
10/21/25 05:00	27200	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	178.
10/21/25 05:30	27300	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	176.
10/21/25 06:00	27300	436	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	173.
10/21/25 06:30	27300	436	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.10	174.
10/21/25 07:00	27600	436	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.1	176.
10/21/25 07:30	27600	440	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	177.
10/21/25 08:00	27500	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.77	181.
10/21/25 08:30	27800	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	183.
10/21/25 09:00	28100	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	204.
10/21/25 09:30	28400	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	206.
10/21/25 10:00	28600	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	196.
10/21/25 10:30	28400	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	215.
10/21/25 11:00	27900	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.07	220.
10/21/25 11:30	26500	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	211.
10/21/25 12:00	24900	441	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.8	214.
10/21/25 12:30	24300	440	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	238.
10/21/25 13:00	24000	439	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	223.
10/21/25 13:30	24300	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.93	236.
10/21/25 14:00	23900	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	211.
10/21/25 14:30	23200	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.85	215.
10/21/25 15:00	23200	441	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.79	203.
10/21/25 15:30	22900	441	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.01	184.
10/21/25 16:00	22700	442	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.09	182.
10/21/25 16:30	23700	442	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	157.
10/21/25 17:00	23400	446	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.2	171.
10/21/25 17:30	23300	448	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	164.
10/21/25 18:00	24100	446	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	164.
10/21/25 18:30	24100	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.67	177.
10/21/25 19:00	24900	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.46	175.
10/21/25 19:30	26000	435	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	182.
10/21/25 20:00	27400	433	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.18	191.
10/21/25 20:30	27800	433	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	194.
10/21/25 21:00	27900	433	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	340.
10/21/25 21:30	27400	433	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.67	61.9
10/21/25 22:00	26000	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.48	160.
10/21/25 22:30	26100	438	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.548	87.6
10/21/25 23:00	26300	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.457	313.
10/21/25 23:30	24300	440	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	6.49
10/22/25 00:00	21800	438	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.42	11.0

Daily Processed Summary (Average, Maximum Value)

Average	26000	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.1	188
Maximum Value	28600	448	2.29	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/22/25 00:30	22800	440	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.35	27.3
10/22/25 01:00	24200	440	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.27	47.8
10/22/25 01:30	24400	442	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.91	51.1
10/22/25 02:00	24000	444	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	46.4
10/22/25 02:30	23800	444	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	48.9
10/22/25 03:00	23300	442	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.94	51.6
10/22/25 03:30	22900	442	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.34	60.7
10/22/25 04:00	22700	442	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.53	60.8
10/22/25 04:30	22500	441	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	56.7
10/22/25 05:00	22300	441	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	45.4
10/22/25 05:30	21900	441	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	47.7
10/22/25 06:00	21300	440	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	56.7
10/22/25 06:30	20400	438	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	49.4
10/22/25 07:00	19500	439	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	36.4
10/22/25 07:30	19200	440	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	22.6
10/22/25 08:00	18200	439	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.7	41.9
10/22/25 08:30	17700	439	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	47.8
10/22/25 09:00	17300	439	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.80	52.
10/22/25 09:30	17200	440	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.69	57.6
10/22/25 10:00	17600	442	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.39	54.
10/22/25 10:30	18200	442	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	66.3
10/22/25 11:00	18900	442	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	75.5
10/22/25 11:30	19600	440	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	80.7
10/22/25 12:00	20000	439	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.90	88.2
10/22/25 12:30	20000	439	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.38	83.1
10/22/25 13:00	19900	439	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.58	73.1
10/22/25 13:30	19900	437	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.51	83.8
10/22/25 14:00	20100	438	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	75.1
10/22/25 14:30	20200	438	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.38	66.6
10/22/25 15:00	20400	439	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	79.1
10/22/25 15:30	20300	440	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.39	71.4
10/22/25 16:00	20300	439	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	93.9
10/22/25 16:30	20000	439	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.71	110.
10/22/25 17:00	20800	438	2.28	BDL	BDL	5.06	BDL	BDL	BDL	BDL	11.3	122.
10/22/25 17:30	20400	437	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	117.
10/22/25 18:00	20600	438	2.25	BDL	BDL	175.	BDL	BDL	BDL	BDL	12.5	119.
10/22/25 18:30	20100	436	2.24	BDL	BDL	89.1	BDL	BDL	BDL	BDL	13.	107.
10/22/25 19:00	20400	436	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	102.
10/22/25 19:30	20600	435	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	102.
10/22/25 20:00	20200	435	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	97.8
10/22/25 20:30	20000	435	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	93.9
10/22/25 21:00	19800	436	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	82.4
10/22/25 21:30	19500	435	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	69.1
10/22/25 22:00	19100	435	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	72.
10/22/25 22:30	19000	435	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	73.4
10/22/25 23:00	19100	435	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.31	70.9
10/22/25 23:30	19200	435	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	74.3
10/23/25 00:00	19300	435	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	76.5

Daily Processed Summary (Average, Maximum Value)

Average	20400	439	2.34	BDL	BDL	5.61	BDL	BDL	BDL	BDL	7.42	74.4
Maximum Value	24400	444	2.49	-	-	175	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/23/25 00:30	19400	434	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.73	77.6
10/23/25 01:00	19700	434	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	82.6
10/23/25 01:30	19800	435	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	78.9
10/23/25 02:00	20000	435	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	80.4
10/23/25 02:30	20100	436	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	69.1
10/23/25 03:00	20000	436	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	72.9
10/23/25 03:30	20400	435	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	83.
10/23/25 04:00	20700	436	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	76.2
10/23/25 04:30	20400	438	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	63.5
10/23/25 05:00	20100	440	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	57.6
10/23/25 05:30	20200	442	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	62.6
10/23/25 06:00	20200	441	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	63.0
10/23/25 06:30	20200	441	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.33	80.7
10/23/25 07:00	20000	444	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	57.9
10/23/25 07:30	20200	445	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.69	65.9
10/23/25 08:00	20400	447	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.12	75.2
10/23/25 08:30	20900	448	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.985	67.1
10/23/25 09:00	22200	448	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.94	94.5
10/23/25 09:30	24000	447	2.53	BDL	BDL	48.4	BDL	BDL	BDL	BDL	4.25	105.
10/23/25 10:00	25000	441	2.37	BDL	BDL	15.3	BDL	BDL	BDL	BDL	7.27	120.
10/23/25 10:30	23900	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.85	161.
10/23/25 11:00	23300	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.22	149.
10/23/25 11:30	22600	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.54	149.
10/23/25 12:00	22700	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	164.
10/23/25 12:30	22800	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	149.
10/23/25 13:00	22000	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	137.
10/23/25 13:30	22300	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	156.
10/23/25 14:00	22000	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	159.
10/23/25 14:30	22900	446	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	158.
10/23/25 15:00	23000	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	169.
10/23/25 15:30	23200	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	161.
10/23/25 16:00	23200	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	156.
10/23/25 16:30	22900	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	134.
10/23/25 17:00	23200	438	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	123.
10/23/25 17:30	23600	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	126.
10/23/25 18:00	24200	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	131.
10/23/25 18:30	24300	439	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	126.
10/23/25 19:00	24500	436	2.24	BDL	BDL	2.37	BDL	BDL	BDL	BDL	9.41	123.
10/23/25 19:30	24400	436	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.62	121.
10/23/25 20:00	24100	436	2.24	BDL	BDL	2.46	BDL	BDL	BDL	BDL	7.58	120.
10/23/25 20:30	24200	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.26	119.
10/23/25 21:00	24000	435	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.80	115.
10/23/25 21:30	24000	435	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	116.
10/23/25 22:00	24300	436	2.25	BDL	BDL	8.31	BDL	BDL	BDL	BDL	7.23	117.
10/23/25 22:30	24700	434	2.25	BDL	BDL	8.	BDL	BDL	BDL	BDL	7.63	118.
10/23/25 23:00	24600	433	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	123.
10/23/25 23:30	24800	433	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	123.
10/24/25 00:00	24900	434	2.33	BDL	BDL	79.2	BDL	BDL	BDL	BDL	6.34	108.

Daily Processed Summary (Average, Maximum Value)

Average	22400	440	2.33	BDL	BDL	3.42	BDL	BDL	BDL	BDL	6.43	125
Maximum Value	25000	448	2.65	-	-	79.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/24/25 00:30	24900	433	2.43	BDL	BDL	214.	BDL	BDL	BDL	BDL	5.86	99.5
10/24/25 01:00	L	L	L	L	L	L	L	L	L	L	7.50	116.
10/24/25 01:30	25000	432	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	59.
10/24/25 02:00	24400	436	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	57.
10/24/25 02:30	24400	437	2.4	BDL	BDL	3.49	BDL	BDL	BDL	BDL	4.33	89.8
10/24/25 03:00	24200	438	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.89	74.6
10/24/25 03:30	23800	437	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	82.8
10/24/25 04:00	23600	435	2.42	BDL	BDL	5.87	BDL	BDL	BDL	BDL	7.87	110.
10/24/25 04:30	23400	434	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.01	117.
10/24/25 05:00	23000	435	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.25	118.
10/24/25 05:30	23300	439	2.25	BDL	BDL	5.30	BDL	BDL	BDL	BDL	6.59	114.
10/24/25 06:00	22400	432	2.25	BDL	BDL	6.30	BDL	BDL	BDL	BDL	8.15	118.
10/24/25 06:30	23400	435	2.25	BDL	BDL	25.3	BDL	BDL	BDL	BDL	7.05	112.
10/24/25 07:00	23400	437	2.29	BDL	BDL	14.3	BDL	BDL	BDL	BDL	4.98	76.6
10/24/25 07:30	23600	439	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	63.4
10/24/25 08:00	23800	440	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.24	69.6
10/24/25 08:30	23700	443	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	47.5
10/24/25 09:00	24400	441	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	70.6
10/24/25 09:30	25400	439	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	82.1
10/24/25 10:00	24900	437	2.24	BDL	BDL	18.2	BDL	BDL	BDL	BDL	9.04	111.
10/24/25 10:30	24100	436	2.23	BDL	BDL	18.6	BDL	BDL	BDL	BDL	12.4	114.
10/24/25 11:00	23600	436	2.23	BDL	BDL	11.7	BDL	BDL	BDL	BDL	11.7	120.
10/24/25 11:30	23400	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	122.
10/24/25 12:00	23800	438	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	121.
10/24/25 12:30	23500	438	2.22	BDL	BDL	3.49	BDL	BDL	BDL	BDL	13.	116.
10/24/25 13:00	23900	437	2.2	BDL	BDL	3.97	BDL	BDL	BDL	BDL	13.2	119.
10/24/25 13:30	23300	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	128.
10/24/25 14:00	23600	441	2.2	BDL	BDL	5.15	BDL	BDL	BDL	BDL	14.0	128.
10/24/25 14:30	22600	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	147.
10/24/25 15:00	22800	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	147.
10/24/25 15:30	22900	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	144.
10/24/25 16:00	24300	442	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	124.
10/24/25 16:30	24600	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	129.
10/24/25 17:00	24900	438	2.23	BDL	BDL	8.55	BDL	BDL	BDL	BDL	14.7	116.
10/24/25 17:30	24800	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	124.
10/24/25 18:00	24400	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	127.
10/24/25 18:30	24200	436	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	126.
10/24/25 19:00	24600	437	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	125.
10/24/25 19:30	25300	436	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	124.
10/24/25 20:00	25200	437	2.22	BDL	BDL	2.28	BDL	BDL	BDL	BDL	11.5	124.
10/24/25 20:30	25500	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	125.
10/24/25 21:00	25400	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	126.
10/24/25 21:30	25500	437	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	127.
10/24/25 22:00	25800	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	141.
10/24/25 22:30	26100	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	131.
10/24/25 23:00	25800	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	125.
10/24/25 23:30	26100	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	133.
10/25/25 00:00	24800	436	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.7	141.

Daily Processed Summary (Average, Maximum Value)

Average	24300	438	2.26	BDL	BDL	7.37	BDL	BDL	BDL	BDL	9.61	120
Maximum Value	26100	444	2.49	-	-	214	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/25/25 00:30	24900	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.7	141.
10/25/25 01:00	25400	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.3	141.
10/25/25 01:30	25600	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	142.
10/25/25 02:00	25400	447	2.24	BDL	BDL	6.04	BDL	BDL	BDL	BDL	11.3	160.
10/25/25 02:30	24700	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.29	170.
10/25/25 03:00	24500	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.33	175.
10/25/25 03:30	25400	445	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	156.
10/25/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	13.4	353.
10/25/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	14.4	6.93
10/25/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.7	17.3
10/25/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.8	13.3
10/25/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.63	37.9
10/25/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.32	54.
10/25/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.87	57.7
10/25/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.05	61.
10/25/25 08:00	18200	408	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	76.9
10/25/25 08:30	18700	422	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	61.9
10/25/25 09:00	18800	426	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.76	53.2
10/25/25 09:30	19600	429	2.2	BDL	BDL	22.7	BDL	BDL	BDL	BDL	4.92	101.
10/25/25 10:00	20100	431	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.75	52.8
10/25/25 10:30	20500	431	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.07	92.7
10/25/25 11:00	20400	433	2.24	BDL	BDL	16.6	BDL	BDL	BDL	BDL	9.02	116.
10/25/25 11:30	20500	434	2.23	BDL	BDL	21.1	BDL	BDL	BDL	BDL	10.7	117.
10/25/25 12:00	20800	435	2.2	BDL	BDL	15.	BDL	BDL	BDL	BDL	10.2	113.
10/25/25 12:30	20100	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.72	120.
10/25/25 13:00	19600	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.54	118.
10/25/25 13:30	20100	438	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	122.
10/25/25 14:00	19700	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	122.
10/25/25 14:30	20300	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	123.
10/25/25 15:00	20700	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	122.
10/25/25 15:30	21100	436	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	127.
10/25/25 16:00	21700	438	2.19	BDL	BDL	2.05	BDL	BDL	BDL	BDL	12.2	123.
10/25/25 16:30	21900	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	125.
10/25/25 17:00	21300	437	2.19	BDL	BDL	4.32	BDL	BDL	BDL	BDL	12.8	118.
10/25/25 17:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.94	132.
10/25/25 18:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.38	86.4
10/25/25 18:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.10	100.
10/25/25 19:00	23000	425	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	124.
10/25/25 19:30	23900	435	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.47	137.
10/25/25 20:00	24600	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	135.
10/25/25 20:30	25100	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	141.
10/25/25 21:00	25900	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	149.
10/25/25 21:30	26200	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	152.
10/25/25 22:00	26300	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.79	150.
10/25/25 22:30	26600	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.74	165.
10/25/25 23:00	21100	437	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	176.
10/25/25 23:30	19500	437	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	178.
10/26/25 00:00	20900	444	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.24	251.

Daily Processed Summary (Average, Maximum Value)

Average	22200	436	2.19	BDL	BDL	2.37	BDL	BDL	BDL	BDL	6.83	120
Maximum Value	26600	447	2.24	-	-	22.7	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/26/25 00:30	21700	443	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.63	278.
10/26/25 01:00	22700	442	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	265.
10/26/25 01:30	23700	450	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	325.
10/26/25 02:00	21700	447	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	19.3
10/26/25 02:30	20100	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	35.2
10/26/25 03:00	19700	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.35	36.6
10/26/25 03:30	19400	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	44.7
10/26/25 04:00	19100	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	48.8
10/26/25 04:30	19000	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	69.9
10/26/25 05:00	18800	438	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	71.6
10/26/25 05:30	19000	439	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.43	72.1
10/26/25 06:00	19100	441	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	74.2
10/26/25 06:30	19200	443	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	75.9
10/26/25 07:00	19200	445	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.13	68.9
10/26/25 07:30	19300	445	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.37	35.2
10/26/25 08:00	19500	445	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	31.0
10/26/25 08:30	19500	445	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	32.4
10/26/25 09:00	19800	443	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	37.9
10/26/25 09:30	20400	441	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	50.4
10/26/25 10:00	21100	441	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	47.4
10/26/25 10:30	21700	444	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.17	46.3
10/26/25 11:00	22100	443	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	41.0
10/26/25 11:30	22600	441	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.20	74.9
10/26/25 12:00	23400	442	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	76.7
10/26/25 12:30	23500	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.40	97.2
10/26/25 13:00	21800	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.95	72.8
10/26/25 13:30	M	M	M	M	M	M	M	M	M	M	2.89	319.
10/26/25 14:00	M	M	M	M	M	M	M	M	M	M	6.37	295.
10/26/25 14:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	4.76	283.
10/26/25 15:00	21000	443	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	315.
10/26/25 15:30	21600	444	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	240.
10/26/25 16:00	21200	444	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	208.
10/26/25 16:30	21700	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	213.
10/26/25 17:00	22100	447	2.21	BDL	BDL	17.2	BDL	BDL	BDL	BDL	4.04	170.
10/26/25 17:30	21600	445	2.23	BDL	BDL	89.3	BDL	BDL	BDL	BDL	3.8	123.
10/26/25 18:00	21900	445	2.29	BDL	BDL	65.1	BDL	BDL	BDL	BDL	0.773	46.9
10/26/25 18:30	22800	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	213.
10/26/25 19:00	22500	444	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.78	172.
10/26/25 19:30	22400	451	2.27	BDL	BDL	5.16	BDL	BDL	BDL	BDL	1.72	83.9
10/26/25 20:00	22600	449	2.3	BDL	BDL	16.8	BDL	BDL	BDL	BDL	4.23	95.2
10/26/25 20:30	23000	450	2.42	BDL	BDL	15.5	BDL	BDL	BDL	BDL	3.85	99.5
10/26/25 21:00	22900	454	2.45	BDL	BDL	47.9	BDL	BDL	BDL	BDL	3.4	99.4
10/26/25 21:30	22700	450	2.64	BDL	BDL	2.08	BDL	BDL	BDL	BDL	4.85	97.3
10/26/25 22:00	21500	452	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	77.9
10/26/25 22:30	21100	454	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.48	81.0
10/26/25 23:00	21500	457	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.27	89.
10/26/25 23:30	22400	461	2.3	BDL	BDL	3.32	BDL	BDL	BDL	BDL	5.61	104.
10/27/25 00:00	23800	460	2.33	BDL	BDL	23.2	BDL	BDL	BDL	BDL	5.45	105.

Daily Processed Summary (Average, Maximum Value)

Average	21300	445	2.27	BDL	BDL	6.35	BDL	BDL	BDL	BDL	3.09	59.8
Maximum Value	23800	461	2.64	-	-	89.3	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/27/25 00:30	24100	456	2.33	BDL	BDL	19.9	BDL	BDL	BDL	BDL	4.59	105.
10/27/25 01:00	24100	450	2.25	BDL	BDL	15.9	BDL	BDL	BDL	BDL	4.06	111.
10/27/25 01:30	23900	443	2.2	BDL	BDL	7.19	BDL	BDL	BDL	BDL	4.63	118.
10/27/25 02:00	23900	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	124.
10/27/25 02:30	24100	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.94	127.
10/27/25 03:00	24000	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	123.
10/27/25 03:30	24000	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.61	123.
10/27/25 04:00	23700	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	129.
10/27/25 04:30	23800	446	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.13	134.
10/27/25 05:00	23900	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.32	139.
10/27/25 05:30	23900	445	2.23	BDL	BDL	2.20	BDL	BDL	BDL	BDL	4.94	160.
10/27/25 06:00	23800	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	166.
10/27/25 06:30	23800	445	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	177.
10/27/25 07:00	23900	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.4	188.
10/27/25 07:30	24000	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	200.
10/27/25 08:00	23300	458	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.565	218.
10/27/25 08:30	23500	461	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.565	85.4
10/27/25 09:00	24600	452	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.9	162.
10/27/25 09:30	24600	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.47	176.
10/27/25 10:00	24500	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.23	184.
10/27/25 10:30	24400	443	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	203.
10/27/25 11:00	24700	442	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.50	206.
10/27/25 11:30	24500	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.32	195.
10/27/25 12:00	24300	441	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	199.
10/27/25 12:30	23800	442	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.82	209.
10/27/25 13:00	23400	442	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	218.
10/27/25 13:30	22900	442	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	203.
10/27/25 14:00	22000	443	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	210.
10/27/25 14:30	21500	444	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	201.
10/27/25 15:00	22600	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.33	168.
10/27/25 15:30	22600	448	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.59	168.
10/27/25 16:00	22700	449	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	170.
10/27/25 16:30	23400	446	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	145.
10/27/25 17:00	25000	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	140.
10/27/25 17:30	25100	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	136.
10/27/25 18:00	25300	443	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	127.
10/27/25 18:30	25700	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	139.
10/27/25 19:00	25900	443	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.17	134.
10/27/25 19:30	26100	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	129.
10/27/25 20:00	25900	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.68	126.
10/27/25 20:30	25700	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.54	128.
10/27/25 21:00	25400	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.77	127.
10/27/25 21:30	25300	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	123.
10/27/25 22:00	25200	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.3	127.
10/27/25 22:30	25400	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	131.
10/27/25 23:00	25400	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	140.
10/27/25 23:30	25500	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	140.
10/28/25 00:00	25700	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	145.

Daily Processed Summary (Average, Maximum Value)

Average	24300	444	2.2	BDL	BDL	0.941	BDL	BDL	BDL	BDL	6.38	150
Maximum Value	26100	461	2.34	-	-	19.9	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/28/25 00:30	25900	449	2.24	BDL	BDL	3.39	BDL	BDL	BDL	BDL	12.7	160.
10/28/25 01:00	25800	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	164.
10/28/25 01:30	25900	445	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	165.
10/28/25 02:00	25900	443	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	170.
10/28/25 02:30	25900	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.82	177.
10/28/25 03:00	25800	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	178.
10/28/25 03:30	25600	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	179.
10/28/25 04:00	25800	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.94	175.
10/28/25 04:30	26000	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	172.
10/28/25 05:00	26000	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	175.
10/28/25 05:30	26000	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	177.
10/28/25 06:00	25900	440	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.77	174.
10/28/25 06:30	25700	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.49	175.
10/28/25 07:00	25500	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.83	172.
10/28/25 07:30	25500	442	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	178.
10/28/25 08:00	25600	440	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.2	178.
10/28/25 08:30	25800	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	178.
10/28/25 09:00	26000	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	177.
10/28/25 09:30	26000	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.46	174.
10/28/25 10:00	25700	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	172.
10/28/25 10:30	25800	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	176.
10/28/25 11:00	25400	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	197.
10/28/25 11:30	24900	442	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	197.
10/28/25 12:00	24800	442	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.91	203.
10/28/25 12:30	24900	441	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	183.
10/28/25 13:00	25100	441	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	194.
10/28/25 13:30	25100	440	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	199.
10/28/25 14:00	25400	441	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	191.
10/28/25 14:30	25700	442	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	195.
10/28/25 15:00	25200	443	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	199.
10/28/25 15:30	24300	442	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	199.
10/28/25 16:00	24600	443	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	195.
10/28/25 16:30	24500	442	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.32	191.
10/28/25 17:00	24500	441	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.3	198.
10/28/25 17:30	24700	441	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.23	191.
10/28/25 18:00	25100	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.65	186.
10/28/25 18:30	25600	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.66	190.
10/28/25 19:00	24500	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.68	339.
10/28/25 19:30	22600	442	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.26	353.
10/28/25 20:00	20700	445	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	358.
10/28/25 20:30	19100	442	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	349.
10/28/25 21:00	18100	442	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	0.886
10/28/25 21:30	17600	445	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	0.192
10/28/25 22:00	16700	444	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	3.93
10/28/25 22:30	15800	441	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	6.36
10/28/25 23:00	14700	439	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.2	9.51
10/28/25 23:30	14500	438	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	0.618
10/29/25 00:00	14000	437	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.3	3.04

Daily Processed Summary (Average, Maximum Value)

Average	23800	441	2.21	BDL	BDL	0.0706	BDL	BDL	BDL	BDL	3.85	185
Maximum Value	26000	449	2.35	-	-	3.39	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/29/25 00:30	11000	431	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.5	3.46
10/29/25 01:00	10200	430	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.9	1.37
10/29/25 01:30	9640	428	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	355.
10/29/25 02:00	9120	427	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.5	355.
10/29/25 02:30	8680	428	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	355.
10/29/25 03:00	8820	427	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	351.
10/29/25 03:30	7650	427	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.3	355.
10/29/25 04:00	7210	425	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	356.
10/29/25 04:30	7220	424	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	353.
10/29/25 05:00	7660	426	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	347.
10/29/25 05:30	7810	425	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.96	337.
10/29/25 06:00	8240	425	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	334.
10/29/25 06:30	8420	423	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.94	314.
10/29/25 07:00	8520	422	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.02	306.
10/29/25 07:30	8550	422	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.23	300.
10/29/25 08:00	8630	423	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.40	296.
10/29/25 08:30	8640	422	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.36	296.
10/29/25 09:00	8300	423	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	305.
10/29/25 09:30	7330	423	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	312.
10/29/25 10:00	6940	424	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	316.
10/29/25 10:30	6450	425	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.8	317.
10/29/25 11:00	5430	426	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.6	328.
10/29/25 11:30	5040	426	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.7	321.
10/29/25 12:00	4820	427	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.4	324.
10/29/25 12:30	4750	427	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.0	323.
10/29/25 13:00	4800	428	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.8	323.
10/29/25 13:30	4550	429	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.6	314.
10/29/25 14:00	4620	430	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.2	317.
10/29/25 14:30	4270	431	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.4	314.
10/29/25 15:00	4150	431	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.9	315.
10/29/25 15:30	4210	431	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.5	314.
10/29/25 16:00	4130	431	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.1	312.
10/29/25 16:30	4040	431	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	313.
10/29/25 17:00	4040	431	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.5	314.
10/29/25 17:30	4200	430	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	311.
10/29/25 18:00	4190	429	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	313.
10/29/25 18:30	4530	429	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	309.
10/29/25 19:00	4900	428	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	304.
10/29/25 19:30	5120	427	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	312.
10/29/25 20:00	5540	427	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	305.
10/29/25 20:30	5480	425	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.79	305.
10/29/25 21:00	5710	424	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	312.
10/29/25 21:30	6030	424	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	330.
10/29/25 22:00	5900	424	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	314.
10/29/25 22:30	5900	425	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.70	300.
10/29/25 23:00	6300	424	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	292.
10/29/25 23:30	6200	424	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	289.
10/30/25 00:00	6120	424	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.20	304.

Daily Processed Summary (Average, Maximum Value)

Average	6460	427	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	325
Maximum Value	11000	431	2.69	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/30/25 00:30	6320	423	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	289.
10/30/25 01:00	6280	423	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	294.
10/30/25 01:30	5990	424	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	289.
10/30/25 02:00	6230	425	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.9	291.
10/30/25 02:30	6290	427	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.32	307.
10/30/25 03:00	5990	426	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	305.
10/30/25 03:30	5990	425	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.5	306.
10/30/25 04:00	5960	424	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.58	315.
10/30/25 04:30	5780	424	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.47	310.
10/30/25 05:00	6050	424	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.09	303.
10/30/25 05:30	5770	422	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	322.
10/30/25 06:00	5590	422	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.17	322.
10/30/25 06:30	5830	422	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	307.
10/30/25 07:00	5860	422	2.72	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	312.
10/30/25 07:30	5750	422	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	325.
10/30/25 08:00	5850	423	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	333.
10/30/25 08:30	6010	424	2.87	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.	350.
10/30/25 09:00	6130	424	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	332.
10/30/25 09:30	6130	425	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.30	339.
10/30/25 10:00	6530	425	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.46	337.
10/30/25 10:30	6690	427	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.61	358.
10/30/25 11:00	6790	427	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	359.
10/30/25 11:30	6950	427	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	338.
10/30/25 12:00	6570	428	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.19	332.
10/30/25 12:30	6050	428	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	358.
10/30/25 13:00	6190	428	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.32	319.
10/30/25 13:30	6000	428	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	334.
10/30/25 14:00	5530	430	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	318.
10/30/25 14:30	5290	429	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	332.
10/30/25 15:00	4940	432	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.10	339.
10/30/25 15:30	4850	434	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	331.
10/30/25 16:00	4900	434	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.63	356.
10/30/25 16:30	4670	434	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.06	312.
10/30/25 17:00	4590	435	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	320.
10/30/25 17:30	4730	436	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	335.
10/30/25 18:00	4750	435	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.93	350.
10/30/25 18:30	5620	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.114	257.
10/30/25 19:00	6530	431	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.596	216.
10/30/25 19:30	6660	433	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.476	24.7
10/30/25 20:00	6930	433	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.562	195.
10/30/25 20:30	9990	426	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	201.
10/30/25 21:00	11100	427	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	202.
10/30/25 21:30	11100	427	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.7	209.
10/30/25 22:00	10600	426	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	217.
10/30/25 22:30	10700	425	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	219.
10/30/25 23:00	10900	425	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.68	221.
10/30/25 23:30	11000	429	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.783	205.
10/31/25 00:00	10700	433	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.587	257.

Daily Processed Summary (Average, Maximum Value)

Average	6700	427	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	317
Maximum Value	11100	436	2.87	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
10/31/25 00:30	11200	437	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.66	306.
10/31/25 01:00	11100	441	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	355.
10/31/25 01:30	9950	446	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	23.2
10/31/25 02:00	9810	446	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	17.8
10/31/25 02:30	9300	446	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.4	25.0
10/31/25 03:00	9090	444	2.76	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.19	30.4
10/31/25 03:30	9090	439	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.20	70.5
10/31/25 04:00	8850	438	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.49	45.8
10/31/25 04:30	8530	441	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.53	36.3
10/31/25 05:00	8700	441	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	43.6
10/31/25 05:30	8540	442	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	45.4
10/31/25 06:00	7670	440	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	46.0
10/31/25 06:30	7590	438	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.62	50.6
10/31/25 07:00	7440	438	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	48.5
10/31/25 07:30	7400	438	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	41.6
10/31/25 08:00	7400	440	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.99	24.5
10/31/25 08:30	7620	440	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.11	40.4
10/31/25 09:00	8510	442	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	24.
10/31/25 09:30	9290	441	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.63	48.8
10/31/25 10:00	10100	438	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	56.2
10/31/25 10:30	9940	437	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	76.0
10/31/25 11:00	8850	437	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.20	79.7
10/31/25 11:30	7580	435	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	74.0
10/31/25 12:00	7320	434	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	69.4
10/31/25 12:30	7290	435	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.58	79.9
10/31/25 13:00	6940	435	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	85.7
10/31/25 13:30	8010	436	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.73	222.
10/31/25 14:00	8520	436	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	234.
10/31/25 14:30	8640	436	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.79	234.
10/31/25 15:00	8430	437	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	218.
10/31/25 15:30	8250	437	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.14	220.
10/31/25 16:00	8140	439	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	210.
10/31/25 16:30	7640	440	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	189.
10/31/25 17:00	7700	440	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	159.
10/31/25 17:30	7560	440	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	131.
10/31/25 18:00	7690	436	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	123.
10/31/25 18:30	8790	435	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.70	123.
10/31/25 19:00	8900	435	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	142.
10/31/25 19:30	9450	435	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	156.
10/31/25 20:00	10400	436	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	162.
10/31/25 20:30	11100	436	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	154.
10/31/25 21:00	11300	435	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.43	155.
10/31/25 21:30	11200	432	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	151.
10/31/25 22:00	11300	431	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	159.
10/31/25 22:30	11500	432	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.60	148.
10/31/25 23:00	11800	433	2.37	BDL	BDL	7.72	BDL	BDL	BDL	BDL	3.13	116.
10/31/25 23:30	11900	432	2.32	BDL	BDL	4.65	BDL	BDL	BDL	BDL	2.09	117.
11/01/25 00:00	12100	437	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.06	42.2

Daily Processed Summary (Average, Maximum Value)

Average	9070	438	2.39	BDL	BDL	0.258	BDL	BDL	BDL	BDL	1.96	113
Maximum Value	12100	446	2.76	-	-	7.72	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR Daily (24-hour) Averages

Site: Formosa North AAMS

Date	Capture%	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)	Met Capture%
11/01/25	100	14700	437	2.35	BDL	BDL	2.62	BDL	BDL	BDL	BDL	5.64	80.4	100
11/02/25	96.2	12000	431	2.39	BDL	BDL	0.233	BDL	BDL	BDL	BDL	5.08	27.6	92.6
11/03/25	100	11900	442	2.51	BDL	BDL	1.64	BDL	BDL	BDL	BDL	3.03	118	100
11/04/25	100	14100	436	2.4	BDL	BDL	5.35	BDL	BDL	BDL	BDL	4.21	126	100
11/05/25	100	17000	437	2.27	BDL	BDL	0.378	BDL	BDL	BDL	BDL	4.16	168	100
11/06/25	100	18000	442	2.42	BDL	BDL	6.65	BDL	BDL	BDL	BDL	4.2	153	100
11/07/25	100	21400	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	189	100
11/08/25	100	23700	437	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	191	100
11/09/25	94.6	6990	432	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	9.85	100
11/10/25	100	3850	421	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.72	12.4	100
11/11/25	100	9630	428	2.39	BDL	BDL	0.659	BDL	BDL	BDL	BDL	6.86	158	100
11/12/25	100	17300	441	2.26	BDL	BDL	0.504	BDL	BDL	BDL	BDL	8.26	166	100
11/13/25	100	19900	439	2.23	BDL	BDL	0.228	BDL	BDL	BDL	BDL	10.7	155	100
11/14/25	100	19400	437	2.18	BDL	BDL	0.263	BDL	BDL	BDL	BDL	10.3	158	100
11/15/25	100	19900	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	177	100
11/16/25	93.6	22900	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.79	180	100
11/17/25	100	25000	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	159	100
11/18/25	100	24300	437	2.19	BDL	BDL	0.0675	BDL	BDL	BDL	BDL	10.2	155	100
11/19/25	100	26300	436	2.2	BDL	BDL	0.374	BDL	BDL	BDL	BDL	11.2	143	100
11/20/25	100	24300	435	2.18	BDL	BDL	1.42	BDL	BDL	BDL	BDL	12.1	145	100
11/21/25	100	25300	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	174	100
11/22/25	100	22100	435	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	51.3	100
11/23/25	100	18400	441	2.43	BDL	BDL	3.57	BDL	BDL	BDL	BDL	8.13	88.1	100
11/24/25	100	24100	438	2.18	BDL	BDL	0.387	BDL	BDL	BDL	BDL	12.5	170	100
11/25/25	95.8	22600	438	2.25	BDL	BDL	0.214	BDL	BDL	BDL	BDL	2.11	337	100
11/26/25	100	12200	436	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	28.2	100
11/27/25	100	9040	430	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.79	50.8	100
11/28/25	70.8	10100	428	2.29	BDL	BDL	1.42	BDL	BDL	BDL	BDL	10.4	103	100
11/29/25	45.8	20900	430	2.15	BDL	BDL	1.67	BDL	BDL	BDL	BDL	13.6	158	100
11/30/25	95.7	12100	427	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	13.6	100

Daily Processed Summary (Average, Maximum Value)

Average	96.4	17600	435	2.28	BDL	BDL	0.922	BDL	BDL	BDL	BDL	4.45	134	99.8
Maximum Value	100	26300	442	2.51	BDL	BDL	6.65	BDL	BDL	BDL	BDL	-	-	100

BDL = Below Detection Limit

Blank = Not Available

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/01/25 00:30	12600	433	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.20	106.
11/01/25 01:00	13300	428	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	88.7
11/01/25 01:30	13800	433	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.93	92.6
11/01/25 02:00	14000	435	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	84.2
11/01/25 02:30	13700	439	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	83.8
11/01/25 03:00	13300	439	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.95	85.3
11/01/25 03:30	13100	438	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	73.
11/01/25 04:00	13000	439	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	85.6
11/01/25 04:30	13100	439	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	67.7
11/01/25 05:00	12900	443	2.71	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	67.9
11/01/25 05:30	12600	446	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	51.5
11/01/25 06:00	12600	443	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.8	61.7
11/01/25 06:30	12600	445	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	54.3
11/01/25 07:00	12800	444	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	51.4
11/01/25 07:30	12900	444	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.36	73.8
11/01/25 08:00	13000	444	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.75	83.2
11/01/25 08:30	13700	442	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	85.9
11/01/25 09:00	14600	441	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	77.5
11/01/25 09:30	15700	440	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.23	90.5
11/01/25 10:00	16700	438	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	77.6
11/01/25 10:30	17200	438	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	67.7
11/01/25 11:00	17100	437	2.28	BDL	BDL	3.59	BDL	BDL	BDL	BDL	7.42	96.4
11/01/25 11:30	16000	437	2.23	BDL	BDL	6.70	BDL	BDL	BDL	BDL	7.35	103.
11/01/25 12:00	15300	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.56	89.0
11/01/25 12:30	15300	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.84	110.
11/01/25 13:00	15000	435	2.21	BDL	BDL	12.1	BDL	BDL	BDL	BDL	7.78	103.
11/01/25 13:30	14600	437	2.2	BDL	BDL	4.70	BDL	BDL	BDL	BDL	7.62	117.
11/01/25 14:00	14300	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.64	126.
11/01/25 14:30	14100	439	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.42	130.
11/01/25 15:00	14000	437	2.2	BDL	BDL	3.22	BDL	BDL	BDL	BDL	6.73	121.
11/01/25 15:30	14900	438	2.21	BDL	BDL	4.07	BDL	BDL	BDL	BDL	9.01	117.
11/01/25 16:00	14900	437	2.21	BDL	BDL	7.23	BDL	BDL	BDL	BDL	9.54	115.
11/01/25 16:30	15200	437	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.08	120.
11/01/25 17:00	15900	437	2.21	BDL	BDL	30.9	BDL	BDL	BDL	BDL	7.69	111.
11/01/25 17:30	16200	436	2.24	BDL	BDL	40.3	BDL	BDL	BDL	BDL	8.02	108.
11/01/25 18:00	17400	436	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	100.
11/01/25 18:30	17300	434	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	95.3
11/01/25 19:00	17300	433	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.40	73.
11/01/25 19:30	16900	432	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	61.8
11/01/25 20:00	16100	432	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.11	38.
11/01/25 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	15.5	58.8
11/01/25 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.2	46.4
11/01/25 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.35	61.4
11/01/25 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.19	44.1
11/01/25 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.28	19.4
11/01/25 23:00	15300	415	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.78	27.1
11/01/25 23:30	15300	422	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	32.4
11/02/25 00:00	15500	427	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	30.1

Daily Processed Summary (Average, Maximum Value)

Average	14700	437	2.35	BDL	BDL	2.62	BDL	BDL	BDL	BDL	5.64	80.4
Maximum Value	17400	446	2.71	-	-	40.3	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/02/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.96	42.2
11/02/25 01:00	15200	416	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	INS	INS
11/02/25 01:00	14200	423	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	INS	INS
11/02/25 01:30	14900	421	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	23.4
11/02/25 01:30	13600	424	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	23.4
11/02/25 01:00	15200	416	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	INS	INS
11/02/25 01:00	14200	423	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	INS	INS
11/02/25 01:30	14900	421	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	23.4
11/02/25 01:30	13600	424	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.77	23.4
11/02/25 02:00	13600	425	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.07	9.74
11/02/25 02:30	13600	424	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.18	348.
11/02/25 03:00	13600	425	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	3.27
11/02/25 03:30	13200	427	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	358.
11/02/25 04:00	13000	426	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.1	17.6
11/02/25 04:30	12800	427	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.35	14.2
11/02/25 05:00	12600	425	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.50	12.7
11/02/25 05:30	12500	425	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	12.2
11/02/25 06:00	12400	427	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.33	21.2
11/02/25 06:30	12100	428	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	22.7
11/02/25 07:00	12100	426	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	23.8
11/02/25 07:30	12400	427	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	20.5
11/02/25 08:00	12900	431	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.24	16.1
11/02/25 08:30	13200	431	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.43	18.4
11/02/25 09:00	13300	432	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.22	19.9
11/02/25 09:30	13500	433	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.12	26.8
11/02/25 10:00	13300	431	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	34.7
11/02/25 10:30	12600	430	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	26.3
11/02/25 11:00	12000	432	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.69	36.
11/02/25 11:30	11200	433	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.39	31.6
11/02/25 12:00	10700	433	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.6	48.1
11/02/25 12:30	10600	435	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	43.1
11/02/25 13:00	10400	436	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	20.
11/02/25 13:30	9910	435	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	23.8
11/02/25 14:00	9950	434	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	35.6
11/02/25 14:30	9870	436	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	21.7
11/02/25 15:00	9430	437	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.79	17.1
11/02/25 15:30	9320	438	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	6.86
11/02/25 16:00	8670	438	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.85	335.
11/02/25 16:30	9190	438	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	351.
11/02/25 17:00	9130	437	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.28	342.
11/02/25 17:30	10100	438	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.80	45.5
11/02/25 18:00	10700	439	2.84	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.1	70.3
11/02/25 18:30	10800	438	2.85	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	88.9
11/02/25 19:00	10700	443	2.81	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.14	83.3
11/02/25 19:30	M	M	M	M	M	M	M	M	M	M	4.92	101.
11/02/25 20:00	M	M	M	M	M	M	M	M	M	M	4.61	106.
11/02/25 20:30	11100	435	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	104.
11/02/25 21:00	11300	434	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	103.
11/02/25 21:30	11300	434	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	105.
11/02/25 22:00	11100	436	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.32	117.
11/02/25 22:30	10900	442	2.45	BDL	BDL	5.91	BDL	BDL	BDL	BDL	0.595	93.7
11/02/25 23:00	10800	443	2.46	BDL	BDL	5.97	BDL	BDL	BDL	BDL	1.32	340.
11/02/25 23:30	11300	438	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.82	357.
11/03/25 00:00	12800	442	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.823	290.

Daily Processed Summary (Average, Maximum Value)

Average	12000	431	2.39	BDL	BDL	0.233	BDL	BDL	BDL	BDL	5.08	27.6
Maximum Value	15200	443	2.85	-	-	5.97	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/03/25 00:30	13200	441	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.528	345.
11/03/25 01:00	12700	440	2.71	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.847	1.78
11/03/25 01:30	12500	444	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.28	0.765
11/03/25 02:00	12200	443	2.76	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.14	24.5
11/03/25 02:30	11600	449	3.2	BDL	BDL	3.27	BDL	BDL	BDL	BDL	1.88	67.2
11/03/25 03:00	11300	442	2.49	BDL	BDL	3.49	BDL	BDL	BDL	BDL	6.66	69.1
11/03/25 03:30	11000	451	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.46	56.1
11/03/25 04:00	10700	457	2.76	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.35	52.4
11/03/25 04:30	10500	460	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	10.7
11/03/25 05:00	10400	455	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	355.
11/03/25 05:30	10200	454	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.35	5.98
11/03/25 06:00	10100	453	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.53	3.98
11/03/25 06:30	10000	451	2.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.56	15.3
11/03/25 07:00	9900	456	2.93	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	23.4
11/03/25 07:30	10000	458	3.05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.43	32.1
11/03/25 08:00	11000	453	2.92	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.19	54.1
11/03/25 08:30	12200	451	2.78	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.03	58.5
11/03/25 09:00	13100	447	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.62	67.2
11/03/25 09:30	13100	440	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	90.8
11/03/25 10:00	12300	438	2.43	BDL	BDL	3.82	BDL	BDL	BDL	BDL	4.92	99.7
11/03/25 10:30	10900	435	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.53	108.
11/03/25 11:00	10700	436	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.62	176.
11/03/25 11:30	10900	437	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.53	203.
11/03/25 12:00	10400	437	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	188.
11/03/25 12:30	9800	436	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.09	208.
11/03/25 13:00	10000	437	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	208.
11/03/25 13:30	10000	439	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	200.
11/03/25 14:00	10000	439	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	185.
11/03/25 14:30	10200	440	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.19	152.
11/03/25 15:00	10300	441	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.50	136.
11/03/25 15:30	10500	446	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.90	146.
11/03/25 16:00	10900	445	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.01	138.
11/03/25 16:30	11000	441	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.36	121.
11/03/25 17:00	11700	440	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	125.
11/03/25 17:30	11700	441	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.99	134.
11/03/25 18:00	12300	437	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	127.
11/03/25 18:30	12400	436	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.82	126.
11/03/25 19:00	12700	435	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	128.
11/03/25 19:30	13000	432	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	127.
11/03/25 20:00	13400	433	2.31	BDL	BDL	7.09	BDL	BDL	BDL	BDL	4.88	116.
11/03/25 20:30	14000	434	2.31	BDL	BDL	21.2	BDL	BDL	BDL	BDL	4.23	117.
11/03/25 21:00	14300	434	2.4	BDL	BDL	20.2	BDL	BDL	BDL	BDL	5.40	107.
11/03/25 21:30	14600	435	2.45	BDL	BDL	19.8	BDL	BDL	BDL	BDL	6.68	97.6
11/03/25 22:00	15100	436	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.32	90.0
11/03/25 22:30	15600	435	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	92.7
11/03/25 23:00	15600	435	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	91.9
11/03/25 23:30	15200	435	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.63	86.4
11/04/25 00:00	14700	437	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	84.2

Daily Processed Summary (Average, Maximum Value)

Average	11900	442	2.51	BDL	BDL	1.64	BDL	BDL	BDL	BDL	3.03	118
Maximum Value	15600	460	3.2	-	-	21.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/04/25 00:30	14300	436	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.75	84.3
11/04/25 01:00	14100	435	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	83.9
11/04/25 01:30	13700	437	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	79.5
11/04/25 02:00	13300	438	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.41	72.1
11/04/25 02:30	12900	435	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.40	70.9
11/04/25 03:00	12800	438	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.18	74.2
11/04/25 03:30	12500	440	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.40	62.2
11/04/25 04:00	12000	440	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	64.3
11/04/25 04:30	11700	438	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.56	75.7
11/04/25 05:00	11500	438	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.09	69.5
11/04/25 05:30	11400	438	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.923	103.
11/04/25 06:00	11200	439	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.15	80.0
11/04/25 06:30	11100	438	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	84.8
11/04/25 07:00	11000	437	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.57	71.2
11/04/25 07:30	11100	438	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.846	91.1
11/04/25 08:00	11600	437	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.41	88.1
11/04/25 08:30	12800	435	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.83	82.3
11/04/25 09:00	14000	432	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	80.
11/04/25 09:30	14200	432	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.26	91.7
11/04/25 10:00	14400	433	2.35	BDL	BDL	4.11	BDL	BDL	BDL	BDL	6.23	96.2
11/04/25 10:30	14400	435	2.25	BDL	BDL	3.38	BDL	BDL	BDL	BDL	6.31	136.
11/04/25 11:00	14500	436	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	163.
11/04/25 11:30	14700	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.66	168.
11/04/25 12:00	14900	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.60	177.
11/04/25 12:30	14700	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.30	174.
11/04/25 13:00	14700	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	168.
11/04/25 13:30	14900	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.85	136.
11/04/25 14:00	15100	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	163.
11/04/25 14:30	15000	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.61	158.
11/04/25 15:00	14900	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.18	143.
11/04/25 15:30	14900	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.56	153.
11/04/25 16:00	14800	439	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	151.
11/04/25 16:30	14800	438	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.26	148.
11/04/25 17:00	15000	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.74	142.
11/04/25 17:30	14700	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	117.
11/04/25 18:00	14500	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.42	115.
11/04/25 18:30	14800	436	2.21	BDL	BDL	10.1	BDL	BDL	BDL	BDL	6.98	110.
11/04/25 19:00	15300	435	2.27	BDL	BDL	14.7	BDL	BDL	BDL	BDL	3.63	115.
11/04/25 19:30	15500	436	2.47	BDL	BDL	18.9	BDL	BDL	BDL	BDL	0.982	108.
11/04/25 20:00	15600	434	2.39	BDL	BDL	16.4	BDL	BDL	BDL	BDL	2.32	125.
11/04/25 20:30	15600	436	2.92	BDL	BDL	18.4	BDL	BDL	BDL	BDL	3.45	108.
11/04/25 21:00	15400	435	2.72	BDL	BDL	20.6	BDL	BDL	BDL	BDL	2.82	105.
11/04/25 21:30	15600	434	2.77	BDL	BDL	27.	BDL	BDL	BDL	BDL	3.79	99.4
11/04/25 22:00	16100	434	2.42	BDL	BDL	19.5	BDL	BDL	BDL	BDL	1.31	136.
11/04/25 22:30	16500	432	2.32	BDL	BDL	28.5	BDL	BDL	BDL	BDL	1.99	124.
11/04/25 23:00	16700	433	2.65	BDL	BDL	32.2	BDL	BDL	BDL	BDL	4.12	103.
11/04/25 23:30	16700	438	2.56	BDL	BDL	24.8	BDL	BDL	BDL	BDL	2.65	92.4
11/05/25 00:00	16300	438	2.6	BDL	BDL	18.3	BDL	BDL	BDL	BDL	3.04	107.

Daily Processed Summary (Average, Maximum Value)

Average	14100	436	2.4	BDL	BDL	5.35	BDL	BDL	BDL	BDL	4.21	126
Maximum Value	16700	440	2.92	-	-	32.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/05/25 00:30	16000	439	2.62	BDL	BDL	10.8	BDL	BDL	BDL	BDL	2.04	134.
11/05/25 01:00	16100	433	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.83	172.
11/05/25 01:30	15800	431	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.41	185.
11/05/25 02:00	16300	430	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.70	202.
11/05/25 02:30	16300	430	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	193.
11/05/25 03:00	16300	432	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	176.
11/05/25 03:30	16200	430	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	176.
11/05/25 04:00	16100	430	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	176.
11/05/25 04:30	16100	430	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	175.
11/05/25 05:00	16200	430	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.92	180.
11/05/25 05:30	16400	430	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	206.
11/05/25 06:00	16700	430	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.63	200.
11/05/25 06:30	16600	436	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.2	285.
11/05/25 07:00	16700	441	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.39	7.28
11/05/25 07:30	16300	449	2.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.54	348.
11/05/25 08:00	16500	452	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	358.
11/05/25 08:30	17500	447	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.17	354.
11/05/25 09:00	17700	438	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	289.
11/05/25 09:30	18200	436	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.08	297.
11/05/25 10:00	17900	435	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	268.
11/05/25 10:30	17300	435	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	262.
11/05/25 11:00	17100	437	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.12	230.
11/05/25 11:30	16900	436	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	184.
11/05/25 12:00	16800	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.31	223.
11/05/25 12:30	16800	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	223.
11/05/25 13:00	16900	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.35	181.
11/05/25 13:30	16900	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	189.
11/05/25 14:00	17200	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	168.
11/05/25 14:30	17200	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.35	152.
11/05/25 15:00	17000	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.90	141.
11/05/25 15:30	16900	442	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	161.
11/05/25 16:00	17200	442	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.45	160.
11/05/25 16:30	17300	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.37	142.
11/05/25 17:00	17300	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	125.
11/05/25 17:30	17300	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.90	116.
11/05/25 18:00	17500	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	123.
11/05/25 18:30	17600	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	126.
11/05/25 19:00	17800	434	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	125.
11/05/25 19:30	17800	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.04	124.
11/05/25 20:00	17900	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.18	125.
11/05/25 20:30	18200	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.36	137.
11/05/25 21:00	18400	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	171.
11/05/25 21:30	17900	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	168.
11/05/25 22:00	17700	438	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.19	166.
11/05/25 22:30	17600	441	2.43	BDL	BDL	7.34	BDL	BDL	BDL	BDL	1.88	140.
11/05/25 23:00	17200	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	181.
11/05/25 23:30	17200	436	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	167.
11/06/25 00:00	17300	439	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	165.

Daily Processed Summary (Average, Maximum Value)

Average	17000	437	2.27	BDL	BDL	0.378	BDL	BDL	BDL	BDL	4.16	168
Maximum Value	18400	452	2.75	-	-	10.8	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/06/25 00:30	17300	437	2.36	BDL	BDL	7.83	BDL	BDL	BDL	BDL	2.38	150.
11/06/25 01:00	17300	437	2.43	BDL	BDL	11.8	BDL	BDL	BDL	BDL	3.12	128.
11/06/25 01:30	17300	441	2.6	BDL	BDL	21.7	BDL	BDL	BDL	BDL	3.84	98.8
11/06/25 02:00	17500	441	2.89	BDL	BDL	19.8	BDL	BDL	BDL	BDL	4.48	92.7
11/06/25 02:30	17900	440	2.81	BDL	BDL	16.3	BDL	BDL	BDL	BDL	4.64	96.0
11/06/25 03:00	18100	440	2.62	BDL	BDL	14.1	BDL	BDL	BDL	BDL	4.66	96.9
11/06/25 03:30	18000	442	2.85	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	94.1
11/06/25 04:00	17800	442	3.02	BDL	BDL	4.14	BDL	BDL	BDL	BDL	3.62	95.5
11/06/25 04:30	17800	442	2.67	BDL	BDL	19.2	BDL	BDL	BDL	BDL	3.11	101.
11/06/25 05:00	17700	446	2.91	BDL	BDL	15.7	BDL	BDL	BDL	BDL	2.65	90.6
11/06/25 05:30	17900	446	2.63	BDL	BDL	3.4	BDL	BDL	BDL	BDL	3.93	98.
11/06/25 06:00	17800	446	2.62	BDL	BDL	18.2	BDL	BDL	BDL	BDL	3.88	99.0
11/06/25 06:30	17900	443	3.12	BDL	BDL	11.3	BDL	BDL	BDL	BDL	3.7	92.2
11/06/25 07:00	17800	442	2.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	91.1
11/06/25 07:30	18000	448	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.67	87.5
11/06/25 08:00	18500	451	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.553	0.0221
11/06/25 08:30	19400	447	2.54	BDL	BDL	18.4	BDL	BDL	BDL	BDL	1.39	100.
11/06/25 09:00	19900	451	2.59	BDL	BDL	17.3	BDL	BDL	BDL	BDL	2.18	300.
11/06/25 09:30	19800	452	2.77	BDL	BDL	14.9	BDL	BDL	BDL	BDL	4.05	287.
11/06/25 10:00	19700	450	2.66	BDL	BDL	5.14	BDL	BDL	BDL	BDL	3.77	270.
11/06/25 10:30	19200	446	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	280.
11/06/25 11:00	18900	438	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	256.
11/06/25 11:30	17700	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.02	225.
11/06/25 12:00	16300	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.64	195.
11/06/25 12:30	15700	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.84	188.
11/06/25 13:00	16400	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	206.
11/06/25 13:30	16700	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.26	211.
11/06/25 14:00	17000	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	214.
11/06/25 14:30	17300	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.63	197.
11/06/25 15:00	17500	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.60	173.
11/06/25 15:30	17700	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.13	177.
11/06/25 16:00	17600	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.18	154.
11/06/25 16:30	17200	436	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.96	122.
11/06/25 17:00	17500	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	122.
11/06/25 17:30	17600	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	124.
11/06/25 18:00	18200	444	2.3	BDL	BDL	96.2	BDL	BDL	BDL	BDL	8.02	130.
11/06/25 18:30	18700	442	2.25	BDL	BDL	3.88	BDL	BDL	BDL	BDL	7.44	129.
11/06/25 19:00	18900	441	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.83	132.
11/06/25 19:30	18700	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	136.
11/06/25 20:00	18500	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	141.
11/06/25 20:30	18300	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	145.
11/06/25 21:00	18800	448	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	157.
11/06/25 21:30	18500	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	171.
11/06/25 22:00	18400	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.40	175.
11/06/25 22:30	18600	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.28	179.
11/06/25 23:00	18800	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	178.
11/06/25 23:30	19100	437	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.17	176.
11/07/25 00:00	19100	431	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.47	177.

Daily Processed Summary (Average, Maximum Value)

Average	18000	442	2.42	BDL	BDL	6.65	BDL	BDL	BDL	BDL	4.2	153
Maximum Value	19900	452	3.12	-	-	96.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/07/25 00:30	19300	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.7	179.
11/07/25 01:00	19500	430	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.35	180.
11/07/25 01:30	19600	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	176.
11/07/25 02:00	19500	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.13	182.
11/07/25 02:30	19700	431	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	185.
11/07/25 03:00	19700	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.96	190.
11/07/25 03:30	20000	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.77	187.
11/07/25 04:00	20100	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	184.
11/07/25 04:30	20500	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	195.
11/07/25 05:00	20900	431	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	198.
11/07/25 05:30	20800	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	200.
11/07/25 06:00	20900	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.61	205.
11/07/25 06:30	20900	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	194.
11/07/25 07:00	20800	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	208.
11/07/25 07:30	20900	436	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.06	237.
11/07/25 08:00	21100	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.41	225.
11/07/25 08:30	21500	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	219.
11/07/25 09:00	21600	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.78	218.
11/07/25 09:30	21400	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.02	221.
11/07/25 10:00	21200	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.2	208.
11/07/25 10:30	21000	435	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	194.
11/07/25 11:00	20500	436	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	196.
11/07/25 11:30	20100	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	196.
11/07/25 12:00	20200	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	196.
11/07/25 12:30	20700	437	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	195.
11/07/25 13:00	20900	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	188.
11/07/25 13:30	20800	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	194.
11/07/25 14:00	21000	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	192.
11/07/25 14:30	21100	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	196.
11/07/25 15:00	21100	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	193.
11/07/25 15:30	20900	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	195.
11/07/25 16:00	21100	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	186.
11/07/25 16:30	21000	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.89	182.
11/07/25 17:00	21700	436	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	179.
11/07/25 17:30	22100	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.9	173.
11/07/25 18:00	22600	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	176.
11/07/25 18:30	22900	434	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.46	176.
11/07/25 19:00	23300	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	176.
11/07/25 19:30	23500	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.41	176.
11/07/25 20:00	23500	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.66	177.
11/07/25 20:30	23500	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.55	179.
11/07/25 21:00	23700	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.74	180.
11/07/25 21:30	23800	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	177.
11/07/25 22:00	23800	434	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	178.
11/07/25 22:30	23700	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	179.
11/07/25 23:00	23700	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.06	181.
11/07/25 23:30	23700	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.89	183.
11/08/25 00:00	23600	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	183.

Daily Processed Summary (Average, Maximum Value)

Average	21400	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	189
Maximum Value	23800	441	2.23	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/08/25 00:30	23700	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	187.
11/08/25 01:00	23700	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	194.
11/08/25 01:30	23800	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.3	206.
11/08/25 02:00	23800	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.09	212.
11/08/25 02:30	23900	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.84	281.
11/08/25 03:00	23600	437	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.03	306.
11/08/25 03:30	23200	436	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.34	310.
11/08/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.65	338.
11/08/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.592	32.8
11/08/25 05:00	21800	426	3.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.589	54.6
11/08/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.415	107.
11/08/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.29	214.
11/08/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.37	223.
11/08/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.88	210.
11/08/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.72	207.
11/08/25 08:00	23200	435	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.32	223.
11/08/25 08:30	23500	437	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	244.
11/08/25 09:00	23400	437	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	278.
11/08/25 09:30	23300	437	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	242.
11/08/25 10:00	23300	438	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	226.
11/08/25 10:30	23500	439	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.64	261.
11/08/25 11:00	23800	439	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	235.
11/08/25 11:30	23600	440	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	222.
11/08/25 12:00	23700	438	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.18	204.
11/08/25 12:30	23300	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	196.
11/08/25 13:00	23200	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.3	195.
11/08/25 13:30	23100	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	193.
11/08/25 14:00	22900	441	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	189.
11/08/25 14:30	22800	441	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	190.
11/08/25 15:00	23500	441	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.76	174.
11/08/25 15:30	24600	446	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	164.
11/08/25 16:00	24300	444	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	160.
11/08/25 16:30	23500	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	169.
11/08/25 17:00	22900	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	171.
11/08/25 17:30	23400	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	176.
11/08/25 18:00	23800	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.88	179.
11/08/25 18:30	24400	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.26	176.
11/08/25 19:00	24800	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	171.
11/08/25 19:30	25000	443	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.23	167.
11/08/25 20:00	24700	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.64	176.
11/08/25 20:30	24600	433	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	176.
11/08/25 21:00	24700	432	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.	178.
11/08/25 21:30	24700	432	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	175.
11/08/25 22:00	24700	432	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.22	175.
11/08/25 22:30	24200	438	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.8	155.
11/08/25 23:00	23000	441	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.85	49.5
11/08/25 23:30	22400	435	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.81	63.8
11/09/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.37	54.9

Daily Processed Summary (Average, Maximum Value)

Average	23700	437	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	191
Maximum Value	25000	446	3.1	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/09/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.23	49.1
11/09/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.32	37.8
11/09/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.9	22.7
11/09/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.87	8.45
11/09/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.02	19.8
11/09/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.84	11.5
11/09/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.65	18.0
11/09/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.70	12.5
11/09/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.20	1.93
11/09/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.4	352.
11/09/25 05:30	17200	428	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	2.50
11/09/25 06:00	14400	436	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.	7.43
11/09/25 06:30	12300	435	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	7.99
11/09/25 07:00	11200	436	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	8.93
11/09/25 07:30	10100	434	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	7.77
11/09/25 08:00	8740	433	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.7	12.5
11/09/25 08:30	7620	431	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.7	17.8
11/09/25 09:00	6960	431	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24.	20.0
11/09/25 09:30	6530	431	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	25.7	21.9
11/09/25 10:00	6230	432	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	26.9	21.4
11/09/25 10:30	6250	434	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.2	21.4
11/09/25 11:00	6000	433	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	25.5	18.4
11/09/25 11:30	5760	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24.0	20.4
11/09/25 12:00	5850	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.7	17.6
11/09/25 12:30	5620	433	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.3	10.7
11/09/25 13:00	5590	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.8	12.1
11/09/25 13:30	5680	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.7	2.51
11/09/25 14:00	5540	436	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.3	359.
11/09/25 14:30	5460	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.2	6.45
11/09/25 15:00	5290	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.1	6.09
11/09/25 15:30	5490	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.3	2.76
11/09/25 16:00	5260	436	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.8	9.45
11/09/25 16:30	5480	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	12.4
11/09/25 17:00	5520	434	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.0	7.2
11/09/25 17:30	5710	433	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	358.
11/09/25 18:00	5780	432	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	356.
11/09/25 18:30	5900	431	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	0.865
11/09/25 19:00	6170	429	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.32	354.
11/09/25 19:30	6070	428	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	355.
11/09/25 20:00	6190	429	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	358.
11/09/25 20:30	6040	429	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	358.
11/09/25 21:00	M	M	M	M	M	M	M	M	M	M	10.9	356.
11/09/25 21:30	M	M	M	M	M	M	M	M	M	M	13.1	358.
11/09/25 22:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	16.2	10.1
11/09/25 22:30	5690	425	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	10.4
11/09/25 23:00	5530	425	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	9.67
11/09/25 23:30	5630	425	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	9.68
11/10/25 00:00	5830	425	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	7.22

Daily Processed Summary (Average, Maximum Value)

Average	6990	432	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	9.85
Maximum Value	17200	437	2.41	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/10/25 00:30	5700	425	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	6.38
11/10/25 01:00	5970	425	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.85	357.
11/10/25 01:30	5980	424	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	357.
11/10/25 02:00	5780	424	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	5.92
11/10/25 02:30	5490	423	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	8.64
11/10/25 03:00	5520	422	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	9.49
11/10/25 03:30	5430	421	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	8.74
11/10/25 04:00	5170	421	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	12.3
11/10/25 04:30	4970	420	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	9.46
11/10/25 05:00	4650	421	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	9.48
11/10/25 05:30	4250	421	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	10.2
11/10/25 06:00	3940	419	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	10.8
11/10/25 06:30	4100	419	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	14.7
11/10/25 07:00	4100	419	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	15.8
11/10/25 07:30	4050	418	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	15.
11/10/25 08:00	3930	417	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	13.2
11/10/25 08:30	3850	418	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	19.3
11/10/25 09:00	3730	420	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	21.2
11/10/25 09:30	3430	420	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	19.1
11/10/25 10:00	3360	420	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	10.4
11/10/25 10:30	3200	421	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	19.6
11/10/25 11:00	3090	422	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	3.47
11/10/25 11:30	3190	422	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	343.
11/10/25 12:00	2930	422	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	334.
11/10/25 12:30	2650	423	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	9.07
11/10/25 13:00	2830	423	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	4.81
11/10/25 13:30	2800	423	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	357.
11/10/25 14:00	2840	423	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	356.
11/10/25 14:30	2810	424	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.03	352.
11/10/25 15:00	2700	424	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.38	352.
11/10/25 15:30	2750	423	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.62	351.
11/10/25 16:00	2650	423	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.63	357.
11/10/25 16:30	2580	424	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.53	356.
11/10/25 17:00	2730	424	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.8	17.6
11/10/25 17:30	3160	422	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	22.5
11/10/25 18:00	3570	423	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.95	32.4
11/10/25 18:30	3670	421	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	27.5
11/10/25 19:00	3700	420	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	14.1
11/10/25 19:30	3840	422	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.49	17.1
11/10/25 20:00	3840	421	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	33.1
11/10/25 20:30	3920	422	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.86	70.4
11/10/25 21:00	3530	419	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.35	72.4
11/10/25 21:30	3510	420	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	60.9
11/10/25 22:00	3760	420	2.72	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	86.1
11/10/25 22:30	3630	419	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.64	77.5
11/10/25 23:00	3760	421	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	74.2
11/10/25 23:30	3720	420	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	76.5
11/11/25 00:00	3830	420	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.41	88.

Daily Processed Summary (Average, Maximum Value)

Average	3850	421	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.72	12.4
Maximum Value	5980	425	2.72	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/11/25 00:30	4440	421	2.65	BDL	BDL	3.29	BDL	BDL	BDL	BDL	5.53	108.
11/11/25 01:00	4910	421	2.6	BDL	BDL	15.6	BDL	BDL	BDL	BDL	6.25	107.
11/11/25 01:30	4950	421	2.86	BDL	BDL	7.16	BDL	BDL	BDL	BDL	6.14	92.8
11/11/25 02:00	4800	420	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.16	77.5
11/11/25 02:30	5070	418	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.86	106.
11/11/25 03:00	5320	418	3.06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.5	77.4
11/11/25 03:30	5170	419	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.84	68.0
11/11/25 04:00	4910	421	2.93	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.99	69.
11/11/25 04:30	4290	420	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.85	100.
11/11/25 05:00	4470	426	2.71	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.65	62.1
11/11/25 05:30	4610	426	2.86	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	69.7
11/11/25 06:00	4550	424	2.77	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	75.4
11/11/25 06:30	4380	424	2.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.84	78.
11/11/25 07:00	4300	424	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.83	74.7
11/11/25 07:30	4550	424	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.86	82.4
11/11/25 08:00	4790	425	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.20	78.7
11/11/25 08:30	5550	426	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.32	77.0
11/11/25 09:00	6470	426	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.11	85.2
11/11/25 09:30	7250	428	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.68	94.3
11/11/25 10:00	8070	429	2.33	BDL	BDL	5.57	BDL	BDL	BDL	BDL	6.77	101.
11/11/25 10:30	9080	436	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	147.
11/11/25 11:00	9470	433	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.61	169.
11/11/25 11:30	10100	435	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	171.
11/11/25 12:00	10600	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	175.
11/11/25 12:30	10800	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	174.
11/11/25 13:00	11300	434	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	175.
11/11/25 13:30	11600	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	172.
11/11/25 14:00	11900	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	170.
11/11/25 14:30	12300	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	170.
11/11/25 15:00	12500	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	168.
11/11/25 15:30	12600	433	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	172.
11/11/25 16:00	12800	432	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	174.
11/11/25 16:30	13200	433	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	169.
11/11/25 17:00	13700	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	167.
11/11/25 17:30	13700	433	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	174.
11/11/25 18:00	13500	431	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.21	177.
11/11/25 18:30	13500	431	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.18	175.
11/11/25 19:00	13500	431	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.66	176.
11/11/25 19:30	13600	431	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	177.
11/11/25 20:00	13800	430	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.3	178.
11/11/25 20:30	13900	430	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.44	178.
11/11/25 21:00	14000	430	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.70	176.
11/11/25 21:30	14100	431	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	174.
11/11/25 22:00	14200	429	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.26	174.
11/11/25 22:30	14800	429	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.9	174.
11/11/25 23:00	15000	428	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.56	173.
11/11/25 23:30	15000	428	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	176.
11/12/25 00:00	15000	428	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.08	175.

Daily Processed Summary (Average, Maximum Value)

Average	9630	428	2.39	BDL	BDL	0.659	BDL	BDL	BDL	BDL	6.86	158
Maximum Value	15000	437	3.06	-	-	15.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/12/25 00:30	15200	428	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.03	178.
11/12/25 01:00	15400	428	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.98	184.
11/12/25 01:30	15500	426	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.33	189.
11/12/25 02:00	15700	428	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	202.
11/12/25 02:30	15700	428	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.6	189.
11/12/25 03:00	15500	428	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	196.
11/12/25 03:30	15300	428	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.44	213.
11/12/25 04:00	15100	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.31	319.
11/12/25 04:30	15100	437	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.26	10.4
11/12/25 05:00	14900	434	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.71	50.4
11/12/25 05:30	14600	437	2.76	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.47	9.17
11/12/25 06:00	14600	433	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.898	194.
11/12/25 06:30	15300	427	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.85	176.
11/12/25 07:00	15900	428	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.90	176.
11/12/25 07:30	16300	427	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	175.
11/12/25 08:00	16800	428	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	177.
11/12/25 08:30	17200	430	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	179.
11/12/25 09:00	17400	432	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.19	196.
11/12/25 09:30	17200	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.99	178.
11/12/25 10:00	17300	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.9	193.
11/12/25 10:30	16800	435	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	193.
11/12/25 11:00	16700	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	178.
11/12/25 11:30	16600	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	180.
11/12/25 12:00	16700	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	183.
11/12/25 12:30	16800	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	175.
11/12/25 13:00	17000	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	168.
11/12/25 13:30	16900	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	169.
11/12/25 14:00	16900	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	168.
11/12/25 14:30	17000	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	169.
11/12/25 15:00	16300	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	174.
11/12/25 15:30	16800	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.0	165.
11/12/25 16:00	17100	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	168.
11/12/25 16:30	18300	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	147.
11/12/25 17:00	18600	451	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	149.
11/12/25 17:30	18600	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	146.
11/12/25 18:00	18800	457	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.97	153.
11/12/25 18:30	19000	452	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	148.
11/12/25 19:00	19300	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	143.
11/12/25 19:30	19500	445	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	145.
11/12/25 20:00	19600	459	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	150.
11/12/25 20:30	19600	461	2.36	BDL	BDL	3.68	BDL	BDL	BDL	BDL	9.59	152.
11/12/25 21:00	19500	454	2.3	BDL	BDL	8.83	BDL	BDL	BDL	BDL	9.15	158.
11/12/25 21:30	19800	460	2.34	BDL	BDL	4.20	BDL	BDL	BDL	BDL	10.7	156.
11/12/25 22:00	20100	466	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	153.
11/12/25 22:30	20300	467	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	151.
11/12/25 23:00	20300	468	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	153.
11/12/25 23:30	20300	467	2.39	BDL	BDL	3.34	BDL	BDL	BDL	BDL	10.2	153.
11/13/25 00:00	20300	452	2.33	BDL	BDL	4.16	BDL	BDL	BDL	BDL	10.6	161.

Daily Processed Summary (Average, Maximum Value)

Average	17300	441	2.26	BDL	BDL	0.504	BDL	BDL	BDL	BDL	8.26	166
Maximum Value	20300	468	2.76	-	-	8.83	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/13/25 00:30	19900	441	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	165.
11/13/25 01:00	19600	441	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	167.
11/13/25 01:30	19600	442	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.84	170.
11/13/25 02:00	19400	438	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	171.
11/13/25 02:30	19500	437	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.58	172.
11/13/25 03:00	19700	441	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.96	173.
11/13/25 03:30	19700	438	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.95	170.
11/13/25 04:00	19700	441	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.8	174.
11/13/25 04:30	19500	439	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.93	171.
11/13/25 05:00	19700	440	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	173.
11/13/25 05:30	19700	434	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.81	224.
11/13/25 06:00	19300	433	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	254.
11/13/25 06:30	19800	434	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.4	188.
11/13/25 07:00	20600	430	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	175.
11/13/25 07:30	20700	430	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.7	181.
11/13/25 08:00	20700	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	181.
11/13/25 08:30	20900	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.1	181.
11/13/25 09:00	20900	435	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.93	177.
11/13/25 09:30	20800	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	170.
11/13/25 10:00	20300	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	162.
11/13/25 10:30	19900	444	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	159.
11/13/25 11:00	19600	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	148.
11/13/25 11:30	19600	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	148.
11/13/25 12:00	19800	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	150.
11/13/25 12:30	19700	437	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	146.
11/13/25 13:00	19600	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	144.
11/13/25 13:30	19700	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	148.
11/13/25 14:00	19700	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	155.
11/13/25 14:30	19500	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	147.
11/13/25 15:00	19300	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	146.
11/13/25 15:30	19200	437	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	145.
11/13/25 16:00	19000	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	144.
11/13/25 16:30	19100	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	143.
11/13/25 17:00	19100	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	148.
11/13/25 17:30	19300	434	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	146.
11/13/25 18:00	19600	435	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	143.
11/13/25 18:30	19900	433	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	145.
11/13/25 19:00	19900	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	142.
11/13/25 19:30	20200	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	143.
11/13/25 20:00	20500	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	141.
11/13/25 20:30	20600	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	144.
11/13/25 21:00	20800	440	2.24	BDL	BDL	2.37	BDL	BDL	BDL	BDL	12.0	145.
11/13/25 21:30	20600	453	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	149.
11/13/25 22:00	20400	447	2.31	BDL	BDL	8.57	BDL	BDL	BDL	BDL	10.7	158.
11/13/25 22:30	20200	454	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	156.
11/13/25 23:00	20200	457	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.45	154.
11/13/25 23:30	20200	452	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	148.
11/14/25 00:00	20300	447	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.07	158.

Daily Processed Summary (Average, Maximum Value)

Average	19900	439	2.23	BDL	BDL	0.228	BDL	BDL	BDL	BDL	10.7	155
Maximum Value	20900	457	2.34	-	-	8.57	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/14/25 00:30	20000	438	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	167.
11/14/25 01:00	19700	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	168.
11/14/25 01:30	19800	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	169.
11/14/25 02:00	19700	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	169.
11/14/25 02:30	19700	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.63	171.
11/14/25 03:00	19700	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.69	171.
11/14/25 03:30	19800	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.84	172.
11/14/25 04:00	19700	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.94	172.
11/14/25 04:30	19600	430	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.92	174.
11/14/25 05:00	19500	428	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.01	174.
11/14/25 05:30	19100	428	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.50	176.
11/14/25 06:00	19400	429	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	176.
11/14/25 06:30	19500	430	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.6	172.
11/14/25 07:00	19600	430	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.05	172.
11/14/25 07:30	19800	430	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	174.
11/14/25 08:00	19800	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.45	176.
11/14/25 08:30	20000	435	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	174.
11/14/25 09:00	20000	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	173.
11/14/25 09:30	19500	435	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	175.
11/14/25 10:00	19100	432	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	184.
11/14/25 10:30	19000	431	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.3	190.
11/14/25 11:00	18600	434	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.63	184.
11/14/25 11:30	18600	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	173.
11/14/25 12:00	18500	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	168.
11/14/25 12:30	18400	442	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	161.
11/14/25 13:00	18100	441	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	145.
11/14/25 13:30	17800	442	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	151.
11/14/25 14:00	17900	439	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	144.
11/14/25 14:30	17800	441	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	153.
11/14/25 15:00	18100	441	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	154.
11/14/25 15:30	18700	444	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	139.
11/14/25 16:00	18600	438	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	131.
11/14/25 16:30	19100	439	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	127.
11/14/25 17:00	19900	440	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	124.
11/14/25 17:30	20300	442	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	130.
11/14/25 18:00	20600	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	138.
11/14/25 18:30	20600	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	139.
11/14/25 19:00	20800	436	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	138.
11/14/25 19:30	20800	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	142.
11/14/25 20:00	20600	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	144.
11/14/25 20:30	20400	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	143.
11/14/25 21:00	19900	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	144.
11/14/25 21:30	19400	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	144.
11/14/25 22:00	19400	448	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	146.
11/14/25 22:30	19300	453	2.27	BDL	BDL	9.39	BDL	BDL	BDL	BDL	10.2	155.
11/14/25 23:00	18800	440	2.23	BDL	BDL	3.25	BDL	BDL	BDL	BDL	9.82	166.
11/14/25 23:30	18200	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	177.
11/15/25 00:00	18300	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.08	181.

Daily Processed Summary (Average, Maximum Value)

Average	19400	437	2.18	BDL	BDL	0.263	BDL	BDL	BDL	BDL	10.3	158
Maximum Value	20800	453	2.27	-	-	9.39	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/15/25 00:30	18300	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.17	181.
11/15/25 01:00	18100	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	180.
11/15/25 01:30	18000	429	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.62	180.
11/15/25 02:00	17900	429	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	179.
11/15/25 02:30	17900	428	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	179.
11/15/25 03:00	18000	428	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.04	183.
11/15/25 03:30	18100	427	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.93	188.
11/15/25 04:00	18000	427	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.82	187.
11/15/25 04:30	18000	426	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.98	185.
11/15/25 05:00	18200	427	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.85	179.
11/15/25 05:30	18300	426	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	182.
11/15/25 06:00	18600	428	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	186.
11/15/25 06:30	18900	427	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.26	187.
11/15/25 07:00	19000	427	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.18	181.
11/15/25 07:30	19400	426	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.41	180.
11/15/25 08:00	20100	429	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.94	177.
11/15/25 08:30	20500	430	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	176.
11/15/25 09:00	20500	430	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	178.
11/15/25 09:30	20500	431	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.65	190.
11/15/25 10:00	20700	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.12	195.
11/15/25 10:30	20500	434	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.63	192.
11/15/25 11:00	20200	435	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.23	198.
11/15/25 11:30	19900	436	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.38	196.
11/15/25 12:00	19300	436	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	195.
11/15/25 12:30	18400	437	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.47	203.
11/15/25 13:00	17800	440	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.7	180.
11/15/25 13:30	18100	441	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.48	169.
11/15/25 14:00	18700	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	176.
11/15/25 14:30	19200	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	160.
11/15/25 15:00	19200	441	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	162.
11/15/25 15:30	19500	441	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	160.
11/15/25 16:00	19500	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	164.
11/15/25 16:30	19700	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	170.
11/15/25 17:00	20200	437	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	178.
11/15/25 17:30	20800	434	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	175.
11/15/25 18:00	21300	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	170.
11/15/25 18:30	21500	440	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	161.
11/15/25 19:00	21700	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	166.
11/15/25 19:30	21900	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	169.
11/15/25 20:00	22300	438	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	169.
11/15/25 20:30	22300	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	170.
11/15/25 21:00	22300	438	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.78	173.
11/15/25 21:30	22300	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.90	172.
11/15/25 22:00	22400	434	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.57	173.
11/15/25 22:30	22300	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.97	176.
11/15/25 23:00	22300	430	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	174.
11/15/25 23:30	22700	430	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.71	175.
11/16/25 00:00	22900	429	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.19	176.

Daily Processed Summary (Average, Maximum Value)

Average	19900	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	177
Maximum Value	22900	442	2.22	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/16/25 00:30	22900	428	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	176.
11/16/25 01:00	22800	427	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.16	178.
11/16/25 01:30	22600	428	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.58	184.
11/16/25 02:00	22400	429	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	185.
11/16/25 02:30	22500	427	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.80	186.
11/16/25 03:00	22400	427	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	187.
11/16/25 03:30	22300	427	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	188.
11/16/25 04:00	22300	426	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	187.
11/16/25 04:30	22300	426	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.73	186.
11/16/25 05:00	22300	426	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	189.
11/16/25 05:30	22300	425	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	185.
11/16/25 06:00	22400	425	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.43	183.
11/16/25 06:30	22300	426	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	177.
11/16/25 07:00	22400	427	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.87	181.
11/16/25 07:30	22700	429	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	177.
11/16/25 08:00	23000	430	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	178.
11/16/25 08:30	23400	430	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.99	189.
11/16/25 09:00	23600	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.00	192.
11/16/25 09:30	23900	434	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	192.
11/16/25 10:00	23900	434	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.26	193.
11/16/25 10:30	23300	434	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.83	195.
11/16/25 11:00	22900	433	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.21	196.
11/16/25 11:30	22500	435	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.57	200.
11/16/25 12:00	22500	436	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.93	194.
11/16/25 12:30	21900	437	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.49	197.
11/16/25 13:00	21300	437	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.05	199.
11/16/25 13:30	21400	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.65	195.
11/16/25 14:00	21400	439	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.82	201.
11/16/25 14:30	21300	439	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.53	187.
11/16/25 15:00	21300	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	171.
11/16/25 15:30	21500	437	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	171.
11/16/25 16:00	21700	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	165.
11/16/25 16:30	21700	435	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	164.
11/16/25 17:00	22500	434	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	170.
11/16/25 17:30	23700	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	171.
11/16/25 18:00	24200	430	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	177.
11/16/25 18:30	24300	430	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.53	177.
11/16/25 19:00	24200	433	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.47	176.
11/16/25 19:30	24600	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	170.
11/16/25 20:00	M	M	M	M	M	M	M	M	M	M	11.3	170.
11/16/25 20:30	M	M	M	M	M	M	M	M	M	M	10.7	163.
11/16/25 21:00	M	M	M	M	M	M	M	M	M	M	11.3	161.
11/16/25 21:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	10.5	164.
11/16/25 22:00	24700	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	168.
11/16/25 22:30	24700	436	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	168.
11/16/25 23:00	24700	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.37	177.
11/16/25 23:30	24600	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.62	175.
11/17/25 00:00	24700	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.58	176.

Daily Processed Summary (Average, Maximum Value)

Average	22900	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.79	180
Maximum Value	24700	439	2.2	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/17/25 00:30	24700	428	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.08	176.
11/17/25 01:00	24700	426	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.97	179.
11/17/25 01:30	24800	425	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.83	176.
11/17/25 02:00	25000	425	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.56	175.
11/17/25 02:30	25200	428	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	173.
11/17/25 03:00	25200	427	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.88	180.
11/17/25 03:30	25000	424	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.91	183.
11/17/25 04:00	24800	421	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.91	190.
11/17/25 04:30	24500	416	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.2	189.
11/17/25 05:00	24400	413	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	182.
11/17/25 05:30	24400	408	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.92	192.
11/17/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.13	188.
11/17/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.58	178.
11/17/25 07:00	24800	413	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.05	173.
11/17/25 07:30	25200	428	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.23	171.
11/17/25 08:00	25400	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.50	168.
11/17/25 08:30	25600	438	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	168.
11/17/25 09:00	25600	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	173.
11/17/25 09:30	25300	434	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	172.
11/17/25 10:00	25200	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	173.
11/17/25 10:30	24900	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	172.
11/17/25 11:00	24900	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	167.
11/17/25 11:30	24700	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	158.
11/17/25 12:00	24500	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	162.
11/17/25 12:30	24700	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	146.
11/17/25 13:00	24800	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	144.
11/17/25 13:30	25200	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	148.
11/17/25 14:00	25100	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	144.
11/17/25 14:30	25100	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.7	144.
11/17/25 15:00	25000	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	145.
11/17/25 15:30	25000	435	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.9	142.
11/17/25 16:00	25100	434	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.3	141.
11/17/25 16:30	25100	435	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.	142.
11/17/25 17:00	25100	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	140.
11/17/25 17:30	25000	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.2	141.
11/17/25 18:00	24900	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	142.
11/17/25 18:30	25100	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	150.
11/17/25 19:00	25300	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	158.
11/17/25 19:30	25200	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	149.
11/17/25 20:00	25300	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	146.
11/17/25 20:30	25400	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	149.
11/17/25 21:00	25400	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	155.
11/17/25 21:30	25300	448	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	157.
11/17/25 22:00	25300	446	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	160.
11/17/25 22:30	25300	439	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	163.
11/17/25 23:00	25200	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	167.
11/17/25 23:30	25200	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	168.
11/18/25 00:00	25000	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	175.

Daily Processed Summary (Average, Maximum Value)

Average	25000	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	159
Maximum Value	25600	448	2.24	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/18/25 00:30	24900	433	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.77	176.
11/18/25 01:00	24900	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.93	173.
11/18/25 01:30	24800	436	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.74	175.
11/18/25 02:00	24700	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	173.
11/18/25 02:30	24700	439	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	163.
11/18/25 03:00	24700	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.75	155.
11/18/25 03:30	24500	442	2.23	BDL	BDL	3.24	BDL	BDL	BDL	BDL	10.7	160.
11/18/25 04:00	24200	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	167.
11/18/25 04:30	23900	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	171.
11/18/25 05:00	23800	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	171.
11/18/25 05:30	23900	438	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	167.
11/18/25 06:00	23900	438	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	171.
11/18/25 06:30	24000	439	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	170.
11/18/25 07:00	24000	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	169.
11/18/25 07:30	23900	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.52	174.
11/18/25 08:00	24200	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	172.
11/18/25 08:30	24500	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	167.
11/18/25 09:00	24100	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	172.
11/18/25 09:30	23800	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	170.
11/18/25 10:00	23800	438	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	166.
11/18/25 10:30	23200	437	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	175.
11/18/25 11:00	23200	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	163.
11/18/25 11:30	23100	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.51	152.
11/18/25 12:00	22700	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	155.
11/18/25 12:30	22600	441	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	166.
11/18/25 13:00	22800	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	159.
11/18/25 13:30	22400	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	156.
11/18/25 14:00	22800	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	149.
11/18/25 14:30	22700	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	147.
11/18/25 15:00	22900	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	150.
11/18/25 15:30	23300	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	148.
11/18/25 16:00	23300	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	147.
11/18/25 16:30	23300	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	145.
11/18/25 17:00	23200	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	144.
11/18/25 17:30	23500	435	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	145.
11/18/25 18:00	24600	437	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.60	129.
11/18/25 18:30	25100	434	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.93	125.
11/18/25 19:00	25100	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	127.
11/18/25 19:30	25300	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.70	128.
11/18/25 20:00	25600	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	132.
11/18/25 20:30	25600	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	140.
11/18/25 21:00	25900	432	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	139.
11/18/25 21:30	26000	431	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	137.
11/18/25 22:00	26100	428	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	140.
11/18/25 22:30	26300	430	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	141.
11/18/25 23:00	26300	430	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	135.
11/18/25 23:30	26400	429	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	136.
11/19/25 00:00	26500	428	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	140.

Daily Processed Summary (Average, Maximum Value)

Average	24300	437	2.19	BDL	BDL	0.0675	BDL	BDL	BDL	BDL	10.2	155
Maximum Value	26500	443	2.23	-	-	3.24	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/19/25 00:30	26600	432	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	146.
11/19/25 01:00	26600	430	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	144.
11/19/25 01:30	26600	435	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	157.
11/19/25 02:00	26600	437	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	161.
11/19/25 02:30	26700	441	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	155.
11/19/25 03:00	26800	443	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	157.
11/19/25 03:30	26900	442	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	157.
11/19/25 04:00	26900	438	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	163.
11/19/25 04:30	26900	440	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.73	160.
11/19/25 05:00	26900	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.82	158.
11/19/25 05:30	26900	440	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	153.
11/19/25 06:00	27000	439	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.67	147.
11/19/25 06:30	27000	434	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.72	142.
11/19/25 07:00	26700	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.49	125.
11/19/25 07:30	26600	430	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	122.
11/19/25 08:00	26800	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.16	137.
11/19/25 08:30	26900	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	143.
11/19/25 09:00	27100	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.48	140.
11/19/25 09:30	26900	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	143.
11/19/25 10:00	26600	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	155.
11/19/25 10:30	26400	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	158.
11/19/25 11:00	26300	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	146.
11/19/25 11:30	25900	438	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	157.
11/19/25 12:00	25800	435	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	141.
11/19/25 12:30	25700	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	146.
11/19/25 13:00	25600	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	145.
11/19/25 13:30	25700	440	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	151.
11/19/25 14:00	25600	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	146.
11/19/25 14:30	25700	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	144.
11/19/25 15:00	25500	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	140.
11/19/25 15:30	25500	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	143.
11/19/25 16:00	26000	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	145.
11/19/25 16:30	26100	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	139.
11/19/25 17:00	26300	436	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	140.
11/19/25 17:30	26400	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	146.
11/19/25 18:00	26500	439	2.21	BDL	BDL	4.6	BDL	BDL	BDL	BDL	9.32	135.
11/19/25 18:30	26500	435	2.19	BDL	BDL	5.2	BDL	BDL	BDL	BDL	9.66	126.
11/19/25 19:00	26400	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	124.
11/19/25 19:30	26300	429	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	123.
11/19/25 20:00	26200	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	124.
11/19/25 20:30	26200	434	2.18	BDL	BDL	8.17	BDL	BDL	BDL	BDL	11.1	124.
11/19/25 21:00	26100	434	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	122.
11/19/25 21:30	26000	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	127.
11/19/25 22:00	26000	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.43	135.
11/19/25 22:30	26000	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	143.
11/19/25 23:00	25900	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	142.
11/19/25 23:30	25800	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	142.
11/20/25 00:00	25800	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	141.

Daily Processed Summary (Average, Maximum Value)

Average	26300	436	2.2	BDL	BDL	0.374	BDL	BDL	BDL	BDL	11.2	143
Maximum Value	27100	443	2.26	-	-	8.17	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/20/25 00:30	25900	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	144.
11/20/25 01:00	25800	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	141.
11/20/25 01:30	25600	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	140.
11/20/25 02:00	25600	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	142.
11/20/25 02:30	25500	435	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	150.
11/20/25 03:00	25400	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.47	153.
11/20/25 03:30	25300	435	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	139.
11/20/25 04:00	25200	435	2.19	BDL	BDL	17.3	BDL	BDL	BDL	BDL	7.90	128.
11/20/25 04:30	24900	431	2.17	BDL	BDL	15.7	BDL	BDL	BDL	BDL	5.49	125.
11/20/25 05:00	25100	426	2.16	BDL	BDL	9.55	BDL	BDL	BDL	BDL	7.15	123.
11/20/25 05:30	25200	426	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.3	118.
11/20/25 06:00	25000	431	2.16	BDL	BDL	9.94	BDL	BDL	BDL	BDL	9.66	123.
11/20/25 06:30	24900	438	2.17	BDL	BDL	4.83	BDL	BDL	BDL	BDL	8.53	128.
11/20/25 07:00	25000	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.41	137.
11/20/25 07:30	24900	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.70	140.
11/20/25 08:00	25000	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.75	127.
11/20/25 08:30	25000	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	135.
11/20/25 09:00	24700	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	144.
11/20/25 09:30	24400	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	156.
11/20/25 10:00	24100	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	166.
11/20/25 10:30	23800	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	155.
11/20/25 11:00	22900	437	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	165.
11/20/25 11:30	22800	437	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	167.
11/20/25 12:00	22900	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	163.
11/20/25 12:30	23100	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.0	151.
11/20/25 13:00	23200	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	158.
11/20/25 13:30	23500	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	151.
11/20/25 14:00	23100	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	146.
11/20/25 14:30	23000	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	145.
11/20/25 15:00	22900	440	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	150.
11/20/25 15:30	23000	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	149.
11/20/25 16:00	23100	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	150.
11/20/25 16:30	23200	443	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	153.
11/20/25 17:00	23400	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	146.
11/20/25 17:30	23700	434	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	142.
11/20/25 18:00	23900	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	143.
11/20/25 18:30	23900	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	143.
11/20/25 19:00	24100	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	143.
11/20/25 19:30	24400	435	2.18	BDL	BDL	8.31	BDL	BDL	BDL	BDL	8.08	133.
11/20/25 20:00	24500	433	2.19	BDL	BDL	2.7	BDL	BDL	BDL	BDL	11.5	143.
11/20/25 20:30	24600	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	144.
11/20/25 21:00	24600	430	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.	141.
11/20/25 21:30	24500	430	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	143.
11/20/25 22:00	24400	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	141.
11/20/25 22:30	24300	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.0	139.
11/20/25 23:00	24400	430	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	141.
11/20/25 23:30	24500	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	139.
11/21/25 00:00	24600	431	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	139.

Daily Processed Summary (Average, Maximum Value)

Average	24300	435	2.18	BDL	BDL	1.42	BDL	BDL	BDL	BDL	12.1	145
Maximum Value	25900	443	2.22	-	-	17.3	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/21/25 00:30	24600	431	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	141.
11/21/25 01:00	24600	430	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	141.
11/21/25 01:30	24900	434	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	149.
11/21/25 02:00	25100	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	154.
11/21/25 02:30	25300	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	156.
11/21/25 03:00	25500	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	160.
11/21/25 03:30	25500	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	159.
11/21/25 04:00	25500	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	168.
11/21/25 04:30	25700	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	166.
11/21/25 05:00	25800	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	166.
11/21/25 05:30	25800	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	168.
11/21/25 06:00	26000	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	169.
11/21/25 06:30	26000	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	166.
11/21/25 07:00	26000	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	170.
11/21/25 07:30	26000	428	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	175.
11/21/25 08:00	26000	430	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.16	172.
11/21/25 08:30	26100	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.75	173.
11/21/25 09:00	26000	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.87	175.
11/21/25 09:30	26000	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.72	182.
11/21/25 10:00	25800	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.98	190.
11/21/25 10:30	24900	432	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	197.
11/21/25 11:00	24100	434	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	198.
11/21/25 11:30	24000	434	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	197.
11/21/25 12:00	23800	434	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	196.
11/21/25 12:30	23800	435	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	196.
11/21/25 13:00	24000	435	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	198.
11/21/25 13:30	24100	436	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	193.
11/21/25 14:00	24200	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	193.
11/21/25 14:30	24400	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	190.
11/21/25 15:00	24500	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	174.
11/21/25 15:30	24400	435	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	170.
11/21/25 16:00	24500	436	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	168.
11/21/25 16:30	24500	435	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	167.
11/21/25 17:00	24400	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	170.
11/21/25 17:30	24800	433	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	173.
11/21/25 18:00	25000	431	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	175.
11/21/25 18:30	25500	430	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	175.
11/21/25 19:00	25900	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	173.
11/21/25 19:30	26100	430	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	176.
11/21/25 20:00	26400	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	170.
11/21/25 20:30	26400	428	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	174.
11/21/25 21:00	26600	425	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	174.
11/21/25 21:30	26600	426	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	173.
11/21/25 22:00	26500	428	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	173.
11/21/25 22:30	26500	430	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	174.
11/21/25 23:00	26600	426	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	180.
11/21/25 23:30	26500	422	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	182.
11/22/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.26	191.

Daily Processed Summary (Average, Maximum Value)

Average	25300	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	174
Maximum Value	26600	441	2.2	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/22/25 00:30	26400	418	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.74	203.
11/22/25 01:00	26400	417	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.32	206.
11/22/25 01:30	26200	414	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.47	192.
11/22/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.439	241.
11/22/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.69	181.
11/22/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.911	244.
11/22/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.959	129.
11/22/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.35	186.
11/22/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.81	179.
11/22/25 05:00	25900	414	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	184.
11/22/25 05:30	25800	412	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.5	191.
11/22/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.63	193.
11/22/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.33	199.
11/22/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.54	185.
11/22/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.02	186.
11/22/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.20	196.
11/22/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.165	325.
11/22/25 09:00	27100	419	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.79	204.
11/22/25 09:30	23800	431	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.53	19.1
11/22/25 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.24	25.6
11/22/25 10:30	23400	419	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	30.6
11/22/25 11:00	22900	430	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.96	26.0
11/22/25 11:30	22800	434	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.86	30.3
11/22/25 12:00	23200	438	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	44.2
11/22/25 12:30	23300	441	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	42.1
11/22/25 13:00	23100	440	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.71	29.2
11/22/25 13:30	23000	440	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	38.4
11/22/25 14:00	22900	441	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	30.8
11/22/25 14:30	22600	441	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	34.4
11/22/25 15:00	22600	444	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	23.6
11/22/25 15:30	22100	443	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.79	17.8
11/22/25 16:00	21700	444	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.83	28.9
11/22/25 16:30	21700	443	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	29.0
11/22/25 17:00	21400	443	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.38	25.6
11/22/25 17:30	21500	444	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	67.5
11/22/25 18:00	21700	441	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.29	57.9
11/22/25 18:30	22700	435	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.2	72.5
11/22/25 19:00	22300	435	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.43	69.3
11/22/25 19:30	21700	435	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	79.7
11/22/25 20:00	21500	437	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.8	77.9
11/22/25 20:30	20200	440	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.8	58.6
11/22/25 21:00	18800	441	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.12	63.9
11/22/25 21:30	18100	442	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	71.5
11/22/25 22:00	17500	442	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.6	70.4
11/22/25 22:30	17500	442	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.02	61.5
11/22/25 23:00	17400	444	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.74	60.8
11/22/25 23:30	17600	447	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.39	32.8
11/23/25 00:00	17500	447	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	50.2

Daily Processed Summary (Average, Maximum Value)

Average	22100	435	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.17	51.3
Maximum Value	27100	447	2.45	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/23/25 00:30	17400	447	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	50.4
11/23/25 01:00	17400	449	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.43	36.8
11/23/25 01:30	17200	444	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	41.5
11/23/25 02:00	16700	444	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.47	46.2
11/23/25 02:30	16400	443	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	40.6
11/23/25 03:00	16300	446	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	47.5
11/23/25 03:30	15700	446	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	41.6
11/23/25 04:00	14900	446	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.70	47.9
11/23/25 04:30	14200	444	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	34.6
11/23/25 05:00	13800	441	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	43.7
11/23/25 05:30	13700	440	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.99	49.9
11/23/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.30	56.6
11/23/25 06:30	13400	441	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.19	58.1
11/23/25 07:00	13300	442	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	56.5
11/23/25 07:30	13200	442	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.26	58.3
11/23/25 08:00	13200	442	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.48	53.7
11/23/25 08:30	13200	442	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	59.7
11/23/25 09:00	13300	442	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	69.4
11/23/25 09:30	13500	443	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.63	75.2
11/23/25 10:00	13800	443	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	71.5
11/23/25 10:30	14200	443	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.76	72.
11/23/25 11:00	15000	442	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	85.7
11/23/25 11:30	16500	444	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	81.7
11/23/25 12:00	17400	444	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	84.2
11/23/25 12:30	18100	446	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.40	82.5
11/23/25 13:00	18600	445	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.77	68.6
11/23/25 13:30	19100	443	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.42	84.3
11/23/25 14:00	19500	440	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	96.8
11/23/25 14:30	19800	438	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	100.
11/23/25 15:00	20000	438	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	101.
11/23/25 15:30	20500	440	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	105.
11/23/25 16:00	20900	440	2.33	BDL	BDL	4.15	BDL	BDL	BDL	BDL	14.0	107.
11/23/25 16:30	21400	437	2.33	BDL	BDL	5.66	BDL	BDL	BDL	BDL	12.2	109.
11/23/25 17:00	22000	436	2.35	BDL	BDL	17.7	BDL	BDL	BDL	BDL	10.8	109.
11/23/25 17:30	22300	438	2.37	BDL	BDL	29.6	BDL	BDL	BDL	BDL	9.54	107.
11/23/25 18:00	22600	437	2.36	BDL	BDL	22.2	BDL	BDL	BDL	BDL	9.1	103.
11/23/25 18:30	22800	437	2.39	BDL	BDL	11.5	BDL	BDL	BDL	BDL	7.81	102.
11/23/25 19:00	23500	435	2.38	BDL	BDL	14.7	BDL	BDL	BDL	BDL	7.21	110.
11/23/25 19:30	23900	436	2.39	BDL	BDL	22.3	BDL	BDL	BDL	BDL	6.87	107.
11/23/25 20:00	24400	436	2.41	BDL	BDL	13.8	BDL	BDL	BDL	BDL	8.06	116.
11/23/25 20:30	24800	435	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	117.
11/23/25 21:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	11.4	121.
11/23/25 21:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	10.6	120.
11/23/25 22:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	12.4	121.
11/23/25 22:30	25200	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	124.
11/23/25 23:00	25000	440	2.21	BDL	BDL	7.05	BDL	BDL	BDL	BDL	9.17	137.
11/23/25 23:30	24600	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	143.
11/24/25 00:00	24800	439	2.21	BDL	BDL	8.4	BDL	BDL	BDL	BDL	8.72	135.

Daily Processed Summary (Average, Maximum Value)

Average	18400	441	2.43	BDL	BDL	3.57	BDL	BDL	BDL	BDL	8.13	88.1
Maximum Value	25200	449	2.65	-	-	29.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/24/25 00:30	24800	440	2.21	BDL	BDL	7.31	BDL	BDL	BDL	BDL	8.21	134.
11/24/25 01:00	25000	438	2.21	BDL	BDL	4.65	BDL	BDL	BDL	BDL	9.24	135.
11/24/25 01:30	25000	437	2.22	BDL	BDL	6.6	BDL	BDL	BDL	BDL	10.2	135.
11/24/25 02:00	25000	434	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	139.
11/24/25 02:30	25100	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	143.
11/24/25 03:00	25100	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	147.
11/24/25 03:30	25000	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.1	141.
11/24/25 04:00	24900	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	145.
11/24/25 04:30	24400	452	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	159.
11/24/25 05:00	23900	453	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	160.
11/24/25 05:30	23700	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	160.
11/24/25 06:00	24200	453	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	159.
11/24/25 06:30	24300	444	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	163.
11/24/25 07:00	24000	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	165.
11/24/25 07:30	24300	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.0	160.
11/24/25 08:00	24500	449	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	158.
11/24/25 08:30	24700	453	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	160.
11/24/25 09:00	24900	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	164.
11/24/25 09:30	24900	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.7	170.
11/24/25 10:00	24700	437	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	172.
11/24/25 10:30	24200	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.1	169.
11/24/25 11:00	23700	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.5	179.
11/24/25 11:30	23200	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.9	189.
11/24/25 12:00	22900	437	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	194.
11/24/25 12:30	22200	438	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.	194.
11/24/25 13:00	21000	438	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.2	190.
11/24/25 13:30	22100	439	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	195.
11/24/25 14:00	23000	439	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	190.
11/24/25 14:30	22600	438	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	189.
11/24/25 15:00	22800	438	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	186.
11/24/25 15:30	23100	437	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	174.
11/24/25 16:00	23800	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.2	170.
11/24/25 16:30	24000	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.	172.
11/24/25 17:00	24200	436	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	173.
11/24/25 17:30	24400	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	168.
11/24/25 18:00	24400	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	170.
11/24/25 18:30	24200	436	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.2	167.
11/24/25 19:00	24000	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.5	168.
11/24/25 19:30	23700	433	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	178.
11/24/25 20:00	22900	433	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.52	334.
11/24/25 20:30	23200	431	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	346.
11/24/25 21:00	23700	417	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.01	329.
11/24/25 21:30	24200	426	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.88	192.
11/24/25 22:00	24900	430	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.85	195.
11/24/25 22:30	25000	431	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	197.
11/24/25 23:00	25000	432	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	181.
11/24/25 23:30	25000	432	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.15	182.
11/25/25 00:00	25000	431	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.04	197.

Daily Processed Summary (Average, Maximum Value)

Average	24100	438	2.18	BDL	BDL	0.387	BDL	BDL	BDL	BDL	12.5	170
Maximum Value	25100	453	2.29	-	-	7.31	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/25/25 00:30	25100	431	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.56	191.
11/25/25 01:00	25100	430	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.26	207.
11/25/25 01:30	25100	433	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.88	259.
11/25/25 02:00	25000	432	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	209.
11/25/25 02:30	24900	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	240.
11/25/25 03:00	24700	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	229.
11/25/25 03:30	24700	429	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.22	238.
11/25/25 04:00	24600	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.75	280.
11/25/25 04:30	24800	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.42	297.
11/25/25 05:00	24700	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.7	296.
11/25/25 05:30	24400	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	246.
11/25/25 06:00	24100	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.31	239.
11/25/25 06:30	24100	431	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.03	242.
11/25/25 07:00	24000	433	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.38	263.
11/25/25 07:30	23700	436	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	269.
11/25/25 08:00	24000	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.82	294.
11/25/25 08:30	24200	436	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.47	295.
11/25/25 09:00	24400	438	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	296.
11/25/25 09:30	24800	439	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	313.
11/25/25 10:00	24700	440	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	307.
11/25/25 10:30	24600	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.01	298.
11/25/25 11:00	24500	440	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	316.
11/25/25 11:30	24200	439	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.01	324.
11/25/25 12:00	23700	437	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.83	316.
11/25/25 12:30	M	M	M	M	M	M	M	M	M	M	6.68	320.
11/25/25 13:00	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	5.75	315.
11/25/25 13:30	22800	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	331.
11/25/25 14:00	22400	443	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	324.
11/25/25 14:30	22000	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	308.
11/25/25 15:00	21300	445	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.03	357.
11/25/25 15:30	19700	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.83	17.9
11/25/25 16:00	18900	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	30.5
11/25/25 16:30	19100	442	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.34	34.4
11/25/25 17:00	18300	442	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	37.2
11/25/25 17:30	17200	441	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.43	51.
11/25/25 18:00	17800	441	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.04	83.3
11/25/25 18:30	20400	441	2.44	BDL	BDL	6.45	BDL	BDL	BDL	BDL	3.83	91.2
11/25/25 19:00	22900	438	2.45	BDL	BDL	3.39	BDL	BDL	BDL	BDL	3.79	101.
11/25/25 19:30	23600	440	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.48	87.2
11/25/25 20:00	23200	442	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.24	65.4
11/25/25 20:30	22200	447	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	37.0
11/25/25 21:00	20000	445	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	49.2
11/25/25 21:30	18000	447	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	64.6
11/25/25 22:00	17800	450	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	57.7
11/25/25 22:30	19000	448	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.15	54.8
11/25/25 23:00	20800	443	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.9	69.8
11/25/25 23:30	21400	429	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.70	56.7
11/26/25 00:00	20800	439	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.15	25.3

Daily Processed Summary (Average, Maximum Value)

Average	22600	438	2.25	BDL	BDL	0.214	BDL	BDL	BDL	BDL	2.11	337
Maximum Value	25100	450	2.52	-	-	6.45	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/26/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.40	30.4
11/26/25 01:00	20200	436	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	40.4
11/26/25 01:30	18300	441	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.33	40.7
11/26/25 02:00	16800	441	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.74	45.2
11/26/25 02:30	15600	442	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.15	25.3
11/26/25 03:00	15200	442	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.94	16.2
11/26/25 03:30	14800	439	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	21.0
11/26/25 04:00	14200	438	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	22.1
11/26/25 04:30	13300	437	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	23.2
11/26/25 05:00	12800	437	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	25.0
11/26/25 05:30	12500	435	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	23.1
11/26/25 06:00	12300	432	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	22.2
11/26/25 06:30	12200	432	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	21.4
11/26/25 07:00	12100	432	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	28.9
11/26/25 07:30	11900	429	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	28.2
11/26/25 08:00	11800	430	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	26.7
11/26/25 08:30	11800	431	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.9	22.8
11/26/25 09:00	11800	432	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.2	24.4
11/26/25 09:30	11800	433	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.8	25.3
11/26/25 10:00	11900	436	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.7	30.0
11/26/25 10:30	11900	437	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	34.9
11/26/25 11:00	11900	438	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	37.7
11/26/25 11:30	11900	440	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	34.2
11/26/25 12:00	12000	438	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	32.6
11/26/25 12:30	12200	438	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	24.
11/26/25 13:00	11900	439	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	32.3
11/26/25 13:30	12100	440	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.83	40.3
11/26/25 14:00	11600	442	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	29.8
11/26/25 14:30	11300	440	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	28.6
11/26/25 15:00	11300	440	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	28.5
11/26/25 15:30	11300	439	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	19.0
11/26/25 16:00	11100	439	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	22.4
11/26/25 16:30	11000	436	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	23.2
11/26/25 17:00	11300	436	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	27.3
11/26/25 17:30	11500	437	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.03	14.2
11/26/25 18:00	11700	434	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	15.6
11/26/25 18:30	11600	435	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.64	20.2
11/26/25 19:00	11500	436	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	30.2
11/26/25 19:30	11200	435	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	27.1
11/26/25 20:00	10900	433	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.55	35.8
11/26/25 20:30	10700	433	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	32.0
11/26/25 21:00	10600	434	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	28.6
11/26/25 21:30	10500	434	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.21	32.1
11/26/25 22:00	10400	432	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	42.4
11/26/25 22:30	10200	430	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	40.6
11/26/25 23:00	10200	430	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.72	43.2
11/26/25 23:30	10100	430	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	40.8
11/27/25 00:00	10000	432	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.76	42.3

Daily Processed Summary (Average, Maximum Value)

Average	12200	436	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	28.2
Maximum Value	20200	442	2.41	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/27/25 00:30	10000	430	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	34.1
11/27/25 01:00	9670	429	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	40.6
11/27/25 01:30	9110	430	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.42	39.1
11/27/25 02:00	9250	430	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	38.3
11/27/25 02:30	9130	430	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	35.5
11/27/25 03:00	9180	429	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.63	29.2
11/27/25 03:30	9020	427	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.74	32.8
11/27/25 04:00	8660	425	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.43	38.7
11/27/25 04:30	8690	427	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	31.3
11/27/25 05:00	8660	429	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.67	37.4
11/27/25 05:30	8430	428	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.24	41.3
11/27/25 06:00	8370	429	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.39	45.1
11/27/25 06:30	8270	428	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.6	44.2
11/27/25 07:00	7990	427	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	42.5
11/27/25 07:30	8000	426	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.75	28.0
11/27/25 08:00	8130	429	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.84	28.5
11/27/25 08:30	8060	430	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.65	29.0
11/27/25 09:00	7880	433	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	38.3
11/27/25 09:30	8230	432	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	41.7
11/27/25 10:00	8510	434	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	44.1
11/27/25 10:30	8910	434	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	43.4
11/27/25 11:00	9210	436	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	42.9
11/27/25 11:30	9450	437	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	47.8
11/27/25 12:00	9710	435	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	48.1
11/27/25 12:30	9860	437	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.74	58.7
11/27/25 13:00	9920	438	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.17	57.0
11/27/25 13:30	9880	437	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.58	51.0
11/27/25 14:00	9930	436	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.27	38.9
11/27/25 14:30	9750	435	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.97	49.9
11/27/25 15:00	9690	435	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.86	46.9
11/27/25 15:30	9570	436	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	53.4
11/27/25 16:00	9530	436	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.63	52.8
11/27/25 16:30	9020	434	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.14	43.8
11/27/25 17:00	8650	432	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.84	45.6
11/27/25 17:30	8440	430	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.80	52.6
11/27/25 18:00	10200	426	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	101.
11/27/25 18:30	10400	425	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.21	98.2
11/27/25 19:00	10100	423	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.01	98.4
11/27/25 19:30	9160	423	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.85	87.2
11/27/25 20:00	8400	422	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	87.9
11/27/25 20:30	8510	424	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.05	81.1
11/27/25 21:00	8850	423	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.61	78.0
11/27/25 21:30	9090	423	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.9	73.6
11/27/25 22:00	9180	422	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	79.1
11/27/25 22:30	8980	425	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.13	83.1
11/27/25 23:00	8930	426	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.4	77.4
11/27/25 23:30	8660	427	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.6	56.4
11/28/25 00:00	8650	429	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	52.3

Daily Processed Summary (Average, Maximum Value)

Average	9040	430	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.79	50.8
Maximum Value	10400	438	2.6	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/28/25 00:30	8230	427	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	55.4
11/28/25 01:00	8070	429	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	52.
11/28/25 01:30	8170	429	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.82	57.3
11/28/25 02:00	8000	426	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.04	59.2
11/28/25 02:30	7990	426	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.27	61.5
11/28/25 03:00	7510	426	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	55.8
11/28/25 03:30	7270	427	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.2	54.1
11/28/25 04:00	7390	426	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.15	56.
11/28/25 04:30	7330	424	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.56	55.6
11/28/25 05:00	7400	425	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.12	56.3
11/28/25 05:30	7780	427	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.11	57.2
11/28/25 06:00	8320	425	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.00	48.3
11/28/25 06:30	8650	427	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	45.5
11/28/25 07:00	8870	426	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.78	50.9
11/28/25 07:30	9060	425	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.29	45.7
11/28/25 08:00	9200	426	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	53.8
11/28/25 08:30	9300	426	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.57	63.9
11/28/25 09:00	9500	426	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	68.1
11/28/25 09:30	9670	426	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	70.6
11/28/25 10:00	9930	426	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	72.7
11/28/25 10:30	10600	429	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	85.
11/28/25 11:00	11500	429	2.26	BDL	BDL	4.65	BDL	BDL	BDL	BDL	13.0	106.
11/28/25 11:30	12000	431	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	122.
11/28/25 12:00	12200	432	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	116.
11/28/25 12:30	12400	433	2.22	BDL	BDL	2.50	BDL	BDL	BDL	BDL	15.9	116.
11/28/25 13:00	12800	432	2.22	BDL	BDL	6.68	BDL	BDL	BDL	BDL	15.9	111.
11/28/25 13:30	13100	431	2.23	BDL	BDL	2.66	BDL	BDL	BDL	BDL	15.1	117.
11/28/25 14:00	13200	432	2.23	BDL	BDL	3.51	BDL	BDL	BDL	BDL	15.4	120.
11/28/25 14:30	13000	431	2.22	BDL	BDL	4.06	BDL	BDL	BDL	BDL	16.2	114.
11/28/25 15:00	13000	431	2.23	BDL	BDL	1.97	BDL	BDL	BDL	BDL	15.3	115.
11/28/25 15:30	13200	430	2.23	BDL	BDL	3.03	BDL	BDL	BDL	BDL	14.7	116.
11/28/25 16:00	13400	431	2.23	BDL	BDL	5.30	BDL	BDL	BDL	BDL	16.9	115.
11/28/25 16:30	13400	430	2.24	BDL	BDL	6.21	BDL	BDL	BDL	BDL	14.7	116.
11/28/25 17:00	13400	430	2.22	BDL	BDL	7.82	BDL	BDL	BDL	BDL	14.8	117.
11/28/25 17:30	M	M	M	M	M	M	M	M	M	M	12.	115.
11/28/25 18:00	M	M	M	M	M	M	M	M	M	M	11.2	113.
11/28/25 18:30	M	M	M	M	M	M	M	M	M	M	12.8	119.
11/28/25 19:00	M	M	M	M	M	M	M	M	M	M	12.8	125.
11/28/25 19:30	M	M	M	M	M	M	M	M	M	M	15.3	127.
11/28/25 20:00	M	M	M	M	M	M	M	M	M	M	13.6	122.
11/28/25 20:30	M	M	M	M	M	M	M	M	M	M	13.9	126.
11/28/25 21:00	M	M	M	M	M	M	M	M	M	M	15.0	127.
11/28/25 21:30	M	M	M	M	M	M	M	M	M	M	15.6	126.
11/28/25 22:00	M	M	M	M	M	M	M	M	M	M	15.2	126.
11/28/25 22:30	M	M	M	M	M	M	M	M	M	M	15.3	127.
11/28/25 23:00	M	M	M	M	M	M	M	M	M	M	16.6	127.
11/28/25 23:30	M	M	M	M	M	M	M	M	M	M	16.0	127.
11/29/25 00:00	M	M	M	M	M	M	M	M	M	M	13.5	129.

Daily Processed Summary (Average, Maximum Value)

Average	10100	428	2.29	BDL	BDL	1.42	BDL	BDL	BDL	BDL	10.4	103
Maximum Value	13400	433	2.41	-	-	7.82	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/29/25 00:30	M	M	M	M	M	M	M	M	M	M	14.4	129.
11/29/25 01:00	M	M	M	M	M	M	M	M	M	M	15.6	125.
11/29/25 01:30	M	M	M	M	M	M	M	M	M	M	12.4	130.
11/29/25 02:00	M	M	M	M	M	M	M	M	M	M	12.8	143.
11/29/25 02:30	M	M	M	M	M	M	M	M	M	M	16.	141.
11/29/25 03:00	M	M	M	M	M	M	M	M	M	M	20.8	144.
11/29/25 03:30	M	M	M	M	M	M	M	M	M	M	18.6	144.
11/29/25 04:00	M	M	M	M	M	M	M	M	M	M	17.1	143.
11/29/25 04:30	M	M	M	M	M	M	M	M	M	M	17.4	148.
11/29/25 05:00	M	M	M	M	M	M	M	M	M	M	17.3	142.
11/29/25 05:30	M	M	M	M	M	M	M	M	M	M	17.3	140.
11/29/25 06:00	M	M	M	M	M	M	M	M	M	M	16.9	142.
11/29/25 06:30	M	M	M	M	M	M	M	M	M	M	13.	149.
11/29/25 07:00	M	M	M	M	M	M	M	M	M	M	14.8	158.
11/29/25 07:30	M	M	M	M	M	M	M	M	M	M	13.5	157.
11/29/25 08:00	M	M	M	M	M	M	M	M	M	M	14.7	168.
11/29/25 08:30	M	M	M	M	M	M	M	M	M	M	11.9	158.
11/29/25 09:00	M	M	M	M	M	M	M	M	M	M	10.7	161.
11/29/25 09:30	M	M	M	M	M	M	M	M	M	M	12.2	151.
11/29/25 10:00	M	M	M	M	M	M	M	M	M	M	11.6	148.
11/29/25 10:30	M	M	M	M	M	M	M	M	M	M	12.6	152.
11/29/25 11:00	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	14.9	165.
11/29/25 11:30	19700	430	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	171.
11/29/25 12:00	M	M	M	M	M	M	M	M	M	M	18.	166.
11/29/25 12:30	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	16.0	170.
11/29/25 13:00	20200	425	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	172.
11/29/25 13:30	20800	426	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.0	169.
11/29/25 14:00	20600	426	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.6	174.
11/29/25 14:30	20500	428	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.6	172.
11/29/25 15:00	20400	429	2.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.	172.
11/29/25 15:30	20400	432	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	167.
11/29/25 16:00	20500	429	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	172.
11/29/25 16:30	20200	426	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	170.
11/29/25 17:00	20400	430	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	170.
11/29/25 17:30	20500	431	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	168.
11/29/25 18:00	20700	432	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	170.
11/29/25 18:30	M	M	M	M	M	M	M	M	M	M	11.7	164.
11/29/25 19:00	M	M	M	M	M	M	M	M	M	M	11.1	158.
11/29/25 19:30	21200	437	2.18	BDL	BDL	9.35	BDL	BDL	BDL	BDL	11.0	161.
11/29/25 20:00	21300	444	2.22	BDL	BDL	8.35	BDL	BDL	BDL	BDL	11.2	154.
11/29/25 20:30	21400	432	2.19	BDL	BDL	5.29	BDL	BDL	BDL	BDL	8.25	147.
11/29/25 21:00	21800	431	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	159.
11/29/25 21:30	21700	426	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	175.
11/29/25 22:00	21800	430	2.16	BDL	BDL	13.7	BDL	BDL	BDL	BDL	11.8	165.
11/29/25 22:30	21500	428	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	172.
11/29/25 23:00	21600	430	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	171.
11/29/25 23:30	21600	427	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	174.
11/30/25 00:00	21700	425	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.71	177.

Daily Processed Summary (Average, Maximum Value)

Average	20900	430	2.15	BDL	BDL	1.67	BDL	BDL	BDL	BDL	13.6	158
Maximum Value	21800	444	2.22	-	-	13.7	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
11/30/25 00:30	21700	425	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.74	176.
11/30/25 01:00	21700	425	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.90	179.
11/30/25 01:30	21800	424	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.50	197.
11/30/25 02:00	21800	425	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	196.
11/30/25 02:30	21700	426	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	201.
11/30/25 03:00	21600	427	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.32	210.
11/30/25 03:30	21500	428	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.52	253.
11/30/25 04:00	19200	431	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	339.
11/30/25 04:30	15400	425	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.4	1.63
11/30/25 05:00	14600	421	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.1	5.93
11/30/25 05:30	13800	424	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.9	10.5
11/30/25 06:00	13200	427	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.6	11.8
11/30/25 06:30	12700	428	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.6	14.6
11/30/25 07:00	12500	428	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.6	13.1
11/30/25 07:30	12200	424	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.3	16.7
11/30/25 08:00	11900	423	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.8	10.0
11/30/25 08:30	11500	425	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	9.38
11/30/25 09:00	10700	425	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	12.7
11/30/25 09:30	10300	425	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.3	11.3
11/30/25 10:00	9870	427	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	10.6
11/30/25 10:30	9590	428	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.0	11.9
11/30/25 11:00	9250	427	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.7	7.14
11/30/25 11:30	8970	428	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.0	9.4
11/30/25 12:00	8810	428	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.	12.9
11/30/25 12:30	8910	427	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.4	14.5
11/30/25 13:00	8860	428	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.2	14.8
11/30/25 13:30	8960	430	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.2	11.6
11/30/25 14:00	9140	428	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	22.9
11/30/25 14:30	8980	427	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.5	16.9
11/30/25 15:00	8930	427	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.6	21.7
11/30/25 15:30	8950	427	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	7.8
11/30/25 16:00	8970	426	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	14.
11/30/25 16:30	8950	427	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.1	14.9
11/30/25 17:00	8990	426	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.3	17.4
11/30/25 17:30	9060	426	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	25.2
11/30/25 18:00	9190	428	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	24.6
11/30/25 18:30	9190	430	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	14.3
11/30/25 19:00	9090	428	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	19.4
11/30/25 19:30	9040	427	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	20.1
11/30/25 20:00	8990	427	2.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	18.1
11/30/25 20:30	8960	427	2.54	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	11.8
11/30/25 21:00	8890	427	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	11.5
11/30/25 21:30	8890	429	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	6.39
11/30/25 22:00	8920	429	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	14.
11/30/25 22:30	M	M	M	M	M	M	M	M	M	M	14.3	23.4
11/30/25 23:00	M	M	M	M	M	M	M	M	M	M	10.7	27.8
11/30/25 23:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	10.2	25.
12/01/25 00:00	9630	429	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	21.1

Daily Processed Summary (Average, Maximum Value)

Average	12100	427	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	13.6
Maximum Value	21800	431	2.59	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR Daily (24-hour) Averages

Site: Formosa North AAMS

Date	Capture%	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)	Met Capture%
12/01/25	100	9710	425	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	2.92	100
12/02/25	64.6	7460	428	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	8.94	100
12/03/25	100	10100	423	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	67	100
12/04/25	100	10500	413	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12	0.0319	100
12/05/25	100	8930	418	2.36	BDL	BDL	1.9	BDL	BDL	BDL	BDL	5.95	13.5	100
12/06/25	100	12900	428	2.4	BDL	BDL	10.5	BDL	BDL	BDL	BDL	1.71	111	100
12/07/25	69.6	10800	425	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.08	343	100
12/08/25	97.7	7470	417	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.87	3.86	100
12/09/25	100	9440	420	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	137	100
12/10/25	70.7	13300	425	2.31	BDL	BDL	0.254	BDL	BDL	BDL	BDL	0.854	220	100
12/11/25	100	11400	424	2.37	BDL	BDL	2.68	BDL	BDL	BDL	BDL	4.96	73.9	100
12/12/25	93.1	20500	432	2.26	BDL	BDL	3.68	BDL	BDL	BDL	BDL	3.73	151	100
12/13/25	100	21100	438	2.21	BDL	BDL	6.3	BDL	BDL	BDL	BDL	7.1	142	100
12/14/25	100	10100	421	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	13.4	100
12/15/25	91.3	6420	413	2.34	BDL	BDL	0.0807	BDL	BDL	BDL	BDL	2.82	15.2	100
12/16/25	100	11700	424	2.33	BDL	BDL	0.722	BDL	BDL	BDL	BDL	7.16	84.4	100
12/17/25	100	18400	426	2.26	BDL	BDL	1.94	BDL	BDL	BDL	BDL	6.99	127	100
12/18/25	100	16100	429	2.29	BDL	BDL	3.36	BDL	BDL	BDL	BDL	1.9	291	100
12/19/25	100	8210	425	2.32	BDL	BDL	1.57	BDL	BDL	BDL	BDL	4.14	81.9	100
12/20/25	100	20400	429	2.23	BDL	BDL	0.254	BDL	BDL	BDL	BDL	8.95	180	100
12/21/25	100	22400	429	2.21	BDL	BDL	0.475	BDL	BDL	BDL	BDL	2.95	191	100
12/22/25	88	23800	433	2.18	BDL	BDL	2.25	BDL	BDL	BDL	BDL	7.14	148	100
12/23/25	100	22000	431	2.24	BDL	BDL	1.45	BDL	BDL	BDL	BDL	7.47	128	100
12/24/25	100	21900	433	2.19	BDL	BDL	6.93	BDL	BDL	BDL	BDL	5.93	126	100
12/25/25	100	22800	431	2.19	BDL	BDL	0.639	BDL	BDL	BDL	BDL	8.81	163	81.2
12/26/25	100	22900	424	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	185	100
12/27/25	100	22600	429	2.16	BDL	BDL	0.117	BDL	BDL	BDL	BDL	11.1	169	100
12/28/25	95.7	21900	432	2.17	BDL	BDL	4.05	BDL	BDL	BDL	BDL	8.88	167	100
12/29/25	97.9	4250	416	2.28	BDL	BDL	0.841	BDL	BDL	BDL	BDL	18.2	1.03	100
12/30/25	100	3700	422	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.19	357	100
12/31/25	100	5660	429	2.96	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	194	100

Daily Processed Summary (Average, Maximum Value)

Average	95.8	14200	426	2.33	BDL	BDL	1.61	BDL	BDL	BDL	BDL	2	72.6	99.4
Maximum Value	100	23800	438	2.96	BDL	BDL	10.5	BDL	BDL	BDL	BDL	-	-	100

BDL = Below Detection Limit

Blank = Not Available

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/01/25 00:30	9390	429	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	20.1
12/01/25 01:00	9450	429	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	18.7
12/01/25 01:30	9600	428	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	23.2
12/01/25 02:00	9680	429	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.84	34.8
12/01/25 02:30	9620	429	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.75	25.9
12/01/25 03:00	9620	429	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.11	30.4
12/01/25 03:30	9510	428	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	22.4
12/01/25 04:00	9710	426	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	29.2
12/01/25 04:30	9580	429	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.94	27.8
12/01/25 05:00	9470	431	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.36	30.4
12/01/25 05:30	9330	431	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	25.3
12/01/25 06:00	9210	429	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.66	11.1
12/01/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.34	19.6
12/01/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.84	352.
12/01/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.72	7.05
12/01/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.48	9.78
12/01/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.98	4.21
12/01/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.53	4.75
12/01/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.39	358.
12/01/25 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.99	8.68
12/01/25 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.6	356.
12/01/25 11:00	9810	422	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	3.55
12/01/25 11:30	9710	425	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	9.30
12/01/25 12:00	9830	426	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	349.
12/01/25 12:30	9750	427	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	351.
12/01/25 13:00	9830	426	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	351.
12/01/25 13:30	9740	425	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	349.
12/01/25 14:00	9790	425	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	351.
12/01/25 14:30	9700	424	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	350.
12/01/25 15:00	9730	424	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	351.
12/01/25 15:30	9690	423	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	348.
12/01/25 16:00	9710	424	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	351.
12/01/25 16:30	9760	426	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.99	138.
12/01/25 17:00	9900	423	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.94	181.
12/01/25 17:30	9990	423	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	4.65
12/01/25 18:00	10300	420	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	346.
12/01/25 18:30	10300	420	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	346.
12/01/25 19:00	10300	421	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	352.
12/01/25 19:30	10100	422	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	355.
12/01/25 20:00	10100	419	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	354.
12/01/25 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	14.7	359.
12/01/25 21:00	9830	421	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	4.55
12/01/25 21:30	9820	417	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	1.53
12/01/25 22:00	9650	420	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	357.
12/01/25 22:30	9670	420	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	356.
12/01/25 23:00	9550	423	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	351.
12/01/25 23:30	9220	425	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	353.
12/02/25 00:00	9010	425	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	351.

Daily Processed Summary (Average, Maximum Value)

Average	9710	425	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	2.92
Maximum Value	10300	431	2.5	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/02/25 00:30	8910	426	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	348.
12/02/25 01:00	8610	426	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	348.
12/02/25 01:30	8500	428	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	350.
12/02/25 02:00	8440	428	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	355.
12/02/25 02:30	8320	430	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	359.
12/02/25 03:00	8120	431	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	359.
12/02/25 03:30	7820	430	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	4.49
12/02/25 04:00	7600	432	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	355.
12/02/25 04:30	7330	431	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	353.
12/02/25 05:00	7290	431	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	353.
12/02/25 05:30	7390	430	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	354.
12/02/25 06:00	7480	428	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	1.47
12/02/25 06:30	7210	428	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.8	360.
12/02/25 07:00	6960	429	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.92	0.247
12/02/25 07:30	6950	429	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	3.41
12/02/25 08:00	6990	433	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.57	6.16
12/02/25 08:30	6910	432	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	7.06
12/02/25 09:00	6770	433	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	10.1
12/02/25 09:30	6700	434	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	12.2
12/02/25 10:00	6570	434	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.1	11.9
12/02/25 10:30	M	M	M	M	M	M	M	M	M	M	14.7	18.5
12/02/25 11:00	M	M	M	M	M	M	M	M	M	M	12.2	16.3
12/02/25 11:30	M	M	M	M	M	M	M	M	M	M	10.4	15.4
12/02/25 12:00	M	M	M	M	M	M	M	M	M	M	8.60	8.65
12/02/25 12:30	M	M	M	M	M	M	M	M	M	M	7.14	9.57
12/02/25 13:00	M	M	M	M	M	M	M	M	M	M	8.86	2.81
12/02/25 13:30	6830	434	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.34	354.
12/02/25 14:00	6920	433	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.18	354.
12/02/25 14:30	7000	434	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.01	11.8
12/02/25 15:00	7330	451	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.36	15.7
12/02/25 15:30	7130	423	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.55	19.7
12/02/25 16:00	7210	424	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	30.
12/02/25 16:30	M	M	M	M	M	M	M	M	M	M	5.81	40.3
12/02/25 17:00	M	M	M	M	M	M	M	M	M	M	4.97	59.6
12/02/25 17:30	M	M	M	M	M	M	M	M	M	M	2.99	74.3
12/02/25 18:00	M	M	M	M	M	M	M	M	M	M	3.02	57.1
12/02/25 18:30	M	M	M	M	M	M	M	M	M	M	3.7	57.3
12/02/25 19:00	M	M	M	M	M	M	M	M	M	M	3.6	76.7
12/02/25 19:30	M	M	M	M	M	M	M	M	M	M	3.29	74.8
12/02/25 20:00	M	M	M	M	M	M	M	M	M	M	2.98	35.2
12/02/25 20:30	M	M	M	M	M	M	M	M	M	M	3.13	42.5
12/02/25 21:00	M	M	M	M	M	M	M	M	M	M	3.83	44.6
12/02/25 21:30	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	1.44	61.2
12/02/25 22:00	7350	414	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.	67.1
12/02/25 22:30	7430	416	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.08	49.2
12/02/25 23:00	7640	415	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.72	77.1
12/02/25 23:30	7680	415	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.38	41.0
12/03/25 00:00	7780	416	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.60	66.7

Daily Processed Summary (Average, Maximum Value)

Average	7460	428	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.08	8.94
Maximum Value	8910	451	2.55	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/03/25 00:30	7790	419	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.54	28.4
12/03/25 01:00	7820	422	2.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	3.30
12/03/25 01:30	8100	427	2.68	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.68	32.3
12/03/25 02:00	8320	426	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	10.1
12/03/25 02:30	7900	422	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	20.
12/03/25 03:00	7980	421	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.38	19.0
12/03/25 03:30	8260	421	2.65	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	23.3
12/03/25 04:00	8410	421	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.37	35.3
12/03/25 04:30	8290	422	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.08	42.2
12/03/25 05:00	8470	423	2.59	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.78	48.6
12/03/25 05:30	8660	422	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.30	60.6
12/03/25 06:00	8880	422	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.81	56.5
12/03/25 06:30	9050	422	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.53	46.1
12/03/25 07:00	9310	421	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.50	64.5
12/03/25 07:30	9870	421	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.55	66.4
12/03/25 08:00	10300	422	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.52	60.1
12/03/25 08:30	10700	422	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	44.2
12/03/25 09:00	11100	423	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.28	40.7
12/03/25 09:30	11500	425	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	48.9
12/03/25 10:00	12000	425	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.89	61.7
12/03/25 10:30	12500	427	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	62.5
12/03/25 11:00	13000	427	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.34	74.8
12/03/25 11:30	13500	428	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	72.4
12/03/25 12:00	14200	428	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	63.0
12/03/25 12:30	15600	427	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.07	95.1
12/03/25 13:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.4	90.8
12/03/25 13:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.67	85.4
12/03/25 14:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.77	50.9
12/03/25 14:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.86	21.4
12/03/25 15:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.88	40.3
12/03/25 15:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.3	63.8
12/03/25 16:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.58	63.5
12/03/25 16:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.95	69.7
12/03/25 17:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.32	81.7
12/03/25 17:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.2	98.1
12/03/25 18:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.10	104.
12/03/25 18:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.84	105.
12/03/25 19:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.03	109.
12/03/25 19:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.6	120.
12/03/25 20:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.1	120.
12/03/25 20:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.80	124.
12/03/25 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.08	153.
12/03/25 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.98	112.
12/03/25 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.23	192.
12/03/25 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.67	161.
12/03/25 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.64	326.
12/03/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.15	2.68
12/04/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.14	7.88

Daily Processed Summary (Average, Maximum Value)

Average	10100	423	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.93	67
Maximum Value	15600	428	2.68	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCl (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/04/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.63	358.
12/04/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.11	327.
12/04/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.53	338.
12/04/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.46	354.
12/04/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.41	15.0
12/04/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.29	28.8
12/04/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.43	21.6
12/04/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.32	18.2
12/04/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.13	18.2
12/04/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.55	22.5
12/04/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.14	12.3
12/04/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.08	12.9
12/04/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.09	14.4
12/04/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.54	9.15
12/04/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.9	7.75
12/04/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	14.	2.7
12/04/25 08:30	13600	409	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	9.95
12/04/25 09:00	13000	410	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	4.42
12/04/25 09:30	12600	410	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.0	1.98
12/04/25 10:00	12300	411	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.	358.
12/04/25 10:30	11900	412	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	1.56
12/04/25 11:00	11900	413	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	2.21
12/04/25 11:30	11700	414	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	354.
12/04/25 12:00	11500	415	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	357.
12/04/25 12:30	11400	413	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.9	357.
12/04/25 13:00	11300	415	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.9	355.
12/04/25 13:30	10800	415	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	351.
12/04/25 14:00	10500	415	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.2	353.
12/04/25 14:30	10300	413	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.8	356.
12/04/25 15:00	10100	413	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.7	358.
12/04/25 15:30	10200	414	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.4	356.
12/04/25 16:00	10100	414	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	7.31
12/04/25 16:30	9930	414	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	2.9
12/04/25 17:00	10000	414	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	359.
12/04/25 17:30	9980	415	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	348.
12/04/25 18:00	9910	415	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	350.
12/04/25 18:30	9850	415	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	353.
12/04/25 19:00	9710	414	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.2	353.
12/04/25 19:30	9610	413	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	357.
12/04/25 20:00	9600	412	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	347.
12/04/25 20:30	9410	412	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	353.
12/04/25 21:00	9340	411	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.7	5.51
12/04/25 21:30	9190	412	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	13.2
12/04/25 22:00	9050	411	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	9.15
12/04/25 22:30	9010	410	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	8.13
12/04/25 23:00	9010	410	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.75	358.
12/04/25 23:30	8840	409	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	354.
12/05/25 00:00	8790	410	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	355.

Daily Processed Summary (Average, Maximum Value)

Average	10500	413	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12	0.0319
Maximum Value	13600	415	2.41	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/05/25 00:30	8630	408	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	354.
12/05/25 01:00	8450	408	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	357.
12/05/25 01:30	8500	410	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	342.
12/05/25 02:00	8380	412	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	345.
12/05/25 02:30	8080	413	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	359.
12/05/25 03:00	8130	414	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	357.
12/05/25 03:30	8190	414	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	355.
12/05/25 04:00	8230	415	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.54	358.
12/05/25 04:30	8320	416	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	14.3
12/05/25 05:00	8200	417	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	4.25
12/05/25 05:30	8270	416	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.57	8.39
12/05/25 06:00	8350	417	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	26.6
12/05/25 06:30	8290	416	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	19.4
12/05/25 07:00	8360	415	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.39	23.5
12/05/25 07:30	8430	415	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.28	24.5
12/05/25 08:00	8360	415	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	32.9
12/05/25 08:30	8270	414	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.7	42.2
12/05/25 09:00	8190	414	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.59	35.9
12/05/25 09:30	8080	414	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.73	38.2
12/05/25 10:00	8060	414	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	20.7
12/05/25 10:30	8040	418	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.5	3.56
12/05/25 11:00	8220	417	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.31	8.51
12/05/25 11:30	8170	417	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.62	354.
12/05/25 12:00	8350	419	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.51	8.19
12/05/25 12:30	8500	419	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.15	10.9
12/05/25 13:00	8630	420	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	41.4
12/05/25 13:30	8720	420	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.98	43.7
12/05/25 14:00	8880	419	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.57	17.1
12/05/25 14:30	8980	419	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	12.1
12/05/25 15:00	9260	420	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.83	23.6
12/05/25 15:30	9340	421	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.2	11.5
12/05/25 16:00	9300	420	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	30.2
12/05/25 16:30	9500	420	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.77	37.9
12/05/25 17:00	9280	421	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.16	60.
12/05/25 17:30	9400	421	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.02	80.4
12/05/25 18:00	9480	421	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.85	81.5
12/05/25 18:30	9650	422	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.03	89.5
12/05/25 19:00	9690	423	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.88	75.9
12/05/25 19:30	9860	423	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	12.6
12/05/25 20:00	9870	423	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	80.1
12/05/25 20:30	9780	422	2.36	BDL	BDL	3.86	BDL	BDL	BDL	BDL	0.669	177.
12/05/25 21:00	9920	421	2.4	BDL	BDL	8.67	BDL	BDL	BDL	BDL	2.61	95.6
12/05/25 21:30	10100	422	2.6	BDL	BDL	43.6	BDL	BDL	BDL	BDL	2.69	80.8
12/05/25 22:00	10200	423	2.47	BDL	BDL	14.3	BDL	BDL	BDL	BDL	1.31	338.
12/05/25 22:30	10300	424	2.42	BDL	BDL	5.3	BDL	BDL	BDL	BDL	3.88	329.
12/05/25 23:00	10500	424	2.43	BDL	BDL	5.63	BDL	BDL	BDL	BDL	3.25	335.
12/05/25 23:30	10500	424	2.49	BDL	BDL	8.25	BDL	BDL	BDL	BDL	4.68	319.
12/06/25 00:00	10500	424	2.55	BDL	BDL	1.77	BDL	BDL	BDL	BDL	5.42	322.

Daily Processed Summary (Average, Maximum Value)

Average	8930	418	2.36	BDL	BDL	1.9	BDL	BDL	BDL	BDL	5.95	13.5
Maximum Value	10500	424	2.6	-	-	43.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/06/25 00:30	10400	424	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	317.
12/06/25 01:00	10400	422	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.54	339.
12/06/25 01:30	10400	422	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.44	8.92
12/06/25 02:00	10600	423	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.53	21.1
12/06/25 02:30	10800	425	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.26	1.91
12/06/25 03:00	10900	423	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	351.
12/06/25 03:30	10800	423	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.94	340.
12/06/25 04:00	10600	423	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.30	342.
12/06/25 04:30	10800	424	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.44	359.
12/06/25 05:00	10800	424	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.9	13.6
12/06/25 05:30	10800	422	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.60	0.631
12/06/25 06:00	10800	422	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.94	353.
12/06/25 06:30	11000	423	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	18.3
12/06/25 07:00	11200	423	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	71.1
12/06/25 07:30	11200	425	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.41	56.2
12/06/25 08:00	11300	424	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.77	55.5
12/06/25 08:30	11500	425	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.49	90.
12/06/25 09:00	11500	425	2.43	BDL	BDL	10.5	BDL	BDL	BDL	BDL	3.4	109.
12/06/25 09:30	11800	426	2.45	BDL	BDL	22.7	BDL	BDL	BDL	BDL	2.69	79.1
12/06/25 10:00	11900	427	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.02	110.
12/06/25 10:30	11700	426	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.581	58.2
12/06/25 11:00	11400	426	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.93	108.
12/06/25 11:30	12300	431	2.45	BDL	BDL	34.6	BDL	BDL	BDL	BDL	1.37	142.
12/06/25 12:00	13200	434	2.44	BDL	BDL	11.4	BDL	BDL	BDL	BDL	3.91	246.
12/06/25 12:30	12500	434	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	237.
12/06/25 13:00	11700	432	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	258.
12/06/25 13:30	11900	435	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.16	220.
12/06/25 14:00	12500	435	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.15	198.
12/06/25 14:30	13100	434	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.49	171.
12/06/25 15:00	13500	437	2.39	BDL	BDL	8.03	BDL	BDL	BDL	BDL	6.6	165.
12/06/25 15:30	13500	428	2.37	BDL	BDL	4.22	BDL	BDL	BDL	BDL	7.49	123.
12/06/25 16:00	14000	428	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.89	116.
12/06/25 16:30	14900	431	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.19	118.
12/06/25 17:00	15100	433	2.46	BDL	BDL	5.25	BDL	BDL	BDL	BDL	6.7	129.
12/06/25 17:30	15500	432	2.41	BDL	BDL	4.22	BDL	BDL	BDL	BDL	7.13	127.
12/06/25 18:00	16000	431	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.1	128.
12/06/25 18:30	16600	435	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	153.
12/06/25 19:00	16600	436	2.34	BDL	BDL	3.77	BDL	BDL	BDL	BDL	5.03	158.
12/06/25 19:30	16100	432	2.33	BDL	BDL	14.	BDL	BDL	BDL	BDL	5.58	126.
12/06/25 20:00	16000	433	2.32	BDL	BDL	30.	BDL	BDL	BDL	BDL	5.98	119.
12/06/25 20:30	15800	430	2.31	BDL	BDL	2.7	BDL	BDL	BDL	BDL	6.68	117.
12/06/25 21:00	16100	433	2.31	BDL	BDL	19.3	BDL	BDL	BDL	BDL	6.36	122.
12/06/25 21:30	16400	436	2.36	BDL	BDL	31.7	BDL	BDL	BDL	BDL	5.63	115.
12/06/25 22:00	16300	430	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.09	115.
12/06/25 22:30	16100	426	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.78	122.
12/06/25 23:00	15900	427	2.53	BDL	BDL	282.	BDL	BDL	BDL	BDL	1.11	110.
12/06/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.6	23.0
12/07/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.04	35.2

Daily Processed Summary (Average, Maximum Value)

Average	12900	428	2.4	BDL	BDL	10.5	BDL	BDL	BDL	BDL	1.71	111
Maximum Value	16600	437	2.53	-	-	282	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/07/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.49	30.9
12/07/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.41	52.6
12/07/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.45	82.2
12/07/25 02:00	M	M	M	M	M	M	M	M	M	M	2.83	65.3
12/07/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.07	62.1
12/07/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.08	19.0
12/07/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.88	342.
12/07/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.09	340.
12/07/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.23	344.
12/07/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.98	351.
12/07/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.03	342.
12/07/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.52	341.
12/07/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.69	339.
12/07/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.86	356.
12/07/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.49	351.
12/07/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.00	306.
12/07/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.35	313.
12/07/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.12	323.
12/07/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.61	336.
12/07/25 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.62	282.
12/07/25 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.93	285.
12/07/25 11:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.53	261.
12/07/25 11:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.36	266.
12/07/25 12:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.38	297.
12/07/25 12:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.49	305.
12/07/25 13:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.06	303.
12/07/25 13:30	L	L	L	L	L	L	L	L	L	L	5.9	300.
12/07/25 14:00	L	L	L	L	L	L	L	L	L	L	8.28	299.
12/07/25 14:30	L	L	L	L	L	L	L	L	L	L	7.59	319.
12/07/25 15:00	L	L	L	L	L	L	L	L	L	L	5.66	281.
12/07/25 15:30	L	L	L	L	L	L	L	L	L	L	6.28	280.
12/07/25 16:00	L	L	L	L	L	L	L	L	L	L	8.07	312.
12/07/25 16:30	15600	437	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.71	329.
12/07/25 17:00	13400	436	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	347.
12/07/25 17:30	11300	432	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.8	359.
12/07/25 18:00	10700	429	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.2	356.
12/07/25 18:30	10400	426	2.52	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.3	358.
12/07/25 19:00	10300	426	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.	353.
12/07/25 19:30	10200	423	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	350.
12/07/25 20:00	10400	423	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	346.
12/07/25 20:30	10300	422	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	342.
12/07/25 21:00	10300	421	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	349.
12/07/25 21:30	10200	422	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	349.
12/07/25 22:00	10200	421	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	349.
12/07/25 22:30	10000	420	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.2	351.
12/07/25 23:00	9980	419	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	351.
12/07/25 23:30	9680	419	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	350.
12/08/25 00:00	9140	419	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.4	353.

Daily Processed Summary (Average, Maximum Value)

Average	10800	425	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.08	343
Maximum Value	15600	437	2.55	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/08/25 00:30	8850	420	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.7	353.
12/08/25 01:00	8720	418	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	352.
12/08/25 01:30	8550	419	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.	355.
12/08/25 02:00	8540	417	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	352.
12/08/25 02:30	8480	416	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.3	349.
12/08/25 03:00	8240	417	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.	349.
12/08/25 03:30	7890	415	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	350.
12/08/25 04:00	7610	413	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	351.
12/08/25 04:30	7410	413	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	352.
12/08/25 05:00	7290	411	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	355.
12/08/25 05:30	7230	410	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	358.
12/08/25 06:00	7140	412	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	354.
12/08/25 06:30	7070	412	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	349.
12/08/25 07:00	6990	410	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	349.
12/08/25 07:30	6920	409	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	354.
12/08/25 08:00	6920	409	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	356.
12/08/25 08:30	6990	412	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	2.09
12/08/25 09:00	6820	415	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	10.8
12/08/25 09:30	6930	418	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.0	18.4
12/08/25 10:00	7130	420	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.8	28.2
12/08/25 10:30	M	M	M	M	M	M	M	M	M	M	15.7	18.8
12/08/25 11:00	7420	420	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	13.4
12/08/25 11:30	7550	420	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	6.49
12/08/25 12:00	7630	422	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	2.03
12/08/25 12:30	7520	423	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	2.83
12/08/25 13:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	9.9	2.76
12/08/25 13:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	11.4	358.
12/08/25 14:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	11.1	358.
12/08/25 14:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	11.1	351.
12/08/25 15:00	7160	426	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	4.92
12/08/25 15:30	6980	424	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.67	9.9
12/08/25 16:00	6970	424	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.68	4.03
12/08/25 16:30	7050	425	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.02	359.
12/08/25 17:00	7310	423	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.58	7.3
12/08/25 17:30	7580	422	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	21.1
12/08/25 18:00	7820	420	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	25.7
12/08/25 18:30	7770	418	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.33	33.7
12/08/25 19:00	7770	415	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.32	27.8
12/08/25 19:30	7710	413	2.88	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.27	43.5
12/08/25 20:00	7570	412	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.8	66.5
12/08/25 20:30	7420	413	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.12	67.8
12/08/25 21:00	7300	413	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.06	62.2
12/08/25 21:30	7230	414	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	54.9
12/08/25 22:00	7220	415	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.50	46.9
12/08/25 22:30	7220	416	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	38.1
12/08/25 23:00	7150	417	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.82	46.7
12/08/25 23:30	7140	416	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.01	47.7
12/09/25 00:00	7050	418	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.47	41.8

Daily Processed Summary (Average, Maximum Value)

Average	7470	417	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.87	3.86
Maximum Value	8850	426	2.88	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/09/25 00:30	7060	415	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.42	39.3
12/09/25 01:00	6990	417	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.38	48.5
12/09/25 01:30	6950	416	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.44	45.2
12/09/25 02:00	6960	413	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.29	52.2
12/09/25 02:30	6940	411	2.51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	47.
12/09/25 03:00	6940	413	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.04	53.0
12/09/25 03:30	6950	412	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.66	66.
12/09/25 04:00	6980	412	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.09	68.6
12/09/25 04:30	7010	410	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	63.4
12/09/25 05:00	7060	412	2.62	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.18	61.0
12/09/25 05:30	7030	414	2.63	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.78	64.5
12/09/25 06:00	7010	414	2.92	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.65	78.5
12/09/25 06:30	6970	414	2.93	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.89	76.2
12/09/25 07:00	6960	415	2.73	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.6	66.8
12/09/25 07:30	6990	415	2.87	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.59	72.
12/09/25 08:00	7450	414	3.08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.49	86.5
12/09/25 08:30	8350	418	2.64	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.52	71.4
12/09/25 09:00	9360	421	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.48	74.8
12/09/25 09:30	10300	424	2.58	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.64	86.8
12/09/25 10:00	10900	424	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.61	88.1
12/09/25 10:30	11300	426	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	84.1
12/09/25 11:00	11500	426	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	95.8
12/09/25 11:30	10800	427	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.3	106.
12/09/25 12:00	10000	424	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	109.
12/09/25 12:30	9080	427	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	172.
12/09/25 13:00	8470	431	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.35	186.
12/09/25 13:30	7920	431	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.08	191.
12/09/25 14:00	7370	430	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	179.
12/09/25 14:30	9780	434	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.59	176.
12/09/25 15:00	10500	434	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.96	160.
12/09/25 15:30	10000	433	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.09	161.
12/09/25 16:00	10500	432	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.39	164.
12/09/25 16:30	10600	432	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	166.
12/09/25 17:00	10800	431	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	162.
12/09/25 17:30	11600	431	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	164.
12/09/25 18:00	11600	427	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.72	172.
12/09/25 18:30	11400	420	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.10	176.
12/09/25 19:00	11400	418	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.17	177.
12/09/25 19:30	11400	419	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	178.
12/09/25 20:00	11300	416	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.63	178.
12/09/25 20:30	11300	416	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.64	177.
12/09/25 21:00	11400	416	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.09	169.
12/09/25 21:30	11200	417	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.70	176.
12/09/25 22:00	11300	416	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.2	172.
12/09/25 22:30	11800	415	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.72	176.
12/09/25 23:00	12200	414	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	174.
12/09/25 23:30	12500	414	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.66	174.
12/10/25 00:00	12900	414	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.22	174.

Daily Processed Summary (Average, Maximum Value)

Average	9440	420	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.96	137
Maximum Value	12900	434	3.08	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/10/25 00:30	13100	417	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	176.
12/10/25 01:00	13100	418	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	175.
12/10/25 01:30	13200	418	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.98	177.
12/10/25 02:00	13700	418	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.47	184.
12/10/25 02:30	14200	419	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.59	188.
12/10/25 03:00	14200	417	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.51	195.
12/10/25 03:30	14000	417	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	193.
12/10/25 04:00	14000	416	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	192.
12/10/25 04:30	14000	414	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	192.
12/10/25 05:00	14000	411	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.52	197.
12/10/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.34	195.
12/10/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.98	193.
12/10/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.15	207.
12/10/25 07:00	M	M	M	M	M	M	M	M	M	M	0.586	225.
12/10/25 07:30	M	M	M	M	M	M	M	M	M	M	0.781	215.
12/10/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.07	320.
12/10/25 08:30	M	M	M	M	M	M	M	M	M	M	1.33	314.
12/10/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.8	304.
12/10/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.18	317.
12/10/25 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.33	252.
12/10/25 10:30	L	L	L	L	L	L	L	L	L	L	5.79	231.
12/10/25 11:00	L	L	L	L	L	L	L	L	L	L	7.22	222.
12/10/25 11:30	L	L	L	L	L	L	L	L	L	L	7.32	209.
12/10/25 12:00	L	L	L	L	L	L	L	L	L	L	7.59	213.
12/10/25 12:30	L	L	L	L	L	L	L	L	L	L	7.69	213.
12/10/25 13:00	L	L	L	L	L	L	L	L	L	L	6.8	223.
12/10/25 13:30	L	L	L	L	L	L	L	L	L	L	4.67	221.
12/10/25 14:00	L	L	L	L	L	L	L	L	L	L	3.14	199.
12/10/25 14:30	L	L	L	L	L	L	L	L	L	L	3.97	315.
12/10/25 15:00	14800	439	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.53	343.
12/10/25 15:30	14200	438	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.34	334.
12/10/25 16:00	13800	439	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.18	318.
12/10/25 16:30	14000	435	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.26	333.
12/10/25 17:00	14000	434	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.04	3.59
12/10/25 17:30	16100	433	2.36	BDL	BDL	7.36	BDL	BDL	BDL	BDL	2.83	80.7
12/10/25 18:00	16400	432	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.53	86.7
12/10/25 18:30	16000	429	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.70	36.5
12/10/25 19:00	15700	426	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.80	41.0
12/10/25 19:30	13900	427	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.95	31.7
12/10/25 20:00	12400	429	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	51.8
12/10/25 20:30	11800	429	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.53	43.9
12/10/25 21:00	11400	428	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	33.6
12/10/25 21:30	11100	429	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.1	23.4
12/10/25 22:00	10800	427	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	24.5
12/10/25 22:30	10600	426	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.45	28.9
12/10/25 23:00	10500	426	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	16.5
12/10/25 23:30	10400	425	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	11.7
12/11/25 00:00	10200	422	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	6.21

Daily Processed Summary (Average, Maximum Value)

Average	13300	425	2.31	BDL	BDL	0.254	BDL	BDL	BDL	BDL	0.854	220
Maximum Value	16400	439	2.5	-	-	7.36	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/11/25 00:30	9770	419	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.53	3.8
12/11/25 01:00	9640	418	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.56	9.89
12/11/25 01:30	9430	417	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	19.5
12/11/25 02:00	9280	416	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.71	27.
12/11/25 02:30	8980	416	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.64	27.6
12/11/25 03:00	8850	415	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.4	13.6
12/11/25 03:30	8530	414	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	18.3
12/11/25 04:00	8340	413	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.72	16.5
12/11/25 04:30	8130	412	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	22.
12/11/25 05:00	8070	413	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.56	18.3
12/11/25 05:30	8030	414	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.62	17.1
12/11/25 06:00	7960	413	2.46	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	16.2
12/11/25 06:30	7830	414	2.47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	15.6
12/11/25 07:00	7750	414	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.96	19.4
12/11/25 07:30	7710	413	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	25.2
12/11/25 08:00	7840	416	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.88	29.2
12/11/25 08:30	8030	419	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.64	32.6
12/11/25 09:00	7940	422	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.93	44.6
12/11/25 09:30	7990	426	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.15	55.9
12/11/25 10:00	7700	428	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.64	57.6
12/11/25 10:30	7380	429	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.22	62.7
12/11/25 11:00	8540	430	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.86	74.9
12/11/25 11:30	9400	430	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.66	93.5
12/11/25 12:00	10100	430	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.01	101.
12/11/25 12:30	11200	429	2.33	BDL	BDL	1.82	BDL	BDL	BDL	BDL	8.34	110.
12/11/25 13:00	11900	430	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.96	111.
12/11/25 13:30	12400	430	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.5	112.
12/11/25 14:00	12700	432	2.29	BDL	BDL	3.53	BDL	BDL	BDL	BDL	9.03	113.
12/11/25 14:30	13100	431	2.28	BDL	BDL	1.89	BDL	BDL	BDL	BDL	9.20	119.
12/11/25 15:00	13300	430	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.84	115.
12/11/25 15:30	13800	431	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	114.
12/11/25 16:00	14300	432	2.29	BDL	BDL	2.65	BDL	BDL	BDL	BDL	8.94	112.
12/11/25 16:30	14600	433	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	108.
12/11/25 17:00	14800	431	2.3	BDL	BDL	3.66	BDL	BDL	BDL	BDL	7.27	110.
12/11/25 17:30	14800	431	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	117.
12/11/25 18:00	14900	431	2.31	BDL	BDL	10.4	BDL	BDL	BDL	BDL	6.78	108.
12/11/25 18:30	14900	427	2.38	BDL	BDL	4.30	BDL	BDL	BDL	BDL	5.30	98.9
12/11/25 19:00	15000	426	2.31	BDL	BDL	4.08	BDL	BDL	BDL	BDL	3.44	108.
12/11/25 19:30	15000	426	2.37	BDL	BDL	36.9	BDL	BDL	BDL	BDL	1.2	133.
12/11/25 20:00	15000	425	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.42	102.
12/11/25 20:30	14900	426	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.84	103.
12/11/25 21:00	14800	427	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	98.9
12/11/25 21:30	14600	426	2.53	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	93.9
12/11/25 22:00	14600	427	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	101.
12/11/25 22:30	14900	428	2.44	BDL	BDL	10.2	BDL	BDL	BDL	BDL	5.5	101.
12/11/25 23:00	15400	426	2.36	BDL	BDL	10.2	BDL	BDL	BDL	BDL	4.92	101.
12/11/25 23:30	15600	425	2.32	BDL	BDL	13.1	BDL	BDL	BDL	BDL	3.4	109.
12/12/25 00:00	16000	422	2.31	BDL	BDL	25.7	BDL	BDL	BDL	BDL	3.73	114.

Daily Processed Summary (Average, Maximum Value)

Average	11400	424	2.37	BDL	BDL	2.68	BDL	BDL	BDL	BDL	4.96	73.9
Maximum Value	16000	433	2.53	-	-	36.9	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/12/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.65	108.
12/12/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.6	164.
12/12/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.05	174.
12/12/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.91	176.
12/12/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.36	184.
12/12/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.87	193.
12/12/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.87	200.
12/12/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.29	191.
12/12/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.7	197.
12/12/25 05:00	M	M	M	M	M	M	M	M	M	M	2.54	201.
12/12/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.29	201.
12/12/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.98	187.
12/12/25 06:30	M	M	M	M	M	M	M	M	M	M	0.597	211.
12/12/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.587	310.
12/12/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.39	307.
12/12/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.815	334.
12/12/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.05	15.7
12/12/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.91	30.9
12/12/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.583	34.5
12/12/25 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.967	12.6
12/12/25 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.481	323.
12/12/25 11:00	20700	426	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.40	272.
12/12/25 11:30	20700	428	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.43	253.
12/12/25 12:00	20900	432	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.55	216.
12/12/25 12:30	21400	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.31	201.
12/12/25 13:00	21100	439	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	184.
12/12/25 13:30	20900	438	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	167.
12/12/25 14:00	20900	442	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.53	175.
12/12/25 14:30	20900	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	161.
12/12/25 15:00	20600	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	158.
12/12/25 15:30	20200	439	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	156.
12/12/25 16:00	20300	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	159.
12/12/25 16:30	20300	440	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	161.
12/12/25 17:00	20400	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.04	162.
12/12/25 17:30	20900	434	2.22	BDL	BDL	3.84	BDL	BDL	BDL	BDL	7.26	140.
12/12/25 18:00	21300	433	2.2	BDL	BDL	7.59	BDL	BDL	BDL	BDL	4.79	123.
12/12/25 18:30	21000	429	2.35	BDL	BDL	11.4	BDL	BDL	BDL	BDL	4.27	95.6
12/12/25 19:00	20800	426	2.2	BDL	BDL	4.99	BDL	BDL	BDL	BDL	4.06	86.5
12/12/25 19:30	20600	425	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.06	131.
12/12/25 20:00	20200	425	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.60	112.
12/12/25 20:30	19900	425	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.79	99.4
12/12/25 21:00	19800	424	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.98	86.8
12/12/25 21:30	19700	423	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.33	90.3
12/12/25 22:00	19900	423	2.43	BDL	BDL	24.6	BDL	BDL	BDL	BDL	7.42	97.2
12/12/25 22:30	20100	424	2.45	BDL	BDL	14.3	BDL	BDL	BDL	BDL	7.42	96.5
12/12/25 23:00	20200	424	2.38	BDL	BDL	16.1	BDL	BDL	BDL	BDL	7.94	95.7
12/12/25 23:30	20000	425	2.32	BDL	BDL	16.5	BDL	BDL	BDL	BDL	7.50	97.7
12/13/25 00:00	19800	430	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	89.

Daily Processed Summary (Average, Maximum Value)

Average	20500	432	2.26	BDL	BDL	3.68	BDL	BDL	BDL	BDL	3.73	151
Maximum Value	21400	445	2.45	-	-	24.6	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/13/25 00:30	19600	431	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	88.5
12/13/25 01:00	20000	429	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.71	104.
12/13/25 01:30	21100	430	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.19	117.
12/13/25 02:00	21300	429	2.25	BDL	BDL	9.52	BDL	BDL	BDL	BDL	8.03	106.
12/13/25 02:30	21600	428	2.24	BDL	BDL	8.98	BDL	BDL	BDL	BDL	7.76	105.
12/13/25 03:00	22000	428	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.29	115.
12/13/25 03:30	22100	439	2.2	BDL	BDL	16.4	BDL	BDL	BDL	BDL	8.48	123.
12/13/25 04:00	22000	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	117.
12/13/25 04:30	22000	435	2.2	BDL	BDL	7.57	BDL	BDL	BDL	BDL	6.12	113.
12/13/25 05:00	22200	436	2.19	BDL	BDL	5.24	BDL	BDL	BDL	BDL	6.23	110.
12/13/25 05:30	22300	435	2.19	BDL	BDL	3.43	BDL	BDL	BDL	BDL	6.82	116.
12/13/25 06:00	22400	435	2.18	BDL	BDL	7.62	BDL	BDL	BDL	BDL	6.73	125.
12/13/25 06:30	22700	439	2.21	BDL	BDL	4.95	BDL	BDL	BDL	BDL	10.8	139.
12/13/25 07:00	21900	447	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.82	140.
12/13/25 07:30	21100	449	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.88	145.
12/13/25 08:00	20600	442	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.14	165.
12/13/25 08:30	20900	445	2.22	BDL	BDL	3.90	BDL	BDL	BDL	BDL	3.93	141.
12/13/25 09:00	20900	454	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.87	139.
12/13/25 09:30	20900	455	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.95	150.
12/13/25 10:00	21300	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.64	156.
12/13/25 10:30	22200	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	173.
12/13/25 11:00	22500	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	173.
12/13/25 11:30	22400	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	178.
12/13/25 12:00	22200	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	179.
12/13/25 12:30	22000	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.89	180.
12/13/25 13:00	21600	442	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	170.
12/13/25 13:30	21300	447	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	165.
12/13/25 14:00	20400	451	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	162.
12/13/25 14:30	19400	445	2.18	BDL	BDL	1.76	BDL	BDL	BDL	BDL	13.8	163.
12/13/25 15:00	20200	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	167.
12/13/25 15:30	21000	440	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	167.
12/13/25 16:00	21400	440	2.19	BDL	BDL	2.26	BDL	BDL	BDL	BDL	10.2	167.
12/13/25 16:30	20900	441	2.18	BDL	BDL	4.82	BDL	BDL	BDL	BDL	10.6	168.
12/13/25 17:00	19300	438	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	167.
12/13/25 17:30	19400	438	2.18	BDL	BDL	2.73	BDL	BDL	BDL	BDL	9.47	154.
12/13/25 18:00	20500	433	2.19	BDL	BDL	2.79	BDL	BDL	BDL	BDL	8.82	135.
12/13/25 18:30	20700	432	2.17	BDL	BDL	12.6	BDL	BDL	BDL	BDL	9.1	131.
12/13/25 19:00	20200	438	2.17	BDL	BDL	28.3	BDL	BDL	BDL	BDL	7.47	130.
12/13/25 19:30	20300	443	2.18	BDL	BDL	37.2	BDL	BDL	BDL	BDL	6.61	126.
12/13/25 20:00	20500	440	2.19	BDL	BDL	25.1	BDL	BDL	BDL	BDL	6.67	119.
12/13/25 20:30	20700	433	2.16	BDL	BDL	15.3	BDL	BDL	BDL	BDL	7.24	116.
12/13/25 21:00	20900	431	2.17	BDL	BDL	20.2	BDL	BDL	BDL	BDL	6.55	119.
12/13/25 21:30	20900	429	2.17	BDL	BDL	16.3	BDL	BDL	BDL	BDL	6.06	115.
12/13/25 22:00	20900	429	2.15	BDL	BDL	17.	BDL	BDL	BDL	BDL	5.67	115.
12/13/25 22:30	20700	431	2.16	BDL	BDL	16.2	BDL	BDL	BDL	BDL	4.11	124.
12/13/25 23:00	20500	430	2.55	BDL	BDL	17.4	BDL	BDL	BDL	BDL	4.42	99.0
12/13/25 23:30	20000	427	2.24	BDL	BDL	15.0	BDL	BDL	BDL	BDL	3.29	84.0
12/14/25 00:00	18600	429	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.29	52.4

Daily Processed Summary (Average, Maximum Value)

Average	21100	438	2.21	BDL	BDL	6.3	BDL	BDL	BDL	BDL	7.1	142
Maximum Value	22700	455	2.55	-	-	37.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/14/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.88	28.1
12/14/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.65	32.7
12/14/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.47	38.3
12/14/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.20	7.53
12/14/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.07	5.03
12/14/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.37	24.2
12/14/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.20	25.6
12/14/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.47	25.2
12/14/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.7	22.
12/14/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.1	20.7
12/14/25 05:30	19300	426	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.2	21.0
12/14/25 06:00	19100	432	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.6	22.3
12/14/25 06:30	18700	431	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.6	23.9
12/14/25 07:00	18200	433	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.6	15.5
12/14/25 07:30	17500	433	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.7	14.1
12/14/25 08:00	16500	431	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.3	19.5
12/14/25 08:30	14700	430	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.5	22.3
12/14/25 09:00	12600	428	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.5	23.
12/14/25 09:30	12500	426	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.8	29.
12/14/25 10:00	12800	428	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.5	22.4
12/14/25 10:30	12000	429	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.4	16.2
12/14/25 11:00	11000	426	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.5	14.1
12/14/25 11:30	10300	425	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.7	9.23
12/14/25 12:00	9760	424	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.4	12.3
12/14/25 12:30	9750	424	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.1	16.1
12/14/25 13:00	9450	424	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.2	12.8
12/14/25 13:30	9030	425	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.8	6.97
12/14/25 14:00	8690	424	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.7	3.79
12/14/25 14:30	8480	422	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.8	5.54
12/14/25 15:00	8410	423	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.5	10.8
12/14/25 15:30	8310	424	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.	9.19
12/14/25 16:00	8260	424	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.0	12.1
12/14/25 16:30	8200	421	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.4	10.4
12/14/25 17:00	8060	419	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.9	11.3
12/14/25 17:30	7840	418	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	19.6	10.3
12/14/25 18:00	7410	416	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.1	8.78
12/14/25 18:30	7150	413	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	1.12
12/14/25 19:00	6980	414	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	359.
12/14/25 19:30	6690	414	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	356.
12/14/25 20:00	6590	412	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	359.
12/14/25 20:30	6510	412	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	6.79
12/14/25 21:00	6350	411	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	10.4
12/14/25 21:30	6250	412	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	10.4
12/14/25 22:00	6130	413	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	11.7
12/14/25 22:30	6000	413	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	10.4
12/14/25 23:00	5850	412	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	12.3
12/14/25 23:30	5670	410	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	10.7
12/15/25 00:00	5780	410	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	1.53

Daily Processed Summary (Average, Maximum Value)

Average	10100	421	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	13.4
Maximum Value	19300	433	2.48	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/15/25 00:30	5750	409	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	354.
12/15/25 01:00	5780	406	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.77	347.
12/15/25 01:30	5660	407	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.4	343.
12/15/25 02:00	5700	407	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	343.
12/15/25 02:30	5690	406	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.23	353.
12/15/25 03:00	5530	406	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.69	4.9
12/15/25 03:30	5450	403	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.60	358.
12/15/25 04:00	M	M	M	M	M	M	M	M	M	M	6.33	358.
12/15/25 04:30	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	6.25	0.0856
12/15/25 05:00	5430	400	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.83	8.42
12/15/25 05:30	5260	399	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.25	6.82
12/15/25 06:00	5230	400	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.07	10.3
12/15/25 06:30	5240	403	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.71	14.8
12/15/25 07:00	5180	400	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.36	3.86
12/15/25 07:30	5160	403	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.47	6.39
12/15/25 08:00	5130	403	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	9.98
12/15/25 08:30	5140	407	2.38	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.15	18.5
12/15/25 09:00	4850	411	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.64	25.3
12/15/25 09:30	4640	414	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.34	23.1
12/15/25 10:00	4660	417	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.85	22.0
12/15/25 10:30	4760	418	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.28	17.6
12/15/25 11:00	5040	420	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	21.
12/15/25 11:30	5510	421	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	27.6
12/15/25 12:00	5840	422	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.7	20.2
12/15/25 12:30	6070	423	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.3	33.4
12/15/25 13:00	6120	423	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.59	19.1
12/15/25 13:30	6110	424	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.23	32.2
12/15/25 14:00	6250	425	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.67	342.
12/15/25 14:30	6500	425	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.57	167.
12/15/25 15:00	6770	426	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.57	213.
12/15/25 15:30	7340	427	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.65	208.
12/15/25 16:00	7660	426	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.68	206.
12/15/25 16:30	M	M	M	M	M	M	M	M	M	M	4.94	196.
12/15/25 17:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	5.19	178.
12/15/25 17:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	4.88	168.
12/15/25 18:00	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	5.11	180.
12/15/25 18:30	7830	416	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.2	167.
12/15/25 19:00	8080	417	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.10	173.
12/15/25 19:30	8460	416	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.55	181.
12/15/25 20:00	8780	413	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.14	170.
12/15/25 20:30	8630	415	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.84	129.
12/15/25 21:00	8500	413	2.4	BDL	BDL	3.39	BDL	BDL	BDL	BDL	2.96	131.
12/15/25 21:30	8510	414	2.49	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.99	109.
12/15/25 22:00	8500	415	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.34	80.3
12/15/25 22:30	8290	414	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.09	354.
12/15/25 23:00	8300	413	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.45	59.8
12/15/25 23:30	8180	413	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.38	36.2
12/16/25 00:00	8050	415	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.78	42.4

Daily Processed Summary (Average, Maximum Value)

Average	6420	413	2.34	BDL	BDL	0.0807	BDL	BDL	BDL	BDL	2.82	15.2
Maximum Value	8780	427	2.49	-	-	3.39	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/16/25 00:30	8060	412	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.92	19.6
12/16/25 01:00	8170	413	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.34	36.5
12/16/25 01:30	8110	417	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.73	46.8
12/16/25 02:00	7970	419	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.98	62.5
12/16/25 02:30	7890	419	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	48.3
12/16/25 03:00	8010	421	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.61	54.8
12/16/25 03:30	7940	419	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.2	65.2
12/16/25 04:00	7820	418	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.72	55.8
12/16/25 04:30	7760	419	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.97	48.7
12/16/25 05:00	7980	420	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	15.4
12/16/25 05:30	8190	420	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	45.3
12/16/25 06:00	8590	420	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	57.5
12/16/25 06:30	9020	418	2.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.67	61.9
12/16/25 07:00	9350	420	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.17	60.6
12/16/25 07:30	9580	422	2.67	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.97	60.1
12/16/25 08:00	9780	422	2.83	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.97	65.3
12/16/25 08:30	10200	421	2.42	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.89	74.1
12/16/25 09:00	10600	421	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.63	73.6
12/16/25 09:30	10900	425	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.48	81.4
12/16/25 10:00	11100	428	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.17	88.5
12/16/25 10:30	11300	428	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	95.6
12/16/25 11:00	11700	429	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	98.6
12/16/25 11:30	12300	431	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	103.
12/16/25 12:00	12500	430	2.29	BDL	BDL	1.88	BDL	BDL	BDL	BDL	10.8	106.
12/16/25 12:30	12900	432	2.25	BDL	BDL	2.80	BDL	BDL	BDL	BDL	11.8	112.
12/16/25 13:00	13200	434	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	121.
12/16/25 13:30	13300	432	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	116.
12/16/25 14:00	13600	432	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	117.
12/16/25 14:30	13600	432	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	117.
12/16/25 15:00	13800	430	2.25	BDL	BDL	14.8	BDL	BDL	BDL	BDL	11.4	111.
12/16/25 15:30	13900	427	2.27	BDL	BDL	5.07	BDL	BDL	BDL	BDL	11.4	101.
12/16/25 16:00	14000	426	2.26	BDL	BDL	2.48	BDL	BDL	BDL	BDL	9.51	101.
12/16/25 16:30	14100	425	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.52	102.
12/16/25 17:00	14200	426	2.25	BDL	BDL	6.90	BDL	BDL	BDL	BDL	8.88	105.
12/16/25 17:30	14100	425	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.22	95.3
12/16/25 18:00	14100	426	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	101.
12/16/25 18:30	14100	425	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.80	97.5
12/16/25 19:00	14100	425	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.83	95.3
12/16/25 19:30	14100	426	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.48	86.8
12/16/25 20:00	14200	426	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.66	84.7
12/16/25 20:30	14300	425	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.96	73.9
12/16/25 21:00	14300	426	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.46	76.
12/16/25 21:30	14400	427	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.07	75.9
12/16/25 22:00	14600	422	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.93	58.5
12/16/25 22:30	15000	417	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.5	36.
12/16/25 23:00	15000	420	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.21	63.5
12/16/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.14	57.1
12/17/25 00:00	14900	415	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	44.3

Daily Processed Summary (Average, Maximum Value)

Average	11700	424	2.33	BDL	BDL	0.722	BDL	BDL	BDL	BDL	7.16	84.4
Maximum Value	15000	434	2.83	-	-	14.8	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/17/25 00:30	14900	419	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.66	82.6
12/17/25 01:00	15100	422	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.80	95.7
12/17/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.47	60.4
12/17/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.76	86.3
12/17/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.07	51.5
12/17/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.77	82.4
12/17/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.44	101.
12/17/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.42	123.
12/17/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.97	108.
12/17/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.35	89.4
12/17/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	13.9	134.
12/17/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	16.	143.
12/17/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	15.1	134.
12/17/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.9	121.
12/17/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.8	117.
12/17/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.2	117.
12/17/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.9	125.
12/17/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	14.2	130.
12/17/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.2	126.
12/17/25 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.72	104.
12/17/25 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	13.9	122.
12/17/25 11:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	14.9	129.
12/17/25 11:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	10.9	121.
12/17/25 12:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	16.3	135.
12/17/25 12:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.4	151.
12/17/25 13:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.89	183.
12/17/25 13:30	18300	412	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.10	177.
12/17/25 14:00	18600	415	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.97	193.
12/17/25 14:30	18900	420	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.84	161.
12/17/25 15:00	19100	421	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	160.
12/17/25 15:30	19400	423	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	164.
12/17/25 16:00	19400	423	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	172.
12/17/25 16:30	19700	426	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.76	182.
12/17/25 17:00	19700	431	2.2	BDL	BDL	13.2	BDL	BDL	BDL	BDL	3.77	127.
12/17/25 17:30	19400	429	2.17	BDL	BDL	3.45	BDL	BDL	BDL	BDL	2.17	248.
12/17/25 18:00	19200	429	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.848	246.
12/17/25 18:30	19000	433	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.45	83.3
12/17/25 19:00	18800	435	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.05	41.8
12/17/25 19:30	18700	435	2.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.583	72.4
12/17/25 20:00	18600	437	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.545	71.7
12/17/25 20:30	18600	432	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.399	67.1
12/17/25 21:00	18900	429	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.81	90.2
12/17/25 21:30	18600	429	2.39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.82	96.1
12/17/25 22:00	18400	424	2.22	BDL	BDL	4.31	BDL	BDL	BDL	BDL	8.84	101.
12/17/25 22:30	17800	425	2.3	BDL	BDL	2.79	BDL	BDL	BDL	BDL	8.2	96.5
12/17/25 23:00	17200	425	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.26	102.
12/17/25 23:30	17000	422	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.53	98.4
12/18/25 00:00	17200	420	2.25	BDL	BDL	22.8	BDL	BDL	BDL	BDL	6.48	104.

Daily Processed Summary (Average, Maximum Value)

Average	18400	426	2.26	BDL	BDL	1.94	BDL	BDL	BDL	BDL	6.99	127
Maximum Value	19700	437	2.48	-	-	22.8	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/18/25 00:30	17400	419	2.24	BDL	BDL	75.0	BDL	BDL	BDL	BDL	5.10	111.
12/18/25 01:00	17500	419	2.44	BDL	BDL	42.6	BDL	BDL	BDL	BDL	6.19	98.
12/18/25 01:30	17400	418	2.29	BDL	BDL	3.29	BDL	BDL	BDL	BDL	4.76	100.
12/18/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.25	112.
12/18/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.55	116.
12/18/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.67	119.
12/18/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.07	164.
12/18/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.39	180.
12/18/25 04:30	18800	409	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.22	178.
12/18/25 05:00	19000	413	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.87	178.
12/18/25 05:30	19100	414	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.39	195.
12/18/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.44	208.
12/18/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.20	180.
12/18/25 07:00	19000	413	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.94	190.
12/18/25 07:30	18900	415	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.56	196.
12/18/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.75	195.
12/18/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.99	214.
12/18/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.64	216.
12/18/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.6	248.
12/18/25 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.73	251.
12/18/25 10:30	19300	428	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.86	230.
12/18/25 11:00	19400	432	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	227.
12/18/25 11:30	19500	435	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.14	232.
12/18/25 12:00	19700	438	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	237.
12/18/25 12:30	19700	439	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.45	262.
12/18/25 13:00	19700	441	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.69	236.
12/18/25 13:30	20200	441	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.22	223.
12/18/25 14:00	20200	441	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	230.
12/18/25 14:30	19900	440	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.03	239.
12/18/25 15:00	19600	441	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.50	256.
12/18/25 15:30	19300	441	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.56	253.
12/18/25 16:00	19500	442	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.56	249.
12/18/25 16:30	19600	442	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.36	250.
12/18/25 17:00	19300	439	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.80	265.
12/18/25 17:30	19100	439	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	349.
12/18/25 18:00	16700	436	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	357.
12/18/25 18:30	16000	435	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	349.
12/18/25 19:00	14300	433	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	346.
12/18/25 19:30	12500	430	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	349.
12/18/25 20:00	11400	429	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	359.
12/18/25 20:30	10600	427	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	356.
12/18/25 21:00	9670	428	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	358.
12/18/25 21:30	9430	427	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	357.
12/18/25 22:00	8710	424	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	1.32
12/18/25 22:30	7850	425	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	0.449
12/18/25 23:00	7650	424	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	357.
12/18/25 23:30	7050	422	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	359.
12/19/25 00:00	6620	422	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	356.

Daily Processed Summary (Average, Maximum Value)

Average	16100	429	2.29	BDL	BDL	3.36	BDL	BDL	BDL	BDL	1.9	291
Maximum Value	20200	442	2.44	-	-	75	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/19/25 00:30	6600	421	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.97	352.
12/19/25 01:00	6720	421	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.29	352.
12/19/25 01:30	6760	420	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.22	352.
12/19/25 02:00	6740	420	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.14	357.
12/19/25 02:30	6380	420	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.15	8.84
12/19/25 03:00	6290	419	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.84	356.
12/19/25 03:30	6430	421	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.71	348.
12/19/25 04:00	6410	421	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.56	341.
12/19/25 04:30	6710	421	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.29	342.
12/19/25 05:00	7190	420	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.33	334.
12/19/25 05:30	7360	421	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.46	341.
12/19/25 06:00	7110	420	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.46	340.
12/19/25 06:30	6890	421	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.61	357.
12/19/25 07:00	6760	425	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	348.
12/19/25 07:30	6410	427	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.83	8.09
12/19/25 08:00	6430	429	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.71	1.99
12/19/25 08:30	6790	425	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.51	14.
12/19/25 09:00	6940	426	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	35.5
12/19/25 09:30	6390	426	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.17	49.7
12/19/25 10:00	5700	428	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.58	58.2
12/19/25 10:30	5300	430	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.48	68.6
12/19/25 11:00	4870	431	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	91.2
12/19/25 11:30	5340	433	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.69	96.4
12/19/25 12:00	5140	433	2.28	BDL	BDL	1.93	BDL	BDL	BDL	BDL	9.73	120.
12/19/25 12:30	5260	431	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	121.
12/19/25 13:00	5190	432	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.01	124.
12/19/25 13:30	7070	432	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.65	105.
12/19/25 14:00	7510	432	2.28	BDL	BDL	2.84	BDL	BDL	BDL	BDL	7.53	99.5
12/19/25 14:30	7990	432	2.29	BDL	BDL	2.04	BDL	BDL	BDL	BDL	7.7	106.
12/19/25 15:00	8610	432	2.27	BDL	BDL	4.21	BDL	BDL	BDL	BDL	7.26	103.
12/19/25 15:30	9100	430	2.27	BDL	BDL	7.28	BDL	BDL	BDL	BDL	8.25	107.
12/19/25 16:00	9100	430	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.24	121.
12/19/25 16:30	8910	429	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.73	128.
12/19/25 17:00	8990	428	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.54	118.
12/19/25 17:30	9670	429	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.76	118.
12/19/25 18:00	10100	426	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.54	121.
12/19/25 18:30	10400	427	2.23	BDL	BDL	13.1	BDL	BDL	BDL	BDL	9.84	123.
12/19/25 19:00	10600	424	2.22	BDL	BDL	20.0	BDL	BDL	BDL	BDL	7.99	120.
12/19/25 19:30	10900	422	2.32	BDL	BDL	10.8	BDL	BDL	BDL	BDL	5.45	107.
12/19/25 20:00	10800	421	2.43	BDL	BDL	2.34	BDL	BDL	BDL	BDL	4.84	94.7
12/19/25 20:30	11200	421	2.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.86	92.4
12/19/25 21:00	11400	423	2.99	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.70	89.7
12/19/25 21:30	11600	423	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.25	98.3
12/19/25 22:00	12100	421	2.26	BDL	BDL	4.62	BDL	BDL	BDL	BDL	3.82	116.
12/19/25 22:30	13100	421	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	124.
12/19/25 23:00	13400	424	2.27	BDL	BDL	2.80	BDL	BDL	BDL	BDL	6.04	105.
12/19/25 23:30	13200	425	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.44	101.
12/20/25 00:00	14000	429	2.3	BDL	BDL	3.17	BDL	BDL	BDL	BDL	3.64	128.

Daily Processed Summary (Average, Maximum Value)

Average	8210	425	2.32	BDL	BDL	1.57	BDL	BDL	BDL	BDL	4.14	81.9
Maximum Value	14000	433	2.99	-	-	20	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/20/25 00:30	14800	435	2.35	BDL	BDL	12.2	BDL	BDL	BDL	BDL	3.84	140.
12/20/25 01:00	13700	428	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.15	82.9
12/20/25 01:30	13900	425	2.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.66	119.
12/20/25 02:00	15600	421	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.60	173.
12/20/25 02:30	16200	423	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	174.
12/20/25 03:00	16500	423	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	173.
12/20/25 03:30	16600	423	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.77	175.
12/20/25 04:00	16500	422	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.57	174.
12/20/25 04:30	16700	424	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	172.
12/20/25 05:00	16900	425	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.16	172.
12/20/25 05:30	17100	424	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.3	174.
12/20/25 06:00	17200	425	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.52	180.
12/20/25 06:30	17300	425	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.09	181.
12/20/25 07:00	17500	424	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.7	176.
12/20/25 07:30	17900	425	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.92	177.
12/20/25 08:00	18200	426	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.48	181.
12/20/25 08:30	18900	427	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.81	181.
12/20/25 09:00	19700	429	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.04	176.
12/20/25 09:30	20600	432	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.03	176.
12/20/25 10:00	20900	432	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.7	178.
12/20/25 10:30	21500	433	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.79	181.
12/20/25 11:00	21600	432	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.71	188.
12/20/25 11:30	21500	433	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	194.
12/20/25 12:00	21300	433	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	197.
12/20/25 12:30	21400	435	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	196.
12/20/25 13:00	21200	437	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	196.
12/20/25 13:30	21100	436	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	194.
12/20/25 14:00	21200	437	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	192.
12/20/25 14:30	21600	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	191.
12/20/25 15:00	21800	436	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	190.
12/20/25 15:30	22300	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	186.
12/20/25 16:00	22600	434	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	186.
12/20/25 16:30	23000	434	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	184.
12/20/25 17:00	23100	433	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.87	185.
12/20/25 17:30	23300	432	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.04	175.
12/20/25 18:00	23500	431	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	172.
12/20/25 18:30	23400	430	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	173.
12/20/25 19:00	23300	429	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	174.
12/20/25 19:30	23400	427	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	176.
12/20/25 20:00	23300	425	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	175.
12/20/25 20:30	23400	424	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	173.
12/20/25 21:00	23400	426	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	174.
12/20/25 21:30	23600	426	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	175.
12/20/25 22:00	23700	425	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	174.
12/20/25 22:30	23700	426	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	174.
12/20/25 23:00	23800	425	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	175.
12/20/25 23:30	24000	425	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	182.
12/21/25 00:00	23800	424	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.93	186.

Daily Processed Summary (Average, Maximum Value)

Average	20400	429	2.23	BDL	BDL	0.254	BDL	BDL	BDL	BDL	8.95	180
Maximum Value	24000	437	2.7	-	-	12.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/21/25 00:30	23600	423	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.34	189.
12/21/25 01:00	23300	419	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.07	195.
12/21/25 01:30	23200	418	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.77	188.
12/21/25 02:00	23300	425	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.27	188.
12/21/25 02:30	23000	426	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	196.
12/21/25 03:00	22700	426	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.32	205.
12/21/25 03:30	22700	425	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	217.
12/21/25 04:00	22700	425	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.32	226.
12/21/25 04:30	22900	427	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.07	217.
12/21/25 05:00	22800	427	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.95	218.
12/21/25 05:30	22700	426	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.90	211.
12/21/25 06:00	22200	427	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	208.
12/21/25 06:30	22100	427	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.66	194.
12/21/25 07:00	22300	428	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.78	207.
12/21/25 07:30	22300	427	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.82	204.
12/21/25 08:00	22300	426	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.53	212.
12/21/25 08:30	22300	427	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.54	210.
12/21/25 09:00	22600	428	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.06	217.
12/21/25 09:30	22600	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.	187.
12/21/25 10:00	22800	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.58	194.
12/21/25 10:30	22700	432	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.08	197.
12/21/25 11:00	22700	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.65	202.
12/21/25 11:30	22600	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.6	195.
12/21/25 12:00	22400	434	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	201.
12/21/25 12:30	22300	433	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	212.
12/21/25 13:00	22200	433	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.25	226.
12/21/25 13:30	21800	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.59	237.
12/21/25 14:00	21800	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.18	237.
12/21/25 14:30	21600	435	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.8	261.
12/21/25 15:00	21400	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.05	278.
12/21/25 15:30	21300	436	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.81	286.
12/21/25 16:00	21200	434	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.91	330.
12/21/25 16:30	20700	434	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	360.
12/21/25 17:00	20900	434	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	7.06
12/21/25 17:30	20900	433	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.3	15.3
12/21/25 18:00	20800	433	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.39	38.1
12/21/25 18:30	21100	434	2.89	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.18	79.3
12/21/25 19:00	21900	431	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.91	84.1
12/21/25 19:30	22600	430	2.3	BDL	BDL	7.16	BDL	BDL	BDL	BDL	4.75	98.8
12/21/25 20:00	23200	429	2.16	BDL	BDL	8.58	BDL	BDL	BDL	BDL	4.48	114.
12/21/25 20:30	23600	432	2.13	BDL	BDL	4.70	BDL	BDL	BDL	BDL	5.98	129.
12/21/25 21:00	23900	424	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	144.
12/21/25 21:30	24000	424	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.23	150.
12/21/25 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.11	145.
12/21/25 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.75	157.
12/21/25 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.83	147.
12/21/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.20	177.
12/22/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.47	197.

Daily Processed Summary (Average, Maximum Value)

Average	22400	429	2.21	BDL	BDL	0.475	BDL	BDL	BDL	BDL	2.95	191
Maximum Value	24000	436	2.89	-	-	8.58	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/22/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.81	175.
12/22/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	0.841	144.
12/22/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.49	208.
12/22/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.61	281.
12/22/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.11	5.05
12/22/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.81	25.5
12/22/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.26	24.2
12/22/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.58	25.5
12/22/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.39	26.7
12/22/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.26	51.
12/22/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.73	75.2
12/22/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.84	86.9
12/22/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.77	106.
12/22/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.75	116.
12/22/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.12	125.
12/22/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.84	127.
12/22/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.19	147.
12/22/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.51	150.
12/22/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.04	145.
12/22/25 10:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.38	162.
12/22/25 10:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	8.47	178.
12/22/25 11:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.51	180.
12/22/25 11:30	24300	438	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	160.
12/22/25 12:00	24600	444	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	158.
12/22/25 12:30	24200	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	171.
12/22/25 13:00	M	M	M	M	M	M	M	M	M	M	12.1	174.
12/22/25 13:30	M	M	M	M	M	M	M	M	M	M	11.	173.
12/22/25 14:00	M	M	M	M	M	M	M	M	M	M	10.5	167.
12/22/25 14:30	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	10.9	170.
12/22/25 15:00	23500	446	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	161.
12/22/25 15:30	23600	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	163.
12/22/25 16:00	23800	445	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.7	157.
12/22/25 16:30	23700	445	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	159.
12/22/25 17:00	23700	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	154.
12/22/25 17:30	24100	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	142.
12/22/25 18:00	24200	436	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	144.
12/22/25 18:30	23900	429	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	143.
12/22/25 19:00	23800	425	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.3	142.
12/22/25 19:30	23500	430	2.17	BDL	BDL	18.7	BDL	BDL	BDL	BDL	8.41	133.
12/22/25 20:00	23500	428	2.17	BDL	BDL	2.62	BDL	BDL	BDL	BDL	8.96	136.
12/22/25 20:30	23600	427	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	139.
12/22/25 21:00	23700	424	2.17	BDL	BDL	1.95	BDL	BDL	BDL	BDL	10.7	143.
12/22/25 21:30	23500	426	2.17	BDL	BDL	2.07	BDL	BDL	BDL	BDL	9.62	141.
12/22/25 22:00	23400	431	2.17	BDL	BDL	15.4	BDL	BDL	BDL	BDL	9.53	138.
12/22/25 22:30	23600	427	2.18	BDL	BDL	8.66	BDL	BDL	BDL	BDL	9.38	140.
12/22/25 23:00	23700	425	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	144.
12/22/25 23:30	23700	425	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.3	144.
12/23/25 00:00	23600	425	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	142.

Daily Processed Summary (Average, Maximum Value)

Average	23800	433	2.18	BDL	BDL	2.25	BDL	BDL	BDL	BDL	7.14	148
Maximum Value	24600	446	2.22	-	-	18.7	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/23/25 00:30	23500	424	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	144.
12/23/25 01:00	23300	414	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	145.
12/23/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	12.5	143.
12/23/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	11.3	143.
12/23/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	9.25	146.
12/23/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.96	148.
12/23/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.33	154.
12/23/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.42	154.
12/23/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.03	143.
12/23/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.52	115.
12/23/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.83	109.
12/23/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.61	101.
12/23/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.13	103.
12/23/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.50	83.4
12/23/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.93	76.
12/23/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.53	88.2
12/23/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	1.56	85.5
12/23/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.38	120.
12/23/25 09:30	23000	427	2.24	BDL	BDL	17.8	BDL	BDL	BDL	BDL	5.49	113.
12/23/25 10:00	23400	428	2.21	BDL	BDL	3.78	BDL	BDL	BDL	BDL	8.01	110.
12/23/25 10:30	23600	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.34	116.
12/23/25 11:00	23400	434	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.37	121.
12/23/25 11:30	23000	435	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	141.
12/23/25 12:00	22500	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	154.
12/23/25 12:30	22400	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	157.
12/23/25 13:00	22600	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	143.
12/23/25 13:30	22200	441	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	163.
12/23/25 14:00	21900	441	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	144.
12/23/25 14:30	21200	440	2.22	BDL	BDL	1.91	BDL	BDL	BDL	BDL	12.3	147.
12/23/25 15:00	20700	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	150.
12/23/25 15:30	20000	438	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	141.
12/23/25 16:00	20300	436	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	139.
12/23/25 16:30	21300	435	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.79	143.
12/23/25 17:00	21400	434	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.27	115.
12/23/25 17:30	21500	431	2.21	BDL	BDL	2.34	BDL	BDL	BDL	BDL	8.36	107.
12/23/25 18:00	21500	429	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.98	110.
12/23/25 18:30	21600	427	2.2	BDL	BDL	10.4	BDL	BDL	BDL	BDL	7.28	112.
12/23/25 19:00	21600	425	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.07	96.0
12/23/25 19:30	21400	427	2.61	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.11	93.7
12/23/25 20:00	21400	425	2.57	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.73	94.8
12/23/25 20:30	21400	422	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.99	97.
12/23/25 21:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.7	97.9
12/23/25 21:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.55	99.4
12/23/25 22:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.22	102.
12/23/25 22:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.48	102.
12/23/25 23:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.33	99.4
12/23/25 23:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.97	97.5
12/24/25 00:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.69	102.

Daily Processed Summary (Average, Maximum Value)

Average	22000	431	2.24	BDL	BDL	1.45	BDL	BDL	BDL	BDL	7.47	128
Maximum Value	23600	441	2.61	-	-	17.8	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/24/25 00:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.71	102.
12/24/25 01:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	7.10	88.0
12/24/25 01:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.54	95.2
12/24/25 02:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	6.12	103.
12/24/25 02:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.45	85.9
12/24/25 03:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.12	86.8
12/24/25 03:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.17	84.5
12/24/25 04:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.28	80.3
12/24/25 04:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.56	82.3
12/24/25 05:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.62	82.1
12/24/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	3.91	80.2
12/24/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.75	79.6
12/24/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.77	87.0
12/24/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.29	91.9
12/24/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.88	84.8
12/24/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.24	92.7
12/24/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.11	98.3
12/24/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	4.77	104.
12/24/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	5.70	103.
12/24/25 10:00	22800	420	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.00	105.
12/24/25 10:30	23100	426	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.79	108.
12/24/25 11:00	23400	430	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	122.
12/24/25 11:30	23000	432	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.54	158.
12/24/25 12:00	23000	437	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.34	159.
12/24/25 12:30	22900	439	2.21	BDL	BDL	2.97	BDL	BDL	BDL	BDL	5.22	133.
12/24/25 13:00	22000	439	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.36	159.
12/24/25 13:30	21300	442	2.19	BDL	BDL	1.97	BDL	BDL	BDL	BDL	7.60	162.
12/24/25 14:00	20400	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.63	149.
12/24/25 14:30	19400	441	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.76	156.
12/24/25 15:00	20200	442	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.85	160.
12/24/25 15:30	20600	440	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.91	156.
12/24/25 16:00	21100	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.77	146.
12/24/25 16:30	21000	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	146.
12/24/25 17:00	21000	434	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	145.
12/24/25 17:30	21400	431	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	144.
12/24/25 18:00	22000	429	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	145.
12/24/25 18:30	22200	427	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.46	143.
12/24/25 19:00	22300	431	2.18	BDL	BDL	9.58	BDL	BDL	BDL	BDL	7.63	135.
12/24/25 19:30	22200	436	2.19	BDL	BDL	29.1	BDL	BDL	BDL	BDL	6.78	128.
12/24/25 20:00	22100	428	2.18	BDL	BDL	16.9	BDL	BDL	BDL	BDL	6.59	124.
12/24/25 20:30	22200	425	2.18	BDL	BDL	12.0	BDL	BDL	BDL	BDL	6.22	125.
12/24/25 21:00	22000	426	2.18	BDL	BDL	15.8	BDL	BDL	BDL	BDL	6.15	124.
12/24/25 21:30	21900	431	2.18	BDL	BDL	24.3	BDL	BDL	BDL	BDL	6.01	130.
12/24/25 22:00	21800	432	2.18	BDL	BDL	29.4	BDL	BDL	BDL	BDL	6.32	130.
12/24/25 22:30	21800	429	2.17	BDL	BDL	16.0	BDL	BDL	BDL	BDL	6.42	131.
12/24/25 23:00	22000	429	2.18	BDL	BDL	17.8	BDL	BDL	BDL	BDL	6.25	130.
12/24/25 23:30	22100	428	2.19	BDL	BDL	20.3	BDL	BDL	BDL	BDL	7.51	136.
12/25/25 00:00	22500	433	2.2	BDL	BDL	4.83	BDL	BDL	BDL	BDL	8.34	147.

Daily Processed Summary (Average, Maximum Value)

Average	21900	433	2.19	BDL	BDL	6.93	BDL	BDL	BDL	BDL	5.93	126
Maximum Value	23400	442	2.23	-	-	29.4	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/25/25 00:30	22400	434	2.21	BDL	BDL	7.95	BDL	BDL	BDL	BDL	7.75	155.
12/25/25 01:00	22200	428	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	168.
12/25/25 01:30	22000	430	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.96	167.
12/25/25 02:00	21800	432	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.62	171.
12/25/25 02:30	21700	427	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.24	179.
12/25/25 03:00	21600	424	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.25	184.
12/25/25 03:30	21500	422	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.82	188.
12/25/25 04:00	21400	423	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.12	187.
12/25/25 04:30	21300	421	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.98	192.
12/25/25 05:00	21200	414	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.62	191.
12/25/25 05:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	2.31	MAL
12/25/25 06:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	M	MAL
12/25/25 06:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	M	MAL
12/25/25 07:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	M	MAL
12/25/25 07:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	M	MAL
12/25/25 08:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	M	MAL
12/25/25 08:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	M	MAL
12/25/25 09:00	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	M	MAL
12/25/25 09:30	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	ATM	M	MAL
12/25/25 10:00	22200	431	2.44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	M	MAL
12/25/25 10:30	23400	429	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.58	133.
12/25/25 11:00	23300	435	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.61	165.
12/25/25 11:30	23300	433	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.78	173.
12/25/25 12:00	23200	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.85	160.
12/25/25 12:30	22800	437	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	159.
12/25/25 13:00	22900	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	166.
12/25/25 13:30	22700	443	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	160.
12/25/25 14:00	23100	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	154.
12/25/25 14:30	23100	442	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	156.
12/25/25 15:00	23200	444	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	153.
12/25/25 15:30	23300	438	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	146.
12/25/25 16:00	23400	435	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	141.
12/25/25 16:30	23500	433	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	144.
12/25/25 17:00	23600	433	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.0	144.
12/25/25 17:30	23600	434	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	146.
12/25/25 18:00	23800	434	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	146.
12/25/25 18:30	23800	438	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.27	149.
12/25/25 19:00	23800	436	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.83	146.
12/25/25 19:30	23800	438	2.19	BDL	BDL	4.17	BDL	BDL	BDL	BDL	9.25	161.
12/25/25 20:00	23700	439	2.2	BDL	BDL	12.8	BDL	BDL	BDL	BDL	10.1	162.
12/25/25 20:30	23400	432	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	169.
12/25/25 21:00	23200	432	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.32	173.
12/25/25 21:30	23100	427	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.38	180.
12/25/25 22:00	22900	419	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.06	182.
12/25/25 22:30	22700	418	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.16	182.
12/25/25 23:00	22800	419	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.22	180.
12/25/25 23:30	22800	417	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.26	183.
12/26/25 00:00	22900	415	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.49	178.

Daily Processed Summary (Average, Maximum Value)

Average	22800	431	2.19	BDL	BDL	0.639	BDL	BDL	BDL	BDL	8.81	163
Maximum Value	23800	444	2.44	-	-	12.8	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/26/25 00:30	22900	414	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.82	178.
12/26/25 01:00	23100	412	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.49	190.
12/26/25 01:30	23000	413	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.35	201.
12/26/25 02:00	23100	408	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.88	196.
12/26/25 02:30	23200	408	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.27	190.
12/26/25 03:00	23100	415	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.46	208.
12/26/25 03:30	23200	418	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.69	201.
12/26/25 04:00	23300	417	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.30	198.
12/26/25 04:30	23100	413	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.01	192.
12/26/25 05:00	23000	403	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.05	196.
12/26/25 05:30	23000	412	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.81	211.
12/26/25 06:00	22900	421	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.76	214.
12/26/25 06:30	22900	424	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.55	207.
12/26/25 07:00	23000	422	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.02	204.
12/26/25 07:30	23000	423	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.00	199.
12/26/25 08:00	23200	423	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.99	194.
12/26/25 08:30	23300	423	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.58	190.
12/26/25 09:00	23400	423	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.16	196.
12/26/25 09:30	23500	425	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.23	188.
12/26/25 10:00	23700	428	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.45	196.
12/26/25 10:30	23700	428	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.34	196.
12/26/25 11:00	23400	430	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.6	195.
12/26/25 11:30	23000	431	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.87	199.
12/26/25 12:00	22700	431	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.87	196.
12/26/25 12:30	22500	431	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	196.
12/26/25 13:00	22300	433	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.0	188.
12/26/25 13:30	22200	434	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	191.
12/26/25 14:00	21500	436	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	194.
12/26/25 14:30	21800	436	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	184.
12/26/25 15:00	21500	437	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	183.
12/26/25 15:30	21800	436	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	184.
12/26/25 16:00	21800	433	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	184.
12/26/25 16:30	22200	432	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	170.
12/26/25 17:00	22200	430	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	168.
12/26/25 17:30	22200	427	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	169.
12/26/25 18:00	22400	427	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.02	175.
12/26/25 18:30	22800	424	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.86	175.
12/26/25 19:00	23300	422	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	172.
12/26/25 19:30	23600	423	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.4	173.
12/26/25 20:00	23800	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	166.
12/26/25 20:30	23600	432	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	170.
12/26/25 21:00	23400	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	171.
12/26/25 21:30	23200	431	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.2	174.
12/26/25 22:00	23000	427	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	174.
12/26/25 22:30	22700	424	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	176.
12/26/25 23:00	22600	422	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	175.
12/26/25 23:30	22400	422	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.89	175.
12/27/25 00:00	22400	421	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.46	176.

Daily Processed Summary (Average, Maximum Value)

Average	22900	424	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	185
Maximum Value	23800	437	2.18	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/27/25 00:30	22300	422	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.25	175.
12/27/25 01:00	22200	419	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.49	177.
12/27/25 01:30	22200	418	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.15	178.
12/27/25 02:00	22200	419	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.52	179.
12/27/25 02:30	22200	418	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.70	179.
12/27/25 03:00	22200	416	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.03	179.
12/27/25 03:30	22100	414	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.40	178.
12/27/25 04:00	22100	413	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.38	171.
12/27/25 04:30	22200	415	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	173.
12/27/25 05:00	22200	416	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.97	174.
12/27/25 05:30	22200	418	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.97	179.
12/27/25 06:00	22100	419	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.87	176.
12/27/25 06:30	22000	417	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.01	173.
12/27/25 07:00	22100	416	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.75	176.
12/27/25 07:30	22200	416	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.08	176.
12/27/25 08:00	22300	419	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.61	172.
12/27/25 08:30	22400	421	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	174.
12/27/25 09:00	22700	424	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.	173.
12/27/25 09:30	22800	426	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	172.
12/27/25 10:00	23100	428	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	171.
12/27/25 10:30	23300	430	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	166.
12/27/25 11:00	23200	431	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	169.
12/27/25 11:30	22500	431	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	188.
12/27/25 12:00	22400	430	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.5	184.
12/27/25 12:30	22300	432	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	187.
12/27/25 13:00	22000	434	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	186.
12/27/25 13:30	21900	435	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	188.
12/27/25 14:00	21800	435	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	187.
12/27/25 14:30	22000	435	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	177.
12/27/25 15:00	22200	434	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	166.
12/27/25 15:30	22400	433	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.6	167.
12/27/25 16:00	22600	432	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	172.
12/27/25 16:30	23100	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	166.
12/27/25 17:00	23200	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	158.
12/27/25 17:30	23200	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	157.
12/27/25 18:00	23100	435	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.4	158.
12/27/25 18:30	23100	437	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	151.
12/27/25 19:00	23000	438	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	153.
12/27/25 19:30	23200	442	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	154.
12/27/25 20:00	23300	443	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	154.
12/27/25 20:30	23300	441	2.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.2	148.
12/27/25 21:00	23300	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	156.
12/27/25 21:30	23400	441	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	153.
12/27/25 22:00	23400	440	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	157.
12/27/25 22:30	23300	437	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.0	163.
12/27/25 23:00	23000	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.9	165.
12/27/25 23:30	23000	434	2.17	BDL	BDL	2.79	BDL	BDL	BDL	BDL	12.9	163.
12/28/25 00:00	22900	438	2.16	BDL	BDL	2.84	BDL	BDL	BDL	BDL	12.9	161.

Daily Processed Summary (Average, Maximum Value)

Average	22600	429	2.16	BDL	BDL	0.117	BDL	BDL	BDL	BDL	11.1	169
Maximum Value	23400	443	2.19	-	-	2.84	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/28/25 00:30	23000	442	2.17	BDL	BDL	2.66	BDL	BDL	BDL	BDL	15.1	156.
12/28/25 01:00	23000	436	2.16	BDL	BDL	3.1	BDL	BDL	BDL	BDL	14.3	162.
12/28/25 01:30	22000	428	2.15	BDL	BDL	3.08	BDL	BDL	BDL	BDL	16.8	164.
12/28/25 02:00	21600	430	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.	166.
12/28/25 02:30	21500	430	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	168.
12/28/25 03:00	21700	433	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	163.
12/28/25 03:30	22000	431	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	168.
12/28/25 04:00	22000	429	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	172.
12/28/25 04:30	22300	430	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.3	169.
12/28/25 05:00	22600	435	2.17	BDL	BDL	10.8	BDL	BDL	BDL	BDL	12.8	160.
12/28/25 05:30	22700	432	2.17	BDL	BDL	4.19	BDL	BDL	BDL	BDL	12.7	166.
12/28/25 06:00	23000	439	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	156.
12/28/25 06:30	23100	436	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.3	147.
12/28/25 07:00	23300	439	2.18	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	153.
12/28/25 07:30	23300	435	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	158.
12/28/25 08:00	23300	441	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	155.
12/28/25 08:30	23400	436	2.16	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	161.
12/28/25 09:00	23500	431	2.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.6	172.
12/28/25 09:30	23600	426	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.7	171.
12/28/25 10:00	23600	428	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.73	185.
12/28/25 10:30	23100	429	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.72	185.
12/28/25 11:00	22600	428	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	188.
12/28/25 11:30	22000	430	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	188.
12/28/25 12:00	21400	432	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.7	192.
12/28/25 12:30	20500	433	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.	182.
12/28/25 13:00	19600	435	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	196.
12/28/25 13:30	19600	435	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.4	194.
12/28/25 14:00	19700	436	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	192.
12/28/25 14:30	19800	436	2.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.9	191.
12/28/25 15:00	19700	437	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	192.
12/28/25 15:30	19700	436	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.06	192.
12/28/25 16:00	20200	436	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.12	182.
12/28/25 16:30	20100	434	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.95	184.
12/28/25 17:00	20100	433	2.14	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.19	174.
12/28/25 17:30	20500	436	2.15	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.79	172.
12/28/25 18:00	21700	440	2.18	BDL	BDL	4.88	BDL	BDL	BDL	BDL	6.89	166.
12/28/25 18:30	M	M	M	M	M	M	M	M	M	M	6.26	170.
12/28/25 19:00	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	QAQC	5.25	128.
12/28/25 19:30	M	M	M	M	M	M	M	M	M	M	3.26	113.
12/28/25 20:00	22200	426	2.37	BDL	BDL	27.7	BDL	BDL	BDL	BDL	3.25	95.3
12/28/25 20:30	22200	428	2.16	BDL	BDL	9.05	BDL	BDL	BDL	BDL	3.71	118.
12/28/25 21:00	21900	427	2.21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.5	51.5
12/28/25 21:30	21500	427	2.2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.5	101.
12/28/25 22:00	22200	422	2.22	BDL	BDL	10.7	BDL	BDL	BDL	BDL	5.48	98.9
12/28/25 22:30	22500	424	2.19	BDL	BDL	16.6	BDL	BDL	BDL	BDL	5.55	114.
12/28/25 23:00	22300	426	2.47	BDL	BDL	27.6	BDL	BDL	BDL	BDL	4.94	124.
12/28/25 23:30	21900	425	2.19	BDL	BDL	18.8	BDL	BDL	BDL	BDL	4.15	127.
12/29/25 00:00	21800	427	2.26	BDL	BDL	43.2	BDL	BDL	BDL	BDL	1.52	110.

Daily Processed Summary (Average, Maximum Value)

Average	21900	432	2.17	BDL	BDL	4.05	BDL	BDL	BDL	BDL	8.88	167
Maximum Value	23600	442	2.47	-	-	43.2	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/29/25 00:30	18900	430	2.24	BDL	BDL	38.7	BDL	BDL	BDL	BDL	11.8	359.
12/29/25 01:00	11200	420	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.9	357.
12/29/25 01:30	10000	418	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	18.1	7.88
12/29/25 02:00	8590	418	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.	8.87
12/29/25 02:30	7460	417	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.9	11.8
12/29/25 03:00	6770	415	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.2	12.3
12/29/25 03:30	6060	415	2.22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.2	15.5
12/29/25 04:00	5250	417	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	26.7	17.3
12/29/25 04:30	5060	416	2.23	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.4	13.8
12/29/25 05:00	4310	417	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	25.7	15.2
12/29/25 05:30	3940	416	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	25.9	17.9
12/29/25 06:00	3730	415	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24.3	15.3
12/29/25 06:30	3290	415	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	25.8	16.1
12/29/25 07:00	3280	415	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.2	16.
12/29/25 07:30	3160	415	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24.	18.4
12/29/25 08:00	3130	415	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.7	17.7
12/29/25 08:30	2980	415	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.3	18.1
12/29/25 09:00	2890	414	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.2	15.6
12/29/25 09:30	2800	414	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24.5	17.1
12/29/25 10:00	2840	414	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23.4	18.9
12/29/25 10:30	2830	414	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.9	17.4
12/29/25 11:00	2640	412	2.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.6	11.3
12/29/25 11:30	2640	413	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.4	8.09
12/29/25 12:00	2550	411	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	21.7	11.6
12/29/25 12:30	2580	411	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	20.2	9.63
12/29/25 13:00	2860	412	2.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.2	2.68
12/29/25 13:30	2740	411	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.	349.
12/29/25 14:00	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	MNT	15.2	341.
12/29/25 14:30	INS	INS	INS	INS	INS	INS	INS	INS	INS	INS	15.2	339.
12/29/25 15:00	3040	421	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	332.
12/29/25 15:30	2930	420	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	17.5	332.
12/29/25 16:00	2890	418	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.0	340.
12/29/25 16:30	3110	419	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.3	331.
12/29/25 17:00	3460	418	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	325.
12/29/25 17:30	3240	417	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	337.
12/29/25 18:00	3220	417	2.36	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	337.
12/29/25 18:30	3340	417	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.5	336.
12/29/25 19:00	3240	417	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.4	337.
12/29/25 19:30	3250	417	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.5	338.
12/29/25 20:00	3280	416	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.8	339.
12/29/25 20:30	3290	416	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.4	338.
12/29/25 21:00	3250	416	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	15.7	342.
12/29/25 21:30	3270	416	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.9	341.
12/29/25 22:00	3250	417	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	344.
12/29/25 22:30	3240	418	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.8	345.
12/29/25 23:00	3160	419	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.5	348.
12/29/25 23:30	3230	421	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	350.
12/30/25 00:00	3250	421	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.1	351.

Daily Processed Summary (Average, Maximum Value)

Average	4250	416	2.28	BDL	BDL	0.841	BDL	BDL	BDL	BDL	18.2	1.03
Maximum Value	18900	430	2.36	-	-	38.7	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/30/25 00:30	3290	421	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.9	350.
12/30/25 01:00	3330	422	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	353.
12/30/25 01:30	3350	421	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	0.364
12/30/25 02:00	3400	420	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.	12.3
12/30/25 02:30	3380	420	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	12.0
12/30/25 03:00	3380	420	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.3	13.0
12/30/25 03:30	3470	421	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.8	15.7
12/30/25 04:00	3490	421	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.5	13.3
12/30/25 04:30	3370	422	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.6	14.7
12/30/25 05:00	3350	422	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.1	12.0
12/30/25 05:30	3440	422	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	9.78
12/30/25 06:00	3480	421	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.4	11.2
12/30/25 06:30	3460	421	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.81	8.58
12/30/25 07:00	3500	419	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.52	2.49
12/30/25 07:30	3530	418	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.66	8.34
12/30/25 08:00	3830	419	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.13	358.
12/30/25 08:30	3740	420	2.35	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.23	1.31
12/30/25 09:00	3510	420	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.2	2.95
12/30/25 09:30	3480	421	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	13.6	6.82
12/30/25 10:00	3410	420	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14.2	2.68
12/30/25 10:30	3380	420	2.34	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.9	352.
12/30/25 11:00	3450	419	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.8	353.
12/30/25 11:30	3480	420	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11.1	352.
12/30/25 12:00	3460	422	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.8	348.
12/30/25 12:30	3400	422	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.5	341.
12/30/25 13:00	3400	423	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.1	348.
12/30/25 13:30	3370	423	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10.0	350.
12/30/25 14:00	3290	424	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.8	336.
12/30/25 14:30	3390	426	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.19	340.
12/30/25 15:00	3180	425	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.32	344.
12/30/25 15:30	2990	424	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.70	347.
12/30/25 16:00	3060	425	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.60	338.
12/30/25 16:30	3190	425	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.96	340.
12/30/25 17:00	3250	424	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.84	340.
12/30/25 17:30	3570	424	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.07	343.
12/30/25 18:00	3830	423	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.75	349.
12/30/25 18:30	3820	421	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.90	351.
12/30/25 19:00	4380	421	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.59	331.
12/30/25 19:30	4790	422	2.81	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.15	333.
12/30/25 20:00	4600	423	2.75	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.72	49.1
12/30/25 20:30	4090	422	2.45	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.34	27.3
12/30/25 21:00	4000	419	2.69	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.05	324.
12/30/25 21:30	4450	419	4.03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.76	295.
12/30/25 22:00	4730	422	3.06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.522	330.
12/30/25 22:30	4980	424	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.595	4.87
12/30/25 23:00	4570	425	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.53	353.
12/30/25 23:30	4570	424	2.48	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.51	343.
12/31/25 00:00	5970	430	2.83	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.25	301.

Daily Processed Summary (Average, Maximum Value)

Average	3700	422	2.43	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.19	357
Maximum Value	5970	430	4.03	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal

FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data

Open Path FTIR 30-Minute Averages

Site: Formosa North AAMS

Timestamp	H2O (ppm)	CO2 (ppm)	CH4 (ppm)	Benzene (ppb)	HCl (ppb)	Ethylene (ppb)	VCI (ppb)	ETO (ppb)	1,3-But (ppb)	EDC (ppb)	Wind Speed (mph)	Wind Dir (deg)
12/31/25 00:30	5340	429	3.85	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.86	300.
12/31/25 01:00	5420	429	4.09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.89	320.
12/31/25 01:30	5530	431	4.66	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.11	338.
12/31/25 02:00	5290	431	4.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.762	346.
12/31/25 02:30	4680	429	4.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.592	28.1
12/31/25 03:00	4440	429	3.74	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.13	20.7
12/31/25 03:30	5170	430	3.41	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.27	0.514
12/31/25 04:00	5420	429	3.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.02	342.
12/31/25 04:30	5530	429	3.84	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.00	311.
12/31/25 05:00	5750	431	4.17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.96	301.
12/31/25 05:30	5630	433	4.56	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	319.
12/31/25 06:00	5650	433	4.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.42	340.
12/31/25 06:30	5790	435	3.77	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.57	323.
12/31/25 07:00	5600	433	4.12	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.10	308.
12/31/25 07:30	5750	439	4.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.61	328.
12/31/25 08:00	5790	439	4.25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.03	357.
12/31/25 08:30	6120	441	3.97	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.14	325.
12/31/25 09:00	5190	424	3.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.11	286.
12/31/25 09:30	4900	422	3.13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.63	248.
12/31/25 10:00	4620	421	2.55	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.02	227.
12/31/25 10:30	3990	422	2.37	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.37	214.
12/31/25 11:00	3800	425	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.21	219.
12/31/25 11:30	3390	426	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.69	221.
12/31/25 12:00	3160	428	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.87	237.
12/31/25 12:30	3200	428	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.28	233.
12/31/25 13:00	3150	429	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.66	252.
12/31/25 13:30	3380	430	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.00	214.
12/31/25 14:00	3210	430	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.49	217.
12/31/25 14:30	3280	430	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.13	196.
12/31/25 15:00	3820	432	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.35	198.
12/31/25 15:30	4640	437	2.31	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.88	175.
12/31/25 16:00	5220	440	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.82	168.
12/31/25 16:30	5590	438	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.91	154.
12/31/25 17:00	5790	435	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.79	157.
12/31/25 17:30	5880	433	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.28	167.
12/31/25 18:00	6280	428	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.67	174.
12/31/25 18:30	6330	425	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.72	178.
12/31/25 19:00	6700	425	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.99	182.
12/31/25 19:30	7140	425	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.32	182.
12/31/25 20:00	7490	425	2.29	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.53	182.
12/31/25 20:30	7460	425	2.27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.11	181.
12/31/25 21:00	7760	424	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.43	179.
12/31/25 21:30	8250	423	2.26	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.56	179.
12/31/25 22:00	8630	422	2.28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.5	176.
12/31/25 22:30	8950	420	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.60	177.
12/31/25 23:00	9070	420	2.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.93	176.
12/31/25 23:30	9230	421	2.32	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.54	177.
01/01/26 00:00	9490	420	2.33	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.90	176.

Daily Processed Summary (Average, Maximum Value)

Average	5660	429	2.96	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.07	194
Maximum Value	9490	441	4.66	-	-	-	-	-	-	-	-	-

BDL = Below Detection Limit

Blank = Not Available

QAQC = Quality Assurance / Quality Control

MNT = Equipment Maintenance

ATM = Interfering Atmospheric Conditions

L = Low Signal


FEW = <75% Data Completeness

INS = <25% Data Completeness

M = Missing Data



Appendix B
Wind Roses – Q4 2025

FTIR FNorth Wind Roses



Frequency of counts by wind direction (%)


FTIR FNorth Wind Roses



(mph)

Frequency of counts by wind direction (%)


FTIR FNorth Wind Roses



(mph)


Frequency of counts by wind direction (%)

FTIR FPC Wind Roses




Frequency of counts by wind direction (%)

FTIR FPC Wind Roses



Frequency of counts by wind direction (%)

FTIR FPC Wind Roses



Frequency of counts by wind direction (%)